



UNITED STATES TARIFF COMMISSION  
Washington

# IMPORTS OF BENZENOID CHEMICALS AND PRODUCTS

1965

United States General Imports of Intermediates, Dyes, Medicinals,  
Flavor and Perfume Materials, and Other Finished Benzenoid  
Products Entered in 1965 Under Schedule 4, Parts 1B and  
1C of The Tariff Schedules of the United States



TC Publication 183  
Washington, D.C.  
July 1966

**UNITED STATES TARIFF COMMISSION**

**Paul Kaplowitz, Chairman**

**Glenn W. Sutton, Vice Chairman**

**James W. Culliton**

**Dan H. Fenn, Jr.**

**Penelope H. Thunberg**

**Donn N. Bent, Secretary**

-----

**Address all communications to  
United States Tariff Commission  
Washington, D. C. 20436**

-----

**UNITED STATES, TARIFF COMMISSION**  
**Washington**

**IMPORTS OF BENZENOID CHEMICALS  
AND PRODUCTS**

**1 9 6 5**

**United States General Imports of Intermediates, Dyes, Medicinals,  
Flavor and Perfume Materials, and Other Finished Benzenoid  
Products Entered in 1965 Under Schedule 4, Parts 1B and  
1C of The Tariff Schedules of the United States**

**United States Tariff Commission**

**July, 1966**

50 AUG 19 1966



# CONTENTS

(Imports under TSUS, Schedule 4, Parts 1B and 1C)

| <u>Table No.</u> |   | <u>Page</u> |
|------------------|---|-------------|
| 1.               | Benzenoid intermediates: Summary of U.S. general imports entered under Part 1B, TSUS, by competitive status, 1965--   | 4           |
| 2.               | Benzenoid intermediates: U.S. general imports entered under Part 1B, TSUS, by country of origin, 1965 and 1964--  | 4           |
| 3.               | Benzenoid intermediates: U.S. general imports entered under Part 1B, TSUS, showing competitive status, 1965-----  | 6           |
| 4.               | Finished benzenoid products: Summary of U.S. general imports entered under Part 1C, TSUS, by competitive status, 1965-----  | 23          |
| 5.               | Finished benzenoid products: U.S. general imports entered under Part 1C, TSUS, by country of origin, 1965 and 1964--  | 24          |
| 6.               | Finished benzenoid products: Summary of U.S. general imports entered under Part 1C, TSUS, by major groups and competitive status, 1965-----                             | 26          |
| 7.               | Benzenoid dyes: U.S. general imports entered under Part 1C, TSUS, by class of application, and competitive status, 1965-----  | 29          |
| 8.               | Benzenoid dyes: U.S. general imports entered under Part 1C, TSUS, by country of origin, 1965 compared with 1964-----  | 30          |
| 9.               | Benzenoid dyes: U.S. general imports of individual dyes entered under Part 1C, TSUS, by class of application, and showing competitive status where available, 1965----- | 31          |
| 10.              | Benzenoid pigments (Toners and lakes): U.S. general imports entered under Part 1C, TSUS, showing competitive status, 1965-----  | 74          |
| 11.              | Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Part 1C, TSUS, showing competitive status, 1965-----                                       | 79          |
| 12.              | Benzenoid flavor and perfume materials: U.S. general imports entered under Part 1C, TSUS, showing competitive status, 1965-----   | 87          |
| 13.              | All other finished benzenoid products: U.S. general imports entered under Part 1C, TSUS, showing competitive status, 1965-----  | 90          |



# IMPORTS OF BENZENOID CHEMICALS AND PRODUCTS, 1965

## Introduction

This report presents statistics on U.S. imports of products entered in 1965 under the Tariff Schedules of the United States (TSUS)--title I of the Tariff Act of 1930, as amended. The data were obtained by analyzing invoices covering imports through all U.S. customs districts.

Items included in this report are referred to as "benzenoid chemicals" and products. The term "benzenoid chemicals" refers to cyclic organic chemicals having a benzenoid, quinoid, or modified benzenoid <sup>1/</sup> structure and to certain cyclic and acyclic chemicals obtained therefrom, provided for in part 1 of schedule 4 of the TSUS. Certain benzenoid chemicals, however, are specifically excluded from part 1 of schedule 4; among these are certain chemicals obtained from animal or vegetable products. <sup>2/</sup> The cyclic chemicals here considered are usually produced in whole or in part either from coal tar or petroleum and were formerly provided for in paragraphs 27 and 28 of the Tariff Act of 1930.

The original rates of duty provided for in paragraphs 27 and 28 of the Tariff Act of 1930 (now TSUS items 403.02 - 409.00) were all compound rates and consisted of an ad valorem rate plus a specific rate in cents per pound. The present (TSUS) rates of duty on all imports of the benzenoid products covered by this report continue to be compound rates except for certain colors, dyes and stains, and color lakes and toners which are ad valorem rates. The specific portion of the compound rates of duty is assessed on the actual weight of the imported product, except that, for colors, dyes, and stains which exceed the standards of strength established by the Secretary of the Treasury, the specific rate is computed on the weight of the product as if diluted to the standard strength.

Benzenoid products that are "competitive" with similar domestic products, because they accomplish results substantially equal to those accomplished by the similar domestic product when used in substantially the same manner, are subject to a special basis of valuation for customs purposes known as the "American selling price." If "noncompetitive", the benzenoid products are valued for customs purposes on the basis of the "United States value." The essential difference between these two values is that "American selling price" is based on the wholesale price in the United States of the "competitive" domestic product, whereas "United States value" is based on the wholesale price in the United States of the imported product less most of the expenses incurred in

---

<sup>1/</sup> The term "modified benzenoid" describes a molecular structure having at least one six-membered heterocyclic ring which contains at least four carbon atoms and having an arrangement of molecular bonds as in the benzene ring or in the quinone ring, but does not include any such molecular structure in which one or more pyrimidine rings are the only modified benzenoid rings present.

<sup>2/</sup> Additional exceptions are provided in the headnotes to other parts of Schedule 4. For instance, the headnote to part 3 specifically exempts niacin, niacinamide, meso-inositol hexanicotinate, and pyridoxine (vitamin B<sub>6</sub>).

bringing the product to the United States and selling it. When neither of these two valuation bases applies, then the "export value", "foreign value", or "constructed value" is used as the valuation basis under section 402 or 402a, Tariff Act of 1930, as amended.

The statistics in this report are based on general imports, whereas the official statistics of the U.S. Department of Commerce are based on imports for consumption. General imports are the sum of the quantities entered for immediate consumption, plus the quantities entered into customs bonded warehouses. Imports for consumption, on the other hand, are the sum of the quantities entered for immediate consumption, plus the quantities withdrawn for consumption from customs bonded warehouses. The import statistics in this report, therefore, are not strictly comparable with official import statistics. The differences resulting from the above-mentioned methods of compiling import data should be taken into consideration when comparing figures in this report with those published by the U.S. Department of Commerce.

Statistics 1/ on the value of imports given in this and earlier reports are the invoice values and not necessarily the dutiable values as finally determined by the customs appraiser or (in the event of litigation) by a customs court. The invoice values given for "noncompetitive" products on the average roughly approximate dutiable values. For "competitive" products, on the other hand, the invoice values usually are lower than the dutiable values, since the duties on these products are assessed on the basis of the "American selling price." The competitive status of the individual chemicals, when available, is shown in a separate column of all pertinent tables. The competitive status is determined by the Customs Service and the tables given herein reflect the latest determinations of the Service available to the Tariff Commission. In some instances the competitive status may not be in accord with the final determinations made by the customs appraiser or (in the event of litigation) by a customs court.

In 1965 statistics on imports of benzenoid chemicals and products were classified according to the Tariff Schedules of the United States Annotated (TSUSA) 2/. The rates of duty in effect from January 1, 1965 may be ascertained by reference to the Tariff Schedules of the United States (TSUS) 3/.

---

1/ Imports amounting to less than 25 pounds are not shown separately in this report, except medicinals (including alkaloids and antibiotics).

2/ U.S. Tariff Commission, Tariff Schedules of the United States Annotated, TC Publication 163, 1965.

3/ U.S. Tariff Commission, Tariff Schedules of the United States, TC Publication 112, 1963. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402 - Price \$4.00.

### Imports Under Schedule 4, Part 1B, TSUS (Benzenoid Intermediates)

Chemicals that are entered under Schedule 4, Part 1B, TSUS, consist chiefly of benzenoid intermediates and small quantities of acyclic compounds which are derived in whole or in part from benzenoid compounds. The intermediates are benzenoid chemicals that have progressed only part way in the manufacturing process; derived from coal-tar and petroleum crudes (which enter free of duty under Schedule 4, Part 1A, TSUS), they are generally used to make more advanced products. Small quantities of finished products, such as rubber-processing chemicals and mixtures containing a benzenoid product, are included under Part 1B.

In 1965, general imports of benzenoid intermediates entered under Part 1B totaled 38.0 million pounds, with an invoice value of \$19.5 million (table 1), compared with 18.8 million pounds, with an invoice value of \$14.4 million, in 1964--an increase of 102.1 percent in quantity and 35.4 percent in value.

In 1965, half of the 642 benzenoid intermediates imported under Part 1B were declared to be "competitive" (duty based on "American selling price") and amounted to 34.3 million pounds, valued at \$14.2 million. This is 90.5 percent of total imports, in terms of quantity, and 73.1 percent, in terms of value. "Noncompetitive" imports amounted to 3.6 million pounds, valued at \$5.2 million. The competitive status of 8,900 pounds of intermediates is not available.

In terms of quantity, 34 percent of all the intermediates imported in 1965 came from Canada; 21 percent, from Italy; and 19 percent, from West Germany (table 2). Imports from Canada in 1965 increased to 13 million pounds, from 2.0 million pounds in 1964. In 1965, imports from Italy increased to 8.1 million pounds, from 1.6 million pounds in 1964. Imports in 1965 from West Germany declined to 7.2 million pounds from 7.6 million pounds in 1964. Imports from Japan amounted to 3.3 million pounds in 1965, compared with 2.2 million pounds in 1964, while imports from the United Kingdom totaled 2.2 million pounds both in 1964 and 1965. In 1965, sizable quantities of intermediates were also imported from Switzerland (1.6 million pounds), France (1.2 million pounds), and Sweden (0.8 million pounds).

Table 1.--Benzenoid intermediates: Summary of U.S. general imports entered under Schedule 4, Part 1B, TSUS, by competitive status, 1965

| Status  | Number of products | Quantity      | Percent of total quantity | Invoice value  | Percent of total value | Unit value       |
|---|--------------------|---------------|---------------------------|----------------|------------------------|------------------|
|   |                    | <u>Pounds</u> |                           | <u>Dollars</u> |                        | <u>Per pound</u> |
| Competitive (duty based on American selling price)----- | 320                | 34,328,479    | 90.5                      | 14,233,722     | 73.1                   | \$0.41           |
| Noncompetitive (duty based on U.S. value)-              | 131                | 1,495,772     | 3.9                       | 2,110,091      | 10.8                   | 1.41             |
| Noncompetitive (duty based on export value)-----        | 189                | 2,142,305     | 5.6                       | 3,132,428      | 16.1                   | 1.46             |
| Competitive status not available-----                   | 2                  | 8,858         | -                         | 6,764          | -                      | .76              |
| Grand total-----  | 642                | 37,975,414    | 100.0                     | 19,483,005     | 100.0                  | .51              |

Note.--The unit values shown for imports of benzenoid intermediates listed in table 1 are weighted averages. The numerous individual benzenoid intermediates vary widely in quality and unit value.

Table 2.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, by country of origin, 1965 compared with 1964

| Country                       | 1965       |                           | 1964       |                           |
|-------------------------------|------------|---------------------------|------------|---------------------------|
|                               | Quantity   | Percent of total quantity | Quantity   | Percent of total quantity |
| Canada -----                  | 13,000,839 | 34.2                      | 1,986,994  | 10.6                      |
| Italy -----                   | 8,116,046  | 21.4                      | 1,577,002  | 8.4                       |
| West Germany -----            | 7,194,336  | 18.9                      | 7,587,163  | 40.4                      |
| Japan -----                   | 3,323,588  | 8.8                       | 2,227,167  | 11.9                      |
| United Kingdom -----          | 2,169,615  | 5.7                       | 2,235,203  | 11.9                      |
| Switzerland -----             | 1,589,748  | 4.2                       | 1,042,508  | 5.5                       |
| France -----                  | 1,236,745  | 3.2                       | 1,049,077  | 5.6                       |
| Sweden -----                  | 786,359    | 2.1                       | 628,635    | 3.3                       |
| All other <sup>1/</sup> ----- | 558,138    | 1.5                       | 454,959    | 2.4                       |
| Total -----                   | 37,975,414 | 100.0                     | 18,788,708 | 100.0                     |

<sup>1/</sup> Consists principally of imports from Czechoslovakia, the Netherlands, and Belgium.

Imports of intermediates by principal trading areas in 1965 were as follows:

| <u>Area</u>                              | <u>Pounds</u>  | <u>Invoice<br/>value</u> | <u>Unit<br/>invoice<br/>value</u> |
|--|----------------|--------------------------|-----------------------------------|
| European Economic Community -----        | 16,828,897     | \$ 9,828,352             | \$0.58                            |
| European Foreign Trade Association ----- | 4,545,777      | 4,663,567                | 1.03                              |
| All other countries 1/-                  | 16,600,740     | 4,991,086                | .30                               |
| <br>Total -----                          | <br>37,975,414 | <br>19,483,005           | <br>.51                           |

1/ Principally Japan, Canada, and Mexico.

The most important intermediates imported in 1965 were adipic acid, polyalkylbenzene, p-nitrotoluene, 3-hydroxy-2-naphthoic acid (B.O.N.), cyclohexanone, acetoacetanilide, Gamma acid, anthraquinone, 2-(morpholinothio)benzothiazole, and sodium naphthionate (table 3). In 1965, imports of adipic acid amounted to 13.7 million pounds compared to 1.9 million pounds in 1964 and came almost entirely from Canada. Imports of polyalkylbenzene in 1965 totaled 6.1 million pounds compared to 725,000 pounds in 1964 and all came from Italy. In 1965, imports of p-nitrotoluene, which came principally from Sweden and Germany, totaled 922,000 pounds; imports of B.O.N., which came from Italy, West Germany, and Japan, totaled 873,000 pounds; imports of cyclohexanone (699,000 pounds) all came from Italy; imports of acetoacetanilide (679,000 pounds) came principally from Switzerland; imports of Gamma acid (595,000 pounds) came from Japan, West Germany, and Italy; imports of anthraquinone (468,000 pounds) came from the United Kingdom, Japan, and West Germany; imports of 2-(morpholinothio)benzothiazole (415,000 pounds) all came from the United Kingdom; and imports of sodium naphthionate (326,000 pounds), all from Japan.

Imports of rubber-processing chemicals amounted to 540,000 pounds in 1965, compared with 198,000 pounds in 1964, and 39,000 pounds in 1963. In 1965, imports which consisted chiefly of "competitive" items came principally from the United Kingdom.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC 1/  | A C D Amine -----   | 60            |
| C  | 4-Acetamido-2-aminobenzenesulfonic acid -----                 | 3,623         |
| C  | 2-Acetamido-3-chloroanthraquinone -----                       | 6,000         |
| NC 1/  | Acetanilide -----   | 258           |
| C  | Acetoacetanilide -----  | 678,691       |
| C  | o-Acetoacetanilide -----                                      | 40,409        |
| NC   | Acetoacetbenzylamide -----                                    | 75            |
| NC   | p-Acetoacetophenetidide -----                                 | 15,500        |
| C, NC, NC 1/   | o-Acetoacetotoluidide -----                                   | 150,887       |
| NC 1/  | p-Acetoacetotoluidide -----                                   | 12,755        |
| 2/   | Acetoacetotoluidide and xylidide -----                        | 8,818         |
| C  | 2',4'-Acetoacetoxyldide -----                                 | 141,107       |
| NC   | 4-Acetoacetylmorpholine -----                                 | 1,299         |
| C  | 3-( $\alpha$ -Acetonylbenzyl)-4-hydroxycoumarin -----         | 55            |
| NC 1/  | N-Acetoxyethyl-N-cyanoethylaniline -----                      | 21,605        |
| C  | N-Acetyl-dl-tryptophan -----                                  | 55            |
| C  | Acido para para -----   | 435           |
| NC 1/  | Additive AC-45-C -----  | 95,926        |
| C  | Adipic acid -----   | 13,719,270    |
| C, NC  | Adipic acid, 1,6-hexanediamine salt -----                     | 36,210        |
| NC 1/  | Allylbenzylacetamide -----                                    | 220           |
| NC   | Amin 2 -----  | 1,501         |
| C, NC 1/   | 4'-Aminoacetanilide -----                                     | 115,278       |
| C  | 3-Aminoacetanilide-4-sulfonic acid -----                      | 6,604         |
| NC   | 4-Aminoacetanilide-3-sulfonic acid -----                      | 8,349         |
| C  | 3'-Aminoacetophenone -----                                    | 41,886        |
| C  | 5-Amino-2-(p-aminoanilino)benzenesulfonic acid -----          | 10,400        |
| C  | 5-Amino-2-anilinobenzenesulfonic acid -----                   | 2,207         |
| C, NC  | 2-(p-Aminoanilino)-5-nitrobenzenesulfonic acid -----          | 46,399        |
| C, NC 1/   | 4-Aminoanisoie-3-sulfonic acid -----                          | 11,322        |
| C  | 1-Aminoanthraquinone -----                                    | 44,194        |
| NC 1/  | p-Aminoazobenzenedisulfonic acid -----                        | 4,851         |
| C, NC 1/   | p-Aminoazobenzenedisulfonic acid, monosodium salt -----       | 14,135        |
| C  | 4-Aminoazobenzene-3,4'-disulfonic acid -----                  | 125,836       |
| C  | 4-Aminoazobenzene-3,4'-disulfonic acid, monosodium salt ----- | 3,318         |
| C  | Aminoazobenzenesulfonic acid -----                            | 42,058        |
| C  | 1-Amino-5-benzamidoanthraquinone -----                        | 4,138         |

See footnotes at end of table



Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate   | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| C, NC  | 1-Aminobenzene-3-betaoxyethyl sulfone -----                            | 60,613        |
| NC 1/  | o-Aminobenzene-sulfo-ethylanilide -----                                | 17,613        |
| C, NC 1/   | o-Aminobenzenesulfonic acid [SO <sub>3</sub> H=1] -----                | 15,790        |
| C  | p-Aminobenzoic acid -----  | 6,000         |
| NC   | Aminobisphenol ester -----   | 6,983         |
| C  | 1-Amino-4-bromo-2-anthraquinonesulfonic acid<br>(Bromamine acid) ----- | 276,779       |
| C  | 1-Amino-2-bromo-4-hydroxyanthraquinone -----                           | 3,223         |
| NC 1/  | 2-Amino-4-tert-butylphenol -----                                       | 19,698        |
| NC 1/  | 4-Amino-6-chloro-m-benzenedisulfonamide -----                          | 52,964        |
| NC 1/  | 2-Amino-4-chlorodiphenyl ether -----                                   | 1,320         |
| C  | 3-Amino-5-chloro-2-hydroxybenzenesulfonic acid- -----                  | 705           |
| NC 1/  | 2-Amino-4-chloro-5-nitrophenol -----                                   | 823           |
| NC   | 2-Amino-6-chloro-4-nitrophenol hydrochloride --                        | 542           |
| C  | 2-Amino-4-chlorophenol -----   | 8,669         |
| C  | 2-Amino-4-chlorophenol-6-sulfonic acid -----                           | 7,142         |
| NC 1/  | 2-Amino-6-chlorophenol-4-sulfonic acid -----                           | 1,367         |
| NC   | 2-Aminochlorotoluene -----   | 10,143        |
| C  | 6-Amino-4-chloro-m-toluenesulfonic acid<br>[SO <sub>3</sub> H=1] ----- | 80,567        |
| C  | 6-Amino-4-chloro-m-toluenesulfonic acid, sodium<br>salt -----          | 2,204         |
| C  | 2-Amino-p-cresol -----   | 115,957       |
| NC 1/  | 2-Amino-4-cumenylphenol -----  | 3,201         |
| C  | 1-Amino-2,4-dibromoanthraquinone -----                                 | 30,043        |
| C  | 2-Amino-2,5-dimethoxybenzene-1-sulfanilide ---                         | 2,226         |
| C  | p-Aminodimethylaniline -----   | 4,415         |
| NC 1/  | 2-Amino-6-ethoxybenzothiazole -----                                    | 522           |
| NC 1/  | 5-Amino-6-ethoxy-2-naphthalenesulfonic acid ---                        | 1,396         |
| NC   | 3'-Aminoformanilide -----  | 318           |
| C  | 4-Amino-3-hydroxy-1-naphthalenesulfonic acid<br>(N salt) -----         | 4,730         |
| NC   | 2-Amino-3-methoxybenzanilide -----                                     | 397           |
| NC   | 5-Amino-1-methoxybenzene-4-oxyethyl sulfone<br>(Amino sulfon A) -----  | 4,237         |
| NC   | 2-Amino-6-methoxybenzothiazole -----                                   | 10,647        |
| NC   | 3-Amino-4-methoxytoluene-6-β-oxyethyl sulfone -                        | 6,412         |
| C  | 4'-Amino-N-methylacetanilide -----                                     | 1,290         |
| NC 1/  | 6-Amino-N-methyl-1-naphthol-3-sulfonic acid ---                        | 39,835        |
| C  | 3-Amino-2,7-naphthalenedisulfonic acid, salt --                        | 8,172         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | 6-Amino-1,3-naphthalenedisulfonic acid -----  | 24,460        |
| C, NC  | 7-Amino-1,3-naphthalenedisulfonic acid (Amino G acid and salt) -----                  | 40,260        |
| C  | 8-Amino-1,6-naphthalenedisulfonic acid -----  | 688           |
| C  | 4-Amino-1-naphthalenesulfonic acid, sodium salt (Sodium naphthionate) -----           | 325,948       |
| C  | 5-Amino-1-naphthalenesulfonic acid -----  | 2,580         |
| C  | 5-Amino-2-naphthalenesulfonic acid (1,6-Cleve's acid) -----                           | 46,817        |
| C  | 5(and 8)-Amino-2-naphthalenesulfonic acid (Cleve's acid mixed) -----                  | 25,955        |
| C  | 6-Amino-2-naphthalenesulfonic acid (Broenner's acid) -----                            | 8,584         |
| C  | 8-Amino-1-naphthalenesulfonic acid (Peri acid)-                                       | 49,748        |
| C  | 8-Amino-2-naphthalenesulfonic acid (1,7-Cleve's acid) -----                           | 13,071        |
| C  | 8-Amino-2-naphthalenesulfonic acid, sodium salt (1,7-Cleve's acid, sodium salt) ----- | 13,244        |
| C  | 5-Amino-2-naphthol -----  | 6,922         |
| C  | 8-Amino-2-naphthol -----  | 26,365        |
| C  | 7-Amino-1-naphthol-3,6-disulfonic acid -----  | 4,395         |
| NC 1/  | 8-Amino-1-naphthol-3,5-disulfonic acid -----  | 4,535         |
| C  | 8-Amino-1-naphthol-3,6-disulfonic acid (H acid)                                       | 116,716       |
| C  | 8-Amino-1-naphthol-5,7-disulfonic acid (Chicago acid) and salts -----                 | 166,560       |
| C  | 1-Amino-2-naphthol-4-sulfonic acid (1,2,4-acid)                                       | 5,967         |
| C  | 6-Amino-1-naphthol-3-sulfonic acid (J acid) ---                                       | 249,837       |
| C  | 7-Amino-1-naphthol-3-sulfonic acid (Gamma acid)                                       | 595,267       |
| C  | 8-Amino-1-naphthol-5-sulfonic acid (S acid) ---                                       | 1,077         |
| C  | 5-Amino-2-(p-nitroanilino)benzenesulfonic acid-                                       | 11,497        |
| C  | 2-Amino-5-nitrobenzenesulfonic acid -----   | 4,569         |
| C  | 2-Amino-5-nitrobenzenesulfonic acid, sodium salt -----                                | 3,427         |
| NC 1/  | 2-Amino-5-nitrobenzonitrile -----   | 11,112        |
| C  | 2-Amino-5-nitrophenol -----   | 25,877        |
| NC 1/  | 2-Amino-6-nitro-1-phenol-4-sulfonic acid -----  | 2,145         |
| NC   | 6-Amino-4-nitro-1-phenol-2-sulfonic acid -----  | 24,529        |
| C  | 2-Amino-1-(p-nitrophenyl)-1,3-propanediol -----                                       | 8,935         |
| C  | 6-Aminopenicillanic acid -----  | 11,010        |
| C, NC 1/   | m-Aminophenol -----   | 275,850       |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC   | o-Aminophenol -----   | 89,604        |
| C  | p-Aminophenol -----   | 125,360       |
| NC 1/  | 2-Aminophenol-4-betaoxyethyl sulfone -----                    | 4,212         |
| NC   | Aminophenol ester -----                                       | 6,158         |
| C  | 2-Amino-1-phenol-4-sulfonamide -----                          | 11,544        |
| C  | 2-Amino-1-phenol-4-sulfonic acid -----                        | 29,636        |
| NC 1/  | 2-(3'-Aminophenylamino)-4,5,6-trichloropyrimidine -----       | 298           |
| C  | 2-(p-Aminophenyl)-6-methylbenzothiazole -----                 | 24,400        |
| NC   | Amino-1-pyrazolone -----                                      | 2,530         |
| NC   | Amino sulfon BR -----   | 3,012         |
| C, NC  | Amino sulfon K -----  | 17,608        |
| NC 1/  | 4-Amino-3-sulfohenyl gamma acid -----                         | 717           |
| C  | 6-Amino-m-toluenesulfonic acid -----                          | 26,458        |
| NC 1/  | 2'-Amino-2,4,4'-trichlorodiphenyl ether -----                 | 608           |
| NC 1/  | 3-Amino-2,4,6-triiodobenzoic acid -----                       | 55            |
| NC 1/  | Aniline phthalate -----                                       | 87            |
| NC   | 3-Anilinesulfanilide -----                                    | 4,999         |
| C  | 8-Anilino-1-naphthalenesulfonic acid (Phenyl peri acid) ----- | 34,900        |
| C  | 8-Anilino-1-naphthalenesulfonic acid, ammonium salt -----     | 1,100         |
| C  | 6-Anilino-1-naphthol-3-sulfonic acid (Phenyl J acid) -----    | 4,721         |
| C  | 7-Anilino-1-naphthol-3-sulfonic acid -----                    | 4,211         |
| NC 1/  | m-Anisidine -----   | 78            |
| C  | o-Anisidine -----   | 49,83         |
| C  | p-Anisidine -----   | 64,04         |
| NC 1/  | Anizon base -----   | 16,94         |
| C  | Anthracene, refined -----                                     | 182,54        |
| C  | Anthranilic acid (o-Aminobenzoic acid) -----                  | 57,23         |
| C  | Anthraquinone -----   | 467,96        |
| C  | 1-Anthraquinonesulfonic acid, sodium salt -----               | 22,50         |
| C  | Anthrurufin -----   | 2,32          |
| NC 1/  | Antimussol -----  | 3,30          |
| NC 1/  | Antioxygene MTBZ -----  | 3,00          |
| NC 1/  | Antipelle -----   | 1,12          |
| NC   | Antistatic additive No.3 -----                                | 80            |
| NC   | Ascinin special -----   | 2,64          |
| C  | Ataminol -----  | 17,77         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | Azo yellow acid -----   | 2,558         |
| C  | Azo yellow acid, disodium salt -----                                    | 5,988         |
| NC   | B acid -----  | 1,194         |
| NC <u>1/</u>   | Belzona rapid base -----  | 100           |
| C  | Benzaldehyde -----  | 176,370       |
| C  | 1-Benzamido-5-chloroanthraquinone -----                                 | 1,711         |
| NC <u>1/</u>   | Benzenesulfonic acid, sodium salt -----                                 | 55            |
| C  | Benzenesulfonyl chloride -----  | 13,775        |
| C  | Benzidine dihydrochloride -----   | 39,465        |
| NC   | Benzimidazole -----   | 100           |
| C  | Benzoyl K-acid -----  | 3,329         |
| C  | 2-Benzoylpyridine -----   | 840           |
| NC <u>1/</u>   | Benzyldiethyl(2,6-xylylcarbamoylmethyl)ammonium benzoate -----          | 1,370         |
| NC <u>1/</u>   | Bernstein -----   | 55            |
| NC <u>1/</u>   | Biligradin acid -----   | 6,614         |
| C  | 1,1'-Binaphthalenedicarboxylic acid (Dina acid) -----                   | 17,246        |
| C  | Biphenol -----  | 99            |
| NC <u>1/</u>   | 4-Biphenylcarboxylic acid -----   | 155           |
| C  | Bis(α,α-dimethylbenzyl)peroxide -----                                   | 3,748         |
| NC, NC <u>1/</u>   | 1,3-Bis(trifluoromethyl)benzene -----                                   | 2,401         |
| NC <u>1/</u>   | Brake fluid -----   | 8,045         |
| NC <u>1/</u>   | Broenaphthalene -----   | 150           |
| NC <u>1/</u>   | α[2-(2-Butoxyethoxy)ethoxy]-4,5-(methylene-dioxy)-2-propyltoluene ----- | 1,773         |
| C  | 4-tert-Butylcatechol -----  | 10,590        |
| NC <u>1/</u>   | BYK-P -----   | 5,218         |
| C  | C acid -----  | 198,169       |
| C  | Carbazole -----   | 31,980        |
| NC   | p-Carboxyphenyl -----   | 5,656         |
| C  | Cassella acid -----   | 93,961        |
| NC, NC <u>1/</u>   | Castrol R, 98 -----   | 38,959        |
| NC <u>1/</u>   | Catalyst A -----  | 130           |
| NC <u>1/</u>   | Cement hardener -----   | 128           |
| NC   | Chlornitramin -----   | 1,565         |
| C  | 2'-Chloroacetoacetanilide -----   | 8,000         |
| NC <u>1/</u>   | 4'-Chloroacetoacetanilide -----   | 23,800        |
| NC <u>1/</u>   | 6-Chloro-2-aminophenyl-4-sulfonic acid -----                            | 683           |
| C  | p-Chloroaniline -----   | 32,400        |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate   | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| C  | 5-Chloro-o-anisidine [ $\text{NH}_2=1$ ] -----   | 58,347        |
| C  | p-Chlorobenzotrifluoride -----   | 4,150         |
| NC <u>1/</u>   | 4'-Chlorochalcone -----  | 7,829         |
| C  | 4-Chloro-2,5-dibutoxynitrobenzene -----  | 1,702         |
| C  | 4'-Chloro-2,5'-dimethoxyacetoacetanilide -----   | 24,421        |
| NC   | Chloro-2,4-dinitroaniline -----  | 6,007         |
| NC   | 2-Chloro-4,6-dinitroaniline -----  | 6,305         |
| C, NC  | Chlorodiphenyl sulfone -----   | 205,801       |
| NC <u>1/</u>   | 4-Chloro-2-methylphenoxypropionic acid -----   | 44,792        |
| C  | 4-Chloro-2-nitroaniline -----  | 25,016        |
| NC <u>1/</u>   | Chloronitrobenzotrifluoride -----  | 33,574        |
| C  | 2-Chloropyrazolone -----   | 20,495        |
| C  | N-Chloro-p-toluenesulfonamide, sodium salt NF -  | 2,205         |
| NC   | 6-Chlorotoluidine -----  | 5,000         |
| C  | 4-Chloro-o-toluidine [ $\text{NH}_2=1$ ] -----   | 57,290        |
| C, NC  | 5-Chloro-o-toluidine [ $\text{NH}_2=1$ ] -----   | 103,635       |
| NC   | 6-Chloro-o-toluidine -----   | 5,000         |
| C  | m-Chloro- $\alpha,\alpha,\alpha$ -trifluorotoluene -----   | 4,000         |
| NC <u>1/</u>   | 2-Chloro-1,3,5-trinitrobenzene -----   | 50            |
| NC   | 6-Chloro-3,4-xylene -----  | 24,000        |
| NC   | Chloroxyquinoline -----  | 4,409         |
| NC   | Chloroxyquinoline hydrochloride -----  | 4,409         |
| C  | Cleve's acid -----   | 6,680         |
| NC <u>1/</u>   | Compound EDM 383, MS 339, STE 524 -----  | 1,996         |
| C, NC, NC <u>1/</u>  | Coupler 2, 3, 4, 5, 6, 11, 14, 15, 17, 18, 22, 23, 26, 27, 33, 41 EC, 41 FC, 44, 50, 53, 55, 56, 111, SA 688 ----- | 17,339        |
| C  | m-Cresol -----   | 135,965       |
| C  | p-Cresol -----   | 25            |
| C  | 2,3-Cresotic acid -----  | 2,090         |
| C  | p-[(2-Cyanoethyl)methylamino]benzaldehyde -----  | 1,430         |
| C  | Cyclohexane -----  | 75            |
| C  | Cyclohexanesulfamic acid, calcium salt -----   | 178,171       |
| C, NC <u>1/</u>  | Cyclohexanesulfamic acid, sodium salt -----  | 264,079       |
| C  | Cyclohexanone -----  | 699,121       |
| C  | 3-Cyclohexyl-1,2-propanediamine -----  | 9,480         |
| NC <u>1/</u>   | Cyclooctanone -----  | 220           |
| C  | Cyclopentanetetracarboxylic acid -----   | 10,900        |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC   | Daltolac 40, 50, 60 and 70 -----  | 2,222         |
| C  | Decahydronaphthalene -----  | 66,146        |
| NC   | Decaltal S -----  | 8,800         |
| C  | Dehydrothiotoluidine -----  | 8,300         |
| C, NC, NC <u>1/</u>  | Desmodur R, RF, TT -----  | 16,660        |
| NC, NC <u>1/</u>   | Developer EPOI, ON -----  | 4,067         |
| NC <u>1/</u>   | 3,5-Diacetamido-2,4,6-triiodobenzoic acid (Urografin acid) -----            | 85,979        |
| C  | 2,4-Diaminoanisole sulfate -----  | 1,153         |
| NC <u>1/</u>   | 4,4'-Diamino(azobenzene)-2-sulfonic acid -----                              | 6,934         |
| C  | 2,4-Diaminobenzenesulfonic acid -----                                       | 1,596         |
| C  | 2,5-Diaminobenzenesulfonic acid -----                                       | 14,374        |
| NC <u>1/</u>   | 4,4'-Diamino-1,1'-bianthraquinone-3,3'-disulfonic acid, disodium salt ----- | 42,091        |
| C  | 4,4'-Diamino-2,2'-biphenyldisulfonic acid -----                             | 19,932        |
| NC   | 4,4'-Diamino-3-biphenylsulfonic acid -----                                  | 3,148         |
| NC   | 4,4-Diaminodicyclohexylmethane (Dicykan) -----                              | 18,656        |
| NC <u>1/</u>   | 1,8-Diaminonaphthalene -----  | 4,409         |
| C  | 2,6-Diamino-3-(phenylazo)pyridine -----                                     | 220           |
| C  | 4,4'-Diamino-2,2'-stilbenedisulfonic acid -----                             | 245,116       |
| C  | Diazoamino blue BB -----  | 772           |
| C, NC <u>1/</u>  | Diazo compounds, C 106, D 64 ZN, D 65 ZN, D 68, Diazo AC, 5, 8, 44 -----    | 5,122         |
| C  | p-Diazodiphenylamine sulfate -----  | 665           |
| C  | 2-Diazo-1-naphtol-5-sulfonic acid -----                                     | 833           |
| C  | 4,5-Dibenzamido-1,1'-iminodianthraquinone -----                             | 33,086        |
| NC <u>1/</u>   | Dibenzylthiocarbamate -----   | 1,212         |
| NC <u>1/</u>   | 3,5-Dibromosalicylaldehyde -----  | 27            |
| NC   | 4-(2,5-Dibutoxy-4-nitrophenyl)morpholine -----                              | 963           |
| NC <u>1/</u>   | Di-tert-butylphenol -----   | 100           |
| C  | 2,5-Dichloroaniline -----   | 286,267       |
| C  | 1,5-Dichloroanthraquinone -----   | 63,806        |
| C  | 1,8-Dichloroanthraquinone -----   | 149,114       |
| NC   | 2,6-Dichlorobenzaldehyde -----  | 2,214         |
| C, NC <u>1/</u>  | m-Dichlorobenzene -----   | 3,503         |
| C, NC  | 2,6-Dichloro- $\alpha,\alpha$ -dichlorotoluene -----                        | 16,814        |
| NC, NC <u>1/</u>   | Dichlorodiphenyl sulfone -----  | 15,414        |
| C, NC  | 2,3-Dichloro-1,4-naphthoquinone (Dichlone) -----                            | 179,525       |
| NC   | 5,8-Dichloro-1-naphtol -----  | 9,057         |
| NC <u>1/</u>   | 2,4-Dichloro-1-nitrobenzene -----   | 100           |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate   | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| NC   | 2-(2,4-Dichlorophenoxy)propionic acid -----                            | 1,520         |
| C  | 2,3-Dichloro-6-quinoxalinecarbonyl chloride ---                        | 11,858        |
| C  | 2,5-Dichlorosulfanilic acid [SO <sub>3</sub> =1] -----                 | 44,884        |
| C  | Dichlorosulfopyrazolic acid -----                                      | 17,616        |
| C  | Dicyclohexylamine -----  | 39,934        |
| NC 1/  | 2,5-Diethoxy-4-morpholinobenzenediazonium chloride (zinc salt) -----   | 50            |
| C  | p-Diethylaminobenzaldehyde -----                                       | 12,219        |
| C  | m-Diethylaminophenol -----   | 84,048        |
| NC 1/  | Diethyltoluamide -----   | 772           |
| NC 1/  | Diethyltropeone -----  | 55            |
| NC   | Dihydromethylketole -----  | 6,000         |
| C  | 1,4-Dihydroxyanthraquinone -----                                       | 640           |
| NC   | 3-Dihydroxyethylamino-4-ethoxyacetanilide ----                         | 69,782        |
| NC 1/  | 1,7-Dihydroxynaphthalene -----   | 110           |
| C  | 3,6-Dihydroxy-2,7-naphthalenedisulfonic acid --                        | 220           |
| C, NC, NC 1/   | 3,6-Dihydroxy-2,7-naphthalenedisulfonic acid, sodium salt -----        | 4,700         |
| C  | 4,5-Dihydroxy-2,7-naphthalenedisulfonic acid (Chromotropic acid) ----- | 4,427         |
| NC 1/  | 1,8-Dihydroxynaphthalene-4-sulfonic acid -----                         | 60            |
| C  | 6,7-Dihydroxy-2-naphthalenesulfonic acid -----                         | 54,824        |
| C  | 6,7-Dihydroxy-2-naphthalenesulfonic acid, sodium salt -----            | 14,589        |
| C  | Diketoinoline -----  | 220           |
| NC 1/  | 1,4-Dimesidinoanthraquinone -----                                      | 24,500        |
| NC   | 2',4'-Dimethoxyacetoacetanilide -----                                  | 16,000        |
| NC   | 2,4-Dimethoxyaniline -----   | 59,316        |
| C  | 2,5-Dimethoxyaniline -----   | 500           |
| NC, NC 1/  | o-Dimethoxybenzene -----   | 200           |
| C, NC  | p-Dimethoxybenzene -----   | 8,624         |
| C  | 3,3'-Dimethoxybenzidine -----  | 63,699        |
| NC 1/  | 3,4-Dimethoxybenzoic acid -----  | 88            |
| C  | m-(Dimethylamino)phenol -----  | 378           |
| NC   | 3,5-Dimethylaniline -----  | 1,100         |
| C  | 3,3'-Dimethylbenzidine hydrochloride -----                             | 10,000        |
| NC   | N,N-Dimethyl-1-naphthylamine -----                                     | 75            |
| NC 1/  | Dimethylsulfaminobenzoic acid -----                                    | 1,102         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate   | Quantity |
|--|--|----------|
|  |  | Pounds   |
| NC   | N,N-Dimethyl-p-toluidine -----                       | 600      |
| C  | 1,1'-Dinaphthyl-8,8'-dicarboxylic acid -----         | 5,000    |
| C  | 2,4-Dinitroaniline -----                             | 60,372   |
| C  | 4,4'-Dinitro-2,2'-stilbenedisulfonic acid -----      | 75,173   |
| NC   | Dioxymethylthiocarbaminic acid, amide -----          | 308      |
| NC 1/  | o,o'-Diphenol -----                                  | 100      |
| C  | Diphenylamine -----                                  | 441      |
| NC 1/  | 8-Diphenylamino-1,6-naphthalenedisulfonic acid ----- | 8,413    |
| NC 1/  | Diphenylcarboxylic acid -----                        | 19,227   |
| C  | Diphenyldichlorosilane -----                         | 40,000   |
| C  | Diphenyl methane diisocyanate -----                  | 441      |
| NC 1/  | Duranol inhibitor N -----                            | 2,640    |
| NC 1/  | EDCO 287C -----                                      | 29,425   |
| C  | o-Ethoxybenzamide -----                              | 110      |
| C  | o-Ethylaniline -----                                 | 8,377    |
| C  | N-Ethylanilinopropionitrile -----                    | 26,160   |
| C  | Ethylanthraquinone -----                             | 6,614    |
| NC 1/  | Ethylsulfophenylcarbonate -----                      | 50       |
| NC 1/  | FA 1250 -----  | 39,570   |
| NC   | Fast Blue Base VB -----                              | 1,656    |
| NC 1/  | m-Fluorobenzene -----                                | 220      |
| C  | o-Formylbenzenesulfonic acid, sodium salt -----      | 2,711    |
| NC 1/  | Fuel oil additive -----                              | 4,554    |
| C  | Fumaric acid -----                                   | 79,366   |
| NC 1/  | Fur scouring agent LPS -----                         | 528      |
| NC   | Gentisic acid -----                                  | 3,087    |
| NC 1/  | Grease -----   | 560      |
| NC, NC 1/  | Glycerol, monocresyl ether -----                     | 6,000    |
| NC 1/  | Hair dye -----                                       | 100      |
| NC 1/  | Hexahydro-p-phenylenediamine -----                   | 2,117    |
| C  | 1,6-Hexanediamine -----                              | 26,256   |
| NC   | HK base of J acid Urea -----                         | 12,130   |
| NC 1/  | Hydrazine reagent -----                              | 1,650    |
| NC 1/  | m-Hydroxybenzaldehyde -----                          | 2,879    |
| C  | p-Hydroxybenzoic acid -----                          | 293,317  |
| C, 2/  | p-Hydroxybenzoic acid, phenyl ester -----            | 28       |
| C  | p-Hydroxybenzoic acid, propyl ester -----            | 12,600   |
| NC, NC 1/  | 2-Hydroxycarbazole-3-carboxylic acid -----           | 31,911   |
| NC 1/  | 2-Hydroxy-3-dibenzofurancarboxylic acid -----        | 4,775    |
| C  | 3-Hydroxydiphenylene oxide -----                     | 536      |

See footnotes at end of table.



Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | 4-Hydroxymetanilamide -----                               | 9,049         |
| NC 1/  | 4-Hydroxy-N-methylquinolone -----                         | 5,879         |
| NC   | 2-Hydroxy-1-naphthoic acid -----                          | 19,727        |
| C, NC, NC 1/   | 3-Hydroxy-2-naphthoic acid (B.O.N.) -----                 | 873,292       |
| C  | 1-Hydroxy-2-naphthoic acid, phenyl ester -----            | 150           |
| C  | 2-Hydroxynaphthoic acid, sodium salt -----                | 22,000        |
| C  | 3-Hydroxy-2-naphthoic acid, sodium salt -----             | 48,383        |
| C  | 3-Hydroxypyridine -----                                   | 1,102         |
| NC   | Imidopyrazol-3-sulfonic acid -----                        | 7,298         |
| C  | 1,1'-Iminobis[4-benzamidoanthraquinone] -----             | 14,840        |
| C  | 1,1'-Iminobis[5-benzamidoanthraquinone] -----             | 23,892        |
| C  | 7,7'-Iminobis[4-hydroxy-2-naphthalenesulfonic acid] ----- | 10,910        |
| NC, NC 1/  | Iminodibenzyl -----                                       | 8,311         |
| NC 1/  | Implenal AP -----   | 17,600        |
| C  | Indandione -----  | 14,379        |
| NC 1/  | Intermediate 305 -----                                    | 2,204         |
| NC   | Irgasan CH 3565 -----                                     | 153           |
| C  | Isocinchomeric acid -----                                 | 3,307         |
| NC 1/  | Isocyanic acid, cyclohexyl ester -----                    | 50            |
| C, NC, NC 1/   | Isophthalonitrile -----                                   | 101,853       |
| C  | 4,4'-Isopropylidenediphenol (Bisphenol A) -----           | 93,089        |
| C  | Isoquinoline -----  | 26,898        |
| C  | Isothiocyanic acid, phenyl ester -----                    | 110           |
| C  | Lake red C acid -----                                     | 60,660        |
| C  | Lake red C amine -----                                    | 37,630        |
| C, NC, NC 1/   | Laromin A 327, C 252, C 260 -----                         | 65,081        |
| NC   | Lekutherm hardener M -----                                | 132           |
| NC   | Limanol 3100 - OS -----                                   | 2,088         |
| NC   | Lissapol D paste -----                                    | 1,911         |
| NC   | D-Lysergic acid -----                                     | 56            |
| NC, NC 1/  | M-817 -----   | 4,410         |
| NC 1/  | MS 339, 370, 429, 575 -----                               | 381           |
| C  | Maleic anhydride -----                                    | 106,743       |
| C  | Mersalyl acid -----                                       | 270           |
| C  | Metanilic acid -----                                      | 216,986       |
| C  | o-Methoxyphenol -----                                     | 150           |
| C, NC  | 4-Methoxy-m-phenylenediamine -----                        | 10,108        |
| NC   | 5-Methoxy-m-phenylenediamine -----                        | 1,000         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate   | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| NC   | 4-Methoxy-m-phenylenediamine sulfate -----                               | 6,529         |
| NC <u>1/</u>   | 7-Methylamino-1-naphthol-3-sulfonic acid -----                           | 3,332         |
| C  | 5-Methyl-o-anisidine [NH <sub>2</sub> =1] (Cresidine) -----              | 239,357       |
| C  | 3-Methyl-6-tert-butylphenol -----  | 16,842        |
| NC <u>1/</u>   | Methyl CMP -----   | 5,468         |
| C  | 4-[N-Methyl(cyanoethyl)amino]benzaldehyde -----                          | 7,645         |
| NC <u>1/</u>   | Methylcyclohexanol acetate -----   | 90,400        |
| NC, NC <u>1/</u>   | Methylcyclohexanone -----  | 6,802         |
| NC   | 4,4'-Methylenebis(cyclohexylamine) -----                                 | 12,396        |
| C  | Methylketol -----  | 13,000        |
| NC <u>1/</u>   | N-Methylnaphthalimide-4-sulfonic acid, sodium salt -----                 | 16,047        |
| C  | p-(3-Methyl-5-oxo-2-pyrazolin-1-yl)benzenesulfonic acid -----            | 1,521         |
| NC   | 2-(3-Methyl-5-oxo-2-pyrazolin-1-yl)naphthalene-5,7-disulfonic acid ----- | 17,719        |
| C, NC <u>1/</u>  | 3-Methyl-1-phenyl-2-pyrazolin-5-one -----                                | 146,271       |
| C  | Methylphenylpyrazolone -----   | 17,500        |
| NC <u>1/</u>   | N-Methylpiperidine -----   | 100           |
| NC <u>1/</u>   | Monex M-1 -----  | 200           |
| NC <u>1/</u>   | Mowilith D -----   | 24,251        |
| C, NC  | Multrathane E 164, N 5 -----   | 1,742         |
| NC, NC <u>1/</u>   | 1,8-Naphthalenediamine -----   | 19,580        |
| C  | 1,5-Naphthalenediol -----  | 23,793        |
| NC   | 2,3-Naphthalenediol -----  | 2,273         |
| C  | 2,7-Naphthalenedisulfonic acid -----                                     | 19,768        |
| C  | 2,7-Naphthalenedisulfonic acid, disodium salt -                          | 1,000         |
| NC   | 1-Naphthalenesulfonic acid, sodium salt -----                            | 4,364         |
| C  | 1,3,6(and 1,3,7)-Naphthalenetrisulfonic acid, sodium salt -----          | 31,702        |
| C  | 1,3,6-Naphthalenetrisulfonic acid, trisodium salt -----                  | 6,330         |
| C  | Naphthalic anhydride -----   | 11,200        |
| C  | Naphthanilide IRG -----  | 7,475         |
| C  | 1-Naphthol -----   | 20,295        |
| C, NC  | 1-Naphthol-3,6-disulfonic acid -----                                     | 27,512        |
| C  | 2-Naphthol-6,8-disulfonic acid, dipotassium salt (G salt) -----          | 79,924        |
| C  | 2-Naphthol-3,6-disulfonic acid, disodium salt (R salt) -----             | 124,618       |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity |
|--|---|----------|
|  |   | Pounds   |
| NC 1/  | Naphthol SA pyrazolone -----  | 24,202   |
| C  | 1-Naphthol-3-sulfonic acid -----                                    | 9,735    |
| C  | 1-Naphthol-4-sulfonic acid -----                                    | 11,198   |
| C  | 1-Naphthol-5-sulfonic acid -----                                    | 66,544   |
| C  | 1-Naphthol-4-sulfonic acid salt -----                               | 400      |
| C  | 1-Naphthol-5-sulfonic acid salt -----                               | 9,999    |
| C  | 2-Naphthol-6-sulfonic acid, sodium salt<br>(Schaeffer's salt) ----- | 8,993    |
| C  | 2-Naphthol-7-sulfonic acid, sodium salt -----                       | 8,209    |
| NC 1/  | 1,4-Naphthoquinone -----  | 37,477   |
| C  | 1-Naphthylamine -----   | 7,845    |
| NC 1/  | Naphthylenediamine -----  | 203      |
| C  | Naphthylthioglycolic acid -----                                     | 12,818   |
| C  | NC base -----   | 5,283    |
| C, NC, NC 1/   | Ninhydrin spray reagent -----                                       | 353      |
| NC   | p-Nitroacetanilide -----  | 1,000    |
| C  | m-Nitroaniline -----  | 81,999   |
| C  | 4-Nitro-o-anisidine [NH <sub>2</sub> =1] -----                      | 75,000   |
| C  | 2-Nitro-p-anisidine [NH <sub>2</sub> =1] -----                      | 20,000   |
| C  | p-Nitrobenzaldehyde -----   | 100      |
| C  | 3-Nitrobenzenesulfonic acid, sodium salt -----                      | 123      |
| C  | m-Nitrobenzoic acid -----   | 22,046   |
| NC 1/  | o-Nitrobenzoic acid -----   | 1,102    |
| C  | p-Nitrobenzoic acid -----   | 153,110  |
| C  | Nitrochlorohydroquinone, diethyl ether -----                        | 2,270    |
| C  | Nitrochlorohydroquinone, dimethyl ether -----                       | 3,250    |
| C  | 3-Nitro-1,5-naphthalenedisulfonic acid -----                        | 1,067    |
| C  | Nitronaphthol (5-nitro-1-diazo-2-naphthol-4-sulfonic acid) -----    | 29,130   |
| C  | 7-Nitronaphth[1,2-d][1,2,3]oxadiazole-5-sulfonic acid -----         | 10,302   |
| NC 1/  | m-Nitrophenol -----   | 50       |
| C  | p-Nitrophenol -----   | 4,233    |
| C  | o-Nitro-p-phenylenediamine -----                                    | 863      |
| C  | (p-Nitrophenyl)hydrazine -----                                      | 1,160    |
| NC 1/  | Nitroresorcinol -----   | 100      |
| C  | p-Nitrotoluene -----  | 922,012  |
| NC 1/  | 3-Nitrotoluene -----  | 60       |
| C  | 5-Nitro-o-toluidine [NH <sub>2</sub> =1] -----                      | 16,487   |
| C  | 2-Nitro-p-toluidine [NH <sub>2</sub> =1] -----                      | 2,200    |
| NC 1/  | Nonoxal D.C.P. -----  | 506      |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC <u>1/</u>   | Oleante -----   | 1,587         |
| C  | Olone -----   | 434           |
| C  | Oxyquinoline -----  | 3,306         |
| NC <u>1/</u>   | Paint remover -----   | 66            |
| NC <u>1/</u>   | Paranox 361 -----   | 18,159        |
| NC <u>1/</u>   | o-Para-quat bis(methyl sulfate) -----                             | 11,200        |
| NC   | Pentabromodiphenyl ether -----                                    | 600           |
| C  | Peroxybenzoic acid, tert-butyl ester -----                        | 606           |
| C  | 3,4,9,10,-Perylenetetracarboxylic acid anhydride (Per acid) ----- | 6,070         |
| NC <u>1/</u>   | Phenanthrenequinone -----   | 110           |
| C  | o-Phenetidine -----   | 3,986         |
| C  | p-Phenetidine -----   | 67,327        |
| C  | Phenol-----   | 4,409         |
| NC <u>1/</u>   | Phenol methanol reagent -----                                     | 2,308         |
| C  | Phenoxyacetic acid -----  | 700           |
| C  | Dl-Phenylalanine -----  | 99            |
| NC <u>1/</u>   | 4-Phenylaminobenzene-1-diazonium chloride -----                   | 687           |
| C  | Phenylcarbethoxypyrazolone -----                                  | 10,276        |
| NC <u>1/</u>   | Phenylcinchoninic acid -----                                      | 88            |
| C  | m-Phenylenediamine -----  | 18,945        |
| C, NC  | o-Phenylenediamine -----  | 70,666        |
| C  | p-Phenylenediamine -----  | 26,934        |
| C  | Phenylhydrazine -----   | 20,240        |
| NC   | 2-Phenylimidazole -----   | 330           |
| NC   | 1-Phenyl-3-methyl-5-pyrazolone-4- $\beta$ -oxyethyl-sulfone ----- | 6,201         |
| C, NC <u>1/</u>  | N-Phenyl-2-naphthylamine -----                                    | 58,537        |
| C  | N-Phenyl-p-phenylenediamine -----                                 | 464           |
| C  | N-Phenyl-p-phenylenediamine hydrochloride -----                   | 1,017         |
| NC <u>1/</u>   | Phenylsuccinic acid -----   | 919           |
| C, NC <u>1/</u>  | Phloroglucinol -----  | 950           |
| C  | Phthalocyanine crude, copper salt -----                           | 4,532         |
| NC <u>1/</u>   | Phthalonitrile -----  | 194,471       |
| C  | Polyalkylbenzene -----  | 6,106,421     |
| NC <u>1/</u>   | Powerformate -----  | 2,268         |
| NC   | Presomet B -----  | 11,200        |
| NC <u>1/</u>   | Printing ink additive -----                                       | 439           |
| NC <u>1/</u>   | Printing pastes and mixtures -----                                | 3,155         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C, NC, NC <u>1/</u>  | Product 5 D, 8 R, 9, 14, 586, 675 H, 778 S, 844, 1148, 1242, 1250, 1251 B ----- | 19,997        |
| NC <u>1/</u>   | Protexol -----  | 45            |
| C  | Pyrazolecarboxylic acid -----   | 33,141        |
| NC <u>1/</u>   | Pyrazolone sulfone -----  | 50            |
| NC   | 2-Pyridinecarboxaldehyde -----  | 2,672         |
| C, NC, NC <u>1/</u>  | Pyrocatechol -----  | 302,828       |
| NC <u>1/</u>   | Quinaldine -----  | 4,410         |
| C  | Quinoline -----   | 298           |
| C  | 2,4-Quinolinediol and sodium salt -----   | 6,505         |
| C  | 8-Quinolinel -----  | 6,519         |
| C  | 8-Quinolinel sulfate -----  | 1,300         |
| NC   | Recondit R0 extra -----   | 441           |
| C  | $\alpha$ -Resorcylic acid -----   | 3,155         |
| C  | 3,5-Resorcylic acid ethanolamide -----  | 200           |
|  | Rubber-processing chemicals:  |               |
|  | Antioxidants:   |               |
| NC   | Antioxidant DOD -----   | 100           |
| NC   | Antioxidant MB (2-Benzimidazolethiol) -----                                     | 4,144         |
| NC   | Antioxidant PCD -----   | 441           |
| C  | Nonox C-1 -----   | 14,630        |
| NC   | Nonox WSL -----   | 1,100         |
| NC   | Nonox WSP -----   | 58,561        |
|  | Accelerators and other rubber-processing chemicals:                             |               |
| NC   | Accelerator DB 1 -----  | 1,147         |
| NC <u>1/</u>   | Accelerator P extra N -----   | 1,431         |
| NC <u>1/</u>   | Accelerator 774 -----   | 1,212         |
| NC   | Benzenesulfonyl hydrazide (Porofor BSH) -----                                   | 2,205         |
| C  | N-Isopropyl-N'-phenyl-p-phenylenediamine -----                                  | 30,000        |
| C  | 2-(Morpholinothio)benzothiazole -----   | 414,535       |
| NC, NC <u>1/</u>   | Ureka base -----  | 10,890        |
|  | Total, rubber-processing chemicals -----  | 540,390       |
| NC <u>1/</u>   | Rust inhibitors -----   | 1,000         |
| NC <u>1/</u>   | Scintillator -----  | 440           |
| NC <u>1/</u>   | Sevriton -----  | 1,027         |
| NC <u>1/</u>   | Sextol -----  | 25,200        |
| C  | Sodium diethyl-m-anilate -----  | 2,244         |
| NC <u>1/</u>   | Sodium-o-phenate -----  | 2,000         |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate                                    | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | Sodium tetraphenylboron -----                   | 222           |
| NC, NC 1/  | Stabaxol 1 -----                                | 7,627         |
| NC 1/  | Stabilizator M-598 -----                        | 110           |
| C, NC  | Stabilizer C, 1097 -----                        | 3,493         |
| C  | Succinic acid -----                             | 28,185        |
| C, NC  | Sulfanilic dicarbonic acid -----                | 10,037        |
| C  | N-Sulfanilylacetamide -----                     | 2,205         |
| C, NC  | 4-Sulfoanthranilic acid -----                   | 2,486         |
| NC   | 1-Sulfo J acid -----                            | 16,642        |
| C  | 5-Sulfosalicylic acid -----                     | 18,738        |
| NC 1/  | Sulfosuccinate of ethoxylated lauryl alcohol -- | 448           |
| NC 1/  | Suprasec DN, 3150, 4175 -----                   | 1,529         |
| NC   | Suspension fluid -----                          | 2,970         |
| NC, NC 1/  | Synt-a-lube -----                               | 122           |
| NC 1/  | Tetraarylsilicate -----                         | 30,150        |
| C  | Tetrachloro-p-benzoquinone -----                | 1,984         |
| NC 1/  | Tetrahydrolene -----                            | 2,205         |
| C  | 1,2,3,4-Tetrahydronaphthalene -----             | 61,955        |
| NC   | 2,4-2,4-Tetraoxydiphenyl sulfide -----          | 300           |
| C  | Tetraphenyl tin -----                           | 1,984         |
| NC   | Thianthrenedicarboxylic acid -----              | 10,534        |
| NC 1/  | Thio fast red intermediate -----                | 58,349        |
| NC 1/  | 2-Thiophenecarboxaldehyde -----                 | 661           |
| NC   | 2,5-Thiophenedicarboxylic acid -----            | 28,889        |
| NC 1/  | Tinuvin 320, 326 -----                          | 22,599        |
| C  | o-Tolidine -----                                | 54,452        |
| C  | o-Tolidine-3,3-disulfonic acid -----            | 7,410         |
| C  | 3,3-Tolidine-6,6-disulfonic acid -----          | 9,849         |
| NC 1/  | 3-o-Toloxo-1,2-propanediol -----                | 10,000        |
| C  | Toluenediamine -----                            | 3,666         |
| C, NC 1/   | Toluene-2,4-diamine -----                       | 66,246        |
| C  | Toluene-2,5-diamine sulfate -----               | 18,118        |
| C  | Toluene diisocyanate -----                      | 1,111         |
| NC 1/  | p-Toluenesulfomethyl urea -----                 | 5,512         |
| C  | o-Toluenesulfonamide -----                      | 20,000        |
| C  | p-Toluenesulfonamide -----                      | 125,994       |
| NC 1/  | p-Toluenesulfonic acid -----                    | 9,250         |
| C  | p-Toluenesulfonic acid, ethyl ester -----       | 27,987        |

See footnotes at end of table.

Table 3.--Benzenoid intermediates: U.S. general imports entered under Schedule 4, Part 1B, TSUS, showing competitive status, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Intermediate  | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC, NC 1/  | p-Toluenesulfonic acid, methyl ester [SO <sub>3</sub> H=1] --       | 21,722        |
| C  | m-Toluidine -----   | 65,231        |
| NC 1/  | p-Toluidine hydrochloride -----                                     | 330           |
| C  | 4-Toluidine-3-sulfonic acid, sodium salt -----                      | 2,480         |
| C  | 8-(p-Toluidino)-1-naphthalenesulfonic acid ----                     | 5,162         |
| C  | o-Tolunitrile -----   | 441           |
| C  | p-Tolylmethylpyrazolone -----                                       | 53,572        |
| NC   | Topanol -----   | 6,030         |
| NC 1/  | 2,4,5-Trichloroaniline -----  | 1,540         |
| NC 1/  | α,α,α-Trifluorotoluidine -----                                      | 550           |
| C  | Trihydroxybenzene -----   | 14,327        |
| NC 1/  | 3,4,5-Trimethylphenol -----   | 200           |
| NC 1/  | Trisphenol -----  | 550           |
| C  | Tryptophane DL -----  | 331           |
| C  | 6,6'-Ureylenebis[1-naphthol-3-sulfonic acid]<br>(Urea J acid) ----- | 33,090        |
| NC   | Ursol Fast Black -----  | 200           |
| NC 1/  | o-Vanillin -----  | 8,720         |
| NC 1/  | Vinylcarbazole (mono) -----   | 990           |
| NC 1/  | Viscofil black BL -----   | 1,100         |
| NC   | Vulcafor Fast Black LS -----  | 660           |
| NC 1/  | Wire drawing oil -----  | 1,760         |
| NC 1/  | m-Xylene -----  | 30            |
| NC 1/  | o-Xylene -----  | 180           |
| NC 1/  | Xylenol -----   | 11,960        |
| NC   | 2,3-Xylidine -----  | 50            |
| NC 1/  | 2,6-Xylidine -----  | 31,510        |
| NC   | m-Xylylenediamine -----   | 36,090        |
| C, NC, NC 1/   | All other -----   | 5,940         |
|  | Total-----quantity----  | 37,975,410    |
|  | Total-----invoice value----   | \$ 19,483,000 |

1/ Duty based on export value.

2/ Competitive status of one or more entries not available.

## Imports Under Schedule 4, Part 1C, TSUS (Finished Benzenoid Products)

All the chemicals provided for in Schedule 4, Part 1C, TSUS are finished benzenoid products derived chiefly from benzenoid crudes and intermediates. They include such groups as dyes, azoic dye components, synthetic organic pigments, medicinals and pharmaceuticals, flavor and perfume materials, synthetic resins, explosives, photographic chemicals, and synthetic tanning materials. A number of groups of finished benzenoid products which were not specially provided for under paragraph 28 of the Tariff Act of 1930 are now included in this section. These groups, which include fast color bases, fast color salts, Naphthol AS and derivatives, pesticides, and textile assistants, were previously classified as intermediates.

Imports in 1965 of all finished benzenoid products that are dutiable under Part 1C comprise 2,223 listed items, with a total weight of 31.9 million pounds and an invoice value of \$45.4 million (see table 4). In 1964, imports consisted of 2,292 items, with a total weight of 23.7 million pounds and an invoice value of \$34.7 million. There were 1,476 products which were appraised as "noncompetitive"; these items accounted for 38 percent of the total quantity and 62 percent of the total invoice value of imports of all finished products in 1965. The competitive status of 38 items, valued at \$265,000, is not available. In 1965, there were 709 products which were appraised as "competitive"; these items accounted for 62 percent of the total quantity and 37 percent of the total invoice value of imports of all finished products.

Imports of finished benzenoid products by principal trading areas in 1965 are shown in the tabulation below. Imports from the EEC were principally dyes and medicinals from Germany; imports from EFTA were principally dyes and medicinals from Switzerland and the United Kingdom.

| <u>Area</u>                         | <u>Pounds</u>    | <u>Invoice<br/>value</u> | <u>Unit<br/>invoice<br/>value</u> |
|-------------------------------------|------------------|--------------------------|-----------------------------------|
| European Economic Community-----    | 13,672,778       | \$14,956,971             | \$1.09                            |
| European Foreign Trade Association- | 10,373,479       | 24,121,797               | 2.33                              |
| All other countries 1/-----         | <u>7,894,427</u> | <u>6,346,702</u>         | <u>.80</u>                        |
| Total-----                          | 31,940,684       | 45,425,470               | 1.42                              |

1/ Principally Japan, Canada, and Poland.



Table 4.--Finished benzenoid products: Summary of U.S. general imports entered under Schedule 4, Part 1C, TSUS, by competitive status, 1965

| Status   | Number<br>of<br>products | Quantity      | Percent<br>of total<br>quantity | Invoice<br>value | Percent<br>of total<br>value | Unit<br>value |
|--|--------------------------|---------------|---------------------------------|------------------|------------------------------|---------------|
|  |                          | <u>Pounds</u> |                                 | <u>Dollars</u>   |                              |               |
| Competitive<br>(duty based<br>on American<br>selling<br>price) ----- | 709                      | 19,685,001    | 61.6                            | 16,850,129       | 37.1                         | \$0.86        |
| Noncompetitive<br>(duty based<br>on U.S.<br>value) -----             | 1,186                    | 9,599,938     | 30.1                            | 19,548,174       | 43.0                         | 2.04          |
| Noncompetitive<br>(duty based<br>on export<br>value) -----           | 290                      | 2,519,694     | 7.9                             | 8,762,188        | 19.3                         | 3.48          |
| Competitive<br>status not<br>available --                            | 38                       | 136,051       | 0.4                             | 264,979          | 0.6                          | 1.95          |
| Grand total  | 2,223                    | 31,940,684    | 100.0                           | 45,425,470       | 100.0                        | 1.42          |

West Germany, Switzerland, Canada and the United Kingdom were the principal suppliers of finished benzenoid products in 1965 (see table 5). In terms of quantity, about 37 percent of all finished benzenoid imports in 1965 came from West Germany and amounted to 11.7 million pounds, compared to 9.4 million pounds in 1964. Imports from Switzerland increased to 5.6 million pounds in 1965, from 4.5 million pounds in 1964; and imports from Canada increased to 5.4 million pounds in 1965, from 859,000 pounds in 1964. Imports from the United Kingdom, on the other hand, declined to 3.8 million pounds in 1965, from 4.4 million pounds in 1964. In 1965, sizable quantities of finished benzenoid products also were imported from Japan (1,746,000 pounds), the Netherlands (805,000 pounds), Poland (591,000 pounds), Sweden (501,000 pounds), Denmark (487,000 pounds), Belgium (434,000 pounds), and Italy (389,000 pounds).

Table 5.--Finished benzenoid products: U.S. general imports entered under Schedule 4, Part 1C, TSUS, by country of origin, 1965 and 1964

| Country                       | 1965          |                           | 1964          |                           |
|-------------------------------|---------------|---------------------------|---------------|---------------------------|
|                               | Quantity      | Percent of total quantity | Quantity      | Percent of total quantity |
|                               | <u>Pounds</u> |                           | <u>Pounds</u> |                           |
| West Germany -----            | 11,665,860    | 36.5                      | 9,403,784     | 39.8                      |
| Switzerland -----             | 5,576,353     | 17.5                      | 4,456,528     | 18.8                      |
| Canada -----                  | 5,416,304     | 17.0                      | 858,797       | 3.6                       |
| United Kingdom -----          | 3,783,643     | 11.8                      | 4,394,135     | 18.6                      |
| Japan -----                   | 1,746,103     | 5.5                       | 1,499,024     | 6.3                       |
| Netherlands -----             | 804,947       | 2.5                       | 398,341       | 1.7                       |
| Poland -----                  | 590,927       | 1.8                       | 605,811       | 2.6                       |
| Sweden -----                  | 500,957       | 1.6                       | 436,934       | 1.8                       |
| Denmark -----                 | 487,381       | 1.5                       | 479,942       | 2.0                       |
| Belgium -----                 | 434,113       | 1.4                       | 402,909       | 1.7                       |
| Italy -----                   | 389,364       | 1.2                       | 433,617       | 1.8                       |
| All other <sup>1/</sup> ----- | 544,732       | 1.7                       | 312,374       | 1.3                       |
| Total -----                   | 31,940,684    | 100.0                     | 23,682,196    | 100.0                     |
| Total Invoice Value ---       | \$45,425,470  | -                         | \$34,670,225  | -                         |

<sup>1/</sup> Includes smaller quantities from France and Korea.

The most important group of finished benzenoid products imported in 1965 was benzenoid dyes (see table 6). Imports of dyes amounted to \$20.5 million (invoice value), or 45.2 percent of the value of all imports under Part 1C. In 1964, imports of dyes amounted to \$16.3 million (invoice value), or 47.0 percent of the value of all imports under Part 1C. In 1965, about two-thirds of the imported dyes were "noncompetitive"; the rest were "competitive". The unit value of "noncompetitive" imports was \$2.39, compared with \$0.96 for "competitive" imports.

Imports of medicinals and pharmaceuticals, the next most important group of products entered under Part 1C in 1965, increased in 1965, compared to 1964. In 1965, imports of medicinals and pharmaceuticals were valued at \$12.6 million (invoice value), or 27.8 percent of the total value of imports under Part 1C. In 1964, imports of medicinals and pharmaceuticals were valued at \$9.8 million, or 28 percent of total value of imports under Part 1C. In 1965, about one-fourth of the imports of medicinal and pharmaceutical products were "noncompetitive"; the rest were "competitive".

As in 1964, imports of benzenoid pigments increased in 1965. In 1965, imports of these products were valued at \$1.5 million, compared with \$1.1 million in 1964. In 1965, about four-fifths of the imported pigments were "noncompetitive"; the rest were "competitive".

Imports of benzenoid flavor and perfume materials in 1965 (\$2.5 million) were 8 percent more than in 1964 (\$2.3 million). In 1965, almost all of the imports of flavor and perfume materials were "competitive" (duty based on "American selling price"). In 1965, imports of other benzenoid products entered under Part 1C (chiefly synthetic resins and pesticides) were valued at \$8.3 million, compared with \$5.2 million in 1964. In 1965, about two-thirds of these products were "competitive"; the rest were "noncompetitive".

Table 6.--Finished benzenoid products: Summary of U.S. general imports entered under Schedule 4, Part 1C, TSUS, by major groups and competitive status, 1965

| Class of product   | Number<br>of<br>products | Quantity      | Invoice<br>value | Unit<br>value        |
|--|--------------------------|---------------|------------------|----------------------|
|  |                          | <u>Pounds</u> | <u>Dollars</u>   | <u>Per<br/>pound</u> |
| Dyes:  |                          |               |                  |                      |
| Competitive (duty based on American selling price) ----- | 509                      | 6,136,595     | 5,861,272        | \$0.96               |
| Noncompetitive (duty based on U.S. value) --             | 980                      | 5,535,030     | 14,196,395       | 2.56                 |
| Noncompetitive (duty based on export value) -----        | 91                       | 547,917       | 369,460          | .67                  |
| Competitive status not available -----                   | 24                       | 56,363        | 78,081           | 1.39                 |
| Benzenoid pigments (Toners and lakes):                   |                          |               |                  |                      |
| Competitive (duty based on American selling price) ----- | 42                       | 218,741       | 329,425          | 1.51                 |
| Noncompetitive (duty based on U.S. value) --             | 102                      | 553,771       | 1,163,880        | 2.10                 |
| Noncompetitive (duty based on export value) -----        | 4                        | 22,448        | 13,495           | .60                  |
| Competitive status not available -----                   | 6                        | 1,550         | 3,565            | 2.30                 |
| Medicinals and pharmaceuticals:                          |                          |               |                  |                      |
| Competitive (duty based on American selling price) ----- | 88                       | 2,799,515     | 3,441,445        | 1.21                 |
| Noncompetitive (duty based on U.S. value) --             | 52                       | 329,128       | 2,071,827        | 6.29                 |
| Noncompetitive (duty based on export value) -----        | 114                      | 263,788       | 6,877,617        | 26.07                |
| Competitive status not available -----                   | 3                        | 15,201        | 159,443          | 10.49                |
| Flavor and perfume materials:                            |                          |               |                  |                      |
| Competitive (duty based on American selling price) ----- | 33                       | 1,894,788     | 2,450,919        | 1.29                 |

See note at end of table.

Table 6.--Finished benzenoid products: Summary of U.S. general imports entered under Schedule 4, Part 1C, TSUS, by major groups and competitive status, 1965--Continued

| Class of product   | Number<br>of<br>products | Quantity      | Invoice<br>value | Unit<br>value        |
|--|--------------------------|---------------|------------------|----------------------|
|  |                          | <u>Pounds</u> | <u>Dollars</u>   | <u>Per<br/>pound</u> |
| Flavor and perfume<br>materials--Continued                     |                          |               |                  |                      |
| Noncompetitive (duty<br>based on U.S. value) --                | 5                        | 826           | 2,220            | \$2.69               |
| Noncompetitive (duty<br>based on<br>export value) -----        | 21                       | 12,329        | 69,012           | 5.60                 |
| Competitive status not<br>available -----                      | 1                        | 176           | 300              | 1.70                 |
| Other products:  |                          |               |                  |                      |
| Competitive (duty based<br>on American selling<br>price) ----- | 37                       | 8,635,362     | 4,767,068        | .55                  |
| Noncompetitive (duty<br>based on U.S. value) --                | 47                       | 3,181,183     | 2,113,852        | .66                  |
| Noncompetitive (duty<br>based on<br>export value) -----        | 60                       | 1,673,212     | 1,432,604        | .86                  |
| Competitive status not<br>available -----                      | 4                        | 62,761        | 23,590           | .38                  |
| Grand total -----  | 2,223                    | 31,940,684    | 45,425,470       | 1.42                 |

Note.--The unit values shown for imports of the groups of finished benzenoid products listed in table 6 are weighted averages. The numerous individual finished benzenoid products that comprise each group vary widely in quality and unit value.

### Benzenoid dyes

In 1965, the total quantity of benzenoid dyes imported into the United States was 12.3 million pounds, valued at \$20.5 million (invoice value), compared with 10.1 million pounds, valued at \$16.3 million in 1964--an increase of 21.6 percent in terms of quantity and 26.1 percent in terms of value.

Table 7 shows total dye imports by class of application and by competitive status. Four classes of dyes accounted for more than two-thirds of all the benzenoid dyes imported in 1964. Imports of vat dyes totaled 3.4 million pounds, or 27.4 percent of all dye imports in 1965 (see footnote 4 at end of table 9). Imports of disperse dyes totaled 1.9 million pounds, or 15.3 percent of all dyes; imports of acid dyes totaled 1.8 million pounds, or 14.7 percent and imports of basic dyes totaled 1.2 million pounds, or 10.0 percent. Of the remaining important classes of dyes, imports of Naphthol AS and derivatives in 1965 amounted to 1.1 million pounds, and direct dyes, 931,000 pounds.

In 1965, imports of "competitive" dyes (duty based on "American selling price") amounted to 6.1 million pounds, valued at \$5.9 million, compared with 5.6 million pounds, valued at \$5.3 million in 1964. Imports of "noncompetitive" dyes in 1965 totaled 6.1 million pounds, valued at \$14.6 million, compared with 4.5 million pounds, valued at \$10.9 million in 1964. In 1965, imports of "competitive" dyes accounted for 50.0 percent of the total quantity and 28.6 percent of the total invoice value of all imported dyes.

In 1965, the most significant changes in the composition of "competitive" dyes were in the acid, disperse, fast color bases, vat, and basic dyes. Imports of "competitive" acid dyes totaled 462,000 pounds, or 37 percent less than the 729,000 pounds imported in 1964, and imports of "competitive" disperse dyes 28 percent less in 1965 than in 1964. On the other hand, imports of "competitive" fast color bases were 30 percent greater in 1965 compared with 1964; vat dye 19 percent greater; Naphthol AS and derivatives, 18 percent greater; and basic dyes, 17 percent greater.

The most significant changes in the composition of imports of "noncompetitive" dyes in 1965 were in the disperse, fiber-reactive, vat, basic and direct dyes. In 1965 imports of "noncompetitive" disperse dyes totaled 1.7 million pounds, or 155 percent more than the 676,000 pounds imported in 1964. Imports of "noncompetitive" fiber-reactive and vat dyes were both 57 percent greater in 1965 than in 1964, and basic dyes were 27 percent greater. On the other hand, imports of "noncompetitive" direct dyes declined by 13 percent in 1965 compared with 1964.

Table 7.--Benzenoid dyes: U.S. general imports entered under Schedule 4, Part 1C, TSUS, by class of application, and by competitive status, 1965

| Quantity in pounds                   |               |                  |                    |                |             |
|--------------------------------------|---------------|------------------|--------------------|----------------|-------------|
| Class of application                 |               |                  | Competitive status |                |             |
| Class                                | Total imports | Percent of total | Competitive        | Noncompetitive | Status n.a. |
| Acid-----                            | 1,807,805     | 14.7             | 461,674            | 1,345,931      | 200         |
| Azoic dyes-----                      | 22,323        | .2               | 5,973              | 16,350         | -           |
| Azoic components:                    |               |                  |                    |                |             |
| Fast color bases-----                | 415,757       | 3.4              | 359,627            | 56,130         | -           |
| Fast color salts-----                | 184,836       | 1.5              | 109,991            | 68,809         | 6,036       |
| Naphthol AS and its derivatives----- | 1,093,263     | 8.9              | 990,416            | 97,847         | 5,000       |
| Basic-----                           | 1,227,002     | 10.0             | 758,399            | 467,058        | 1,545       |
| Direct-----                          | 931,177       | 7.6              | 211,429            | 719,448        | 300         |
| Disperse-----                        | 1,879,808     | 15.3             | 155,929            | 1,723,879      | -           |
| Fiber-reactive-----                  | 652,253       | 5.3              | 48,927             | 575,994        | 27,332      |
| Fluorescent brightening agents-----  | 228,654       | 1.9              | 33,953             | 194,701        | -           |
| Mordant-----                         | 220,952       | 1.8              | 116,171            | 104,281        | 500         |
| Solvent-----                         | 167,630       | 1.4              | 79,641             | 87,989         | -           |
| Sulfur-----                          | 37,324        | .3               | 529                | 36,795         | -           |
| Vat-----                             | 3,374,007     | 27.4             | 2,798,773          | 559,809        | 15,425      |
| All other <sup>1/</sup> -----        | 33,114        | .3               | 5,163              | 27,926         | 25          |
| Total-----                           | 12,275,905    | 100.0            | 6,136,595          | 6,082,947      | 56,363      |
| Value in dollars                     |               |                  |                    |                |             |
| Total (invoice value)-----           | 20,505,208    | -                | 5,861,272          | 14,565,855     | 78,081      |
| Averaged unit values-----            | \$1.67        | -                | \$0.96             | \$2.39         | \$1.39      |

<sup>1/</sup> Includes ingrain dyes.

The average unit invoice value of imported "competitive" dyes in 1965 was \$0.96 a pound (see table 6), compared with \$0.95 a pound in 1964. The average unit value for "noncompetitive" dyes in 1965 was \$2.39 a pound, compared with \$2.44 a pound in 1964. In 1965, the unit values of most of the classes of "noncompetitive" dyes were higher than those of the corresponding "competitive" dyes. The unit values shown in this report for the various classes of benzenoid dyes are weighted averages. The numerous individual benzenoid dyes that comprise each class vary widely in quality and unit value.

U.S. imports of benzenoid dyes, by country of origin, are shown in table 8. Imports from all countries increased in 1965 compared to 1964. In 1965, West Germany, Switzerland, and the United Kingdom were the principal suppliers; smaller quantities came from Japan, Italy, and France. Imports from West Germany, in 1965, totaled 5.0 million pounds, or 40.7 percent of all the dyes imported, compared with 4.3 million pounds or 43.1 percent, in 1964. Imports from Switzerland totaled 4.3 million pounds in 1965, or 34.8 percent of the total, compared with 3.6 million pounds, or 35.2 percent of the total, in 1964. In 1965, imports from the United Kingdom amounted to 1.7 million pounds, or 13.9 percent of the total, compared with 1.3 million pounds, or 12.6 percent of the total, in 1964. Imports from Japan, in 1965, totaled 825,000 pounds, or 6.7 percent of total imports, compared with 535,000 pounds, or 5.3 percent of the total, in 1964.

Table 8.--Benzenoid dyes: U.S. general imports entered under Part 1C, TSUS by country of origin, 1965 compared with 1964

| Country                       | 1965          |                           | 1964          |                           |
|-------------------------------|---------------|---------------------------|---------------|---------------------------|
|                               | Quantity      | Percent of total quantity | Quantity      | Percent of total quantity |
|                               | <u>Pounds</u> |                           | <u>Pounds</u> |                           |
| West Germany -----            | 4,991,884     | 40.7                      | 4,347,984     | 43.1                      |
| Switzerland -----             | 4,269,325     | 34.8                      | 3,556,888     | 35.2                      |
| United Kingdom -----          | 1,709,922     | 13.9                      | 1,273,067     | 12.6                      |
| Japan -----                   | 824,867       | 6.7                       | 535,438       | 5.3                       |
| Italy -----                   | 164,449       | 1.3                       | 151,559       | 1.5                       |
| France -----                  | 154,720       | 1.3                       | 90,999        | 0.9                       |
| All other <sup>1/</sup> ----- | 160,738       | 1.3                       | 139,601       | 1.4                       |
| Total -----                   | 12,275,905    | 100.0                     | 10,095,536    | 100.0                     |

<sup>1/</sup> Consists principally of imports from the Netherlands, Poland, and Spain.

Table 9 shows U.S. imports of individual dyes in 1965, grouped by class of application. The table also shows the competitive status of each dye, when available, and the Colour Index name, when known.



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965

| Competitive status (C = competitive; NC = non-competitive) | Dye                   | Quantity      |
|--|-----------------------|---------------|
|  |                       | <u>Pounds</u> |
|  | ACID DYES             |               |
| C  | Acid Yellow 3 -----   |               |
| C  | Acid Yellow 7 -----   | 5             |
| C  | Acid Yellow 18 -----  | 2             |
| NC   | Acid Yellow 19 -----  | 15,8          |
| C  | Acid Yellow 23 -----  | 2             |
| C  | Acid Yellow 25 -----  | 1,1           |
| C  | Acid Yellow 29 -----  | 4,0           |
| C  | Acid Yellow 36 -----  | 3,3           |
| C  | Acid Yellow 38 -----  | 3,1           |
| C  | Acid Yellow 41 -----  |               |
| C  | Acid Yellow 44 -----  | 7             |
| NC   | Acid Yellow 49 -----  | 9             |
| NC   | Acid Yellow 50 -----  | 1,6           |
| C  | Acid Yellow 51 -----  | 1,6           |
| C  | Acid Yellow 54 -----  | 7             |
| C  | Acid Yellow 59 -----  | 1,5           |
| C  | Acid Yellow 61 -----  | 16,1          |
| NC   | Acid Yellow 64 -----  | 1,0           |
| NC   | Acid Yellow 70 -----  | 5             |
| NC   | Acid Yellow 75 -----  | 8,8           |
| NC   | Acid Yellow 79 -----  | 36,6          |
| C  | Acid Yellow 96 -----  | 1,4           |
| NC   | Acid Yellow 101 ----- | 1             |
| NC   | Acid Yellow 103 ----- | 1,5           |
| NC   | Acid Yellow 110 ----- | 2             |
| NC   | Acid Yellow 111 ----- | 6,6           |
| C  | Acid Yellow 113 ----- | 22,1          |
| C  | Acid Yellow 116 ----- | 12,5          |
| C  | Acid Yellow 118 ----- | 13,0          |
| C, 2/  | Acid Yellow 119 ----- | 2,1           |
| C  | Acid Yellow 121 ----- | 4,0           |
| NC   | Acid Yellow 127 ----- | 11,2          |
| NC   | Acid Yellow 131 ----- | 4,1           |
| NC   | Acid Yellow 135 ----- | 5,0           |
| NC   | Acid Yellow 136 ----- | 1,1           |
| NC   | Acid Yellow 144 ----- |               |
| NC   | Acid Yellow 149 ----- | 4,1           |
| C  | Acid Yellow 151 ----- | 2             |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                   | Quantity      |
|--|-----------------------|---------------|
|  |                       | <u>Pounds</u> |
|  | ACID DYES--Continued  |               |
| NC   | Acid Yellow 158 ----- | 2,000         |
| NC   | Acid Orange 3 -----   | 6,152         |
| C  | Acid Orange 19 -----  | 1,472         |
| C  | Acid Orange 28 -----  | 9,701         |
| NC   | Acid Orange 30 -----  | 250           |
| NC   | Acid Orange 33 -----  | 1,000         |
| NC   | Acid Orange 43 -----  | 1,322         |
| NC   | Acid Orange 47 -----  | 12,700        |
| NC   | Acid Orange 57 -----  | 276           |
| NC   | Acid Orange 67 -----  | 1,268         |
| C  | Acid Orange 74 -----  | 10,500        |
| C  | Acid Orange 80 -----  | 13,229        |
| C  | Acid Orange 85 -----  | 41,885        |
| NC   | Acid Orange 86 -----  | 1,653         |
| C  | Acid Orange 87 -----  | 3,794         |
| NC   | Acid Orange 89 -----  | 150           |
| C, NC  | Acid Orange 92 -----  | 195           |
| NC   | Acid Orange 94 -----  | 4,408         |
| NC   | Acid Orange 102 ----- | 1,400         |
| C  | Acid Red 18 -----     | 250           |
| C  | Acid Red 42 -----     | 250           |
| NC   | Acid Red 50 -----     | 50            |
| C  | Acid Red 52 -----     | 6,141         |
| C  | Acid Red 57 -----     | 662           |
| C  | Acid Red 58 -----     | 1,433         |
| C  | Acid Red 73 -----     | 1,000         |
| C  | Acid Red 80 -----     | 280           |
| NC   | Acid Red 82 -----     | 75            |
| C  | Acid Red 85 -----     | 1,129         |
| NC   | Acid Red 111 -----    | 4,075         |
| C  | Acid Red 114 -----    | 4,250         |
| NC   | Acid Red 116 -----    | 264           |
| NC   | Acid Red 118 -----    | 3,647         |
| C  | Acid Red 119 -----    | 22,043        |
| NC   | Acid Red 123 -----    | 1,250         |
| NC   | Acid Red 127 -----    | 6,900         |
| NC   | Acid Red 129 -----    | 2,596         |
| NC   | Acid Red 130 -----    | 11,023        |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                  | Quantity      |
|---|----------------------|---------------|
|   |                      | <u>Pounds</u> |
|   | ACID DYES--Continued |               |
| NC  | Acid Red 131 -----   | 18,624        |
| C   | Acid Red 133 -----   | 3,850         |
| NC  | Acid Red 134 -----   | 250           |
| NC  | Acid Red 138 -----   | 3,155         |
| NC  | Acid Red 143 -----   | 8,377         |
| NC  | Acid Red 145 -----   | 30,288        |
| NC  | Acid Red 154 -----   | 425           |
| NC  | Acid Red 155 -----   | 1,875         |
| NC  | Acid Red 157 -----   | 500           |
| NC  | Acid Red 158 -----   | 2,250         |
| NC  | Acid Red 161 -----   | 1,765         |
| NC  | Acid Red 168 -----   | 1,653         |
| NC  | Acid Red 174 -----   | 16,257        |
| NC  | Acid Red 180 -----   | 100           |
| C   | Acid Red 186 -----   | 250           |
| NC  | Acid Red 198 -----   | 500           |
| NC  | Acid Red 209 -----   | 750           |
| NC  | Acid Red 211 -----   | 23,201        |
| NC  | Acid Red 213 -----   | 1,750         |
| NC  | Acid Red 215 -----   | 2,206         |
| NC  | Acid Red 216 -----   | 2,865         |
| C   | Acid Red 217 -----   | 442           |
| NC  | Acid Red 219 -----   | 3,471         |
| C   | Acid Red 225 -----   | 2,250         |
| C, NC   | Acid Red 226 -----   | 6,450         |
| NC  | Acid Red 228 -----   | 250           |
| NC  | Acid Red 234 -----   | 250           |
| C   | Acid Red 249 -----   | 11,883        |
| C   | Acid Red 251 -----   | 6,750         |
| NC  | Acid Red 252 -----   | 6,000         |
| NC  | Acid Red 253 -----   | 750           |
| NC  | Acid Red 257 -----   | 220           |
| NC  | Acid Red 258 -----   | 6,612         |
| NC  | Acid Red 259 -----   | 6,061         |
| NC  | Acid Red 260 -----   | 3,306         |
| NC  | Acid Red 261 -----   | 3,748         |
| NC  | Acid Red 263 -----   | 3,748         |
| NC  | Acid Red 266 -----   | 11,340        |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                   | Quantity      |
|--|-----------------------|---------------|
|  |                       | <u>Pounds</u> |
|  | ACID DYES--Continued  |               |
| NC   | Acid Red 274 -----    | 743           |
| NC   | Acid Red 276 -----    | 210           |
| NC   | Acid Red 282 -----    | 850           |
| NC   | Acid Red 283 -----    | 700           |
| NC   | Acid Red 301 -----    | 2,644         |
| NC   | Acid Red 302 -----    | 551           |
| NC   | Acid Red 303 -----    | 1,653         |
| NC   | Acid Violet 5 -----   | 1,654         |
| NC   | Acid Violet 9 -----   | 2,059         |
| C  | Acid Violet 11 -----  | 2,608         |
| C  | Acid Violet 14 -----  | 1,102         |
| C  | Acid Violet 17 -----  | 750           |
| NC   | Acid Violet 19 -----  | 14,063        |
| NC   | Acid Violet 21 -----  | 500           |
| NC   | Acid Violet 31 -----  | 882           |
| NC   | Acid Violet 34 -----  | 1,000         |
| NC   | Acid Violet 36 -----  | 2,975         |
| C  | Acid Violet 41 -----  | 500           |
| NC   | Acid Violet 42 -----  | 1,750         |
| NC   | Acid Violet 47 -----  | 220           |
| NC   | Acid Violet 48 -----  | 7,116         |
| C  | Acid Violet 56 -----  | 125           |
| C, NC  | Acid Violet 66 -----  | 1,985         |
| NC   | Acid Violet 70 -----  | 250           |
| NC   | Acid Violet 73 -----  | 1,104         |
| C, NC  | Acid Violet 74 -----  | 850           |
| NC   | Acid Violet 75 -----  | 1,653         |
| C  | Acid Violet 78 -----  | 1,653         |
| NC   | Acid Violet 80 -----  | 25            |
| NC   | Acid Violet 95 -----  | 250           |
| NC   | Acid Violet 103 ----- | 350           |
| C  | Acid Blue 1 -----     | 25            |
| C  | Acid Blue 7 -----     | 1,403         |
| C  | Acid Blue 14 -----    | 1,400         |
| C  | Acid Blue 15 -----    | 2,755         |
| C  | Acid Blue 23 -----    | 1,763         |
| C  | Acid Blue 25 -----    | 150           |
| C  | Acid Blue 27 -----    | 600           |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                  | Quantity      |
|--|----------------------|---------------|
|  |                      | <u>Pounds</u> |
|  | ACID DYES--Continued |               |
| C  | Acid Blue 35 -----   | 3,850         |
| C, NC  | Acid Blue 40 -----   | 750           |
| C, NC  | Acid Blue 41 -----   | 10,748        |
| C  | Acid Blue 45 -----   | 4,239         |
| NC   | Acid Blue 53 -----   | 475           |
| NC   | Acid Blue 54 -----   | 9,423         |
| C  | Acid Blue 59 -----   | 1,654         |
| NC   | Acid Blue 60 -----   | 3,749         |
| NC   | Acid Blue 61 -----   | 2,864         |
| C  | Acid Blue 62 -----   | 12,780        |
| NC   | Acid Blue 66 -----   | 2,750         |
| C  | Acid Blue 67 -----   | 661           |
| NC   | Acid Blue 72 -----   | 15,569        |
| C  | Acid Blue 77 -----   | 4,050         |
| C  | Acid Blue 78 -----   | 850           |
| NC   | Acid Blue 82 -----   | 4,728         |
| C  | Acid Blue 83 -----   | 6,910         |
| C  | Acid Blue 90 -----   | 3,542         |
| NC   | Acid Blue 98 -----   | 6,000         |
| C  | Acid Blue 106 -----  | 6,570         |
| C  | Acid Blue 113 -----  | 1,850         |
| NC   | Acid Blue 123 -----  | 250           |
| NC   | Acid Blue 126 -----  | 1,432         |
| NC   | Acid Blue 127 -----  | 27,569        |
| C, NC  | Acid Blue 129 -----  | 19,803        |
| C  | Acid Blue 130 -----  | 100           |
| NC   | Acid Blue 131 -----  | 3,984         |
| NC   | Acid Blue 133 -----  | 2,750         |
| NC   | Acid Blue 134 -----  | 2,000         |
| NC   | Acid Blue 142 -----  | 5,731         |
| NC   | Acid Blue 143 -----  | 3,966         |
| NC   | Acid Blue 147 -----  | 6,089         |
| NC   | Acid Blue 151 -----  | 7,500         |
| NC   | Acid Blue 154 -----  | 1,750         |
| NC   | Acid Blue 156 -----  | 4,750         |
| NC   | Acid Blue 166 -----  | 2,755         |
| NC   | Acid Blue 168 -----  | 8,293         |
| NC   | Acid Blue 170 -----  | 1,500         |

Table 9.--Benzencoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                  | Quantity |
|--|----------------------|----------|
|  |                      | Pounds   |
|  | ACID DYES--Continued |          |
| NC   | Acid Blue 171 -----  | 8,250    |
| NC   | Acid Blue 172 -----  | 7,255    |
| NC   | Acid Blue 175 -----  | 13,508   |
| NC   | Acid Blue 181 -----  | 3,746    |
| NC   | Acid Blue 182 -----  | 9,092    |
| C, NC  | Acid Blue 183 -----  | 11,450   |
| NC   | Acid Blue 184 -----  | 13,003   |
| C  | Acid Blue 185 -----  | 24,500   |
| NC   | Acid Blue 187 -----  | 7,991    |
| NC   | Acid Blue 188 -----  | 3,306    |
| C  | Acid Blue 197 -----  | 846      |
| C  | Acid Blue 198 -----  | 7,000    |
| C  | Acid Blue 203 -----  | 1,000    |
| NC   | Acid Blue 204 -----  | 4,500    |
| NC, NC 1/  | Acid Blue 205 -----  | 6,600    |
| NC   | Acid Blue 215 -----  | 1,000    |
| NC   | Acid Blue 219 -----  | 1,650    |
| NC   | Acid Blue 220 -----  | 2,800    |
| NC   | Acid Blue 221 -----  | 13,510   |
| C  | Acid Blue 224 -----  | 4,629    |
| NC   | Acid Blue 225 -----  | 551      |
| NC   | Acid Blue 226 -----  | 551      |
| NC   | Acid Blue 227 -----  | 6,622    |
| NC   | Acid Blue 229 -----  | 500      |
| NC   | Acid Blue 233 -----  | 200      |
| C  | Acid Green 5 -----   | 700      |
| C  | Acid Green 9 -----   | 4,705    |
| C  | Acid Green 12 -----  | 350      |
| C  | Acid Green 16 -----  | 1,265    |
| NC   | Acid Green 19 -----  | 1,750    |
| C  | Acid Green 22 -----  | 1,060    |
| NC   | Acid Green 26 -----  | 350      |
| C  | Acid Green 27 -----  | 6,010    |
| C  | Acid Green 28 -----  | 8,690    |
| NC   | Acid Green 40 -----  | 16,342   |
| C  | Acid Green 41 -----  | 1,000    |
| NC   | Acid Green 43 -----  | 334      |
| C  | Acid Green 44 -----  | 4,000    |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                  | Quantity      |
|---|----------------------|---------------|
|   |                      | <u>Pounds</u> |
|   | ACID DYES--Continued |               |
| NC  | Acid Green 46 -----  | 250           |
| NC  | Acid Green 48 -----  | 221           |
| NC  | Acid Green 55 -----  | 2,000         |
| NC  | Acid Green 57 -----  | 13,224        |
| NC  | Acid Green 58 -----  | 1,241         |
| NC  | Acid Green 60 -----  | 2,204         |
| NC  | Acid Green 68 -----  | 2,000         |
| NC  | Acid Green 70 -----  | 11,671        |
| NC  | Acid Green 71 -----  | 2,425         |
| NC  | Acid Green 74 -----  | 250           |
| C   | Acid Brown 1 -----   | 750           |
| C   | Acid Brown 2 -----   | 375           |
| NC  | Acid Brown 7 -----   | 875           |
| NC  | Acid Brown 10 -----  | 8,265         |
| NC  | Acid Brown 11 -----  | 2,205         |
| C   | Acid Brown 13 -----  | 100           |
| NC  | Acid Brown 28 -----  | 441           |
| NC  | Acid Brown 30 -----  | 10,582        |
| NC  | Acid Brown 33 -----  | 20,000        |
| C   | Acid Brown 42 -----  | 250           |
| NC  | Acid Brown 44 -----  | 7,714         |
| NC  | Acid Brown 46 -----  | 2,204         |
| NC  | Acid Brown 47 -----  | 551           |
| NC  | Acid Brown 48 -----  | 6,061         |
| NC  | Acid Brown 50 -----  | 2,000         |
| NC  | Acid Brown 58 -----  | 137,787       |
| NC  | Acid Brown 75 -----  | 750           |
| C   | Acid Brown 105 ----- | 500           |
| NC  | Acid Brown 127 ----- | 14,331        |
| NC  | Acid Brown 129 ----- | 2,204         |
| NC  | Acid Brown 144 ----- | 625           |
| NC  | Acid Brown 145 ----- | 250           |
| NC  | Acid Brown 147 ----- | 13,500        |
| NC  | Acid Brown 151 ----- | 850           |
| NC  | Acid Brown 160 ----- | 1,000         |
| NC  | Acid Brown 161 ----- | 1,750         |
| NC  | Acid Brown 163 ----- | 3,250         |
| NC  | Acid Brown 165 ----- | 5,000         |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                  | Quantity      |
|--|----------------------|---------------|
|  |                      | <u>Pounds</u> |
|  | ACID DYES--Continued |               |
| NC   | Acid Brown 187 ----- | 1,102         |
| NC   | Acid Brown 188 ----- | 25,352        |
| NC   | Acid Brown 189 ----- | 13,226        |
| NC   | Acid Brown 191 ----- | 500           |
| NC   | Acid Brown 224 ----- | 16,252        |
| NC   | Acid Brown 226 ----- | 750           |
| NC   | Acid Brown 227 ----- | 8,816         |
| NC   | Acid Brown 228 ----- | 425           |
| NC   | Acid Brown 235 ----- | 7,715         |
| NC   | Acid Brown 238 ----- | 1,075         |
| NC   | Acid Brown 239 ----- | 10,250        |
| NC   | Acid Brown 249 ----- | 300           |
| NC   | Acid Brown 251 ----- | 25            |
| NC   | Acid Brown 253 ----- | 7,300         |
| NC   | Acid Brown 264 ----- | 250           |
| NC   | Acid Brown 276 ----- | 882           |
| NC   | Acid Brown 282 ----- | 7,750         |
| NC   | Acid Brown 283 ----- | 1,000         |
| NC   | Acid Brown 289 ----- | 3,857         |
| C  | Acid Black 2 -----   | 133           |
| C  | Acid Black 24 -----  | 12,673        |
| C  | Acid Black 26 -----  | 1,000         |
| C  | Acid Black 29 -----  | 5,930         |
| C  | Acid Black 48 -----  | 150           |
| NC   | Acid Black 50 -----  | 9,040         |
| C  | Acid Black 60 -----  | 1,450         |
| NC   | Acid Black 61 -----  | 4,920         |
| NC   | Acid Black 62 -----  | 1,084         |
| C, NC  | Acid Black 63 -----  | 5,507         |
| NC   | Acid Black 64 -----  | 10,469        |
| NC   | Acid Black 67 -----  | 13,230        |
| NC   | Acid Black 76 -----  | 221           |
| NC   | Acid Black 77 -----  | 31,832        |
| NC   | Acid Black 83 -----  | 250           |
| NC   | Acid Black 84 -----  | 600           |
| C  | Acid Black 94 -----  | 18,768        |
| C  | Acid Black 107 ----- | 28,000        |
| C, NC  | Acid Black 108 ----- | 1,750         |



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                  | Quantity      |
|--|--------------------------------------|---------------|
|  |                                      | <u>Pounds</u> |
|  | ACID DYES--Continued                 |               |
| C, NC  | Acid Black' 126 -----                | 1,87          |
| NC   | Acid Black 127 -----                 | 5,87          |
| NC   | Acid Black 128 -----                 | 7,85          |
| NC   | Acid Black 131 -----                 | 34,17         |
| NC   | Acid Black 132 -----                 | 23,69         |
| NC   | Acid Black 139 -----                 | 3,88          |
| C  | Acid Black 140 -----                 | 3,71          |
| NC   | Acilan B -----                       | 1,00          |
| NC   | Acilan Blue 5GX -----                | 11            |
| NC   | Acilan Cyanine Brown GRL -----       | 11            |
| NC   | Alizarine Brilliant Green 6GW -----  | 3             |
| NC   | Alizarine Brilliant Violet RW -----  | 85            |
| NC   | Alizarine Sky Blue 5 GLW -----       | 4,65          |
| NC   | Aluminium Blue RL -----              | 70            |
| NC   | Aluminium Bronze LLW -----           | 1,20          |
| NC   | Aluminium Copper 2RLW -----          | 30            |
| NC   | Aluminium Deep Red LW -----          | 10            |
| NC   | Aluminium Fast Black A2W -----       | 91            |
| NC   | Aluminium Fast Bronze 2GL -----      | 5             |
| NC   | Aluminium Fast Gold RL -----         | 1,10          |
| NC   | Aluminium Fast Grey 3LW -----        | 20            |
| NC   | Aluminium Fast Red B3LW -----        | 1,10          |
| NC   | Aluminium Golden Orange 2RL -----    | 30            |
| NC   | Aluminium Green LWN -----            | 50            |
| NC   | Aluminium Steel Grey BM -----        | 50            |
| NC   | Aluminium Yellow G -----             | 10            |
| NC   | Aluminium Yellow G3LW -----          | 10            |
| NC   | Aluminium Yellow G90 -----           | 5             |
| C  | Amichrome Brilliant Green 2JL -----  | 22            |
| C  | Amichrome Light Brown RJLL -----     | 20            |
| NC   | Amichrome Light/Dark Green JLL ----- | 10            |
| C  | Amichrome Light Grey 5BLL -----      | 35            |
| C  | Amichrome Light Navy RBLL -----      | 20            |
| NC   | Amichrome Light Navy RLL -----       | 10            |
| NC   | Anodal Light Grey -----              | 3,71          |
| NC   | Avilon Fast Black B -----            | 50            |
| NC   | Avilon Fast Navy Blue R -----        | 10            |
| C  | Avilon Fast Red 3B -----             | 1,35          |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | ACID DYES--Continued                       |               |
| NC   | Avilon Fast Red 6B -----                   | 100           |
| NC   | Avilon Fast Red GW -----                   | 250           |
| NC   | Avilon Fast Scarlet 2R -----               | 250           |
| NC   | Avilon Fast Violet B -----                 | 100           |
| NC   | Avilon Fast Violet 3B -----                | 100           |
| NC   | B.G.B. Blue dye -----                      | 350           |
| NC   | Bordeaux Amichrome Lumiere RBLL -----      | 100           |
| NC   | Brilliant Acid Blue DH -----               | 1,300         |
| NC   | Brilliant Acid Blue G2L -----              | 15,432        |
| NC   | Brilliant Acid Cyanine PTS -----           | 517           |
| NC   | Brilliant Alizarine Milling Blue FBL ----- | 221           |
| NC   | Carbolan Blue BS -----                     | 805           |
| NC   | Carbolan Blue GNS -----                    | 250           |
| C  | Carbolan Green G125 -----                  | 500           |
| NC   | Carbolan Yellow 3GS -----                  | 1,368         |
| NC   | Chrysoline Net -----                       | 25            |
| NC   | Cibalan Blue FBL -----                     | 400           |
| NC   | Cibalan Green 2GL -----                    | 25            |
| NC   | Coranil Brown HEDR -----                   | 500           |
| NC   | Derma Brown D2GL -----                     | 221           |
| C  | Dimacide Light Orange J -----              | 25            |
| C, NC  | Dimacide Light Red 2B -----                | 1,808         |
| C, NC  | Dimacide Light Scarlet R -----             | 1,475         |
| C  | Dimacide Light Yellow 3JL -----            | 900           |
| C  | Erio Anthracene Brilliant Blue BFF -----   | 25            |
| NC   | Erio Anthracene Rubine 2BF -----           | 165           |
| NC   | Formalan Green GD -----                    | 720           |
| C  | Formalan Yellow 3R -----                   | 220           |
| NC   | Gris Amichrome Lumiere RBLL -----          | 250           |
| NC   | Irgacet Yellow GL -----                    | 1,983         |
| C  | Irgacet Yellow 2GL -----                   | 2,975         |
| NC   | Irgalan Blue RL -----                      | 4,959         |
| NC   | Irganol Brilliant Blue 7GS -----           | 2,314         |
| NC   | Irganol Brilliant Red GLS -----            | 551           |
| NC   | Irgaren Brown C - GL -----                 | 2,204         |
| NC, NC 1/  | Isolan Orange GL -----                     | 550           |
| C  | Jaune Dimacide Lumiere 3JL -----           | 300           |
| NC   | Lanacron Navy Blue B -----                 | 500           |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                 | Quantity      |
|--|-------------------------------------|---------------|
|  |                                     | <u>Pounds</u> |
|  | ACID DYES--Continued                |               |
| NC, NC <u>1/</u>   | Lanaperl Yellow R -----             | 7,000         |
| C  | Lanaperl Yellow RN -----            | 150           |
| NC   | Lanasyn Carbon BL -----             | 16,311        |
| NC   | Lanasyn Green 5GL -----             | 908           |
| NC   | Lanasyn Olive 2GL -----             | 2,866         |
| NC   | Levalan Bordeaux GTL -----          | 2,500         |
| NC   | Levalan Bordeaux I-GTL -----        | 2,000         |
| NC   | Levalan Dark Brown I-TL -----       | 5,000         |
| NC   | Levalan Navy Blue IRL -----         | 1,750         |
| NC <u>1/</u>   | Levalan Olive GL -----              | 100           |
| NC   | Levalan Olive I-GL -----            | 3,050         |
| NC   | Levamin Blue GW -----               | 1,500         |
| NC <u>1/</u>   | Luganil Blue NGR -----              | 100           |
| C  | Lugatol Brown NRR -----             | 100           |
| NC   | Lugatol Medium Brown N -----        | 300           |
| NC   | Lugatol Olive Brown N -----         | 550           |
| NC   | Lumin Brown G -----                 | 100           |
| C  | Marine Sulfacide Lumiere BRLL ----- | 250           |
| NC <u>1/</u>   | Metallan Black MG -----             | 500           |
| NC <u>1/</u>   | Metallan Black MN -----             | 1,000         |
| NC   | Naphthalene Scarlet BS -----        | 500           |
| NC   | Neopolar Brilliant Red 2B -----     | 110           |
| NC   | Neopolar Yellow 4GL -----           | 270           |
| C  | Neutrichrome Grey 2BLL -----        | 250           |
| C  | Neutrichrome Yellow 2RLL -----      | 290           |
| C  | Neutrichrome Yellow 5RLL -----      | 100           |
| C  | Nylomine Blue GS -----              | 600           |
| NC   | Nylomine Orange A-GS -----          | 760           |
| NC   | Nylomine Yellow GS -----            | 11,950        |
| NC   | Olive Amichrome Lumiere BLL -----   | 100           |
| NC, NC <u>1/</u>   | Ortolan Black G -----               | 11,050        |
| NC   | Ortolan Brown 3R -----              | 2,000         |
| NC   | Ortolan Navy Blue BR -----          | 500           |
| NC   | Ortolan Yellow RR -----             | 2,500         |
| NC   | Pilate Fast Blue RRN -----          | 1,000         |
| NC, NC <u>1/</u>   | Remalan Fast Bordeaux EB -----      | 750           |
| NC, NC <u>1/</u>   | Remalan Fast Brown EGG -----        | 360           |
| NC, NC <u>1/</u>   | Remalan Fast Green ET -----         | 300           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                | Quantity      |
|--|------------------------------------|---------------|
|  |                                    | <u>Pounds</u> |
|  | ACID DYES--Continued               |               |
| NC, NC 1/  | Remalan Fast Red EGG -----         | 500           |
| NC   | Remalan Yellow 3GL -----           | 500           |
| NC   | Sandolan Dark Brown GL -----       | 3,747         |
| NC   | Sella Fast Grey BG -----           | 4,409         |
| NC   | Special Brilliant Red WBR -----    | 75            |
| C  | Telon Red BL -----                 | 550           |
| NC   | Telon Yellow BL -----              | 800           |
| NC   | Vert Brilliant Amichrome 2JL ----- | 200           |
| NC   | Vialon Fast Blue FFG -----         | 3,500         |
| NC   | Vialon Fast Blue FFR -----         | 500           |
| NC   | Vialon Fast Brown GR -----         | 200           |
| NC   | Vialon Fast Navy Blue R -----      | 700           |
| NC   | Vialon Fast Olive B -----          | 25            |
| NC   | Vialon Fast Red G -----            | 1,000         |
| NC   | Wool Fast Turquoise Blue SW -----  | 950           |
| C, NC, NC 1/   | Other acid dyes -----              | 47            |
|  | Total, acid dyes ----- quantity--  | 1,807,805     |
|  | AZOIC DYES AND COMPONENTS          |               |
|  | Azoic dyes:                        |               |
| C  | Azoic Red 1 -----                  | 650           |
| C  | Azoic Red 2 -----                  | 500           |
| C, NC  | Azoic Red 6 -----                  | 2,250         |
| NC   | Azoic Red 16 -----                 | 1,100         |
| C  | Azoic Blue 6 -----                 | 925           |
| C  | Azoic Green 1 -----                | 1,300         |
| NC   | Azoic Black 16 -----               | 14,000        |
| C  | Neutrogene Black B -----           | 1,598         |
|  | Total azoic dyes -----             | 22,323        |
|  | Fast color bases:                  |               |
| C  | Azoic diazo component 1 -----      | 98            |
| C  | Azoic diazo component 3 -----      | 30,400        |
| C  | Azoic diazo component 5 -----      | 90,598        |
| C  | Azoic diazo component 7 -----      | 11,165        |
| C, NC  | Azoic diazo component 8 -----      | 94,380        |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | AZOIC DYES AND COMPONENTS--Continued                     |               |
|  | Fast color bases--Continued                              |               |
| C  | Azoic diazo component 9 -----                            | 10,010        |
| C  | Azoic diazo component 11 -----                           | 250           |
| C  | Azoic diazo component 12 -----                           | 29,659        |
| C  | Azoic diazo component 13 -----                           | 10,114        |
| C, NC, NC 1/   | Azoic diazo component 14 -----                           | 43,000        |
| NC   | Azoic diazo component 15 -----                           | 750           |
| C, NC  | Azoic diazo component 32 -----                           | 49,700        |
| C  | Azoic diazo component 34 -----                           | 7,762         |
| C  | Azoic diazo component 41 -----                           | 5,014         |
| C  | Azoic diazo component 42 -----                           | 14,836        |
| C  | Azoic diazo component 44 -----                           | 50            |
| C  | Azoic diazo component 46 -----                           | 3,841         |
| NC   | Azoic diazo component 120 -----                          | 1,409         |
| NC   | Azoic diazo component 121 -----                          | 7,200         |
| NC 1/  | o-Dianisidine base -----                                 | 1,102         |
| NC 1/  | D-powder -----   | 827           |
| NC 1/  | Echtrot FR base -----                                    | 342           |
| C  | Fast blue BB base -----                                  | 250           |
| C  | 4-Nitro-o-anisidine [ $\overline{\text{NH}}_2=1$ ] ----- | 3,000         |
|  | Total fast color bases -----                             | 415,757       |
|  | Fast color salts:  |               |
| C  | Azoic diazo component 1 -----                            | 250           |
| C  | Azoic diazo component 3 -----                            | 1,750         |
| C  | Azoic diazo component 4 -----                            | 250           |
| C, 2/  | Azoic diazo component 5 -----                            | 15,475        |
| C  | Azoic diazo component 8 -----                            | 2,000         |
| C, NC  | Azoic diazo component 9 -----                            | 10,000        |
| C  | Azoic diazo component 11 -----                           | 250           |
| C  | Azoic diazo component 13 -----                           | 9,750         |
| C, NC  | Azoic diazo component 14 -----                           | 2,000         |
| NC   | Azoic diazo component 16 -----                           | 15,500        |
| NC   | Azoic diazo component 17 -----                           | 750           |
| C  | Azoic diazo component 20 -----                           | 2,700         |
| C  | Azoic diazo component 33 -----                           | 25,002        |
| C, NC  | Azoic diazo component 34 -----                           | 2,000         |
| NC   | Azoic diazo component 35 -----                           | 1,000         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | AZOIC DYES AND COMPONENTS--Continued   |               |
|  | Fast color salts--Continued  |               |
| C  | Azoic diazo component 36 -----   | 2,875         |
| C  | Azoic diazo component 44 -----   | 500           |
| C  | Azoic diazo component 48 -----   | 1,750         |
| C  | Azoic diazo component 49 -----   | 4,125         |
| NC   | Azoic diazo component 121 -----  | 753           |
| NC   | Azoic diazo component 123 -----  | 3,000         |
| C, NC, NC 1/, 2/   | Diazo A, AK, AVBF <sub>4</sub> , AVBF <sub>4</sub> FC, AW, AYFC, B, BF <sub>4</sub> , BFBF <sub>4</sub> , C, D, E, F, HCl, HC2, K, N, O, W, W6614BF <sub>4</sub> FC, Diazo 1-2, 2,2DS-4, 4, 6, 103, 103-DM-21, 104, 104-DS-5, 106, 108 3/ ---- | 42,963        |
| C  | Diazo amino blue BB -----  | 769           |
| NC   | Diazo amino orange RD -----  | 3,869         |
| C  | Diazo amino violet B -----   | 628           |
| C  | 1-Diazo-2,5-dimethoxy-4-morpholino benzene zinc salt -----   | 100           |
| NC 1/  | Diazo-2,5-dimethoxy morpholino benzene zinc salt -----   | 100           |
| C  | p-Diazo diphenylamine sulfate -----  | 6,579         |
| C, NC  | Diazo product 8, 14, 44 -----  | 2,975         |
| NC   | Fast Black BTL -----   | 5,000         |
| NC   | Fast Blue Salt VFGC -----  | 1,500         |
| NC   | Fast Navy Blue RA -----  | 14,253        |
| C  | Fast Scarlet Salt G -----  | 1,500         |
| NC 1/  | Filine sensitizer DMT -----  | 200           |
| NC   | Monex M-1 -----  | 400           |
| C  | 4-Phenylaminobenzol-1-diazonium chloride -----   | 1,172         |
| C, NC, NC 1/, 2/   | Other fast color salts -----   | 1,148         |
|  | Total fast color salts -----   | 184,836       |
|  | Naphthol AS and derivatives:   |               |
| C  | Azoic coupling component 2 -----   | 508,103       |
| C, NC  | Azoic coupling component 3 -----   | 1,750         |
| C  | Azoic coupling component 4 -----   | 12,750        |
| C  | Azoic coupling component 5 -----   | 22,385        |
| NC   | Azoic coupling component 6 -----   | 1,050         |
| C, NC, NC 1/   | Azoic coupling component 7 -----   | 404,650       |
| C  | Azoic coupling component 8 -----   | 1,000         |
| C  | Azoic coupling component 9 -----   | 500           |
| C  | Azoic coupling component 11 -----  | 1,000         |
| C, NC  | Azoic coupling component 12 -----  | 23,428        |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                     | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
|  | AZOIC DYES AND COMPONENTS--Continued    |               |
|  | Naphthol AS and derivatives--Continued  |               |
| C, NC 1/   | Azoic coupling component 13 -----       | 8,000         |
| C, NC, 2/  | Azoic coupling component 15 -----       | 14,300        |
| C, 2/  | Azoic coupling component 17 -----       | 11,500        |
| C  | Azoic coupling component 18 -----       | 5,700         |
| C  | Azoic coupling component 20 -----       | 8,000         |
| C  | Azoic coupling component 23 -----       | 1,000         |
| C  | Azoic coupling component 25 -----       | 1,800         |
| C, NC  | Azoic coupling component 29 -----       | 1,500         |
| C, NC  | Azoic coupling component 32 -----       | 4,510         |
| C  | Azoic coupling component 34 -----       | 1,000         |
| C  | Azoic coupling component 35 -----       | 3,750         |
| C  | Azoic coupling component 36 -----       | 400           |
| NC   | Azoic coupling component 37 -----       | 25            |
| C  | Azoic coupling component 41 -----       | 3,500         |
| NC, NC 1/  | Azoic coupling component 107 -----      | 1,495         |
| NC   | Azoic coupling component 108 -----      | 18,017        |
| C  | Naftolo acna E -----                    | 3,000         |
| C  | Naftolo acna G -----                    | 15,800        |
| NC   | Naphtanilide CB -----                   | 3,850         |
| C  | Naphtanilide DB -----                   | 2,250         |
| C  | Naphtanilide HS -----                   | 250           |
| NC   | Naphtol AS-SLG -----                    | 1,000         |
| NC   | Naphtol AS-TRLL -----                   | 1,000         |
| C  | Other naphthol AS and derivatives ----- | 5,000         |
|  | Total naphthol AS and derivatives ----- | 1,093,263     |
|  | BASIC DYES                              |               |
| C  | Basic Yellow 1 -----                    | 4,706         |
| C  | Basic Yellow 2 -----                    | 21,700        |
| NC   | Basic Yellow 9 -----                    | 4,875         |
| C  | Basic Yellow 13 -----                   | 65,225        |
| NC   | Basic Yellow 19 -----                   | 15,980        |
| C  | Basic Yellow 21 -----                   | 70,330        |
| NC   | Basic Yellow 24 -----                   | 31,000        |
| NC   | Basic Yellow 25 -----                   | 101,057       |
| C, NC  | Basic Yellow 28 -----                   | 9,312         |
| NC   | Basic Yellow 29 -----                   | 3,900         |
| NC   | Basic Yellow 32 -----                   | 13,997        |
| C  | Basic Orange 2 -----                    | 750           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                   | Quantity      |
|---|-----------------------|---------------|
|   |                       | <u>Pounds</u> |
|   | BASIC DYES--Continued |               |
| C   | Basic Orange 12 ----- | 125           |
| C   | Basic Orange 14 ----- | 200           |
| NC  | Basic Orange 21 ----- | 3,042         |
| C   | Basic Orange 22 ----- | 7,345         |
| NC  | Basic Orange 27 ----- | 3,506         |
| NC, NC 1/   | Basic Orange 28 ----- | 7,860         |
| NC  | Basic Orange 29 ----- | 1,500         |
| C   | Basic Orange 30 ----- | 273           |
| C   | Basic Red 1 -----     | 123,059       |
| C   | Basic Red 2 -----     | 363           |
| C   | Basic Red 9 -----     | 1,500         |
| C   | Basic Red 12 -----    | 150           |
| C   | Basic Red 13 -----    | 3,750         |
| C   | Basic Red 14 -----    | 18,000        |
| C   | Basic Red 18 -----    | 2,934         |
| NC  | Basic Red 22 -----    | 2,204         |
| NC  | Basic Red 23 -----    | 8,250         |
| NC  | Basic Red 24 -----    | 1,050         |
| NC  | Basic Red 25 -----    | 2,850         |
| C   | Basic Red 27 -----    | 33,750        |
| NC, NC 1/   | Basic Red 29 -----    | 59,808        |
| C   | Basic Violet 3 -----  | 2,000         |
| C   | Basic Violet 7 -----  | 500           |
| C   | Basic Violet 10 ----- | 74,169        |
| NC  | Basic Violet 11 ----- | 610           |
| C   | Basic Violet 14 ----- | 28,890        |
| NC  | Basic Violet 19 ----- | 225           |
| NC  | Basic Violet 20 ----- | 1,550         |
| NC  | Basic Violet 21 ----- | 1,150         |
| NC  | Basic Violet 25 ----- | 1,540         |
| C   | Basic Blue 1 -----    | 9,467         |
| C   | Basic Blue 3 -----    | 64,007        |
| C   | Basic Blue 5 -----    | 12,190        |
| C   | Basic Blue 7 -----    | 8,375         |
| C   | Basic Blue 21 -----   | 100           |
| C   | Basic Blue 22 -----   | 4,009         |
| NC, NC 1/   | Basic Blue 33 -----   | 500           |
| NC  | Basic Blue 40 -----   | 551           |

See footnotes at end of table.



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                                 | Quantity      |
|---|-------------------------------------|---------------|
|   |                                     | <u>Pounds</u> |
|   | BASIC DYES--Continued               |               |
| NC  | Basic Blue 41 -----                 | 4,684         |
| NC  | Basic Blue 42 -----                 | 1,103         |
| C   | Basic Blue 44 -----                 | 9,500         |
| NC  | Basic Blue 45 -----                 | 31,452        |
| C   | Basic Blue 47 -----                 | 39,502        |
| NC  | Basic Blue 49 -----                 | 25,600        |
| NC  | Basic Blue 50 -----                 | 250           |
| C   | Basic Blue 54 -----                 | 68,541        |
| NC  | Basic Blue 60 -----                 | 5,500         |
| NC  | Basic Blue 62 -----                 | 4,250         |
| C   | Basic Green 1 -----                 | 4,410         |
| NC  | Basic Green 2 -----                 | 6,612         |
| C   | Basic Green 4 -----                 | 12,155        |
| NC  | Basic Green 6 -----                 | 500           |
| C   | Basic Brown 2 -----                 | 842           |
| NC  | Basic Black 2 -----                 | 2,315         |
| C, NC 1/  | Astrazon Black M -----              | 3,250         |
| C   | Astrazon Black R4243 -----          | 3,500         |
| C   | Astrazon Black WRL -----            | 8,250         |
| NC  | Astrazon Blue FRR -----             | 11,720        |
| NC  | Astrazon Blue 5RL -----             | 2,000         |
| NC  | Astrazon Bordeaux BL -----          | 50            |
| 2/  | Astrazon Orange 3RL -----           | 393           |
| NC 1/   | Basacryl Red FL -----               | 250           |
| NC  | Basacryl Violet RL -----            | 1,750         |
| C, NC   | Basic Pure Blue 3G -----            | 1,500         |
| NC  | Blue Base F4R -----                 | 100           |
| NC  | Diacryl Supra Blue FGL -----        | 4,620         |
| NC  | Dyestuff No. 53 -----               | 465           |
| NC  | Flexo Blue BRN -----                | 250           |
| C   | Hecto Black G -----                 | 46,555        |
| NC, 2/  | Leather Black MB -----              | 300           |
| NC  | Lyrcamine Light Blue BLL 1350 ----- | 500           |
| c   | Maxilon Blue RBL -----              | 551           |
| NC  | Maxilon Red GRL -----               | 1,102         |
| NC  | Rapidamine Turquoise B -----        | 1,200         |
| NC  | Sandocryl Blue B-2GLE -----         | 1,102         |
| NC  | Sandocryl Golden Yellow B-RLE ----- | 1,102         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                | Quantity      |
|--|------------------------------------|---------------|
|  |                                    | <u>Pounds</u> |
|  | BASIC DYES--Continued              |               |
| C  | Sandocryl Orange B-3RLE -----      | 1,102         |
| NC   | Sandocryl Red B-2GLE -----         | 661           |
| NC   | Sandocryl Rubine B RLE -----       | 1,103         |
| 2/<br>C  | Sandocryl Violet B-2RLE -----      | 1,102         |
| C  | Sandocryl Yellow Brown B-RLE ----- | 1,102         |
| C  | Other basic dyes -----             | 22            |
|  | Total, basic dyes ----- quantity-- | 1,227,002     |
|  | DIRECT DYES                        |               |
| C  | Direct Yellow 8 -----              | 1,653         |
| C  | Direct Yellow 11 -----             | 1,100         |
| C  | Direct Yellow 12 -----             | 1,380         |
| C  | Direct Yellow 27 -----             | 6,069         |
| C  | Direct Yellow 28 -----             | 750           |
| C, NC  | Direct Yellow 32 -----             | 1,500         |
| C  | Direct Yellow 39 -----             | 7,500         |
| C  | Direct Yellow 47 -----             | 14,326        |
| NC   | Direct Yellow 52 -----             | 5,510         |
| NC   | Direct Yellow 58 -----             | 11,821        |
| C  | Direct Yellow 59 -----             | 7,205         |
| NC   | Direct Yellow 64 -----             | 552           |
| NC   | Direct Yellow 68 -----             | 8,816         |
| NC   | Direct Yellow 93 -----             | 2,293         |
| NC   | Direct Yellow 95 -----             | 2,205         |
| NC   | Direct Yellow 96 -----             | 15,555        |
| NC   | Direct Yellow 98 -----             | 13,007        |
| NC   | Direct Yellow 109 -----            | 2,685         |
| NC   | Direct Orange 39 -----             | 500           |
| NC, 2/   | Direct Orange 41 -----             | 6,000         |
| C  | Direct Orange 46 -----             | 3,250         |
| C  | Direct Orange 57 -----             | 11,039        |
| C  | Direct Orange 60 -----             | 418           |
| NC   | Direct Orange 62 -----             | 3,306         |
| C  | Direct Orange 66 -----             | 3,306         |
| NC   | Direct Orange 90 -----             | 500           |
| NC   | Direct Orange 106 -----            | 3,306         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                     | Quantity      |
|--|-------------------------|---------------|
|  |                         | <u>Pounds</u> |
|  | DIRECT DYES--Continued  |               |
| NC   | Direct Orange 107 ----- | 40,337        |
| C  | Direct Red 2 -----      | 1,700         |
| NC   | Direct Red 3 -----      | 550           |
| NC   | Direct Red 9 -----      | 14,300        |
| NC   | Direct Red 11 -----     | 4,800         |
| C, NC  | Direct Red 17 -----     | 1,100         |
| C  | Direct Red 23 -----     | 2,000         |
| NC   | Direct Red 71 -----     | 7,925         |
| C  | Direct Red 75 -----     | 1,263         |
| C  | Direct Red 76 -----     | 2,510         |
| C  | Direct Red 83 -----     | 9,922         |
| C  | Direct Red 84 -----     | 827           |
| NC   | Direct Red 89 -----     | 16,222        |
| NC   | Direct Red 92 -----     | 14,332        |
| NC   | Direct Red 95 -----     | 4,244         |
| C  | Direct Red 100 -----    | 307           |
| C  | Direct Red 107 -----    | 125           |
| C  | Direct Red 111 -----    | 5,880         |
| NC   | Direct Red 143 -----    | 2,346         |
| NC   | Direct Red 145 -----    | 75            |
| C  | Direct Red 152 -----    | 8,069         |
| C  | Direct Red 156 -----    | 551           |
| NC   | Direct Red 173 -----    | 276           |
| NC   | Direct Red 184 -----    | 1,764         |
| NC   | Direct Red 205 -----    | 12,786        |
| NC   | Direct Red 207 -----    | 5,291         |
| NC   | Direct Red 211 -----    | 750           |
| NC   | Direct Red 212 -----    | 750           |
| NC   | Direct Red 218 -----    | 1,500         |
| C  | Direct Violet 7 -----   | 1,764         |
| C  | Direct Violet 46 -----  | 82            |
| C  | Direct Violet 47 -----  | 2,164         |
| C  | Direct Violet 48 -----  | 1,560         |
| C  | Direct Violet 51 -----  | 250           |
| NC   | Direct Violet 62 -----  | 4,028         |
| NC   | Direct Violet 93 -----  | 1,653         |
| NC   | Direct Violet 95 -----  | 200           |
| NC   | Direct Blue 2 -----     | 1,543         |

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                    | Quantity      |
|--|------------------------|---------------|
|  |                        | <u>Pounds</u> |
|  | DIRECT DYES--Continued |               |
| NC   | Direct Blue 40 -----   | 563           |
| NC   | Direct Blue 41 -----   | 1,751         |
| C, NC  | Direct Blue 53 -----   | 50            |
| C  | Direct Blue 71 -----   | 4,460         |
| C  | Direct Blue 77 -----   | 13,669        |
| C  | Direct Blue 78 -----   | 4,410         |
| C  | Direct Blue 79 -----   | 220           |
| C, NC  | Direct Blue 81 -----   | 1,965         |
| NC   | Direct Blue 84 -----   | 900           |
| C  | Direct Blue 86 -----   | 4,150         |
| NC   | Direct Blue 90 -----   | 35,052        |
| NC   | Direct Blue 92 -----   | 11,571        |
| C  | Direct Blue 98 -----   | 3,307         |
| C, NC, NC 1/   | Direct Blue 106 -----  | 24,161        |
| NC   | Direct Blue 108 -----  | 27,500        |
| NC   | Direct Blue 109 -----  | 126,158       |
| C  | Direct Blue 120 -----  | 14,259        |
| C  | Direct Blue 122 -----  | 1,825         |
| C  | Direct Blue 126 -----  | 1,850         |
| NC   | Direct Blue 137 -----  | 1,102         |
| NC   | Direct Blue 149 -----  | 75            |
| NC   | Direct Blue 156 -----  | 2,204         |
| NC   | Direct Blue 158 -----  | 7,825         |
| NC   | Direct Blue 160 -----  | 9,094         |
| NC   | Direct Blue 172 -----  | 1,761         |
| C  | Direct Blue 199 -----  | 3,044         |
| C  | Direct Blue 207 -----  | 9,050         |
| NC   | Direct Blue 211 -----  | 2,481         |
| NC   | Direct Blue 225 -----  | 3,450         |
| NC   | Direct Blue 228 -----  | 50            |
| NC   | Direct Blue 229 -----  | 120           |
| NC, NC 1/  | Direct Blue 239 -----  | 6,466         |
| NC   | Direct Green 3 -----   | 100           |
| NC   | Direct Green 5 -----   | 4,408         |
| NC   | Direct Green 13 -----  | 950           |
| NC, NC 1/  | Direct Green 23 -----  | 1,101         |
| C  | Direct Green 26 -----  | 375           |
| C  | Direct Green 27 -----  | 250           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                    | Quantity      |
|---|------------------------|---------------|
|   |                        | <u>Pounds</u> |
|   | DIRECT DYES--Continued |               |
| NC  | Direct Green 29 -----  | 8,268         |
| NC  | Direct Green 31 -----  | 7,936         |
| C   | Direct Green 32 -----  | 750           |
| NC  | Direct Green 33 -----  | 4,235         |
| NC  | Direct Green 37 -----  | 676           |
| NC  | Direct Green 48 -----  | 250           |
| NC  | Direct Green 51 -----  | 4,528         |
| NC  | Direct Green 59 -----  | 2,587         |
| NC  | Direct Green 65 -----  | 140           |
| NC  | Direct Green 66 -----  | 5,750         |
| NC  | Direct Green 67 -----  | 6,062         |
| NC  | Direct Green 68 -----  | 5,910         |
| NC  | Direct Green 69 -----  | 11,292        |
| NC  | Direct Green 70 -----  | 1,587         |
| NC  | Direct Green 72 -----  | 260           |
| NC, NC 1/, 2/   | Direct Green 74 -----  | 4,150         |
| C   | Direct Brown 1 -----   | 10,000        |
| C   | Direct Brown 11 -----  | 104           |
| C   | Direct Brown 29 -----  | 552           |
| NC  | Direct Brown 30 -----  | 1,000         |
| NC  | Direct Brown 34 -----  | 1,378         |
| NC  | Direct Brown 58 -----  | 4,408         |
| NC  | Direct Brown 65 -----  | 1,102         |
| C   | Direct Brown 95 -----  | 1,550         |
| NC  | Direct Brown 97 -----  | 3,196         |
| NC  | Direct Brown 98 -----  | 2,204         |
| C   | Direct Brown 103 ----- | 6,615         |
| NC  | Direct Brown 107 ----- | 500           |
| NC  | Direct Brown 112 ----- | 1,125         |
| NC  | Direct Brown 113 ----- | 14,991        |
| NC  | Direct Brown 115 ----- | 20,945        |
| C, NC   | Direct Brown 116 ----- | 20,442        |
| NC  | Direct Brown 157 ----- | 2,755         |
| NC  | Direct Brown 169 ----- | 2,755         |
| NC  | Direct Brown 172 ----- | 1,102         |
| NC  | Direct Brown 173 ----- | 75            |
| C   | Direct Black 2 -----   | 1,000         |
| C   | Direct Black 32 -----  | 1,000         |
| C   | Direct Black 38 -----  | 11,023        |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye  | Quantity      |
|---|--|---------------|
|   |  | <u>Pounds</u> |
|   | DIRECT DYES--Continued                     |               |
| C   | Direct Black 41 -----                      | 1,750         |
| NC  | Direct Black 52 -----                      | 25            |
| NC  | Direct Black 62 -----                      | 6,888         |
| NC  | Direct Black 65 -----                      | 1,126         |
| NC  | Direct Black 68 -----                      | 750           |
| NC  | Direct Black 69 -----                      | 2,425         |
| C   | Direct Black 75 -----                      | 1,001         |
| NC  | Direct Black 94 -----                      | 551           |
| NC  | Direct Black 112 -----                     | 2,100         |
| NC  | Direct Black 113 -----                     | 3,800         |
| NC  | Direct Black 114 -----                     | 7,714         |
| NC  | Direct Black 117 -----                     | 2,427         |
| NC  | Direct Black 118 -----                     | 33,950        |
| NC  | Direct Black 121 -----                     | 3,089         |
| NC  | Direct Black 122 -----                     | 551           |
| C   | Direct Black 126 -----                     | 1,000         |
| NC  | Benzo Cuprol Yellow GGL -----              | 75            |
| NC 1/   | Benzolo Fast Light Turquoise Blue GL ----- | 8,800         |
| C   | Chloramine Fast Brown No. 12 -----         | 11,685        |
| NC  | Chlorazol Union Black 14714 -----          | 1,000         |
| NC  | Cuprofix Black C-FBL -----                 | 1,323         |
| NC  | Cuprofix Brown C-RL -----                  | 220           |
| NC  | Cuprofix Navy C-LW -----                   | 4,188         |
| NC  | Cuprofix Orange C-TL -----                 | 440           |
| NC  | Cuprophenyl Brown GL -----                 | 551           |
| NC  | Cuprophenyl Green 2GL -----                | 3,307         |
| NC  | Cuprophenyl Rubine RL -----                | 3,306         |
| C   | Diazol Light Rose 2J -----                 | 425           |
| NC 1/   | Direct Supra Blue FGL -----                | 2,000         |
| C   | Durazol Ink Blue 10G -----                 | 300           |
| NC  | Lumicrease Dark Brown 3LB -----            | 3,306         |
| C   | Lurantín Supra Turquoise Blue FBL -----    | 1,750         |
| C   | Pyrazol Fast Bordeaux 2BL -----            | 30            |
| C   | Rose Diazol Lumiere 2J -----               | 550           |
| NC  | Sandolan Dark Brown BL -----               | 220           |
| C   | Sirius Leather Fast Brown G -----          | 360           |
| NC 1/   | Sirius Supra Blue BL -----                 | 100           |
| NC  | Sirius Supra Green BBTL -----              | 300           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                 | Quantity      |
|--|-------------------------------------|---------------|
|  |                                     | <u>Pounds</u> |
|  | DIRECT DYES--Continued              |               |
| C  | Sirius Supra Green 3G -----         | 260           |
| NC   | Sirius Supra Grey GN -----          | 135           |
| C  | Sirius Supra Yellow 5G -----        | 25            |
| C  | Turquesa Diazol Luz, JRL -----      | 110           |
| NC   | Other direct dyes -----             | 36            |
|  | Total, direct dyes ----- quantity-- | 931,171       |
|  | DISPERSE DYES                       |               |
| C  | Disperse Yellow 1 -----             | 1,296         |
| C  | Disperse Yellow 3 -----             | 100           |
| C  | Disperse Yellow 5 -----             | 11,500        |
| NC   | Disperse Yellow 7 -----             | 100           |
| NC   | Disperse Yellow 12 -----            | 525           |
| NC   | Disperse Yellow 19 -----            | 1,100         |
| C  | Disperse Yellow 23 -----            | 6,675         |
| C  | Disperse Yellow 31 -----            | 500           |
| C  | Disperse Yellow 42 -----            | 4,776         |
| NC   | Disperse Yellow 49 -----            | 880           |
| NC   | Disperse Yellow 51 -----            | 250           |
| NC   | Disperse Yellow 56 -----            | 130           |
| NC   | Disperse Yellow 58 -----            | 1,500         |
| C  | Disperse Yellow 64 -----            | 6,500         |
| NC, NC 1/  | Disperse Yellow 66 -----            | 760           |
| NC   | Disperse Yellow 73 -----            | 500           |
| NC 1/  | Disperse Yellow 74 -----            | 100           |
| C  | Disperse Orange 5 -----             | 2,250         |
| C  | Disperse Orange 9 -----             | 1,650         |
| NC   | Disperse Orange 20 -----            | 1,320         |
| C  | Disperse Orange 22 -----            | 25            |
| NC   | Disperse Orange 24 -----            | 225           |
| NC   | Disperse Orange 30 -----            | 297,620       |
| NC   | Disperse Orange 38 -----            | 250           |
| NC   | Disperse Orange 39 -----            | 2,200         |
| NC   | Disperse Orange 45 -----            | 2,340         |
| NC   | Disperse Orange 47 -----            | 1,510         |
| NC 1/  | Disperse Orange 48 -----            | 500           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                      | Quantity      |
|--|--------------------------|---------------|
|  |                          | <u>Pounds</u> |
|  | DISPERSE DYES--Continued |               |
| C  | Disperse Red 4 -----     | 8,000         |
| C  | Disperse Red 8 -----     | 25            |
| C  | Disperse Red 9 -----     | 25            |
| NC   | Disperse Red 10 -----    | 828           |
| C  | Disperse Red 11 -----    | 500           |
| C  | Disperse Red 15 -----    | 200           |
| NC   | Disperse Red 43 -----    | 442           |
| C  | Disperse Red 46 -----    | 25            |
| C, NC  | Disperse Red 54 -----    | 26,803        |
| C  | Disperse Red 55 -----    | 21,031        |
| C  | Disperse Red 60 -----    | 17,795        |
| NC   | Disperse Red 72 -----    | 35,494        |
| NC   | Disperse Red 73 -----    | 97,884        |
| NC   | Disperse Red 74 -----    | 7,495         |
| C  | Disperse Red 75 -----    | 1,250         |
| NC   | Disperse Red 76 -----    | 132           |
| C  | Disperse Red 82 -----    | 10,000        |
| C  | Disperse Red 83 -----    | 348           |
| NC   | Disperse Red 84 -----    | 8,345         |
| NC   | Disperse Red 85 -----    | 100           |
| NC   | Disperse Red 86 -----    | 1,000         |
| NC   | Disperse Red 90 -----    | 9,060         |
| C  | Disperse Red 91 -----    | 2,000         |
| NC 1/  | Disperse Red 105 -----   | 100           |
| C  | Disperse Red 106 -----   | 2,749         |
| NC 1/  | Disperse Red 108 -----   | 100           |
| C  | Disperse Violet 1 -----  | 555           |
| C, NC  | Disperse Violet 4 -----  | 350           |
| C  | Disperse Violet 8 -----  | 250           |
| NC   | Disperse Violet 10 ----- | 1,763         |
| NC   | Disperse Violet 33 ----- | 3,080         |
| C  | Disperse Blue 1 -----    | 1,000         |
| C, NC  | Disperse Blue 7 -----    | 4,680         |
| C  | Disperse Blue 9 -----    | 2,000         |
| C  | Disperse Blue 14 -----   | 132           |
| C  | Disperse Blue 19 -----   | 100           |
| NC   | Disperse Blue 20 -----   | 1,102         |
| NC   | Disperse Blue 26 -----   | 1,000         |

See footnotes at end of table.



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | DISPERSE DYES--Continued                   |               |
| NC   | Disperse Blue 30 -----                     | 551           |
| C, NC  | Disperse Blue 40 -----                     | 1,893         |
| NC   | Disperse Blue 54 -----                     | 1,240         |
| NC   | Disperse Blue 58 -----                     | 5,291         |
| C  | Disperse Blue 71 -----                     | 250           |
| NC   | Disperse Blue 73 -----                     | 136,687       |
| NC   | Disperse Blue 79 -----                     | 852,593       |
| NC   | Disperse Blue 81 -----                     | 3,251         |
| NC   | Disperse Blue 83 -----                     | 10,480        |
| NC   | Disperse Blue 94 -----                     | 500           |
| C  | Disperse Brown 1 -----                     | 5,750         |
| NC   | Cibacete Brown JNH -----                   | 3,750         |
| NC   | Cibacete Navy Blue GRL -----               | 275           |
| NC   | Cibacete Navy Blue RL -----                | 250           |
| NC   | Dispersol Fast Blue GFD -----              | 650           |
| NC   | Dispersol Fast Rubine BT -----             | 1,990         |
| NC   | Duranol Brilliant Yellow TRN -----         | 1,364         |
| NC   | Esterophile Light Yellow 2RL -----         | 500           |
| NC   | Foron Brilliant Violet E-BL -----          | 110           |
| NC   | Marine Esterophile Lumiere Brilliant ----- | 200           |
| NC   | Ofna-Ryl Black G -----                     | 19,120        |
| NC   | Orange Esterophile Lumiere RJL -----       | 50            |
| C  | Palacet Blue Green B -----                 | 1,000         |
| NC   | Palacet Brilliant Blue GF2G -----          | 100           |
| NC   | Palacet Brilliant Yellow 8G -----          | 1,000         |
| C  | Palacet Fast Black BD -----                | 250           |
| C  | Palacet Fast Navy Blue BR -----            | 7,468         |
| C  | Palacet Navy Blue BR -----                 | 6,000         |
| NC   | Palanil Brilliant Blue F -----             | 26,400        |
| C  | Palanil Brilliant Pink REL -----           | 3,750         |
| C  | Palanil Brilliant Red BEL -----            | 2,834         |
| C, NC 1/   | Palanil Brilliant Red 5 BEL -----          | 1,292         |
| NC 1/  | Palanil Brown 3REL -----                   | 250           |
| NC   | Palanil Golden Yellow GG -----             | 11,200        |
| NC, NC 1/  | Palanil Navy Blue RE -----                 | 67,986        |
| NC   | Palanil Rubine BN -----                    | 132           |
| C  | Palanil Violet 3B -----                    | 25            |
| C  | Palanil Yellow G -----                     | 100           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                   | Quantity      |
|--|---------------------------------------|---------------|
|  |                                       | <u>Pounds</u> |
|  | DISPERSE DYES--Continued              |               |
| NC   | Petramin Blue B -----                 | 185           |
| NC   | Petramin Orange 5R -----              | 575           |
| NC   | Petramin Orange F2R -----             | 630           |
| NC   | Petramin Orange GR -----              | 225           |
| NC   | Petramin Yellow FRL -----             | 550           |
| NC   | Resolin Blue GG-SL -----              | 500           |
| NC   | Resolin Brilliant Blue PRL -----      | 752           |
| NC   | Resolin Brilliant Orange PG -----     | 300           |
| NC   | Resolin Brilliant Orange PGG -----    | 300           |
| NC   | Resolin Brilliant Orange PR -----     | 5,177         |
| NC   | Resolin Brilliant Pink PBB -----      | 9,350         |
| NC   | Resolin Brilliant Pink PRR -----      | 9,062         |
| NC   | Resolin Brilliant Red CBLS -----      | 1,001         |
| NC   | Resolin Brilliant Scarlet PGG -----   | 6,431         |
| NC   | Resolin Brilliant Yellow C6GL -----   | 7,500         |
| NC   | Resolin Brilliant Yellow PGG -----    | 18,127        |
| NC, NC 1/  | Resolin Brilliant Yellow P8GL -----   | 725           |
| NC   | Resolin Dark Blue BL -----            | 4,250         |
| NC   | Resolin Orange GGL -----              | 625           |
| C  | Resolin Scarlet 3GL -----             | 1,500         |
| NC   | Samaron Blue HBL -----                | 1,350         |
| C  | Samaron Brilliant Yellow HRL -----    | 1,500         |
| NC   | Samaron Orange HFFG -----             | 200           |
| NC   | Setacyl Blue FMU -----                | 1,102         |
| NC   | Setaron Red BL -----                  | 4,408         |
| NC   | Terasil Navy Blue GRL -----           | 6,500         |
| NC   | Terasil Navy Blue RL -----            | 1,750         |
| NC   | Terasil Orange 5RL -----              | 3,320         |
| NC   | Terasil Scarlet 2GL -----             | 250           |
| C, NC, NC 1/   | Other disperse dyes -----             | 287           |
|  | Total, disperse dyes ----- quantity-- | 1,879,808     |
|  | FIBER-REACTIVE DYES                   |               |
| NC   | Reactive Yellow 5 -----               | 12,597        |
| NC   | Reactive Yellow 10 -----              | 7,550         |
| NC   | Reactive Yellow 11 -----              | 5,511         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                            | Quantity      |
|--|--------------------------------|---------------|
|  |                                | <u>Pounds</u> |
|  | FIBER-REACTIVE DYES--Continued |               |
| NC   | Reactive Yellow 12 -----       | 16,546        |
| NC   | Reactive Yellow 13 -----       | 3,500         |
| NC   | Reactive Yellow 15 -----       | 7,500         |
| C  | Reactive Yellow 25 -----       | 3,850         |
| NC   | Reactive Yellow 26 -----       | 1,215         |
| NC   | Reactive Yellow 27 -----       | 8,000         |
| NC   | Reactive Yellow 29 -----       | 14,330        |
| NC   | Reactive Red 7 -----           | 3,100         |
| NC   | Reactive Red 10 -----          | 200           |
| NC   | Reactive Red 11 -----          | 7,040         |
| C, NC  | Reactive Red 12 -----          | 24,621        |
| NC   | Reactive Red 13 -----          | 3,000         |
| NC   | Reactive Red 15 -----          | 7,500         |
| NC   | Reactive Red 17 -----          | 15,210        |
| NC   | Reactive Red 18 -----          | 551           |
| NC   | Reactive Red 19 -----          | 2,094         |
| NC   | Reactive Red 20 -----          | 2,425         |
| NC   | Reactive Red 22 -----          | 1,300         |
| NC   | Reactive Red 24 -----          | 2,600         |
| NC   | Reactive Red 29 -----          | 100           |
| NC 1/  | Reactive Red 38 -----          | 110           |
| NC   | Reactive Red 40 -----          | 1,500         |
| NC   | Reactive Red 42 -----          | 15,350        |
| NC   | Reactive Red 43 -----          | 5,500         |
| NC   | Reactive Red 44 -----          | 581           |
| NC   | Reactive Orange 1 -----        | 2,980         |
| NC   | Reactive Orange 3 -----        | 11,227        |
| NC   | Reactive Orange 5 -----        | 400           |
| NC   | Reactive Orange 6 -----        | 275           |
| NC   | Reactive Orange 9 -----        | 22,618        |
| NC   | Reactive Orange 12 -----       | 990           |
| NC   | Reactive Orange 13 -----       | 1,804         |
| NC   | Reactive Orange 14 -----       | 2,023         |
| NC   | Reactive Violet 6 -----        | 551           |
| NC   | Reactive Violet 7 -----        | 300           |
| NC   | Reactive Blue 5 -----          | 15,360        |
| NC   | Reactive Blue 6 -----          | 10,582        |
| NC   | Reactive Blue 7 -----          | 155           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                  | Quantity      |
|--|--------------------------------------|---------------|
|  |                                      | <u>Pounds</u> |
|  | FIBER-REACTIVE DYES--Continued       |               |
| NC   | Reactive Blue 8 -----                | 25,356        |
| NC   | Reactive Blue 10 -----               | 22,378        |
| NC   | Reactive Blue 13 -----               | 10,600        |
| NC   | Reactive Blue 14 -----               | 1,000         |
| NC   | Reactive Blue 16 -----               | 3,857         |
| C, NC  | Reactive Blue 18 -----               | 47,180        |
| NC   | Reactive Blue 23 -----               | 2,000         |
| NC, NC 1/  | Reactive Blue 24 -----               | 5,663         |
| NC   | Reactive Blue 25 -----               | 12,122        |
| NC   | Reactive Blue 29 -----               | 17,799        |
| NC, 2/   | Reactive Blue 34 -----               | 1,592         |
| NC, NC 1/  | Reactive Green 4 -----               | 2,700         |
| NC   | Reactive Green 5 -----               | 5,100         |
| NC   | Reactive Green 7 -----               | 1,750         |
| NC   | Reactive Brown 2 -----               | 5,200         |
| NC   | Reactive Brown 5 -----               | 3,196         |
| NC   | Reactive Brown 7 -----               | 50            |
| NC   | Reactive Brown 10 -----              | 12,099        |
| NC   | Reactive Brown 11 -----              | 50            |
| NC   | Reactive Black 1 -----               | 2,500         |
| NC   | Reactive Black 4 -----               | 11,682        |
| NC   | Reactive Black 5 -----               | 1,000         |
| NC   | Reactive Black 9 -----               | 2,040         |
| NC   | Reactive Black 11 -----              | 1,500         |
| NC   | Reactive Black 14 -----              | 600           |
| NC   | Black Trial 4512 -----               | 500           |
| NC   | Cibacron Black 4512 -----            | 100           |
| NC   | Cibacron Blue BE -----               | 3,800         |
| NC   | Cibacron Brilliant Blue BR-P -----   | 1,497         |
| NC   | Cibacron Brilliant Red 2B-E -----    | 500           |
| NC   | Cibacron Brilliant Red 3B-P -----    | 9,000         |
| NC   | Cibacron Brilliant Yellow 3G-E ----- | 250           |
| NC   | Cibacron Green 3GP -----             | 250           |
| NC   | Cibacron Grey GE -----               | 525           |
| NC   | Cibacron Navy Blue R-E -----         | 2,550         |
| NC   | Cibacron Olive G-P -----             | 600           |
| NC   | Cibacron Red Brown 6639 -----        | 700           |
| NC   | Cibacron Rubine F2R-P -----          | 268           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                                    | Quantity      |
|---|--|---------------|
|   |  | <u>Pounds</u> |
|   | FIBER-REACTIVE DYES--Continued         |               |
| NC  | Cibacron Scarlet 2G-E -----            | 11,500        |
| NC  | Cibacron Scarlet 4G-P -----            | 1,305         |
| NC  | Cibacron Turquoise Blue FGF-P -----    | 1,500         |
| NC  | Cibacron Turquoise Blue 2G-E -----     | 9,750         |
| NC  | Drimarene Blue X-3LR -----             | 243           |
| NC  | Drimarene Brilliant Red X-2B -----     | 243           |
| NC  | Drimarene Discharge Orange X-3LG ----- | 661           |
| NC  | Drimarene Rubine X-3LR -----           | 1,565         |
| C   | Drimarene Turquoise X-2G -----         | 463           |
| NC  | Drimarene Violet X-2RL -----           | 441           |
| NC  | Drimarene Yellow X-R -----             | 1,985         |
| 2/  | Levafix Brilliant Blue E-B -----       | 250           |
| NC  | Levafix Brilliant Blue E-R -----       | 24            |
| NC  | Levafix Brilliant Blue 14G -----       | 1,000         |
| NC, 2/  | Levafix Brilliant Blue RRN -----       | 1,330         |
| NC  | Levafix Brilliant Red E-4B -----       | 4,000         |
| NC  | Levafix Brilliant Scarlet E3B -----    | 650           |
| C   | Levafix Brilliant Yellow E3G -----     | 1,250         |
| NC  | Levafix Golden Yellow EG -----         | 2,083         |
| NC  | Levafix Red Violet E-2BL -----         | 101           |
| NC  | Levafix Turquoise Blue E-G -----       | 14,000        |
| NC  | Levafix Yellow E-RL -----              | 501           |
| NC  | Procilan Yellow 2GS -----              | 101           |
| NC  | Procilan Yellow 2RS -----              | 201           |
| NC  | Procinyl Blue R -----                  | 4,071         |
| NC  | Procinyl Blue RS -----                 | 3,851         |
| NC  | Procinyl Orange GS -----               | 1,501         |
| NC  | Procinyl Rubine B -----                | 1,541         |
| NC  | Procinyl Rubine BS -----               | 111           |
| NC  | Procinyl Scarlet GS -----              | 501           |
| NC  | Procinyl Yellow GS -----               | 2,991         |
| NC  | Procion Blue H-3GS -----               | 211           |
| NC  | Procion Blue H-5RS -----               | 1,551         |
| NC  | Procion Blue M-3GS -----               | 4,021         |
| NC  | Procion Brilliant Blue H-7GS -----     | 1,981         |
| 2/  | Procion Brilliant Orange M-2RS -----   | 17,191        |
| NC  | Procion Brilliant Yellow M-4GS -----   | 1,031         |
| 2/  | Procion Brilliant Yellow M-6GS -----   | 9,131         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | FIBER-REACTIVE DYES--Continued             |               |
| NC   | Procion Red M-BA -----                     | 7,591         |
| NC   | Procion Red M-BCA -----                    | 4,960         |
| NC   | Procion Red M-GS -----                     | 2,000         |
| NC   | Procion Red Brown H-4RS -----              | 550           |
| 2/<br>NC   | Procion Rubine M-BS -----                  | 640           |
| NC   | Procion Scarlet H-4GS -----                | 110           |
| NC   | Procion Scarlet M-B -----                  | 6,486         |
| NC   | Procion Scarlet M-2BA -----                | 1,529         |
| NC   | Procion Scarlet M-GS -----                 | 7,980         |
| NC   | Procion Yellow M-GRS -----                 | 4,009         |
| NC   | Reactone Blue S-RL -----                   | 2,866         |
| NC   | Reactone Brilliant Red S-2B -----          | 1,212         |
| NC   | Reactone Rubine S-BRL -----                | 6,722         |
| NC   | Remazol Blue 3R -----                      | 5,000         |
| NC   | Remazol Brilliant Blue B -----             | 5,000         |
| NC   | Remazol Brilliant Blue R -----             | 10,000        |
| NC   | Remazol Brilliant Blue RD -----            | 500           |
| NC   | Remazol Brilliant Green 6B -----           | 8,000         |
| NC   | Remazol Brilliant Orange GD -----          | 300           |
| NC   | Remazol Brilliant Orange RR -----          | 2,000         |
| NC   | Remazol Brilliant Red 6 BD -----           | 700           |
| NC   | Remazol Yellow GGL -----                   | 2,500         |
| NC   | Remazol Yellow GNL -----                   | 500           |
| NC   | Remazol Yellow GR -----                    | 3,500         |
| NC, NC 1/<br>NC  | Remazol Yellow RTN -----                   | 525           |
|  | Other fiber-reactive dyes -----            | 45            |
|  | Total, fiber-reactive dyes ---- quantity-- | 652,253       |
|  | FLUORESCENT BRIGHTENING AGENTS             |               |
| NC   | Fluorescent Brightening Agent 18 -----     | 827           |
| C  | Fluorescent Brightening Agent 24 -----     | 2,205         |
| C  | Fluorescent Brightening Agent 32 -----     | 15,432        |
| NC   | Fluorescent Brightening Agent 40 -----     | 25            |
| NC   | Fluorescent Brightening Agent 47 -----     | 31,125        |
| NC   | Fluorescent Brightening Agent 48 -----     | 3,500         |
| C  | Fluorescent Brightening Agent 52 -----     | 1,102         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | FLUORESCENT BRIGHTENING AGENTS--Continued              |               |
| NC   | Fluorescent Brightening Agent 54 -----                 | 4,486         |
| NC   | Fluorescent Brightening Agent 55 -----                 | 276           |
| NC   | Fluorescent Brightening Agent 70 -----                 | 3,528         |
| NC   | Fluorescent Brightening Agent 72 -----                 | 220           |
| NC   | Fluorescent Brightening Agent 104 -----                | 3,301         |
| NC   | Fluorescent Brightening Agent 112 -----                | 3,500         |
| NC, NC 1/  | Fluorescent Brightening Agent 119 -----                | 9,000         |
| NC, NC 1/  | Fluorescent Brightening Agent 121 -----                | 19,300        |
| NC   | Fluorescent Brightening Agent 135 -----                | 1,980         |
| C, NC 1/   | Blankophor -----                                       | 375           |
| NC   | Cleansit -----   | 110           |
| NC   | Daitophor AN -----                                     | 500           |
| NC   | Delft White -----                                      | 1,156         |
| C  | Jatwell -----  | 2,201         |
| C  | Mikephor EB -----                                      | 175           |
| NC   | Pelson -----   | 31,511        |
| NC   | Phorwite 4205 -----                                    | 1,490         |
| NC   | Phorwite RPA -----                                     | 145           |
| NC   | Raxep -----  | 41            |
| NC   | Sobrix -----   | 440           |
| NC   | Tinopal AC -----                                       | 4,959         |
| C  | Tinopal 4BM -----                                      | 12,589        |
| NC   | Tinopal CH 3511 -----                                  | 33,069        |
| NC   | Tinopal CWB -----                                      | 3,001         |
| NC   | Tinopal ET -----                                       | 24,271        |
| NC   | Tinopal PG -----                                       | 551           |
| NC   | Tinopal SFG -----                                      | 1,101         |
| NC   | Tinopal TAS -----                                      | 2,201         |
| NC   | Tuyacol 61F -----                                      | 6,721         |
| NC   | Ultraphor WR 2027 -----                                | 1,501         |
| NC   | Uvitex K -----   | 200           |
| NC   | Uvitex MN -----  | 61            |
| NC   | Other fluorescent brightening agents -----             | 446           |
|  | Total, fluorescent brightening agents ----- quantity-- | 228,651       |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                     | Quantity      |
|--|-------------------------|---------------|
|  |                         | <u>Pounds</u> |
|  | MORDANT DYES            |               |
| C  | Mordant Yellow 8 -----  | 1,725         |
| C, NC  | Mordant Yellow 26 ----- | 8,000         |
| C  | Mordant Yellow 30 ----- | 1,159         |
| NC   | Mordant Yellow 33 ----- | 600           |
| NC   | Mordant Yellow 59 ----- | 300           |
| C, NC  | Mordant Orange 3 -----  | 4,500         |
| C  | Mordant Orange 8 -----  | 3,308         |
| NC   | Mordant Orange 22 ----- | 900           |
| NC   | Mordant Orange 36 ----- | 1,000         |
| NC   | Mordant Orange 40 ----- | 200           |
| C  | Mordant Red 3 -----     | 2,800         |
| C  | Mordant Red 7 -----     | 100           |
| NC   | Mordant Red 17 -----    | 13,903        |
| NC   | Mordant Red 27 -----    | 250           |
| NC   | Mordant Red 38 -----    | 5,953         |
| NC   | Mordant Red 61 -----    | 50            |
| NC   | Mordant Red 74 -----    | 200           |
| NC   | Mordant Red 75 -----    | 25            |
| NC, 2/   | Mordant Red 81 -----    | 700           |
| NC   | Mordant Red 84 -----    | 300           |
| C  | Mordant Violet 1 -----  | 2,568         |
| C  | Mordant Violet 3 -----  | 721           |
| C  | Mordant Violet 15 ----- | 814           |
| NC   | Mordant Violet 16 ----- | 551           |
| NC   | Mordant Violet 17 ----- | 200           |
| NC   | Mordant Violet 24 ----- | 700           |
| NC   | Mordant Violet 28 ----- | 1,022         |
| NC   | Mordant Violet 60 ----- | 200           |
| C  | Mordant Blue 3 -----    | 3,600         |
| C  | Mordant Blue 7 -----    | 2,391         |
| C  | Mordant Blue 9 -----    | 11,910        |
| NC   | Mordant Blue 10 -----   | 1,000         |
| C, NC  | Mordant Blue 29 -----   | 4,802         |
| NC   | Mordant Blue 58 -----   | 200           |
| NC   | Mordant Blue 60 -----   | 200           |
| NC   | Mordant Green 2 -----   | 5,000         |
| NC   | Mordant Green 4 -----   | 725           |
| C  | Mordant Green 15 -----  | 200           |

See footnotes at end of table.



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                | Quantity      |
|--|------------------------------------|---------------|
|  |                                    | <u>Pounds</u> |
|  | MORDANT DYES--Continued            |               |
| NC   | Mordant Green 22 -----             | 100           |
| NC   | Mordant Green 29 -----             | 7,714         |
| NC   | Mordant Green 33 -----             | 4,306         |
| NC   | Mordant Green 45 -----             | 1,000         |
| C  | Mordant Green 47 -----             | 900           |
| C  | Mordant Brown 1 -----              | 400           |
| C  | Mordant Brown 15 -----             | 720           |
| C  | Mordant Brown 19 -----             | 826           |
| NC   | Mordant Brown 23 -----             | 1,379         |
| NC   | Mordant Brown 24 -----             | 1,250         |
| NC   | Mordant Brown 42 -----             | 500           |
| NC   | Mordant Brown 59 -----             | 900           |
| NC   | Mordant Brown 68 -----             | 200           |
| NC   | Mordant Brown 79 -----             | 6,614         |
| NC   | Mordant Brown 88 -----             | 700           |
| NC   | Mordant Brown 89 -----             | 500           |
| NC   | Mordant Brown 92 -----             | 4,000         |
| C  | Mordant Black 1 -----              | 10,118        |
| C  | Mordant Black 11 -----             | 1,102         |
| NC   | Mordant Black 29 -----             | 661           |
| C  | Mordant Black 38 -----             | 4,357         |
| NC   | Mordant Black 44 -----             | 882           |
| NC   | Mordant Black 47 -----             | 100           |
| NC   | Mordant Black 65 -----             | 300           |
| NC   | Mordant Black 75 -----             | 14,000        |
| NC   | Mordant Black 76 -----             | 100           |
| NC   | Mordant Black 77 -----             | 700           |
| C  | Mordant Black 79 -----             | 1,000         |
| C  | Acid Chrome Black ET -----         | 51,993        |
| C  | Acid Pure Green -----              | 771           |
| NC   | Aluminium Bluish Green L2W -----   | 100           |
| NC   | Aluminium Brown RL -----           | 300           |
| NC   | Aluminium Experimental Black ----- | 400           |
| NC   | Aluminium Olive Brown ZRW -----    | 200           |
| NC   | Aluminium Yellow LLW -----         | 150           |
| C  | Chrome Fast Black -----            | 500           |
| C  | Chrome Fast Red NL -----           | 1,876         |
| NC   | Chrome Orange MMD 187 -----        | 100           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                  | Quantity      |
|--|--------------------------------------|---------------|
|  |                                      | <u>Pounds</u> |
|  | MORDANT DYES--Continued              |               |
| NC   | Novochrome Brilliant Red BJ -----    | 25            |
| NC   | Novochrome Fast Grey N -----         | 500           |
| NC   | Panduran Blue B -----                | 12,500        |
| NC   | Salicine Chrome Blue BL -----        | 500           |
| NC   | Salicine Chrome Bordeaux B -----     | 1,000         |
| NC   | Salicine Chrome Green GWA -----      | 1,300         |
| NC, 2/   | Salicine Chrome Orange H3R -----     | 300           |
| C, NC  | Salicine Chrome Red G -----          | 300           |
| C, NC  | Other mordant dyes -----             | 31            |
|  | Total, mordant dyes ----- quantity-- | 220,952       |
|  | SOLVENT DYES                         |               |
| C  | Solvent Yellow 14 -----              | 100           |
| NC   | Solvent Yellow 17 -----              | 1,250         |
| C  | Solvent Yellow 19 -----              | 2,373         |
| C  | Solvent Yellow 21 -----              | 500           |
| C  | Solvent Yellow 25 -----              | 1,500         |
| NC   | Solvent Yellow 48 -----              | 473           |
| C  | Solvent Yellow 62 -----              | 3,746         |
| C  | Solvent Yellow 63 -----              | 1,543         |
| NC   | Solvent Yellow 64 -----              | 550           |
| C  | Solvent Orange 5 -----               | 175           |
| NC   | Solvent Orange 11 -----              | 13,750        |
| NC   | Solvent Orange 27 -----              | 550           |
| NC   | Solvent Orange 33 -----              | 220           |
| C  | Solvent Orange 34 -----              | 495           |
| C  | Solvent Orange 41 -----              | 1,103         |
| NC   | Solvent Red 3 -----                  | 250           |
| NC   | Solvent Red 7 -----                  | 1,500         |
| C  | Solvent Red 8 -----                  | 325           |
| NC   | Solvent Red 18 -----                 | 10,550        |
| NC   | Solvent Red 23 -----                 | 1,100         |
| C  | Solvent Red 24 -----                 | 100           |
| C  | Solvent Red 30 -----                 | 2,250         |
| NC   | Solvent Red 36 -----                 | 1,158         |
| C  | Solvent Red 49 -----                 | 2,100         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                    | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | SOLVENT DYES--Continued                |               |
| NC   | Solvent Red 50 -----                   | 200           |
| NC   | Solvent Red 51 -----                   | 1,500         |
| NC   | Solvent Red 58 -----                   | 1,379         |
| NC   | Solvent Red 85 -----                   | 396           |
| NC   | Solvent Red 86 -----                   | 501           |
| NC   | Solvent Red 89 -----                   | 2,000         |
| NC   | Solvent Red 90 -----                   | 275           |
| C  | Solvent Red 91 -----                   | 881           |
| NC   | Solvent Red 92 -----                   | 661           |
| NC   | Solvent Red 97 -----                   | 1,100         |
| NC   | Solvent Red 110 -----                  | 1,650         |
| NC   | Solvent Violet 1 -----                 | 650           |
| NC   | Solvent Violet 2 -----                 | 200           |
| NC   | Solvent Violet 22 -----                | 110           |
| NC   | Solvent Violet 24 -----                | 300           |
| NC   | Solvent Blue 1 -----                   | 875           |
| NC   | Solvent Blue 2 -----                   | 4,700         |
| C  | Solvent Blue 4 -----                   | 300           |
| C  | Solvent Blue 18 -----                  | 55            |
| NC   | Solvent Blue 19 -----                  | 200           |
| C  | Solvent Blue 35 -----                  | 650           |
| C  | Solvent Blue 44 -----                  | 661           |
| NC   | Solvent Blue 45 -----                  | 8,148         |
| C  | Solvent Blue 46 -----                  | 441           |
| C  | Solvent Blue 55 -----                  | 5,000         |
| NC   | Solvent Blue 64 -----                  | 1,812         |
| C  | Solvent Blue 67 -----                  | 4,500         |
| NC   | Solvent Green 5 -----                  | 100           |
| NC   | Solvent Green 7 -----                  | 300           |
| NC   | Solvent Green 19 -----                 | 440           |
| C  | Solvent Brown 28 -----                 | 1,322         |
| NC   | Solvent Brown 35 -----                 | 100           |
| NC   | Solvent Brown 37 -----                 | 50            |
| NC   | Solvent Black 2 -----                  | 1,000         |
| C  | Solvent Black 3 -----                  | 15,050        |
| NC   | Solvent Black 6 -----                  | 100           |
| NC   | Alizarine Brilliant Sky Blue BLW ----- | 2,000         |
| NC   | Alizarine Cyanine Green 5G -----       | 250           |
| C  | Alizarine Cyanine Green GWA -----      | 6,000         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                                   | Quantity      |
|---|---------------------------------------|---------------|
|   |                                       | <u>Pounds</u> |
|   | SOLVENT DYES--Continued               |               |
| NC  | Blaufarbstoff WUA -----               | 8,818         |
| NC  | Chrome Bordeaux B -----               | 500           |
| NC  | Grasol Blue Green BSN -----           | 110           |
| NC  | Grasol Fast Pink 5BL -----            | 495           |
| NC  | Grasol Fast Rubine 2BL -----          | 451           |
| C   | Irgacet Bordeaux 2BLN -----           | 331           |
| NC  | Irgacet Bordeaux GL -----             | 220           |
| C   | Irgacet Brilliant Blue 2GLN -----     | 1,874         |
| NC  | Irgacet Brilliant Green 3GL -----     | 496           |
| NC  | Irgacet Brown 2RL -----               | 3,747         |
| NC  | Irgacet Black RL -----                | 2,139         |
| C   | Irgacet Orange GR -----               | 904           |
| NC  | Irgacet Orange RL -----               | 441           |
| NC  | Irgacet Red 2BL -----                 | 3,056         |
| C   | Irgacet Red 4BL -----                 | 330           |
| NC  | Irgacet Red 3GL -----                 | 496           |
| NC  | Irgacet Scarlet GL -----              | 440           |
| NC  | Irgacet Yellow 2RL -----              | 826           |
| C   | Macrolex Red 5B -----                 | 25            |
| NC  | Neozapon Black RE -----               | 300           |
| NC  | Neozapon Green 3G -----               | 75            |
| NC  | Neozapon Orange RE -----              | 500           |
| NC  | Neozapon Yellow GG -----              | 200           |
| C   | Neozapon Yellow R -----               | 300           |
| NC  | Oraol Black C-A -----                 | 250           |
| NC  | Schwarzfarbstoff AWB -----            | 1,542         |
| NC  | Spirit Soluble Fast Black M -----     | 200           |
| C   | Spirit Soluble Fast Fiery Red B ----- | 24,817        |
| NC  | Waxoline Black 46379 -----            | 300           |
| C   | Waxoline Black BA -----               | 170           |
| C, NC   | Other solvent dyes -----              | 59            |
|   | Total, solvent dyes ----- quantity--  | 167,930       |
|   | SULFUR DYES                           |               |
| NC 1/   | Solubilized Sulfur Red 6 -----        | 2,240         |
| NC 1/   | Solubilized Sulfur Blue 7 -----       | 10,239        |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                 | Quantity      |
|--|-------------------------------------|---------------|
|  |                                     | <u>Pounds</u> |
|  | SULFUR DYES--Continued              |               |
| NC 1/  | Solubilized Sulfur Blue 10 -----    | 21,000        |
| NC 1/  | Solubilized Sulfur Green 3 -----    | 2,022         |
| C  | Sulfur Black 1 -----                | 529           |
| NC 1/  | Sulfur Black 11 -----               | 1,250         |
| NC 1/  | Other sulfur dyes -----             | 41            |
|  | Total, sulfur dyes ----- quantity-- | 37,321        |
|  | VAT DYES                            |               |
| C  | Vat Yellow 1 -----                  | 18,793        |
| C  | Vat Yellow 2 -----                  | 1,250         |
| NC   | Solubilized Vat Yellow 3 -----      | 300           |
| C  | Vat Yellow 4 -----                  | 21            |
| C, NC  | Solubilized Vat Yellow 5 -----      | 3,250         |
| C  | Solubilized Vat Yellow 7 -----      | 1,300         |
| NC   | Solubilized Vat Yellow 8 -----      | 4,400         |
| NC   | Vat Yellow 20 -----                 | 43,321        |
| C, NC, NC 1/   | Vat Yellow 33 -----                 | 19,621        |
| NC   | Vat Yellow 46 -----                 | 500           |
| C  | Vat Orange 1 -----                  | 100           |
| C  | Solubilized Vat Orange 1 -----      | 321           |
| C  | Vat Orange 2 -----                  | 2,320         |
| NC   | Solubilized Vat Orange 2 -----      | 200           |
| C  | Vat Orange 3 -----                  | 600           |
| C  | Vat Orange 7 -----                  | 4,200         |
| C  | Vat Orange 9 -----                  | 9,861         |
| C  | Vat Orange 11 -----                 | 100           |
| NC   | Vat Orange 13 -----                 | 1,500         |
| C  | Vat Orange 15 -----                 | 811           |
| C  | Vat Red 1 -----                     | 3,721         |
| NC   | Solubilized Vat Red 2 -----         | 100           |
| NC   | Solubilized Vat Red 6 -----         | 200           |
| C  | Vat Red 10 -----                    | 12,290        |
| C  | Solubilized Vat Red 10 -----        | 1,200         |
| C  | Vat Red 15 -----                    | 1,461         |
| NC   | Vat Red 23 -----                    | 200           |
| NC   | Vat Red 24 -----                    | 100           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                            | Quantity      |
|---|--------------------------------|---------------|
|   |                                | <u>Pounds</u> |
|   | VAT DYES--Continued            |               |
| C   | Vat Red 34 -----               | 1,499         |
| NC  | Vat Red 38 -----               | 57            |
| C   | Vat Red 45 -----               | 2,860         |
| C   | Vat Violet 1 -----             | 250           |
| NC  | Solubilized Vat Violet 5 ----- | 100           |
| NC  | Solubilized Vat Violet 7 ----- | 1,400         |
| C   | Vat Violet 9 -----             | 25            |
| C, 2/   | Vat Violet 13 -----            | 28,373        |
| NC  | Vat Violet 21 -----            | 1,500         |
| C, NC 1/, 2/  | Vat Blue 1 -----               | 4/ 2,858,170  |
| C   | Solubilized Vat Blue 1 -----   | 3,200         |
| C   | Vat Blue 2 -----               | 15,000        |
| NC  | Solubilized Vat Blue 2 -----   | 200           |
| C   | Vat Blue 4 -----               | 25            |
| C   | Vat Blue 5 -----               | 2,650         |
| C   | Vat Blue 6 -----               | 67,583        |
| C   | Solubilized Vat Blue 6 -----   | 7,850         |
| C, NC   | Vat Blue 14 -----              | 36,735        |
| C   | Vat Blue 18 -----              | 23,475        |
| NC  | Vat Blue 21 -----              | 4,000         |
| NC  | Vat Blue 26 -----              | 14,869        |
| C   | Vat Blue 29 -----              | 4,750         |
| NC  | Vat Blue 58 -----              | 100           |
| C   | Vat Green 1 -----              | 8,860         |
| C   | Vat Green 3 -----              | 2,112         |
| C   | Vat Green 8 -----              | 1,734         |
| NC  | Vat Green 28 -----             | 2,050         |
| NC  | Vat Green 31 -----             | 150           |
| C   | Solubilized Vat Brown 1 -----  | 5,600         |
| C, 2/   | Vat Brown 3 -----              | 2,825         |
| NC  | Solubilized Vat Brown 5 -----  | 50            |
| NC  | Solubilized Vat Brown 6 -----  | 5,258         |
| NC  | Vat Brown 28 -----             | 722           |
| NC  | Vat Brown 38 -----             | 1,000         |
| NC  | vat brown 55 -----             | 50            |
| C   | Solubilized Vat Black 1 -----  | 225           |
| NC  | Vat Black 2 -----              | 200           |
| C, NC, 2/   | Solubilized Vat Black 2 -----  | 1,000         |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (c =<br>competitive;<br>NC = non-<br>competitive) | Dye                                    | Quantity      |
|---|--|---------------|
|   |  | <u>Pounds</u> |
|   | VAT DYES--Continued                    |               |
| NC  | Solubilized Vat Black 5 -----          | 2,100         |
| NC  | Vat Black 8 -----                      | 100           |
| C   | Vat Black 29 -----                     | 180           |
| NC  | Vat Black 31 -----                     | 50            |
| C   | Anthrasol Golden Yellow 1RK -----      | 1,800         |
| NC  | Caledon Grey 2RC -----                 | 250           |
| C   | Cibanone Blue F2R -----                | 1,750         |
| NC  | Cibanone Blue F4G -----                | 600           |
| C   | Cibanone Brown F2BR -----              | 1,408         |
| NC  | Cibanone Grey FB -----                 | 100           |
| C   | Indanthren Blau RSP -----              | 220           |
| NC  | Indanthren Blue HCRK -----             | 55            |
| C   | Indanthren Brilliant Blau RSP -----    | 220           |
| NC  | Indigosol Brilliant Pink -----         | 100           |
| NC  | Indigosol Brown IRV -----              | 200           |
| C   | Indigosol Green 1GG -----              | 25            |
| NC  | Indigosol Olive Green IBU -----        | 600           |
| NC  | Indigosol Grey 1SG -----               | 25            |
| NC  | Indigosol Yellow 12G -----             | 300           |
| NC 1/   | Indigosol Golden Yellow IRK -----      | 400           |
| NC  | Indigosol Printing Black B2 -----      | 25            |
| NC, NC 1/   | Indigosol Violet 15R -----             | 600           |
| NC  | Palanthrene Blue CLF -----             | 10,845        |
| NC  | Palanthrene Brilliant Yellow 5GF ----- | 4,000         |
| C   | Palanthrene Red FBB -----              | 1,750         |
| C   | Palanthrene Violet FFBN -----          | 1,980         |
| NC  | Palanthrene Yellow 5GF -----           | 500           |
| NC 1/   | Polyestren Brilliant Blue BR -----     | 4,750         |
| NC 1/   | Polyestren Brilliant Green G -----     | 4,250         |
| NC 1/   | Polyestren Brilliant Scarlet G -----   | 6,000         |
| NC, NC 1/   | Polyestren Brown BR -----              | 48,415        |
| NC 1/   | Polyestren Grey G -----                | 1,000         |
| NC 1/   | Polyestren Golden Yellow G -----       | 7,760         |
| NC  | Polyestren Flak B -----                | 1,250         |
| NC, NC 1/   | Polyestren Turquoise G -----           | 3,875         |
| NC 1/   | Polyestren Violet B -----              | 1,500         |
| NC 1/   | Polyestren Yellow GG -----             | 2,250         |
| NC 1/   | Vat Black Brown ET -----               | 500           |

See footnotes at end of table.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 10, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye                                    | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | VAT DYES--Continued                    |               |
| NC 1/  | Vat Black Brown NT -----               | 750           |
| NC   | Vat Blue BCBG -----                    | 1,000         |
| C  | Vat Blue HCBG -----                    | 1,000         |
| NC   | Vat Blue HCGK -----                    | 6,000         |
| NC   | Vat Blue HCRK -----                    | 727           |
| NC   | Vat Blue Green H4B -----               | 100           |
| NC   | Vat Bordeaux RR -----                  | 100           |
| C  | Vat Brilliant Orange GR -----          | 1,000         |
| NC 1/  | Vat Brilliant Pink RB -----            | 1,250         |
| NC 1/, 2/  | Vat Brilliant Pink 3B -----            | 625           |
| NC 1/  | Vat Brown GCW -----                    | 6,500         |
| NC   | Vat Brown NG -----                     | 100           |
| NC 1/  | Vat Grey NC -----                      | 750           |
| NC   | Vat Printing Brown -----               | 100           |
| NC 1/  | Vat Red Brown BR -----                 | 250           |
| NC 1/  | Vat Red Brown RR -----                 | 500           |
| NC 1/  | Vat Scarlet B -----                    | 500           |
| C  | Vat Scarlet HGG -----                  | 100           |
| C  | Vat Yellow GGF -----                   | 250           |
| NC 1/  | Vat Yellow Green GC -----              | 200           |
| NC   | Veranthrene Brilliant Violet E5R ----- | 1,550         |
| C, NC  | Other vat dyes -----                   | 43            |
|  | Total, vat dyes ----- quantity--       | 3,373,707     |
|  | MISCELLANEOUS DYES                     |               |
| NC 1/  | Acryl Brilliant Red G -----            | 500           |
| NC   | Aizen Cathilon Pink FGH -----          | 534           |
| NC   | Aizen Cathilon Yellow GLH -----        | 534           |
| NC   | Aizen Cathilon Yellow 3RLH -----       | 539           |
| NC   | Aizen Rhodamine BH -----               | 1,500         |
| NC   | Azul Solasol SBS -----                 | 220           |
| NC   | Blue Green M5196A -----                | 100           |
| NC   | Burdeos Amicromo Luz RJLL -----        | 113           |
| NC   | Caranil Green HED -----                | 25            |
| C  | Cibalan Yellow GRW -----               | 100           |
| NC   | Chrome Printing Orange G -----         | 100           |

See footnotes at end of table.



Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Dye                                 | Quantity      |
|---|-------------------------------------|---------------|
|   |                                     | <u>Pounds</u> |
|   | MISCELLANEOUS DYES--Continued       |               |
| C   | Crinolane Black -----               | 1,543         |
| NC  | Derma Brown DGVL -----              | 25            |
| NC  | Dyestuffs -----                     | 797           |
| NC  | Edicol Supra Blue VRS -----         | 40            |
| C   | Fast Violet BE -----                | 250           |
| NC  | Fluorescein Sodium -----            | 66            |
| NC  | Fur K Brown -----                   | 50            |
| NC  | Ingrain dyes, total -----           | 10,802        |
| 2/  | Isolan Green FG -----               | 25            |
| NC  | Kieralon B -----                    | 528           |
| NC  | Lanaperl Fast Red 5B -----          | 100           |
| NC  | Luxine Pure Yellow -----            | 500           |
| NC  | Luxine Pure Yellow 6G -----         | 1,000         |
| C   | Lyracamine Light Blue JBLL -----    | 400           |
| C   | Lyracamine Light Green 2BLL -----   | 225           |
| C   | Lyracamine Light Orange JL -----    | 60            |
| C   | Lyracamine Light Red BJ -----       | 50            |
| C   | Lyracamine Light Red 4BLL -----     | 25            |
| C   | Lyracamine Light Red 8BLL -----     | 25            |
| NC 1/   | Madurite HS Powder -----            | 2,000         |
| NC  | Naphtamine Light Blue DD -----      | 3,307         |
| NC  | Permanent Black PR -----            | 500           |
| C   | Petramin Orange 5GL -----           | 975           |
| C   | Pthalo Cyanine Blue M5159 -----     | 100           |
| NC  | Polypropylene Blue MR -----         | 25            |
| NC  | Product WR 2027 -----               | 1,100         |
| NC  | Propert's Saddle Stain -----        | 444           |
| NC 1/   | R-Base -----                        | 1,000         |
| NC  | Résolin Rubin BL -----              | 47            |
| NC  | Saddle Stain -----                  | 252           |
| NC 1/   | Solidazol Brilliant Pink BR -----   | 100           |
| NC 1/   | Solidazol Brilliant Pink RL -----   | 200           |
| NC 1/   | Solidazol Brilliant Rubine RR ----- | 100           |
| NC 1/   | Solidazol Brilliant Yellow 4G ----- | 100           |
| NC 1/   | Solidazol Golden Yellow GC -----    | 100           |
| NC 1/   | Solidazol Orange G -----            | 100           |
| C   | Solidazol Orange F3J -----          | 100           |
| C   | Solanile Black F -----              | 200           |

See footnotes on next page.

Table 9.--Benzenoid dyes: U.S. general imports of individual dyes entered under Schedule 4, Part 1C, TSUS, by class of application, and showing competitive status where available, 1965--Continued

| Competitive status (C = competitive; NC = non-competitive) | Dye  | Quantity      |
|--|--|---------------|
|  | MISCELLANEOUS DYES--Continued              | <u>Pounds</u> |
| C  | Tinopal BV -----                           | 1,100         |
| C, NC  | Other miscellaneous dyes -----             | 488           |
|  | Total, miscellaneous dyes ----- quantity-- | 33,114        |
|  | Grand total dyes ----- quantity--          | 12,275,905    |
|  | Grand total dyes ----- invoice value--     | \$20,505,208  |

1/ Duty based on export or constructed value.

2/ Competitive status of one or more entries not available.

3/ Previously classified as intermediates.

4/ Estimated. Quantity represents computed weights based on a standard concentration of 20 percent.

Benzenoid pigments (toners and lakes)

Imports of benzenoid pigments in 1965 (see table 10) totaled 797,000 pounds, with an invoice value of \$1.5 million, compared with imports in 1964 of 685,000 pounds, with an invoice value of \$1.1 million. Of the 154 items imported in 1965, 102 were "noncompetitive" (duty based on "United States value"); 4 were "noncompetitive" (duty based on foreign or export value); and 42 were "competitive" (duty based on "American selling price") (see table 6 ). "Competitive" imports accounted for 27.5 percent of the quantity and 21.8 percent of the value of all benzenoid pigments imported.

West Germany, Switzerland, and the United Kingdom supplied almost all U.S. imports of benzenoid pigments in 1965. Imports from West Germany amounted to 437,000 pounds (54.8 percent of the total), those from Switzerland, 209,000 pounds (26.2 percent), and those from the United Kingdom, 150,000 pounds (18.9 percent). Of the pigments imported in the greatest quantity, West Germany was the source of all Pigment Yellow 83 and PV Fast Yellow HR; the United Kingdom was the source of all Pigment Red 2 and most of Pigment Blue 15; and Switzerland was the source of all Cromophthal Red BR.

Table 10.--Benzenoid pigments (Toners and lakes): U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965

| Competitive status (C = competitive; NC = non-competitive) | Pigment                 | Quantity      |
|--|-------------------------|---------------|
|  |                         | <u>Pounds</u> |
|  | Toners:                 |               |
| C  | Pigment Yellow 1 -----  | 3,646         |
| NC   | Pigment Yellow 2 -----  | 300           |
| C  | Pigment Yellow 3 -----  | 600           |
| NC   | Pigment Yellow 5 -----  | 100           |
| C  | Pigment Yellow 12 ----- | 11,300        |
| C  | Pigment Yellow 14 ----- | 14,000        |
| NC   | Pigment Yellow 83 ----- | 141,899       |
| NC   | Pigment Yellow 93 ----- | 8,788         |
| NC   | Pigment Yellow 94 ----- | 550           |
| NC   | Pigment Yellow 95 ----- | 1,125         |
| NC, 2/   | Pigment Yellow 97 ----- | 41,814        |
| NC   | Pigment Orange 13 ----- | 100           |
| C  | Pigment Red 2 -----     | 86,499        |
| C  | Pigment Red 5 -----     | 2,422         |
| NC   | Pigment Red 7 -----     | 800           |
| NC   | Pigment Red 11 -----    | 4,905         |
| NC   | Pigment Red 30 -----    | 50            |
| C  | Pigment Red 48 -----    | 4,600         |
| C  | Pigment Red 53 -----    | 2,800         |
| NC   | Pigment Red 68 -----    | 800           |
| C  | Pigment Red 88 -----    | 14,600        |
| NC   | Pigment Red 111 -----   | 250           |
| NC   | Pigment Red 112 -----   | 2,500         |
| C  | Pigment Red 122 -----   | 5,540         |
| NC   | Pigment Red 139 -----   | 16,925        |
| NC   | Pigment Red 142 -----   | 250           |
| NC   | Pigment Red 144 -----   | 9,250         |
| NC   | Pigment Red 146 -----   | 2,040         |
| NC   | Pigment Red 149 -----   | 2,250         |
| NC   | Pigment Red 151 -----   | 10,000        |
| NC   | Pigment Red 170 -----   | 2,200         |
| C, NC  | Pigment Violet 5 -----  | 8,410         |
| C, 2/  | Pigment Violet 23 ----- | 17,030        |
| C, 2/  | Pigment Blue 15 -----   | 13,359        |
| NC   | Pigment Blue 16 -----   | 110           |
| C  | Pigment Green 7 -----   | 11,791        |
| C  | Pigment Green 8 -----   | 700           |
| C  | Pigment Green 10 -----  | 1,610         |
| C  | Pigment Green 36 -----  | 990           |
| C  | Pigment Green 38 -----  | 300           |

See footnotes at end of table.

Table 10.--Benzenoid pigments (Toners and lakes): U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Pigment                          | Quantity      |
|--|----------------------------------|---------------|
|  |                                  | <u>Pounds</u> |
|  | Toners--continued:               |               |
| C  | Pigment Green 41 -----           | 7,219         |
| C, NC  | Pigment Black 1 -----            | 320           |
| NC   | Pigment Black 21 -----           | 127           |
| NC, NC 1/  | Acramin Golden Yellow FGRN ----- | 5,220         |
| NC   | Acramin Navy Blue FB -----       | 800           |
| NC, 2/   | Acramin Orange FRR -----         | 70            |
| C  | Acramin Red FB -----             | 1,200         |
| NC   | Acramin Red FITR -----           | 1,100         |
| NC, NC 1/  | Acramin Red FRC -----            | 900           |
| C  | Acramin Turquoise FB -----       | 850           |
| C  | Acramin Yellow FGG -----         | 850           |
| NC   | Acramin Yellow FPV -----         | 2,050         |
| C  | Blue Pigment BR -----            | 2,000         |
| NC   | Cromophtal Orange 4R -----       | 1,150         |
| NC   | Cromophtal Red BR -----          | 45,575        |
| NC   | Cromophtal Red GR -----          | 34,520        |
| NC   | Cromophtal Red R -----           | 1,013         |
| NC   | Cromophtal Red 2RF -----         | 225           |
| NC   | Cromophtal Yellow 3G -----       | 1,562         |
| NC   | Hansa Yellow 5G -----            | 300           |
| NC   | Irgazine Orange RLT -----        | 1,135         |
| NC   | Irgazine Red 2BLT -----          | 1,135         |
| NC   | Irgazine Violet BLT -----        | 1,153         |
| NC   | Irgazine Yellow 2GLT -----       | 1,091         |
| NC   | Irgazine Yellow 3RLT -----       | 2,665         |
| NC   | Lumogen LT Light Yellow -----    | 5,000         |
| NC   | Melustral Red Violet KR -----    | 200           |
| C  | Microsol Brown GR -----          | 1,500         |
| NC   | Microsol Brown 2R -----          | 14,004        |
| NC   | Monolite Fast Maroon RUS -----   | 400           |
| C  | Monolite Fast Yellow FRS -----   | 375           |
| C, NC  | Permanent Bordeaux FGR -----     | 1,000         |
| NC   | Permanent Bordeaux HF3R -----    | 500           |
| NC   | Permanent Brown HFGG -----       | 500           |
| NC   | Permanent Carmine HF3C -----     | 500           |
| NC   | Permanent Maroon HFM -----       | 500           |
| C  | Permanent Orange G -----         | 300           |
| NC   | Permanent Orange HL -----        | 300           |
| NC   | Permanent Orange RL -----        | 750           |
| NC   | Permanent Red FRLL -----         | 600           |

See footnotes at end of table.

Table 10.--Benzenoid pigments (Toners and lakes): U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965--Continued

| Competitive<br>status (C =<br>competitive;<br>NC = non-<br>competitive) | Pigment                             | Quantity      |
|---|-------------------------------------|---------------|
|   |                                     | <u>Pounds</u> |
|   | Toners--continued:                  |               |
| NC  | Permanent Red HFG -----             | 1,000         |
| NC  | Pigment Brown 20473 -----           | 50            |
| NC  | PV Carmine HR -----                 | 3,241         |
| NC  | PV Fast Yellow HR -----             | 25,200        |
| NC  | PV Red HFG -----                    | 16,794        |
| NC  | Unisperse Red GR -----              | 16,309        |
| NC  | Viscofil Navy 2RL -----             | 220           |
| NC  | Viscofil Red Brown RL -----         | 2,940         |
| NC  | Viscofil Scarlet GL -----           | 1,102         |
| NC  | Viscofil Violet 4RL -----           | 14,406        |
| NC  | Vulcan Fast Carmine FBB -----       | 100           |
| C   | Vulcan Fast Red B -----             | 100           |
| NC  | Vulcan Fast Yellow HR -----         | 2,500         |
| NC  | Yellow Lake 160 -----               | 112           |
| C, NC   | Other pigments -----                | 25            |
|   | Total, toners ----- quantity--      | 671,961       |
|   | Total, toners ----- invoice value-- | \$ 1,394,129  |
|   | Mixtures:                           |               |
| C   | Acramin Black FBRK -----            | 1,500         |
| C, NC   | Acramin Black FPV -----             | 3,950         |
| NC 1/   | Aero Shell Turbine Oil -----        | 21,998        |
| NC  | Helio Red RMT -----                 | 350           |
| C, NC   | Lithol Scarlet BBM -----            | 400           |
| NC  | Lumatex Brilliant Violet R -----    | 1,000         |
| NC  | Lumatex Grey B -----                | 1,850         |
| NC  | Lumin Black G -----                 | 1,500         |
| NC  | Lumin Brown M -----                 | 500           |
| NC  | Microolith Blue 4G-K -----          | 2,000         |
| NC  | Microolith Blue 4G-T -----          | 3,000         |
| NC  | Microolith Bordeaux R-K -----       | 250           |
| NC  | Microolith Brown 2R-K -----         | 250           |
| NC  | Microolith Gold G-T -----           | 500           |
| NC  | Microolith Green G-T -----          | 1,250         |
| NC  | Microolith Red BR-T -----           | 1,500         |
| NC  | Microolith Red R-K -----            | 1,750         |
| NC  | Microolith Red R-T -----            | 3,831         |
| NC  | Microolith Yellow 2G-T -----        | 1,500         |
| NC  | Microolith Yellow 3G-K -----        | 1,500         |
| NC 1/   | Moltopren Yellow RU -----           | 50            |

See footnotes at end of table.

Table 10.--Benzenoid pigments (Toners and lakes): U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, --Continued

| Competitive status (C = competitive; NC = non-competitive) | Pigment                                | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | Mixtures--continued:                   |               |
| C, NC  | Paliofast Blue RR -----                | 625           |
| C  | Pigment Fast Blue LBG -----            | 200           |
| C  | Pigment Fast Green GN -----            | 1,000         |
| NC   | Pigment Green B -----                  | 500           |
| NC   | Relca Blue -----                       | 2,216         |
| NC   | Relca Lemon 111 -----                  | 1,091         |
| NC   | Relca Red -----                        | 2,491         |
| NC   | Relca Violet -----                     | 860           |
| NC   | Reserve Orange 6000 -----              | 25            |
| NC, 2/   | Urethane Black -----                   | 59,210        |
| NC   | Urethane Blue -----                    | 200           |
| NC   | Urethane Brown -----                   | 330           |
| NC   | Urethane Green -----                   | 2,000         |
| NC, 2/   | Urethane Yellow -----                  | 1,200         |
| NC   | Urethane White -----                   | 550           |
| NC   | Viscofil Black BL -----                | 772           |
| C  | Vulcan Fast Red B -----                | 250           |
| NC   | Vulcan Fast Red G -----                | 100           |
| C  | Vulcan Fast Yellow GR -----            | 100           |
| C  | Vulcan Red 1C -----                    | 100           |
| C  | Vulcanos in Fast Blue 5G -----         | 100           |
| C  | Vulcanos in Fast Green G -----         | 100           |
| C  | Vulcanos in Rubine BK -----            | 100           |
|  | Total, mixtures ----- quantity--       | 124,549       |
|  | Total, mixtures ----- invoice value -- | \$ 116,236    |
|  | Grand total ----- quantity--           | 796,510       |
|  | Grand total ----- invoice value --     | \$ 1,510,365  |

1/ Duty based on export or constructed value.

2/ Competitive status of one or more entries not available.

### Benzenoid medicinals and pharmaceuticals

In 1965, imports of benzenoid medicinals and pharmaceuticals totaled 3.4 million pounds, with an invoice value of \$12.6 million (see table 11). Imports totaled 3.1 million pounds, valued at \$9.8 million in 1964, and 3.0 million pounds, valued at \$10.2 million in 1963. Of the 257 items imported in 1965, 114 were "noncompetitive" (duty based on foreign or export value); 52 were "noncompetitive" (duty based on "United States value"); and 88 were "competitive" (duty based on "American selling price"). The competitive status of 3 items is not available (see table 6). In terms of quantity, "competitive" imports accounted for 82.2 percent of all medicinals and pharmaceuticals imported in 1965; in terms of value, however, "competitive" products accounted for only 27.4 percent of the total.

The principal sources of U.S. imports of benzenoid medicinals and pharmaceuticals in 1965 were as follows: West Germany (836,000 pounds), Poland (535,000 pounds), Sweden (498,000 pounds), the Netherlands (276,000 pounds), Denmark (253,000 pounds), United Kingdom (251,000 pounds), Italy (217,000 pounds), Switzerland (192,000 pounds), France (179,000 pounds) and Japan (141,000 pounds). These ten countries together accounted for 99.1 percent of the quantity of U.S. imports of benzenoid medicinals and pharmaceuticals in 1965. The rest of the imports in 1965 came from Yugoslavia (15,000 pounds), from the Virgin Islands (7,000 pounds), from Canada (6,000 pounds), and from Belgium, the Philippine Islands, Ireland, Austria, Spain, Hungary, Mexico, and Israel (less than 1,000 pounds each).

The benzenoid medicinal and pharmaceutical products imported in the largest quantities in 1965 are listed below; these products accounted for 69.7 percent by quantity of all benzenoid medicinals and pharmaceuticals imported in 1965.

| <u>Product</u>                             | <u>Quantity of Imports</u><br>(Pounds) | <u>Origin</u><br>(Principal countries)     |
|--|--|--|
| p-Aminosalicylic acid<br>and salts         | 425,270                                | Italy, Sweden, and<br>Japan                |
| Procaine hydrochloride                     | 387,080                                | Sweden and West Germany                    |
| Sulfathiazole and its<br>sodium derivative | 362,143                                | Poland and the<br>Netherlands              |
| Phenacetin                                 | 338,440                                | West Germany                               |
| Sulfaguanidine                             | 281,091                                | Poland, Denmark, and<br>the United Kingdom |
| Sulfanilamide                              | 219,373                                | Poland and the United<br>Kingdom           |
| Durcisseur eporal                          | 135,013                                | France                                     |
| Sulfamethazine                             | 120,592                                | Denmark and Poland                         |
| Ephedrine base and salts                   | 106,241                                | West Germany                               |



Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965

| Competitive status (C = competitive; NC = non-competitive) | Product  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| NC 1/  | Acepromazine maleate -----                       | 29            |
| C, NC 1/   | Acetaminophen (p-Hydroxyacetanilide)(APAP) ----- | 7,295         |
| NC   | Acetarsons -----                                 | 176           |
| C, NC 1/   | Acriflavine -----                                | 296           |
| NC 1/  | Acristan (dental paste) -----                    | 80            |
| C  | p-Aminobenzoic acid -----                        | 2,235         |
| NC, NC 1/  | Aminopromazine (Lispamol) fumarate -----         | 199           |
| NC   | Aminopyrine -----                                | 1,544         |
| C  | p-Aminosalicylic acid -----                      | 104,169       |
| C, NC 1/   | p-Aminosalicylic acid, calcium salt -----        | 17,410        |
| NC 1/  | p-Aminosalicylic acid, phenyl ester -----        | 771           |
| C, NC 1/, 2/   | p-Aminosalicylic acid, sodium salt -----         | 303,691       |
| NC 1/  | Amitriptyline hydrochloride -----                | 88            |
| C  | Ampyrone (4-Aminoantipyrine) -----               | 454           |
|  | Antibiotics:                                     |               |
| C  | Ampicillin, sodium -----                         | 9             |
| NC 1/  | Chloramphenicol (capsules) -----                 | 170           |
| NC 1/  | Chloramphenicol palmitate (suspension) -----     | 300           |
| NC 1/  | Dicloxacillin, sodium -----                      | 22            |
| C  | Penicillin G, potassium -----                    | 824           |
| C  | Penicillin G, sodium -----                       | 67            |
|  | Total, antibiotics -----                         | 1,392         |
|  | Anticoagulants:                                  |               |
| NC 1/  | Acenocoumarol (G 23350) -----                    | 24            |
| NC 1/  | Ethyl biscoumacetate (G 11705) -----             | 176           |
| NC 1/  | Phenprocoumon -----                              | 7             |
| NC 1/  | Warfarin -----                                   | 55            |
|  | Total, anticoagulants -----                      | 262           |
| NC   | Antipyrine -----                                 | 13,000        |
| NC 1/  | Arecoline hydrobromide -----                     | 280           |
| NC, NC 1/  | Aspi-quinine -----                               | 318           |
| C  | Aspirin -----                                    | 114           |
| C  | Aspirin - (sustained release tablets) -----      | 20            |
|  | Barbiturates:                                    |               |
| NC 1/  | Heptabarbital -----                              | 1,320         |
| C  | Hexobarbital -----                               | 500           |
| C  | Mephobarbital -----                              | 400           |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product   | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
|  | Barbiturates -- continued   |               |
| C  | Phenobarbital -----   | 4,409         |
| NC 1/  | Thialbarbitone sodium -----   | 149           |
|  | Total, barbiturates -----   | 6,778         |
| NC   | d,l-4-Benzamido-N,N-dipropylglutaramic acid ---                         | 89            |
| C, NC 1/   | Benzocaine -----  | 71,210        |
| NC 1/  | Benzocaine preparation--- Is-Ulcus tablets ----                         | 202           |
| NC 1/  | Biloptin, sodium -----  | 7,940         |
| NC 1/  | Biperiden hydrochloride -----   | 66            |
| C  | Bismuth tribromophenate -----   | 100           |
| NC 1/  | Calcium benzoypas -----   | 5,508         |
| NC 1/  | Calcium carbaspurin -----   | 8,425         |
| NC   | Carbamazepine (G 32883) -----   | 225           |
| C  | Cetylpyridinium chloride -----  | 100           |
| NC   | Chiniofon -----   | 165           |
| NC 1/  | Chlorambucil -----  | 49            |
| C  | Chloramine T -----  | 7,717         |
| NC, NC 1/  | Chlorhexidine -----   | 3,343         |
| NC 1/  | Chlorhexidine diacetate -----   | 110           |
| NC 1/  | Chlorhexidine hydrochloride -----                                       | 1,023         |
| NC 1/  | Chloromethylpiperazinedibenzothiazepine<br>(HF 2159) -----              | 3,307         |
| NC 1/  | 3-(o-Chlorophenyl)-5-methylisoxazole-4-carbonyl<br>chloride -----       | 220           |
| NC 1/  | 3-(o-Chlorophenyl)-2-methyl-4(3H)-quinazolinone<br>(Mecloqualone) ----- | 165           |
| NC   | p-Chlorophenylsulfonylurea -----  | 11            |
| C  | Chloroquine diphosphate -----   | 991           |
| NC 1/  | Chlorphenesin -----   | 6,000         |
| NC, NC 1/  | Chlorphentermine hydrochloride -----                                    | 356           |
| NC 1/  | Chlorquinaldol (G 1204) -----   | 165           |
| NC, NC 1/  | Chlorzoxazone -----   | 8,818         |
| NC   | Clemizole (Allercur) hydrochloride -----                                | 330           |
| NC   | Coffolina -----   | 129           |
| NC, NC 1/  | Coffosil -----  | 711           |
| NC 1/  | Crotamiton (G 7857) -----   | 2,863         |
| C  | Cyclizine hydrochloride -----   | 84            |
| C  | Danthron, NF -----  | 16,615        |
| C  | Danthron, technical -----   | 20,180        |
| NC   | Dapsone, tablets -----  | 2,524         |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product   | Quantity |
|--|---|----------|
|  |   | Pounds   |
| NC 1/  | Dequalinium (Dequadin) acetate -----  | 795      |
| C  | Deserpidine -----   | 34       |
| C  | Dextroamphetamine sulfate -----   | 1,025    |
| NC   | Diaminoethoxyacridine lactate -----   | 331      |
| NC   | Dichloralantipyrine (Dichloralphenazone) -----  | 715      |
| NC 1/  | 5-[(3,4-Dimethoxyphenethyl)methylamino]-2-(3,4-dimethoxyphenyl)-2-isopropylvaleronitrile hydrochloride (Iproveratril) ----- | 33       |
| NC 1/  | 2,6-Dimethyl-8-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6-octatrienal -----  | 2,205    |
| NC 1/  | Dioctylphenothiazine -----  | 3,000    |
| C  | Diphenhydramine hydrochloride -----   | 440      |
| C  | Diphenylhydantoin -----   | 4,866    |
| C  | Diphenylhydantoin, sodium -----   | 13,600   |
| C, NC  | Dipyrone -----  | 11,024   |
| NC 1/  | Domiphen (Bradosol) bromide -----   | 5,733    |
| C, NC 1/   | Drocarbil (Arecoline acetarsonate) -----  | 66       |
| NC   | Durcisseur eporal -----   | 135,013  |
| NC   | Ephedrine -----   | 1,829    |
| NC   | Ephedrine hydrochloride -----   | 33,358   |
| NC   | Ephedrine hydrochloride (racemic) -----   | 4,606    |
| NC   | 1-Ephedrine hydrochloride -----   | 48,891   |
| C, NC  | Ephedrine sulfate -----   | 13,740   |
| NC   | 1-Ephedrine sulfate -----   | 3,811    |
| NC   | Epinephrine -----   | 540      |
| NC   | 1-Epinephrine -----   | 1        |
| C  | Epinephrine bitartrate -----  | 176      |
| NC   | Epinephrine hydrochloride (racemic) -----   | 7        |
| NC   | Epinephrine, racemic -----  | 7        |
| NC 1/  | Ergonovine maleate -----  | 12       |
| NC 1/  | Ethamivan -----   | 220      |
| NC   | Ethaverine hydrochloride -----  | 638      |
| NC 1/  | Ethionamide -----   | 1,331    |
| NC   | Ethylisobutrazine (Diquel) -----  | 151      |
| NC   | Gallamine triethiodide (Flaxedil) -----   | 88       |
| NC 1/  | Giuliani bitter laxative -----  | 550      |
| NC, NC 1/  | Glycodiazine -----  | 66       |
| NC 1/  | Gotosan (analgesic preparation containing aspirin, caffeine, and licorice root powder)-                                     | 50       |
| NC 1/  | Guaiacol carbonate -----  | 1,200    |
| C  | Guaiacolsulfonic acid, potassium salt -----   | 20,410   |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product   | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| NC 1/  | Haloxon -----   | 280           |
| NC 1/  | Herb extract -----  | 2,185         |
| C  | Homatropine hydrobromide -----  | 72            |
| C  | Homatropine methyl bromide -----  | 891           |
|  | Hormones:   |               |
| NC 1/  | Adrenal cortex injection (containing Thimerosal) -----  | 13            |
| NC   | Dienestrol -----  | 20            |
| NC, NC 1/  | Estradiol benzoate -----  | 37            |
| NC 1/  | Hexestrol -----   | 44            |
| NC 1/  | Metimyd ointment -----  | 3/            |
| NC 1/  | Nandrolone phenpropionate -----   | 33            |
| NC 1/  | Sodium liothyronine -----   | 1             |
| NC   | Steroid metabolite -----  | 10            |
| NC 1/  | Synover S implants (Progesterone with Estradiol benzoate) -----   | 26            |
| NC 1/  | d,l-Thyroxin -----  | 3/            |
| NC 1/, 2/  | l-Thyroxin, sodium -----  | 9             |
|  | Total, hormones -----   | 193           |
|  | p-Hydroxybenzoic acid esters:   |               |
| NC 1/  | Benzyl paraben -----  | 102           |
| C  | Methyl paraben -----  | 35,000        |
|  | Total, p-hydroxybenzoic acid esters -----   | 35,102        |
| NC 1/  | 5-{3-[4-(2-Hydroxyethyl)-1-piperazinyl]propyl}-5H-pyrido[2,3-b][1,4]benzothiazine (Oxypendyl) dihydrochloride ----- | 11            |
|  | Imidazoline derivatives:  |               |
| NC, NC 1/  | Antazoline phosphate -----  | 88            |
| NC 1/  | Oxymetazoline hydrochloride -----   | 110           |
| C  | Tolazoline hydrochloride -----  | 1,983         |
| NC 1/  | Xylometazoline hydrochloride -----  | 77            |
|  | Total, imidazoline derivatives--  | 2,258         |
| NC 1/  | Imipramine hydrochloride (G 22355) -----  | 17,284        |
| C  | Iodochlorhydroxyquin (Vioform) -----  | 6,615         |
| NC 1/  | Iodogenol Pepin -----   | 126           |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product   | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | Isoniazid -----   | 80,705        |
| C  | Isoproterenol sulfate -----   | 134           |
| NC, NC <u>1/</u>   | Isoxsuprine hydrochloride (Duvadilan) -----   | 2,310         |
| C  | Lidocaine -----   | 2,756         |
| C, NC <u>1/</u>  | Lidocaine hydrochloride -----   | 1,607         |
| NC <u>1/</u>   | Lobeline, ampoules -----  | 120           |
| NC <u>1/</u>   | d-Lysergic acid diethylamide tartrate -----   | 1             |
| C  | Mandelic acid -----   | 1,102         |
| NC <u>1/</u>   | Melphalan (Alkeran) -----   | 319           |
| NC <u>1/</u>   | Mepivacaine (1-Methyl-2',6'-pipecoloxylidide) --  | 5,069         |
| C  | Merbromin -----   | 660           |
| NC <u>1/</u>   | Metabutethamine (Unacaine) hydrochloride -----  | 625           |
| NC <u>1/</u>   | Metaproterenol sulfate (Alupent) -----  | 28            |
| NC   | d-Methamphetamine hydrochloride -----   | 200           |
| NC   | Methixene hydrochloride -----   | 69            |
| C  | Methoxyphenamine hydrochloride -----  | 66            |
| NC <u>1/</u>   | 3-Methylflavone-8-carboxylic acid, 2-piperidino-ethyl ester, hydrochloride (Rec 7-0040) ----- | 33            |
| NC <u>1/</u>   | 1-Methyl-2-p-(isopropylcarbamoyl)benzylhydrazine hydrochloride (Natulan) -----                | 44            |
| NC   | Methylphenidate hydrochloride (Ritalin) -----   | 3,528         |
| NC, NC <u>1/</u>   | Nethamine hydrochloride -----   | 935           |
| C, NC <u>1/</u>  | Nylidrin hydrochloride (Dilatol) -----  | 336           |
| NC, NC <u>1/</u>   | Oxyphenisatin acetate (Acetphenolisatin) -----  | 871           |
| NC   | Oxyphenonium (Antrenyl) bromide -----   | 66            |
| C  | Phenacetin -----  | 338,440       |
| C  | Phenazopyridine hydrochloride -----   | 5,746         |
| C  | Phenothiazine -----   | 2,425         |
| NC <u>1/</u>   | Phenylbutazone (G 15137) -----  | 45,349        |
| C  | Physostigmine (Eserine) salicylate -----  | 30            |
| NC <u>1/</u>   | Prilocaine (Citanest) hydrochloride -----   | 110           |
| NC <u>1/</u> , <u>2/</u>                                   | Primidone -----   | 54,667        |
| C  | Procainamide hydrochloride -----  | 3,198         |
| C  | Procaine hydrochloride -----  | 387,080       |
| NC <u>1/</u>   | Procyclidine hydrochloride -----  | 254           |
| NC <u>1/</u>   | Proguanil hydrochloride -----   | 55            |
| NC <u>1/</u>   | Prothipendyl hydrochloride -----  | 11            |
| C  | d-Pseudoephedrine hydrochloride -----   | 770           |
| C  | l-Pseudoephedrine hydrochloride -----   | 22            |
| NC <u>1/</u>   | Quinacrine (Mepacrine) hydrochloride -----  | 1,102         |
| NC <u>1/</u>   | Radiol electuary -----  | 135           |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product   | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
| C  | Resorcinol -----  | 1,300         |
| C  | Salicylamide -----  | 40,786        |
| C  | Salicylic acid -----  | 110           |
|  | Salicylic acid preparations:  |               |
| NC 1/  | Kinkan -----  | 297           |
| NC 1/  | Tako-no-Suidashi (ointment) -----   | 11            |
| NC 1/  | Tamushi Sokko Chinki (5% liquid) -----  | 90            |
|  | Total, salicylic acid preparations -----  | 398           |
|  | Salicylic acid salts:   |               |
| NC   | Ammonium salicylate -----   | 206           |
| NC 1/  | Calcium salicylate -----  | 2,500         |
| C  | Sodium salicylate -----   | 82,911        |
|  | Total, salicylic acid salts -   | 85,617        |
|  | Sulfa drugs:  |               |
| C  | 121,500 boluses, each containing a total of 240 grains of one or more sulfa drugs ----- | 6,576         |
| NC 1/  | N <sup>1</sup> -(5,6-Dimethoxy-4-pyrimidinyl)sulfanilamide (Ro 4-4393) -----            | 66            |
| C  | Mafenide -----  | 300           |
| C  | Mafenide hydrochloride -----  | 550           |
| C  | Phthalylsulfacetamide -----   | 3,153         |
| C  | Phthalylsulfathiazole -----   | 551           |
| NC, NC 1/  | Salicylazosulfapyridine -----   | 32,059        |
| C  | Succinylsulfathiazole -----   | 220           |
| C  | Sulfacetamide -----   | 13,889        |
| C  | Sulfacetamide sodium -----  | 3,000         |
| C, NC 1/   | Sulfachloropyridazine -----   | 2,270         |
| C  | Sulfadiazine -----  | 63,655        |
| C  | Sulfaguanidine -----  | 281,094       |
| C  | Sulfamerazine -----   | 86,142        |
| C  | Sulfamethazine -----  | 120,592       |
| C  | Sulfamethizole -----  | 7,433         |
| C  | Sulfanilamide -----   | 219,373       |
| NC, NC 1/  | Sulfaphenazole -----  | 15,344        |
| C  | Sulfapyridine -----   | 6,613         |
| C  | Sulfaquinoxaline (veterinary) -----   | 7,164         |

See footnotes at end of table.

Table 11.--Benzenoid medicinals and pharmaceuticals: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product                                       | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
|  | Sulfa drugs -- continued                      |               |
| C  | Sulfathiazole -----                           | 214,421       |
| C  | Sulfathiazole sodium -----                    | 147,722       |
| NC 1/  | Sulfisomidine -----                           | 4,105         |
| C  | Sulfisoxazole -----                           | 34,944        |
|  | Total, sulfa drugs -----                      | 1,271,236     |
| NC 1/  | Sulfinpyrazone (G 28315) -----                | 2,983         |
| C  | Sulfobromophthalein, sodium -----             | 440           |
| C  | Tetracaine hydrochloride -----                | 20            |
| NC 1/  | Tetra Care Contra Ick (fish remedy) -----     | 844           |
| NC 1/  | Tetra Care General Tonic -----                | 250           |
| NC 1/  | Thenium closylate -----                       | 687           |
| NC   | Togal tablets -----                           | 935           |
| NC 1/  | Tricaine mesylate (MS-222) -----              | 165           |
| NC   | Trimethylhydroquinone -----                   | 26,460        |
| C  | Tripelennamine -----                          | 441           |
| C, NC 1/   | Triprolidine hydrochloride -----              | 473           |
| NC 1/  | Tropicamide -----                             | 33            |
| NC   | l-Tryptophane -----                           | 132           |
| NC 1/  | Urodonal -----                                | 2,748         |
| NC 1/  | Vademecum mouthwash -----                     | 17,104        |
| NC 1/  | Valethamate bromide -----                     | 495           |
| NC 1/  | Vi-mineral (canine) -----                     | 144           |
| NC 1/  | Vi-mineral (extra bone) -----                 | 144           |
| NC 1/  | Vi-mineral (standard) -----                   | 204           |
|  | Vitamins:                                     |               |
| C  | Folic acid -----                              | 4,823         |
| C  | Cyanocobalamin -----                          | 3             |
| C  | Menadione -----                               | 121           |
| C  | Menadione sodium bisulfite -----              | 330           |
| C  | Riboflavin -----                              | 661           |
|  | Total, vitamins -----                         | 5,938         |
| O, NC, NC 1/   | All other benzenoid medicinal chemicals ----- | 37            |
|  | Total----- quantity--                         | 3,407,632     |
|  | Total----- invoice value--                    | \$ 12,550,332 |

1/ Duty based on export value.

2/ Competitive status of one or more entries not available.

3/ Quantity is less than one pound.

Benzenoid flavor and perfume materials

Imports of benzenoid flavor and perfume materials that were entered under Part 1C in 1965 are shown in table 12. Imports in 1965, which consisted mostly of "competitive" items (duty based on "American selling price"), totaled 1.9 million pounds, with an invoice value of \$2.5 million. Imports in 1964 amounted to 1.6 million pounds, valued at \$2.3 million, and in 1963 to 2.0 million pounds, valued at \$2.9 million.

In terms of quantity, Canada, Japan, and the United Kingdom were the principal sources of U.S. imports of these materials as a group; smaller quantities came from the Netherlands, Korea, and Switzerland. In this group the two most important items imported in 1965 were saccharin and vanillin. Imports of all forms of saccharin in 1965 totaled 746,000 pounds, compared with 772,000 pounds in 1964. Imports in 1965 came principally from Japan. Imports of vanillin in 1965 amounted to 920,000 pounds, compared with 651,000 pounds in 1964. Canada was the chief source of vanillin derived from lignin, and Switzerland and the Netherlands were the sources of vanillin derived from eugenol.



Table 12.--Benzenoid flavor and perfume materials: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965

| Competitive status (C= competitive; NC = non-competitive) | Product  | Quantity      |
|---|--|---------------|
|   |  | <u>Pounds</u> |
| NC  | $\alpha$ -Amylcinnamylidene methyl anthranilate -----                                  | 610           |
| C   | Amyl salicylate -----  | 118           |
| C, NC 1/  | p-Anisaldehyde -----   | 3,171         |
| C   | Aurantiol -----  | 132           |
| C   | Benzyl acetate -----   | 1,083         |
| C   | Benzyl salicylate -----  | 922           |
| C   | 4-tert-Butyl-2,6-dimethyl-3,5-dinitroacetophenone (Musk ketone) -----                  | 16,127        |
| NC 1/   | 6-tert-Butyl-1,1-dimethyl-4-indanylmethyl ketone (Celestolide) -----                   | 7,714         |
| C   | 6-tert-Butyl-3-methyl-2,4-dinitroanisole (Musk ambrette) -----                         | 47,536        |
| C   | 5-tert-Butyl-2,4,6-trinitro-m-xylene (Musk xylol) -----                                | 140,002       |
| C, NC 1/  | Cinnamyl alcohol -----   | 141           |
| C, NC   | Coumarin -----   | 8,481         |
| C   | Dimethylhydroquinone -----   | 31            |
| NC 1/   | Diphenyloxide -----  | 3             |
| C, NC 1/  | Ethyl- $\alpha,\beta$ -epoxy- $\beta$ -methylhydrocinnamate (Aldehyde C-16) -----      | 125           |
| C, NC 1/  | Ethyl vanillin -----   | 5,634         |
| C   | Frambinone (Oxanone) -----   | 600           |
| NC 1/   | Hexyl salicylate -----   | 77            |
| NC 1/   | Isobutylbenzyl carbinol -----  | 152           |
| NC 1/   | Isobutyldimethyl anthranilate -----  | 32            |
| NC 1/   | Isobutylquinoline -----  | 83            |
| C   | Isopropylquinoline -----   | 88            |
| C   | p-Methoxyphenyl acetone -----  | 613           |
| C, NC 1/  | Methyl anthranilate -----  | 1,754         |
| C, NC   | $\alpha$ -Methylbenzyl acetate (Methylphenylcarbinyl acetate)(Styrallyl acetate) ----- | 31            |
| C, NC 1/  | Methylethylphenethyl carbinol -----  | 33            |
| NC 1/   | p-Methylquinoline -----  | 46            |
| NC 1/   | Oxyphenylon -----  | 292           |
| C   | Phenethyl alcohol -----  | 1,177         |
| C   | Phenethyl cinnamate -----  | 110           |
| C, NC 1/  | Phenethyl salicylate -----   | 2,302         |
| NC 1/   | Phenylacetaldehyde ( $\alpha$ -Tolualdehyde) -----                                     | 58            |
| NC 1/   | Phenylpropyl alcohol -----   | 29            |
| C   | 3-Phenylpropyl aldehyde -----  | 226           |
| C   | Piperonal (Heliotropin) -----  | 1,212         |

See footnotes at end of table.

Table 12.--Benzeneoid flavor and perfume materials: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product                                      | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| NC 1/  | Rosantolene -----                            | 171           |
| C  | Saccharin, calcium salt -----                | 7,000         |
| C  | Saccharin, sodium salt -----                 | 47,649        |
| C  | Saccharin, insoluble -----                   | 512,985       |
| C, 2/  | Saccharin, soluble -----                     | 178,111       |
| NC 1/  | Skatole -----                                | 53            |
| NC 1/  | Tetrahydro-p-methylquinoline -----           | 171           |
| C  | p-Tolualdehyde -----                         | 400           |
| C, NC  | p-Tolyl alcohol -----                        | 88            |
| C  | Vanillin, eugenol -----                      | 26,459        |
| C  | Vanillin, lignin -----                       | 893,987       |
| C, NC, NC 1/   | All other flavor and perfume materials ----- | 300           |
|  | Total ----- quantity--                       | 1,908,119     |
|  | Total ----- invoice value--                  | \$ 2,522,451  |

1/ Duty based on export value.

2/ Competitive status of one or more entries not available.

### All other finished benzenoid products

Imports in 1965 of all other finished benzenoid products that were entered under Part 1C are shown in table 13. In 1965, imports of products in this miscellaneous group, which consisted principally of "competitive" items, totaled 13.6 million pounds, valued at \$8.3 million (invoice value). Imports of finished benzenoid products in 1964 amounted to 8.2 million pounds, valued at \$5.2 million.

In 1965, as in earlier years, the most important class of items in this group was the synthetic resins. Imports of synthetic resins amounted to 9.2 million pounds in 1965, compared with 4.7 million pounds in 1964. Canada, West Germany, the Netherlands, and the United Kingdom were the principal sources of imports of resins in 1965; smaller quantities came from Belgium, Switzerland, France, Japan, and Denmark. In terms of quantity, 80.3 percent of the imports of synthetic resins in 1964 were "competitive."

Imports of pesticides, the next most important class of items in this group, amounted to 1.6 million pounds in 1965, compared with 1.4 million pounds in 1964. The 1965 imports, which were chiefly "noncompetitive", came principally from the United Kingdom, Denmark, and West Germany.

Of the remaining classes, imports of textile assistants totaled 880,000 pounds in 1965 compared with 452,000 pounds in 1964. Imports of textile assistants were mostly "noncompetitive" and came from Switzerland, West Germany, and the United Kingdom. Imports of tanning materials amounted to 418,000 pounds in 1965, compared with 237,000 pounds in 1964. Imports of such materials were principally "competitive"; West Germany and Switzerland were the principal suppliers. In 1965, imports of photographic chemicals amounted to 396,000 pounds, compared with 441,000 pounds in 1964. Imports of photographic chemicals in 1965 were almost all "noncompetitive"; Belgium and West Germany were by far the principal suppliers. In 1965, imports of plasticizers totaled 392,000 pounds, compared with 247,000 pounds in 1964. Imports of these products were chiefly "competitive" and came from Canada, the United Kingdom, and Japan.

Table 13.--All other finished benzenoid products: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965

| Competitive status (C = competitive; NC = non-competitive) | Product  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
| NC 1/  | Aeroshell turbine oil                            | 39,100        |
| NC, NC 1/  | An-teak oil                                      | 4,127         |
| NC 1/  | Antifouling paste paint                          | 70,945        |
| NC   | Astra blue base 6GIL                             | 650           |
| NC   | BASF aniline resin LD                            | 163           |
| NC   | BASF aniline resin blue R                        | 500           |
| NC   | BASF aniline resin orange R                      | 500           |
| NC   | BASF aniline resin red B                         | 500           |
| NC   | BASF aniline resin yellow G                      | 500           |
| NC 1/  | Belzona  | 2,050         |
| C  | Brilliant oil blue B                             | 1,000         |
| NC 1/  | Bycosin diesel                                   | 17,636        |
| NC 1/  | Casting resin                                    | 276           |
| NC 1/  | Clean condition primer                           | 288           |
| NC 1/  | Cleaning fluid                                   | 231           |
| NC, NC 1/  | Correcting fluid                                 | 4,570         |
| NC 1/  | Culmo compounds                                  | 11,792        |
| NC, NC 1/  | Dag product 1599                                 | 6,540         |
| NC 1/  | Dental chemicals                                 | 55            |
| NC 1/  | Felma industrial wax                             | 660           |
| C  | Guignets green colour                            | 112           |
| NC 1/  | Hardener   | 55            |
| NC   | Hylomar jointing compound                        | 2,365         |
| NC   | Imprafix BE                                      | 3,630         |
| NC, NC 1/  | Ink reducer                                      | 1,100         |
| NC 1/  | Lead styphnate                                   | 3,024         |
| NC   | Melustral coating brown FB                       | 100           |
| NC   | Melustrol coating caramel FK                     | 100           |
| NC 1/  | Nafco AAF  | 661           |
| C  | Nigrosene base 162223                            | 112           |
| C  | Nigrosine base IT                                | 500           |
| NC 1/  | Oil painting primer                              | 167           |
| NC 1/  | Pearl essence                                    | 7,031         |
|  | Pesticides:                                      |               |
| NC 1/  | Aafuma   | 550           |
| C, NC 1/   | 3-(4-Acetoxybenzyl)-4-hydroxycoumarin (Warfarin) | 12,591        |
| NC   | Alpha-naphthylthiourea (ANTU)                    | 4,500         |
| NC   | Bromoxynil octanoate                             | 100           |

See footnotes at end of table.

Table 13.--All other finished benzenoid products: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product  | Quantity      |
|--|--|---------------|
|  |  | <u>Pounds</u> |
|  | Pesticides--continued:   |               |
| C, NC  | Chloranil (tetrachloroquinone) -----   | 26,350        |
| C  | p-Chloro-m-cresol -----  | 48,116        |
| NC   | 6-Chloro-3,4-dimethylphenol -----  | 80,000        |
| NC, NC 1/  | 2-(4-Chloro-2-methylphenoxy)propionic acid and salts -----                   | 446,593       |
| NC 1/  | N <sup>1</sup> -(4-Chlorophenoxy)phenyl-N,N-dimethylurea (Chloroxuron) ----- | 154,622       |
| NC 1/  | m-Cresyl acetate -----   | 10            |
| C  | Diaphene -----   | 2,293         |
| NC   | 1,1'-Dimethyl-4,4'-dipyridinium dichloride (Paraquat dichloride) -----       | 7,290         |
| NC 1/  | 1,1'-Dimethyl-4,4'-dipyridinium dimethyl sulfate (Paraquat) -----            | 53,315        |
| NC 1/  | O,O-Dimethyl O-(3-methyl-4-nitrophenyl)phosphorothioate (Sumithion) -----    | 11,023        |
| C  | O,O-Dimethyl O-(p-nitrophenyl) phosphorothioate (Methyl parathion) -----     | 220,461       |
| C  | O,O-Dimethyl O-(2,4,5-trichlorophenyl)phosphorothioate (Nankor) -----        | 300           |
| C  | Dinitrocresol (DNOC) -----   | 22,000        |
| NC 1/  | 1,1'-Ethylene-2,2'-dipyridylum dibromide (Diquat) -----                      | 219,520       |
| C, NC  | Fumite and lindane smoke generators -----                                    | 1,540         |
| NC, NC 1/  | Industrial fungicides -----  | 1,675         |
| NC 1/  | Insecticides -----   | 5,678         |
| NC 1/  | O-Isopropoxyphenyl methylcarbamate -----                                     | 74,985        |
| C  | 2-Methyl-4-chlorophenoxyacetic acid -----                                    | 30,000        |
| NC, NC 1/  | 6-Methyl-2,3-quinoxalinedithiol cyclic carbonate -----                       | 52,164        |
| NC   | 2-Naphthyl N-methyl-N-(3-tolyl)thiocarbamate -----                           | 352           |
| C  | Pentachloronitrobenzene -----  | 71,902        |
| NC 1/  | Sepacid LK 1014 -----  | 2,000         |
| NC 1/  | Silvoxal 50 -----  | 375           |
| NC 1/  | Toluenethiol -----   | 2,910         |
| C  | vantoc CL -----  | 220           |
| NC 1/  | Other pesticides -----   | 4             |
|  | Total, pesticides -----  | 1,553,439     |
| C, NC, NC 1/, 2/   | Photographic chemicals -----   | 395,704       |

See footnotes at end of table.

Table 13.--All other finished benzenoid products: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product                                     | Quantity      |
|--|---|---------------|
|  |   | <u>Pounds</u> |
|  | Plasticizers:                               |               |
| C, 2/  | Dicyclohexyl phthalate -----                | 251,230       |
| NC   | Mesamoll -----                              | 7,585         |
| NC, NC 1/  | Slipclean M tank cleaning compound -----    | 55,040        |
| C  | Topcizer #2 (o,p-toluene sulfonamide) ----- | 77,161        |
| NC 1/  | Other plasticizers -----                    | 1,080         |
|  | Total, plasticizers -----                   | 392,096       |
| NC, NC 1/  | Repair paste -----                          | 69            |
|  | Resins:                                     |               |
| C, NC, NC 1/   | Alkyd and polyester resins -----            | 115,922       |
| NC 1/  | Epoxy resins -----                          | 19,251        |
| C, NC  | Phenolic resins -----                       | 235,907       |
| C, NC, NC 1/   | Polyamide resins -----                      | 7,277,693     |
| C, NC, NC 1/   | Polystyrene resins -----                    | 659,694       |
| C, NC, NC 1/ 2/  | Polyurethane resins -----                   | 722,104       |
| C, NC, NC 1/ 2/  | Miscellaneous resins -----                  | 195,629       |
|  | Total, resins -----                         | 9,226,200     |
| C  | Rhodamine B base -----                      | 300           |
| NC   | Rose pink -----                             | 333           |
| NC   | Sealing salt AS -----                       | 100           |
| NC, NC 1/  | Silver preparation 314E -----               | 110           |
| NC 1/  | Silver dip -----                            | 51            |
| NC 1/  | Stearoptnes -----                           | 2,000         |
|  | Stone and marble cement:                    |               |
| NC 1/  | Akemi stone and marble cement -----         | 10,215        |
| NC 1/  | Sugar dissolving oil -----                  | 220           |
| NC   | Suspension fluid IN -----                   | 2,570         |
| C, NC, NC 1/   | Surface-active agents -----                 | 190,322       |
|  | Surface coatings:                           |               |
| C, NC, NC 1/   | Auto paints, lacquers and varnishes -----   | 231,516       |
| NC, NC 1/  | Other paints, lacquers and varnishes -----  | 55,778        |
|  | Total, surface coatings -----               | 287,294       |
|  | Tanning materials:                          |               |
| NC   | Basyntan -----                              | 1,100         |
| C  | Basyntan DIE -----                          | 224,312       |
| C  | Basyntan FCBI -----                         | 1,100         |

See footnotes at end of table.

Table 13.--All other finished benzenoid products: U.S. general imports entered under Schedule 4, Part 1C, TSUS, showing competitive status, 1965 --Continued

| Competitive status (C = competitive; NC = non-competitive) | Product                                       | Quantity            |
|--|---|---------------------|
|  |   | <u>Pounds</u>       |
|  | Tanning materials--continued:                 |                     |
| C  | Flocosine -----                               | 99,207              |
| NC   | Irgatan F -----                               | 4,125               |
| C  | Irgatan IC -----                              | 3,858               |
| C  | Irgatan LV -----                              | 33,069              |
| C, NC <u>1/</u>  | Mesitol PNR -----                             | 21,700              |
| C  | Product DIE -----                             | 28,600              |
| C  | Sellazol HF -----                             | 1,102               |
| <u>2/</u>  | Synthetic tanning material -----              | 270                 |
|  | Total, tanning materials -----                | <u>418,443</u>      |
| NC <u>1/</u>   | Tanwax crystal bonding cement -----           | 6,700               |
|  | Textile assistants:                           |                     |
| C, NC, NC <u>1/</u>  | Surface-active compounds and mixtures -----   | 319,582             |
| C, NC, NC <u>1/</u>  | Non-surface active compounds and mixtures --- | <u>560,133</u>      |
|  | Total, textile assistants -----               | <u>879,715</u>      |
| NC   | Victoria blue base 4R -----                   | 850                 |
| NC <u>1/</u>   | Waterborne primer -----                       | 1,155               |
| NC <u>1/</u>   | Wingel -----                                  | 842                 |
| NC <u>1/</u>   | Writing color -----                           | 1,528               |
| NC, NC <u>1/</u>   | All other miscellaneous products -----        | 1,222               |
|  | Total ----- quantity --                       | <u>13,552,518</u>   |
|  | Total ----- invoice value --                  | <u>\$ 8,337,114</u> |

1/ Duty based on export or constructed value.

2/ Competitive status of one or more entries not available.