In the Matter of Certain Ceramic Capacitors and Products Containing Same

Investigation No. 337-TA-692

Publication 4291

November 2011



Washington, DC 20436

U.S. International Trade Commission

COMMISSIONERS

Deanna Tanner Okun, Chairman
Irving A. Williamson, Vice Chairman
Charlotte R. Lane
Daniel R. Pearson
Shara L. Aranoff
Dean A. Pinkert

Address all communications to Secretary to the Commission United States International Trade Commission Washington, DC 20436

U.S. International Trade Commission

Washington, DC 20436 www.usitc.gov

In the Matter of Certain Ceramic Capacitors and Products Containing Same

Investigation No. 337-TA-692



UNITED STATES INTERNATIONAL TRADE COMMISSION Washington, D.C. 20436

In the Matter of

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

Investigation No. 337-TA-692

NOTICE OF THE COMMISSION'S FINAL DETERMINATION OF NO VIOLATION OF SECTION 337; TERMINATION OF THE INVESTIGATION

AGENCY: U.S. International Trade Commission.

ACTION: Notice.

SUMMARY: Notice is hereby given that the U.S. International Trade Commission has determined that there has been no violation of section 337 of the Tariff Act of 1930, 19 U.S.C. § 1337, in this investigation, and has terminated the investigation.

FOR FURTHER INFORMATION CONTACT: Panyin A. Hughes, Esq., Office of the General Counsel, U.S. International Trade Commission, 500 E Street, S.W., Washington, D.C. 20436, telephone (202) 205-3042. Copies of non-confidential documents filed in connection with this investigation are or will be available for inspection during official business hours (8:45 a.m. to 5:15 p.m.) in the Office of the Secretary, U.S. International Trade Commission, 500 E Street, S.W., Washington, D.C. 20436, telephone (202) 205-2000. General information concerning the Commission may also be obtained by accessing its Internet server at http://www.usitc.gov. The public record for this investigation may be viewed on the Commission's electronic docket (EDIS) at http://edis.usitc.gov. Hearing-impaired persons are advised that information on this matter can be obtained by contacting the Commission's TDD terminal on (202) 205-1810.

SUPPLEMENTARY INFORMATION: The Commission instituted this investigation on November 4, 2009, based on a complaint filed by Murata Manufacturing Co., Ltd. of Kyoto, Japan and Murata Electronics North America, Inc. of Smyrna, Georgia (collectively, "Murata"). 74 Fed. Reg. 57193-94 (Nov. 4, 2009). The complaint alleged violations of section 337 of the Tariff Act of 1930 (19 U.S.C. § 1337) in the importation into the United States, the sale for importation, and the sale within the United States after importation of certain ceramic capacitors and products containing the same by reason of infringement of various claims of United States Patent Nos. 6,266,229 ("the '229 patent"); 6,014,309 ("the '309 patent"); 6,243,254 ("the '254 patent"); and 6,377,439 (subsequently terminated from the investigation). The complaint named Samsung Electro-Mechanics Co., Ltd. of Suwon City, Korea and Samsung Electro-Mechanics America, Inc. of Irvine, California (collectively, "Samsung") as respondents.

On December 22, 2010, the ALJ issued his final ID, finding no violation of section 337 by Respondents with respect to any of the asserted claims of the asserted patents. Specifically, the ALJ found that the accused products do not infringe the asserted claims of the '254 patent. The ALJ also found that none of the cited references anticipates the asserted claims and that none of the cited references renders the asserted claims obvious. The ALJ further found that the asserted claims are not rendered unenforceable due to inequitable conduct. The ALJ, however, found that asserted claims 11-14, 19, and 20 of the '254 patent fail to satisfy the requirements of 35 U.S.C. § 112 for lack of written description. Regarding the '309 patent, the ALJ found that the accused products do not infringe asserted claim 3 and that none of the cited references anticipates or renders obvious asserted claim 3. The ALJ further found that the asserted claim is not rendered unenforceable due to inequitable conduct. With respect to the '229 patent, the ALJ found that the accused products meet all the limitations of the asserted claims and that the asserted claims are not rendered unenforceable due to inequitable conduct. The ALJ further found that the cited references do not anticipate the asserted claims but found that the prior art renders the asserted claims obvious. The ALJ concluded that an industry exists within the United States that practices the '254 patent and the '229 patent but that a domestic industry that practices the '309 patent does not exist as required by 19 U.S.C. § 1337(a)(2) and (3).

On January 4, 2011, Murata and the Commission investigative attorney filed petitions for review of the ID. That same day, Samsung filed a contingent petition for review of the ID. On January 12, 2011, the parties filed responses to the various petitions and contingent petition for review.

On February 23, 2011, the Commission determined to review the final ID in part and requested briefing on several issues it determined to review, and on remedy, the public interest and bonding. 76 Fed. Reg. 11275 (Mar. 1, 2011). The Commission determined to review the findings related to the '229 patent and in particular the finding that the AAPA (Applicant Admitted Prior Art) does not invalidate the asserted claims of the '229 patent. The Commission determined not to review any issues related to the '309 patent and the '254 patent and terminated those patents from the investigation.

On March 8, 2011, the parties filed written submissions on the issues under review, remedy, the public interest, and bonding. On March 15, 2011, the parties filed reply submissions on the issues on review, remedy, the public interest and bonding.

Having examined the record of this investigation, including the ALJ's final ID, the Commission has determined that there is no violation of section 337. Specifically, the Commission has determined to (1) reverse the ALJ's finding to the extent that it suggests that the AAPA cannot constitute prior art and (2) find that the asserted claims of the '229 patent are obvious in light of a combination of (i) the AAPA and the knowledge in the art at the time of filing the patent's priority document, (ii) the AAPA and Nagakari (Japanese unexamined patent application H11-21429), or (iii) the AAPA and the deNeuf product (product samples sold by Murata and provided by Mr. deNeuf). The Commission vacates the ALJ's finding that the AAPA does not anticipate the asserted claims of the '229

patent; however, given the Commission's finding that the asserted claims of the '229 patent are invalid for obviousness, the Commission does not reach the issue of anticipation. The Commission adopts the ALJ's findings regarding the '229 patent in all other respects.

The authority for the Commission's determination is contained in section 337 of the Tariff Act of 1930, as amended (19 U.S.C. § 1337), and in sections 210.42-46 of the Commission's Rules of Practice and Procedure (19 C.F.R. §§ 210.42-46).

By order of the Commission.

James R. Holbein

Acting Secretary to the Commission

Issued: April 22, 2011

PUBLIC CERTIFICATE OF SERVICE

I, James R. Holbein, hereby certify that the attached **NOTICE OF THE** COMMISSION'S FINAL DETERMINATION OF NO VIOLATION OF SECTION 337; TERMINATION OF THE INVESTIGATION has been served by hand upon, the Commission Investigative Attorney, Aarti Shah, Esq., and the following parties as indicated on April 22, 2011.

> James R. Holbein, Acting Secretary U.S. International Trade Commission 500 E Street, SW, Room 112 Washington, DC 20436

On Benair of Complainants Murata Manufacturing Co, Ltd.	
and Murata Electronics North America, Inc.:	
Sten A. Jensen, Esq. ORRICK, HERRINGTON & SUTCLIFFE LLP 1152 15 th Street, NW Washington, DC 20005	() Via Hand Delivery() Via Overnight Delivery() Via First Class Mail() Other:
On Behalf of Respondents Samsung Electro-Mechanics Co, Ltd. and Samsung Electro-Mechanics America, Inc.:	
V. James Adduci, II, Esq. ADDUCI, MASTRIANI & SCHAUMBERG LLP 1200 17 th Street, NW, 5 th Floor Washington, DC 20036	 () Via Hand Delivery () Via Overnight Delivery () Via First Class Mail () Other:

UNITED STATES INTERNATIONAL TRADE COMMISSION Washington, D.C.

In the Matter of

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

Investigation No. 337-TA-692

COMMISSION OPINION

This investigation is before the Commission for a final disposition. The Commission has determined to affirm the presiding administrative law judge's ("ALJ") determination that Respondents did not violate section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. § 1337, in connection with claims 1-4, 7, 17, 18, 23, 28-31, 34, and 51-53 of United States Patent No. 6,266,229 ("the '229 patent"). The ALJ found that the Applicant Admitted Prior Art ("AAPA") cannot constitute a "single allegedly anticipatory reference pursuant to Section 102." ID at 139. Specifically, the AAPA refers to characterizations of figures 15 through 17 of Japanese Unexamined Patent Publication No. H2-256216 in the specification of the '229 patent. *See, e.g.*, '229 patent (JX-1) Background of the Invention. To the extent that the ALJ's findings suggest that the AAPA is not prior art, the Commission reverses that finding. As a result, the Commission finds that the asserted claims of the '229 patent are obvious in light of a combination of (1) the AAPA and the knowledge in the art at the time of filing the '229 patent's

¹ The Commission adopted the ALJ's findings that Respondents did not violate section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. § 1337, in connection with claims 1, 2, 9, 11-14, and 19-20 of United States Patent No. 6,243,254 and claim 3 of United States Patent No. 6,014,309 and terminated those patents from the investigation in its Notice issued on February 23, 2011 to review the final ID in part. 76 *Fed. Reg.* 11275 (Mar. 1, 2011).

priority document, (2) the AAPA and Nagakari, or (3) the AAPA and the deNeuf product. The Commission vacates the ALJ's finding that the AAPA does not anticipate the asserted claims of the '229 patent; and given the Commission's finding that the asserted claims are invalid for obviousness, the Commission does not reach the issue of anticipation. The Commission adopts the ALJ's findings regarding the '229 patent in all other respects.

I. BACKGROUND

A. Procedural History

The Commission instituted this investigation on November 4, 2009, based on a complaint filed by Murata Manufacturing Co., Ltd. of Kyoto, Japan and Murata Electronics North America, Inc. of Smyrna, Georgia (collectively, "Murata"). 74 Fed. Reg. 57193-94 (Nov. 4, 2009). The complaint alleged violations of section 337 of the Tariff Act of 1930 (19 U.S.C. § 1337) in the importation into the United States, the sale for importation, and the sale within the United States after importation of certain ceramic capacitors and products containing the same by reason of infringement of various claims of the '229 patent and United States Patent Nos. 6,243,254 ("the '254 patent"); 6,014,309 ("the '309 patent"); and 6,377,439 ("the '439 patent"). The complaint named Samsung Electro-Mechanics Co., Ltd. of Suwon City, Korea and Samsung Electro-Mechanics America, Inc. of Irvine, California (collectively, "Samsung") as respondents. The '439 patent was subsequently terminated from the investigation.

On December 22, 2010, after a hearing and briefing from the parties, the ALJ issued his final ID, finding no violation of section 337 by Respondents with respect to any of the asserted

claims of the '254 patent, the '309 patent, and the '229 patent. With respect to the '229 patent, the ALJ found that the accused products meet all the limitations of the asserted claims, that a domestic industry that practices the patent exists, and that the asserted claims are not rendered unenforceable due to inequitable conduct. The ALJ further found that the cited references do not anticipate the asserted claims but found that the prior art rendered the asserted claims obvious. Thus, he found no violation with respect to the '229 patent.

On January 4, 2011, Murata filed a petition for review of the ID challenging several of the ALJ's findings. *See* Complainants' Petition for Review of the Initial Determination on Violation of Section 337 ("Murata Pet."). With respect to the asserted claims of the '229 patent, Murata challenged the ALJ's finding that the prior art renders the asserted claims of the patent obvious. Murata Pet. at 18.

Also on January 4, 2011, the Commission investigative attorney ("IA") filed a petition for review of the ID. *See* Petition of the Office of Unfair Import Investigations for Review of the Initial Determination on Violation of Section 337 ("IA Pet."). Specifically, the IA asked the Commission to review, among other things, the ALJ's finding that the asserted claims of the '229 patent are not rendered obvious by the AAPA. *Id.* at 28.

Further on January 4, 2010, Samsung filed a contingent petition for review.² See

² Under the Commission's Rules, contingent petitions for review are treated as petitions for review. 19 C.F.R. § 210.42(b)(3).

Respondents' Contingent Petition for Review ("Samsung Pet."). In the event that the Commission granted Murata's or the IA's petition for review, Samsung requested that the Commission review certain issues in the ID, including the ALJ's finding that the asserted claims of the '229 patent are not anticipated and/or rendered obvious by the AAPA.

On January 12, 2011, Samsung filed a reply to Murata's petition for review. *See*Respondents' Response to Complainants' Petition for Review. Also on January 12, 2011,

Murata filed a consolidated response to the IA's petition for review and Samsung's contingent

petition for review. *See* Complainants' Consolidated Response to Respondents' Contingent

Petition for Review and the Staff's Petition for Review of the Initial Determination on Violation

of Section 337. That same day, the IA also filed a response to the petitions for review. *See*Response of the Office of Unfair Import Investigation to Complainants' and Respondents'

Petitions for Review of the Initial Determination on Violation of Section 337.

On February 23, 2011, the Commission determined to review the final ID in part and requested briefing on several issues it determined to review, and on remedy, the public interest and bonding. 76 Fed. Reg. 11275 (Mar. 1, 2011). Specifically, the Commission determined to review the findings related to the '229 patent and in particular the finding that the AAPA does not invalidate the asserted claims of the '229 patent. The Commission determined not to review any issues related to the '309 patent and the '254 patent and, therefore, terminated those patents from the investigation. In its notice of review, the Commission asked the parties to brief the

following questions:

- 1. Can characterizations of the prior art that patent applicants make in the specification constitute the "single allegedly anticipatory reference pursuant to Section 102"? See ID at 139. Even if those characterizations cannot constitute such a reference, are applicants bound by characterizations of the prior art contained in the specification? In your response, please consider *Pharmastem Therapeutics, Inc. v. Viacell, Inc.*, 491 F.3d 1342, 1362 (Fed. Cir. 2007) and Constant v. Advanced Micro-Devices, Inc., 848 F.2d 1560, 1570 (Fed. Cir. 1988).
- 2. Assume that patent applicants are bound by their characterizations as described above. Have the '229 applicants made concessions showing that the asserted claims of the '229 patent are anticipated or obvious? Please specify how the alleged applicant admissions disclose that a single prior art reference discloses each limitation of the asserted claims and/or that a combination of prior art references render the claims obvious. Please cite only record evidence and relevant legal authority to support your position.
- 3. Assume that the specification can constitute a single allegedly anticipatory reference pursuant to Section 102. Please provide an analysis as to anticipation and obviousness. Please cite only record evidence and relevant legal authority to support your position.

On March 8, 2011, the parties filed written submissions on the issues under review, remedy, the public interest, and bonding. *See* Complainant's Response to Notice of Commission Determination to Review in Part a Final Initial Determination Finding No Violation of Section 337 ("Murata Br."); OUII's Submission on the Issues Under Review and on Remedy, the Public Interest and Bonding ("IA Br."); Respondents' Brief in Response to the Commission's Notice to Review in Part the ALJ's Final Initial Determination ("Samsung Br."). On March 15, 2011, the parties filed reply briefs.

B. Patents and Technology at Issue

The technology at issue in this investigation covers certain multi-layer ceramic capacitors ("MLCCs"). ID at 3-4. Capacitors are "passive" electronic devices that consist of one or more pairs of parallel, conducting electrode plates separated by an insulating material (*i.e.*, dielectric). *Id.* at 3. Multi-layer capacitors contain more than one pair of electrode plates, or internal (inner) electrodes, embedded in a ceramic block with a dielectric layer between each pair of electrodes. *Id.* at 3-4. The internal electrodes are electrically connected, either directly or with a lead electrode, to external (outer) electrodes. *Id.* at 4. In an electrical circuit, when a voltage is applied to the external electrodes of a multilayer capacitor, the parallel internal electrodes in each pair acquire equal but opposite (positive and negative) charges, and energy is stored in the dielectric between the internal electrodes. *Id.*

The '229 patent, entitled "Multilayer Capacitor," resulted from U.S. Patent Application No. 09/501,084, filed on February 9, 2000, which is a continuation-in-part of Application No. 09/042,379, filed on March 13, 1998, now U.S. Patent No. 6,072,687. The '229 patent issued on July 24, 2001 and claims priority to (JP) 9-306717, dated November 10, 1997, and (JP) 11-370803, dated December 27, 1999. The '229 patent names Yasuyuki Naito, Masaaki Taniguchi, Yoichi Kuroda, Takanori Kondo, Michihiro Murata, and Yoshitaka Tanino as the inventors, and lists Murata Manufacturing Co., Ltd. as the assignee.

The '229 patent discloses a "multi-layer capacitor device" that includes a capacitor body including "first electrode plates and a plurality of second electrode plates," and the asserted

claims are generally directed to a multilayer capacitor where the lead portion of the electrodes have a specified arrangement with a length-to-width (L/W) ratio falling between a certain range. *See* Abstract. Murata has asserted independent claims 1, 28, and 51 together with dependent claims 2-4, 7, 17, 18, 23, 29-31, 34, 52, and 53 in this investigation. *See* ID at 7-8.

C. Products at Issue

The accused products in this investigation are MLCCs, including high capacitance MLCCs and low equivalent series induction ("ESL") MLCCs. Murata accuses Samsung of importing and selling the products accused in this investigation. ID at 12.³

IV. VIOLATION ISSUES UNDER REVIEW

A. Applicable Law

1. Anticipation

"Claimed subject matter is 'anticipated' when it is not new; that is, when it was previously known." *Sanofi-Synthelabo v. Apotex, Inc.*, 550 F.3d 1075, 1082 (Fed. Cir. 2008). "Invalidation on this ground requires that every element and limitation of the claim was previously described in a single prior art reference, either expressly or inherently, so as to place a person of ordinary skill in possession of the invention." *Id.* A prior art reference that does not expressly set forth a particular claim element, may still anticipate the claim if the missing element is inherently disclosed by the reference. *Trintec Indus., Inc. v. Top-U.S.A. Corp.*, 295 F.3d 1292, 1295 (Fed. Cir. 2002); *In re Robertson*, 169 F.3d 743, 745 (Fed. Cir. 1999). Inherent

³ For a detailed listing of accused products, see pages 12-14 of the final ID.

anticipation occurs when "the missing descriptive material is 'necessarily present,' not merely probably or possibly present, in the prior art." *Id.*

2. Obviousness

Under 35 U.S.C. § 103(a), a patent is valid unless "the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains." 35 U.S.C. § 103(a). Obviousness is a question of law, but "it is well understood that there are factual issues underlying the ultimate obviousness decision." *Richardson-Vicks Inc. v. Upjohn Co.*, 122 F.3d 1476, 1479 (Fed. Cir. 1997) (citing *Graham v. John Deere Co. of Kansas City*, 383 U.S. 1, 17 (1966)).

After claim construction, "[t]he second step in an obviousness inquiry is to determine whether the claimed invention would have been obvious as a legal matter, based on underlying factual inquiries including: (1) the scope and content of the prior art, (2) the level of ordinary skill in the art, (3) the differences between the claimed invention and the prior art, and (4) secondary considerations of non-obviousness." *Smiths Indus. Med. Sys., Inc. v. Vital Signs, Inc.*, 183 F.3d 1347, 1354 (Fed. Cir. 1999) (citing *Graham*, 383 U.S. at 17). The existence of secondary considerations of non-obviousness does not control the obviousness determination. *Richardson-Vicks*, 122 F.3d at 1483. Rather, a court must consider "the totality of the evidence" before reaching a decision on obviousness. *Id.*

The Supreme Court considered the obviousness inquiry in KSR International Co. v. Teleflex Inc., 550 U.S. 389 (2007) ("KSR"). The Court explained:

When a work is available in one field of endeavor, design incentives and other market forces can prompt variations of it, either in the same field or a different one. If a person of ordinary skill can implement a predictable variation, § 103 likely bars its patentability. For the same reason, if a technique has been used to improve one device, and a person of ordinary skill in the art would recognize that it would improve similar devices in the same way, using the technique is obvious unless its actual application is beyond his or her skill. Sakraida and Anderson's-Black Rock are illustrative—a court must ask whether the improvement is more than the predictable use of prior art elements according to their established functions.

Following these principles may be more difficult in other cases than it is here because the claimed subject matter may involve more than the simple substitution of one known element for another or the mere application of a known technique to a piece of prior art ready for the improvement. Often, it will be necessary for a court to look to interrelated teachings of multiple patents; the effects of demands known to the design community or present in the marketplace; and the background knowledge possessed by a person having ordinary skill in the art, all in order to determine whether there was an apparent reason to combine the known elements in the fashion claimed by the patent at issue. To facilitate review, this analysis should be made explicit.

* * *

The obviousness analysis cannot be confined by a formalistic conception of the words teaching, suggestion, and motivation, or by overemphasis on the importance of published articles and the explicit content of issued patents. The diversity of inventive pursuits and of modern technology counsels against limiting the analysis in this way. In many fields it may be that there is little discussion of obvious techniques or combinations, and it often may be the case that market demand, rather than scientific literature, will drive design trends. Granting patent protection to advances that would occur in the ordinary course without real innovation retards progress and may, in the case of patents combining previously known elements, deprive prior inventions of their value or utility.

KSR, 550 U.S. at 417-19.

The Federal Circuit has since held that when a patent challenger contends that a patent is

invalid for obviousness based on a combination of several prior art references, "the burden falls on the patent challenger to show by clear and convincing evidence that a person of ordinary skill in the art would have had reason to attempt to make the composition or device, or carry out the claimed process, and would have had a reasonable expectation of success in doing so." *PharmaStem Therapeutics, Inc. v. ViaCell, Inc.*, 491 F.3d 1342, 1360 (Fed. Cir. 2007) (citations omitted). Regarding the Federal Circuit's TSM test,⁴ the Court has explained that

[t]he TSM test, flexibly applied, merely assures that the obviousness test proceeds on the basis of evidence—teachings, suggestions (a tellingly broad term), or motivations (an equally broad term)—that arise before the time of invention as the statute requires. As KSR requires, those teachings, suggestions, or motivations need not always be written references but may be found within the knowledge and creativity of ordinarily skilled artisans.

Ortho-McNeil Pharmaceutical, Inc. v. Mylan Laboratories, Inc., 520 F.3d 1358, 1365 (Fed. Cir. 2008).

B. Whether the AAPA Anticipates or Renders Obvious the Asserted Claims of the '229 Patent

The Commission determined to review the findings related to the '229 patent and in particular the ALJ's finding that the AAPA does not invalidate the asserted claims of the '229 patent. Claim 1 of the '229 patent, with the key claim term emphasized for clarity, is reproduced below:

Asserted independent claim 1 recites:

1. A multi-layer capacitor device comprising:

⁴ TSM test refers to teaching, suggestion, or motivation to combine references.

- a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation;
- a dielectric material located between each opposed set of the first and second electrode plates;
- the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and
- a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein
- each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and
- at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

The ALJ found that the AAPA failed to anticipate or render obvious the asserted claims of the '229 patent because the AAPA cannot constitute a "single allegedly anticipatory

reference." ID at 138-142. Samsung relied on representations of the prior art, particularly those referring to Japanese Unexamined Patent Publication No. H2-256216 ("H2 application"), that the patentees made in the background section of the '229 patent and argued that those representations either anticipated or rendered obvious the asserted claims of the patent. *Id.* The ALJ found that Samsung's argument presented "some difficulty as to what is considered the single alleged anticipatory reference pursuant to Section 102" and added that "[s]urely Samsung is not attempting to argue that the '229 patent specification itself is this anticipatory reference." Id. at 139. The ALJ further stated that "[i]f Samsung means the H2 application, it is unclear why Samsung indirectly approaches this reference through the '229 patent specification." *Id.* The ALJ then compared the prior art drawings in the '229 patent with the drawings in the H2 application and noted that "[i]t is apparent that the '229 patentees have added something to the description and drawings of the H2 application that is not contained within the four corners of that reference," concluding that "it is clear that Samsung has not met its burden of showing by clear and convincing evidence that the AAPA, as disclosed in the '229 patent rather than in the H2 application, meets the requirements of a single prior art reference pursuant to Section 102." *Id.* at 141.

We find that the ALJ erred in finding that the AAPA cannot be used to invalidate the asserted claims of the '229 patent. ID at 138-142. Indeed Murata agrees that Federal Circuit precedent establishes that the characterizations of the prior art in the asserted patent itself can constitute prior art. Murata Br. at 3-4. For example, in *In re Nomiya*, the specification of the

asserted patent included two figures depicted as "prior art." *In re Nomiya*, 509 F.2d 566, 567 (CCPA 1975). The United States Patent and Trademark Office ("PTO") examiner combined those figures with another reference and rejected the claims as being obvious. The applicants challenged the PTO's consideration of the figures as prior art. The Federal Circuit's predecessor, the Court of Customs and Patent Appeals rejected the challenge, stating:

We see no reason why appellants' representations in their application should not be accepted at face value as admissions that Figs. 1 and 2 be considered 'prior art' for any purpose, including use as evidence of obviousness under 103. . . . By filing an application containing Figs. 1 and 2 labeled prior art, *ipsissimis verbis*, and statements explanatory thereof, appellants have conceded what is to be considered as prior art in determining obviousness of their improvement.

Id. at 570-571; Manual of Patent Examination and Procedure §§ 2129 (I), 706.02 (8th ed. 2010). The Federal Circuit has followed this reasoning and concluded that "a statement by an applicant during prosecution identifying certain matter not the work of the inventor as 'prior art' is an admission that the matter is prior art." Riverwood Int'l Corp. v. R.A. Jones & Co., Inc., 324 F.3d 1346, 1354 (Fed. Cir. 2003). That is, characterizations of the prior art that applicants make can constitute prior art. Id. ("Valid prior art may be created by the admissions of the parties," citing In re Fout, 675 F.2d 297, 300 (CCPA 1982)); see also Pharmastem Therapeutics, Inc. v. Viacell, Inc., 491 F.3d 1342, 1362 (Fed. Cir. 2007); Constant v. Advanced Micro-Devices, Inc., 848 F.2d 1560, 1570 (Fed. Cir. 1988). As in In re Nomiya, the '229 applicants admitted in the specification that certain figures, specifically figures 15 through 17, represent prior art. '229 patent (JX-1), col. 1, 1, 13 - col. 2, 1, 50; col. 5, 1l. 65-68. Thus, based on Federal Circuit

precedent, the applicants' characterization of figures 15 through 17 as capacitors well known in the art can be considered "prior art." We therefore reverse the ALJ's finding to the extent it suggests that the AAPA cannot constitute prior art.

We find that the asserted claims of the '229 patent are obvious in light of the AAPA and the knowledge in the art at the time of filing the patent's priority document, or alternatively are rendered obvious by a combination of the AAPA with Japanese unexamined patent application H11-21429 ("Nagakari") or a combination of the AAPA with product samples sold by Murata and provided by Mr. deNeuf ("deNeuf product"). Murata states in its brief that "the AAPA is not materially different from DuPré [U.S. Patent No. 5,880,925 to DuPré et al.] " (Murata Br. at 1), and has not challenged the ALJ's finding that DuPré discloses all the limitations of the asserted independent claims except for the recited L/W ratios. ID at 171. Moreover, Murata concedes that figures 15 through 17 disclose all the limitations of the asserted claims except for the L/W ratio. Murata's Post Hearing Brief at 119-120. The only question remaining therefore is whether the recited L/W ratios were within the knowledge of one of ordinary skill in the art at the time of filing the priority document for the '229 patent. We find that the record evidence contains ample documentation corroborating Dr. Randall's testimony that the claimed invention, including L/W ratios, would have been obvious to one of ordinary skill in the art. Randall Tr. at 1611-14.

Papers written by AVX⁵ engineers prior to the filing of the priority document for the

⁵ AVX refers to AVX Corporation, an entity in the MLCC arena that has (or had) licensing agreements with Murata. AVX Corporation is not a party to the investigation.

patent show that the L/W ratio was relevant to inductance. See RX-532, RX-538, CX-569. These publications teach that reducing the L/W ratio leads to a reduction in the effective series inductance ("ESL"), a goal of the recited L/W ratio in the asserted claims. See, e.g., '229 patent, col. 14, 11. 62-64. One of the papers states that "[t]he effective series inductance (ESL) defines that loss element which must be overcome as current flow is constricted within a given envelope. The tighter the restriction (high aspect ratio or L/W), the higher the ESL, and vice versa." RX-532 at SEMC000263240; Randall Tr. at 1631:12-20. Another paper includes a chart that illustrates the reduction in inductance that arises directly from a reduction in the L/W ratio. RX-538; Randall Tr. at 1630:12-1631:2. Murata disputes the relevance of these publications, arguing that they are directed to conventional, end terminated capacitors and thus not applicable. Murata Pet. at 22-23. Murata, however, fails to present any evidence to substantiate its allegation that because those papers are directed to conventional, end terminated capacitors, an ordinarily skilled artisan would not have consulted them or known about them. Murata merely relies on its own attorney arguments, despite testimony that an ordinarily skilled artisan would have known of this relationship. Randall Tr. at 1632:6-10 ("Q. Dr. Randall, this relationship between the length and the width and the reductions in inductance, would that be known to a person of skill in the art in 1999? A. Absolutely. It would be known.").

In addition, as the ALJ found, Murata's own expert, Dr. Ulrich, confirmed that a person of skill in the art would have understood that lowering the L/W ratio would result in reduced inductance, the objective of the recited L/W ratio in the asserted claims. *See*, *e.g.*, '229 patent,

col. 14, ll. 62-64. He testified that an ordinarily skilled artisan "would have known that shortening the current path by widening the lead electrode tabs [W] would have reduced inductance" and that "shortening lead electrodes [L] would also result in a reduction of inductance." ID at 171 (citing Ulrich Tr. at 1288, 1294-96, 1300-01); see also Ulrich Tr. at 1004:13-1005:5; 1290:3-12 ("[Y]ou can reduce the path length of the current in the device [to reduce inductance]. And that's well known."). Murata accuses the ALJ of misunderstanding Dr. Ulrich's testimony. Murata Pet. at 28. According to Murata, "Prof. Ulrich testified that a person of skill in the art would have known not only that a wider lead would reduce the current path between adjacent leads but also that changing the lead dimension would not reduce the much longer path lengths for current travels across a MLCC" and that this means that there would be no impact on inductance. Id. at 29 (citing its findings of fact CFF5.547-550; CRFF6.40). Dr. Ulrich's testimony on this point, however, is clear, and Murata's interpretation of his testimony does not negate the fact that he testified that an ordinarily skilled artisan would have known that "shortening lead electrodes" would reduce inductance and that "increasing the width of a lead electrode would also reduce inductance." Ulrich Tr. at 1004:13-1005:5; 1290:3-12.

As the ALJ correctly found, Dr. Randall's testimony was also corroborated by the unrebutted testimonies of Mr. Galvagni, a designer of "interdigitated low inductance products in the 1980's through the mid-1990's, who testified that he never designed general purpose interdigitated capacitors with tabs having a L/W ratio greater than 3 because that would 'violate

some of the first principles," and Mr. deNeuf, "who designed and manufactured multilayer capacitor devices for a Murata U.S. subsidiary until 1995" and who testified that "one of the considerations for determining the width of the lead electrodes for the capacitor he designed was 'to improve the ESR inductance properties of the products.'" Galvagni Tr. at 1474-77; deNeuf Tr. at 1485-87, 1489, 1492-93, 1500-01. Murata does not present any evidence to rebut these testimonies. Rather, Murata argues that Mr. Galvagni has more than just ordinary skill in the art and that Mr. deNeuf's testimony is "garbled." Murata Pet. at 24-27. The simple fact that Mr. Galvagni has extensive experience in the art does not mean that he cannot testify as a fact witness to what the knowledge of an ordinarily skilled artisan would have been, and Murata cites no authority for that proposition. The allegation that Mr. deNeuf's testimony is "garbled" is just that—an allegation, and not substantiated by any evidence other than attorney argument. Thus, we find that clear and convincing evidence establishes that combining the AAPA with the knowledge in the art as of the date of the priority document for the '229 patent renders the asserted claims obvious.

Clear and convincing evidence also supports a finding that the AAPA in combination with either Nagakari or the deNeuf product renders the asserted claims obvious. We find that an ordinarily skilled artisan would combine the AAPA with either Nagakari or the deNeuf product because all three are in the same field of endeavor and reducing inductance is a well understood goal in the field. *See* Randall Tr. at 1632:6-10. In particular, Nagakari discloses a design for low

inductance MLCC having first and second electrode plates including at least one lead electrode on each plate and describes three mechanisms for reducing inductance: (1) short current paths, (2) increased magnetic field cancellation, and (3) use of lead electrodes or tabs to create multiple current paths. Randall Tr. at 1646:10-1647:3; Nagakari (RX-413) at ¶ 0010, 0021, 0043, 0053, Figs. 1 and 6. Nagakari specifically discloses dimensions of the lead electrode as 0.1 mm long and 0.15 mm wide, resulting in a L/W ratio of 0.667, which is within the narrowest L/W range claimed in the asserted claims. *Id.* As noted above, the only limitation that Murata argues is missing from the AAPA is the recited L/W ratio. Thus, the AAPA in combination with Nagakari renders the asserted claims obvious.

With respect to the deNeuf product, no dispute exists that they have electrode tabs with a L/W ratio between 1.59 and 2.9, well within the range of the asserted claims. ID at 172-173. Murata argues that one of ordinary skill in the art would not combine them because "the deNeuf product is a product, not a writing, and so it does not provide any guidance or teaching whatsoever." Murata Pet. at 33. Murata, however, points to no authority for the proposition that one cannot combine a product with a publication in an obviousness inquiry, but relies exclusively on its attorneys' argument. *See Dippin' Dots, Inc. v. Mosey*, 476 F.3d 1337, 1344 (Fed. Cir. 2007) (indicating that a prior art product can be combined with other references to render claims obvious).⁶ As noted above, the AAPA discloses all the claim limitations except for the range of

⁶ We note that there is no dispute that the deNeuf product is prior art to the '229 patent. deNeuf Tr. at 1490:7-18, 1492:16-25, 1493:1-6; CRFF 6.742-6.747; ID at 172. Specifically, the deNeuf products were manufactured and sold in the United States between 1993 and 1995, more

the L/W ratio, and the deNeuf product discloses L/W ratios within the claimed range. Moreover, both the AAPA and the deNeuf product are in the same field of endeavor. Thus, an ordinarily skilled artisan would combine the AAPA with the deNeuf product, rendering the asserted claims obvious.

Because the Commission finds that the asserted claims of the '229 patent are invalid for obviousness, the Commission does not reach the issue of anticipation.⁷ The Commission thus vacates the ALJ's finding that the AAPA does not anticipate the asserted claims of the '229 patent.

VIII. CONCLUSION

For the reasons set forth above, to the extent the ALJ's finding that the AAPA cannot constitute a "single allegedly anticipatory reference pursuant to Section 102" suggests that the AAPA is not prior art, the Commission reverses that finding. The Commission finds that the asserted claims of the '229 patent are obvious in light of a combination of (1) the AAPA and the knowledge in the art at the time of filing the patent's priority document, (2) the AAPA and Nagakari or (3) the AAPA and the deNeuf product. Given our determination that the asserted claims are invalid for obviousness, we do not reach the issue of anticipation. We adopt the ALJ's findings regarding the '229 patent in all other respects, including his finding that DuPré

than a year before the earliest priority date of November, 1997 for the '229 patent.

⁷ See Beloit Corp. v. Valmet Oy, 742 F.2d 1421, 1423 (Fed. Cir. 1984) ("The Commission . . . is at perfect liberty to reach a 'no violation' determination on a single dispositive issue. That approach may often save the Commission, the parties, and this court substantial unnecessary effort.").

either alone or in combination with Nagakari or the deNeuf product renders the asserted claims obvious.

By order of the Commission.

James R. Holbein

Secretary to the Commission

Issued: May 16, 2011

PUBLIC CERTIFICATE OF SERVICE

I, James R. Holbein, hereby certify that the attached COMMISSION OPINION has been served by hand upon, the Commission Investigative Attorney, Aarti Shah, Esq., and the following parties as indicated on May 17, 2011.

> James R. Holbein, Secretary U.S. International Trade Commission 500 E Street, SW, Room 112 Washington, DC 20436

<u>On</u>	Behalf of	f Complainants	<u>s Murata Ma</u>	nufacturing (Co, Ltd.
and	Murata	Electronics No	orth America	<u>, Inc.:</u>	
				/	

On Benan of Complamants Murata Manufacturing Co, Ltu.	
and Murata Electronics North America, Inc.:	
Sten A. Jensen, Esq. ORRICK, HERRINGTON & SUTCLIFFE LLP 1152 15 th Street, NW Washington, DC 20005	 () Via Hand Delivery () Via Overnight Delivery () Via First Class Mail () Other:
On Behalf of Respondents Samsung Electro-Mechanics Co,	
Ltd. and Samsung Electro-Mechanics America, Inc.:	
V. James Adduci, II, Esq. ADDUCI, MASTRIANI & SCHAUMBERG LLP 1200 17 th Street, NW, 5 th Floor Washington, DC, 20036	 () Yia Hand Delivery () Via Overnight Delivery () Via First Class Mail () Other:

UNITED STATES INTERNATIONAL TRADE COMMISSION Washington, D.C. 20436

In the Matter of

Investigation No. 337-TA-692

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

NOTICE OF COMMISSION DETERMINATION TO REVIEW IN PART A FINAL INITIAL DETERMINATION FINDING NO VIOLATION OF SECTION 337; SCHEDULE FOR FILING WRITTEN SUBMISSIONS ON THE ISSUES UNDER REVIEW AND ON REMEDY, THE PUBLIC INTEREST AND BONDING

AGENCY: U.S. International Trade Commission.

ACTION: Notice.

SUMMARY: Notice is hereby given that the U.S. International Trade Commission has determined to review in part the final initial determination ("ID") issued by the presiding administrative law judge ("ALJ") on December 22, 2010, finding no violation of section 337 of the Tariff Act of 1930, 19 U.S.C. § 1337, in this investigation.

FOR FURTHER INFORMATION CONTACT: Panyin A. Hughes, Office of the General Counsel, U.S. International Trade Commission, 500 E Street, S.W., Washington, D.C. 20436, telephone (202) 205-3042. Copies of non-confidential documents filed in connection with this investigation are or will be available for inspection during official business hours (8:45 a.m. to 5:15 p.m.) in the Office of the Secretary, U.S. International Trade Commission, 500 E Street, S.W., Washington, D.C. 20436, telephone (202) 205-2000. General information concerning the Commission may also be obtained by accessing its Internet server (http://www.usitc.gov). The public record for this investigation may be viewed on the Commission's electronic docket (EDIS) at http://edis.usitc.gov. Hearing-impaired persons are advised that information on this matter can be obtained by contacting the Commission's TDD terminal on (202) 205-1810.

SUPPLEMENTARY INFORMATION: The Commission instituted this investigation on November 4, 2009, based on a complaint filed by Murata Manufacturing Co., Ltd. of Kyoto, Japan and Murata Electronics North America, Inc. of Smyrna, Georgia (collectively, "Murata"). 74 Fed. Reg. 57193-94 (Nov. 4, 2009). The complaint alleged violations of section 337 of the Tariff Act of 1930 (19 U.S.C. § 1337) in the importation into the United States, the sale for importation, and the sale within the United States after importation of certain ceramic capacitors and products containing the same by reason of infringement of various claims of United States Patent Nos. 6,266,229 ("the '229 patent"); 6,014,309 ("the '309 patent"); 6,243,254 ("the '254 patent"); and 6,377,439 (subsequently terminated from the investigation). The complaint named Samsung Electro-Mechanics Co., Ltd. of Suwon City, Korea and Samsung Electro-Mechanics America, Inc. of Irvine, California (collectively, "Samsung") as respondents.

On December 22, 2010, the ALJ issued his final ID, finding no violation of section 337 by Respondents with respect to any of the asserted claims of the asserted patents. Specifically, the ALJ found that the accused products do not infringe the asserted claims of the '254 patent. The ALJ also found that none of the cited references anticipated the asserted claims and that none of the cited references rendered the asserted claims obvious. The ALJ further found that the asserted claims were not rendered unenforceable due to inequitable conduct. The ALJ, however, found that asserted claims 11-14, 19, and 20 of the '254 patent failed to satisfy the requirements of 35 U.S.C. § 112 for lack of written description. Likewise, the ALJ found that the accused products do not infringe asserted claim 3 of the '309 patent and that none of the cited references anticipated or rendered obvious the asserted claims. The ALJ further found that the asserted claim was not rendered unenforceable due to inequitable conduct. Similarly, the ALJ found that the accused products meet all the limitations of the asserted claims of the '229 patent and that the claims are not rendered unenforceable due to inequitable conduct. The ALJ further found that the cited references do not anticipate the asserted claims but found that the prior art rendered the asserted claims obvious. The ALJ concluded that an industry exists within the United States that practices the '254 and '229 patents but that a domestic industry does not exist with respect to the '309 patent as required by 19 U.S.C. § 1337(a)(2) and (3).

On January 4, 2011, Murata and the Commission investigative attorney filed petitions for review of the ID. That same day, Samsung filed a contingent petition for review of the ID. On January 12, 2011, the parties filed responses to the various petitions and contingent petition for review.

Having examined the record of this investigation, including the ALJ's final ID, the petitions for review, and the responses thereto, the Commission has determined to review the final ID in part. Specifically, the Commission has determined to review the findings related to the '229 patent and in particular the finding that AAPA (Applicant Admitted Prior Art) does not invalidate the asserted claims of the '229 patent. With respect to the '309 patent, it is unclear whether the ALJ made a specific finding that Nakano discloses a thickness ratio of 0.01 to 10. ID at 167. To the extent that the ALJ made such a finding, the Commission reverses and does not adopt such a finding as its own. The Commission has determined not to review the issues related to the '309 patent and '254 patent raised by the petitions for review and terminates the '309 and '254 patents from the investigation.

The parties are requested to brief their positions on the issues under review with reference to the applicable law and the evidentiary record. In connection with its review, the Commission is particularly interested in responses to the following questions:

- 1. Can characterizations of the prior art that patent applicants make in the specification constitute the "single allegedly anticipatory reference pursuant to Section 102"? See ID at 139. Even if those characterizations cannot constitute such a reference, are applicants bound by characterizations of the prior art contained in the specification? In your response, please consider Pharmastem Therapeutics, Inc. v. Viacell, Inc., 491 F.3d 1342, 1362 (Fed. Cir. 2007) and Constant v. Advanced Micro-Devices, Inc., 848 F.2d 1560, 1570 (Fed. Cir. 1988).
- 2. Assume that patent applicants are bound by their characterizations as described above. Have the '229 applicants made concessions showing that the asserted claims of the '229 patent are anticipated or obvious? Please specify how the alleged applicant admissions disclose that a single prior art reference discloses each limitation of the asserted claims and/or that a combination of prior art references render the claims obvious. Please cite only record evidence and relevant legal authority to support your position.
- 3. Assume that the specification can constitute a single allegedly anticipatory reference pursuant to Section 102. Please provide an analysis as to anticipation and obviousness. Please cite only record evidence and relevant legal authority to support your position.

In connection with the final disposition of this investigation, the Commission may (1) issue an order that could result in the exclusion of the subject articles from entry into the United States, and/or (2) issue one or more cease and desist orders that could result in the respondent(s) being required to cease and desist from engaging in unfair acts in the importation and sale of such articles. Accordingly, the Commission is interested in receiving written submissions that address the form of remedy, if any, that should be ordered. If a party seeks exclusion of an article from entry into the United States for purposes other than entry for consumption, the party should so indicate and provide information establishing that activities involving other types of entry either are adversely affecting it or likely to do so. For background, see In the Matter of Certain Devices for Connecting Computers via Telephone Lines, Inv. No. 337-TA-360, USITC Pub. No. 2843 (December 1994) (Commission Opinion).

If the Commission contemplates some form of remedy, it must consider the effects of that remedy upon the public interest. The factors the Commission will consider include the effect that an exclusion order and/or cease and desist orders would have on (1) the public health and welfare, (2) competitive conditions in the U.S. economy, (3) U.S. production of articles that are like or directly competitive with those that are subject to investigation, and (4) U.S. consumers. The Commission is therefore interested in receiving written submissions that address the aforementioned public interest factors in the context of this investigation.

If the Commission orders some form of remedy, the U.S. Trade Representative, as delegated by the President, has 60 days to approve or disapprove the Commission's action. *See* Presidential Memorandum of July 21, 2005, 70 *Fed. Reg.* 43251 (July 26, 2005). During this period, the subject articles would be entitled to enter the United States under bond, in an amount determined by the Commission. The Commission is therefore interested in receiving submissions concerning the amount of the bond that should be imposed if a remedy is ordered.

WRITTEN SUBMISSIONS: The parties to the investigation are requested to file written submissions on the issues identified in this notice. Parties to the investigation, interested government agencies, and any other interested parties are encouraged to file written submissions on the issues of remedy, the public interest, and bonding. Such submissions should address the recommended determination by the ALJ on remedy and bonding with respect to the '229 patent. Complainants and the IA are also requested to submit proposed remedial orders for the Commission's consideration. Complainants are also requested to state the date that the patent expires and the HTSUS numbers under which the accused products are imported. The written submissions and proposed remedial orders must be filed no later than close of business on Tuesday, March 8, 2011. Reply submissions must be filed no later than the close of business on Tuesday, March 15, 2011. No further submissions on these issues will be permitted unless otherwise ordered by the Commission.

Persons filing written submissions must file the original document and 12 true copies thereof on or before the deadlines stated above with the Office of the Secretary. Any person desiring to submit a document to the Commission in confidence must request confidential treatment unless the information has already been granted such treatment during the proceedings. All such requests should be directed to the Secretary of the Commission and must include a full statement of the reasons why the Commission should grant such treatment. *See* 19 C.F.R. § 210.6. Documents for which confidential treatment by the Commission is sought will be treated accordingly. All nonconfidential written submissions will be available for public inspection at the Office of the Secretary.

The authority for the Commission's determination is contained in section 337 of the Tariff Act of 1930, as amended (19 U.S.C. § 1337), and in sections 210.42-46 and 210.50 of the Commission's Rules of Practice and Procedure (19 C.F.R. §§ 210.42-46 and 210.50).

By order of the Commission.

William R. Bishop

Hearings and Meetings Coordinator

Issued: February 23, 2011

PUBLIC CERTIFICATE OF SERVICE

I, James R. Holbein, hereby certify that the attached NOTICE OF COMMISSION DETERMINATION TO REVIEW IN PART A FINAL INITIAL DETERMINATION FINDING NO VIOLATION OF SECTION 337; SCHEDULE FOR FILING WRITTEN SUBMISSIONS ON THE ISSUES UNDER REVIEW AND ON REMEDY, THE PUBLIC INTEREST AND BONDING has been served by hand upon, the Commission Investigative Attorney, Aarti Shah, Esq. and the following parties as indicated on February 23, 2011.

James R. Holbein, Acting Secretary U.S. International Trade Commission 500 E Street, SW, Room 112 Washington, DC 20436

On Behalf of Complainants Murata Manufacturing Co, Ltd. and Murata Electronics North America, Inc.:

Sten A. Jensen, Esq. ORRICK, HERRINGTON & SUTCLIFFE LLP 1152 15 th Street, NW Washington, DC 20005	 () Via Hand Delivery () Via Overnight Delivery () Via First Class Mail () Other:
On Behalf of Respondents Samsung Electro-Mechanics Ltd. and Samsung Electro-Mechanics America, Inc.:	<u>Co,</u>
V. James Adduci, II, Esq. ADDUCI, MASTRIANI & SCHAUMBERG LLP 1200 17 th Street, NW, 5 th Floor	() Via Hand Delivery () Via Overnight Delivery () Via First Class Mail

UNITED STATES INTERNATIONAL TRADE COMMISSION

Washington, D.C.

In the Matter of

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

Inv. No. 337-TA-692

NOTICE RE CORRECTION OF ERROR IN FINAL INITIAL DETERMINATION

(January 11, 2011)

One of the parties has brought it to the attention of the Administrative Law Judge that there is an error on page 192 of the Final Initial Determination, dated December 22, 2010 ("Final ID"), with respect to the initial identification of the domestic industry products asserted by Complainants. While the error does not affect the analysis or conclusions in the Final Initial Determination (the evidence and arguments with respect to the correct products were analyzed), in order to reduce any confusion the Administrative Law Judge makes the following corrections to the initial identification of the products asserted by Complainants to support their assertions with respect to technical domestic industry, appearing on page 192 of the Final ID.

Thus, in this Investigation Murata must show that it satisfies both the technical and economic prongs of the domestic industry requirement with respect to the '254, '309, and '229 patents. For the '254 patent, Murata has identified hundreds of Murata products (collectively, the "Murata '254 Products") that it alleges practice the '254 patent in order to show that Murata meets the domestic industry requirement. (CX-15C; SFF 100 (undisputed).) The private parties have stipulated that GRM155B30J105KE18D is representative of the Murata '254 Products manufactured using compositions { }. (CBr. at 40; CFF 3.649 (undisputed).) Staff relies on Murata product GRM32CR72A105KA35, representative of Murata MLCCs using compositions }, and Murata product GRM32CR72A105KA35, which Staff says "is representative of Murata MLCCs using compositions { } and { } but uses composition { }." (SBr. at 33.) For the '309 patent, Murata selected dozens of MLCCs (the "DI Products") that it alleges practices the '309 patent in order to show that Murata meets the domestic industry

requirement. (CX-8C; SFF 175; COSFF 175.) For the '229 patent, Murata selected two representative products, LLM315R70J225MA11 and LLA215CG105MA14 (collectively, the "Murata '229 Products") that it alleges practice the '229 patent in order to show that Murata meets the domestic industry requirement. (CBr. at 116; SBr. at 109.)

Within seven days of the date of this document, each party shall submit to the Office of the Administrative Law Judges a statement as to whether or not it seeks to have any portion of this document deleted from the public version. The parties' submissions may be made by facsimile and/or hard copy by the aforementioned date.

Any party seeking to have any portion of this document deleted from the public version thereof must submit to this office a copy of this document with red brackets indicating any portion asserted to contain confidential business information. The parties' submissions concerning the public version of this document need not be filed with the Commission Secretary.

SO ORDERED.

E. James Gildea

Administrative Law Judge

IN THE MATTER OF CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

PUBLIC CERTIFICATE OF SERVICE

I, Marilyn R. Abbott, hereby certify that the attack Commission Investigative Attorney, Aarti Shah on January 21, 2011.	
FOR COMPLAINANTS MURATA MAN ELECTRONICS NORTH AMERICA, INC.	NUFACTURING CO., LTD., MURATA
Steven J. Routh, Esq.	() Via Hand Delivery
ORRICK, HERRINGTON &	() Xia Overnight Mail
SUTCLIFFE, LLP	() Via First Class Mail
1152 15 th Street, NW	() Other:
Washington, DC 20005 P: 202-339-8400	
FOR RESPONDENT SAMSUNG ELECTRO- ELECTRO-MECHANICS AMERICA, INC.	MECHANICS CO., LTD.,; SAMSUNG
V. James Adduci II, Esq.	() V/ia Hand Delivery
ADDUCI, MASTRIANI &	() Via Overnight Mail
SCHAUMBERG, LLP	() Via First Class Mail
1200 Seventeenth Street, NW 5 th Floor	() Other:
Washington, DC 20036	() ()
P: 202-467-6300	

337-TA-692

IN THE MATTER OF CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

PUBLIC MAILING LIST

Heather Hall LEXIS - NEXIS 9443 Springboro Pike Miamisburg, OH 45342	() Via Hand Delivery() Via Overnight Mail() Via First Class Mail() Other:
Kenneth Clair THOMSON WEST 1100 13th Street, NW, Suite 200 Washington, D.C. 20005	() Via Hand Delivery () Via Overnight Mail (v) Via First Class Mail () Other:

UNITED STATES INTERNATIONAL TRADE COMMISSION Washington, D.C.

In the Matter of

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

Inv. No. 337-TA-692

INITIAL DETERMINATION ON VIOLATION OF SECTION 337 AND RECOMMENDED DETERMINATION ON REMEDY AND BOND

Administrative Law Judge E. James Gildea

(December 22, 2010)

Appearances:

For the Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.:

Steven J. Roth, Esq.; and Sten A. Jensen, Esq. of Orrick, Herrington & Sutcliffe, LLP of Washington, D.C.

William H. Wright, Esq. of Orrick, Herrington & Sutcliffe, LLP of Los Angeles, California.

For the Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc.:

George A. Riley, Esq.; and Anne E. Huffsmith, Esq. of O'Melveny & Myers, LLP of San Francisco, California

John Kappos, Esq.; and Bo Moon, Esq. of O'Melveny & Myers, LLP of Newport Beach, California

Stephen J. Akerley, Esq. of O'Melveny & Myers, LLP of Menlo Park, California

Brian M. Berliner, Esq. of O'Melveny & Myers, LLP of Los Angeles, California

R. Paul Zeineddin, Esq. of O'Melveny & Myers, LLP of Washington, D.C.

David H. Hollander, Jr., Esq. of Adduci, Mastriani & Schaumberg, LLP of Washington, D.C.

For the Commission Investigative Staff:

Lynn I. Levine, Esq., Director; Anne Goalwin, Esq., Supervisory Attorney; Aarti Shah, Esq., Investigative Attorney, of the Office of Unfair Import Investigations, U.S. International Trade Commission, of Washington, D.C.

CONTAINS CONFIDENTIAL BUSINESS INFORMATION SUBJECT TO PROTECTIVE ORDER

Pursuant to the Notice of Investigation, 74 Fed. Reg. 57194 (November 4, 2009), this is the Initial Determination of the Investigation in the Matter of Certain Ceramic Capacitors and Products Containing Same, United States International Trade Commission Investigation No. 337-TA-692. *See* 19 C.F.R. § 210.42(a).

With respect to Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc., it is held that no violation of Section 337 of the Tariff Act of 1930, as amended (19 U.S.C. § 1337), has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation, of certain multi-layer ceramic capacitors by reason of infringement of one or more of claims 1, 2, 9, 11-14, and 19-20 of United States Patent No. 6,243,254.

With respect to Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc., it held that no violation of Section 337 of the Tariff Act of 1930, as amended, has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation, of certain multi-layer ceramic capacitors by reason of infringement of claim 3 of United States Patent No. 6,014,309.

With respect to Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc., it is held that no violation of Section 337 of the Tariff Act of 1930, as amended (19 U.S.C. § 1337), has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation, of certain multi-layer ceramic capacitors by reason of infringement of one or more of claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of United States Patent No. 6,266,229.

It is further held that a domestic industry exists that practices U.S. Patent Nos. 6,243,254 and 6,266,229, but not U.S. Patent No. 6,014,309.

TABLE OF CONTENTS

		DETERMINATION ON VIOLATION OF SECTION 337 AND RECOMMENDED	
DET.		INATION ON REMEDY AND BOND	
1.		CKGROUND.	
	A.	Institution and Procedural History of this Investigation.	
	В.	The Parties.	
		1. Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North Am	ierica,
		Inc. 2	
		2. Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mecha	
		America, Inc.	
	C.	Overview of the Technology.	
	D.	The Patents at Issue.	
		U.S. Patent No. 6,243,254.	
		U.S. Patent No. 6,014,309.	
		U.S. Patent No. 6,266,229.	
	E.	The Products at Issue.	
II.	JUR	RISDICTION AND IMPORTATION.	14
III.	CLA	AIM CONSTRUCTION	
	A.	Applicable Law	15
	B.	²⁵⁴ patent	19
		1. Level of Skill in the Art.	19
		2. The Disputed Claim Terms of the '254 patent and Their Proper Construction	20
		a) Claims 1, 2: "dielectric ceramic"	
		$(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$	
		b) Claims 1, 2: " $(Ba_{l-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ "	
		$_{x}$ Ca $_{x}$ O) $_{m}$ TiO $_{2}$ + α Re $_{2}$ O $_{3}$ + β MgO + γ MnO" differently. Murata and Staff divide t term as follows: 1) (Ba $_{1-x}$ Ca $_{x}$ O) $_{m}$ TiO $_{2}$; and 2) α Re $_{2}$ O $_{3}$ + β MgO + γ MnO. (CBr. SBr. at 14-17.) Samsung proposes that the term be construed as an entire unit. (at 6;
		at 13.)	29
		c) Claims 1, 2: " $(Ba_{1-x}Ca_xO)_mTiO_2$ "	
		d) Claim 2: "mean particle size"	36
	C.	d) Claim 2: "mean particle size"	36
		1. Level of Skill in the Art.	
		2. The Disputed Claim Terms of the '309 patent and Their Proper Construction	
		a) Claim 3, "the thickness of each said internal ceramic layer"	
		b) Claim 3, "the average thickness of each said internal ceramic layer"	
		c) Claim 3, "ratio of the average thickness of each said internal electrode to the	
		average thickness of each said internal ceramic layer"	
		d) Claim 3, "each"	
	D.	'229 patent.	
	ν.	1. Level of Skill in the Art.	
		2. The Disputed Claim Terms of the '229 patent and Their Proper Construction	
		a) Claim 1: "first and second electrode plates being interleaved with each other	
		opposed and spaced apart relation"	
			03
		d) Claim 51, "position located between the positions to which the first lead	<i>((</i>
		electrodes extend"	
		e) Claims 7, 34, "substantially equal to each other"	os

IV.	INF	RINGEMENT DETERMINATIÓN	70
	A.	Applicable-Law	70
	B.	Analysis of the Accused Products with Respect to the '254 patent	71
		1. Claim 1	
		2. Claim 2	
		3. Claim 9	
		4. Claims 11-14 and 19-20.	
	C.	Analysis of the Accused Products with Respect to the '309 patent	
	D.	Analysis of the Accused Products with Respect to the '229 patent	
	. D.	1. Claim 1	
		a) Element "a", a capacitor body including top and bottom surfaces and oppose	
		side surfaces which have continuously flat surfaces and are disposed between the	
		and bottom surfaces and opposed end surfaces disposed between the top and bottom	
		surfaces and the opposed side surfaces, the capacitor body including a plurality o	
		first electrode plates and a plurality of second electrode plates, the first and secon	ıd
		electrode plates being interleaved with each other in opposed and spaced apart	
		relation; and	. 112
		b) Element "c," the first and second electrode plates each including a main	
		electrode portion and a plurality of spaced apart lead structures extending therefr	om,
		respective lead structures of the first electrodes plates being located adjacent	
		respective lead structures of the second electrode plates in an interdigitated	
		arrangement; and	. 118
		c) Element "d," a plurality of electrical terminals located on each of the opposed	d
		side surfaces of the capacitor body, corresponding lead structures of the first	
		electrode plates and corresponding lead structures of the second electrode plates	
		being electrically connected together by respective ones of the electrical terminals	s to
		define a plurality of first polarity electrical terminals and a plurality of second	
		polarity electrical terminals, respectively, located on the capacitor body; wherein	121
		d) Element "e," each of the first polarity terminals is disposed opposite to anoth	
			<i>e1</i>
		of the first polarity terminals across the capacitor body and each of the second	
		polarity terminals is disposed opposite to another of the second polarity terminals	
		across the capacitor body; and	
		e) Element "f," at least one of the lead structures of the first and second electrod	
		plates have a length L and a width W and a ratio L/W is equal to about 3 or less	
		f) Conclusion.	
		2. Claims 2-4, 7, 17-18, and 23.	124
		3. Claims 28-31, 34	127
		4. Claims 51-53	130
		5. Conclusion.	132
V.	VA]	LIDITY	132
	A.	Background	132
	В.	Anticipation.	
		1. '254 patent	
		a) U.S. Patent No. 5,742,473.	
		2. '309 patent	
		a) Nakano Application.	
		3. '229 patent	
		a) Applicant Admitted Prior Art.	
		b) U.S. Patent No. 4,831,494	
		c) Galvagni Reference.	
		d) U.S. Patent No. 5,880,925.	150

		e) U.S. Patent No. 5,430,605 and deNeuf Product	150
	C. O	oviousness	
	1.	'254 patent	153
		a) Japanese Patent Publication H8-31232	153
		b) U.S. Patent No. 5,742,473.	
	2.	'309 patent	
		a) The Yoneda Article	
	3.	²²⁹ patent	168
		a) DuPré	
	D. V	alidity Under 35 U.S.C. § 112.	177
	1.	²⁵⁴ Patent	
	2.	'309 Patent	181
	E. In	equitable Conduct	189
	1.	'254 Patent	190
	2.	'309 Patent	190
	3.	'229 Patent	
VI.	WAIVE	R OR WITHDRAWAL OF RESPONDENTS' OTHER DEFENSES	191
VII.	DOMES	STIC INDUSTRY	191
	A. To	echnical Analysis	193
	1.	'254 patent	
	2.	'309 patent	198
	3.	'229 patent, claim 1	203
	B. Ed	conomic Analysis.	205
VIII.	C	ONCLUSIONS OF LAW	214
IX.	INITIA	L DETERMINATION AND ORDER	216
I.	REMEI	DY AND BONDING	218
	A. A	pplicable Law	218
	B. Re	emedy with Respect to the '254, '309, and '229 patents	218
II.		AND DESIST ORDER	
III.	BOND	DURING PRESIDENTIAL REVIEW PERIOD	225
IV.	CONCI	USION	227

CONTAINS CONFIDENTIAL BUSINESS INFORMATION SUBJECT TO PROTECTIVE ORDER

The following abbreviations may be used in this Initial Determination:

JX	Joint Exhibit
CX	Complainants' exhibit
CDX	Complainants' demonstrative exhibit
CPX	Complainants' physical exhibit
CFF	Complainants' proposed findings of fact
CCL	Complainants' proposed conclusions of law
CBr.	Complainants' initial post-hearing brief
CORFF	Complainants' objections to Respondents' proposed findings of fact
COSFF	Complainants' objections to Staff's proposed findings of fact
CRBr.	Complainants' reply post-hearing brief
RX	Respondents' exhibit
RDX	Respondents' demonstrative exhibit
RPX	Respondents' physical exhibit
RFF	Respondents' proposed findings of fact
RCL	Respondents' proposed conclusions of law
RBr.	Respondents' initial post-hearing brief
ROCFF	Respondents' objections to Complainants' proposed findings of fact
ROSFF	Respondents' objections to Staff's proposed findings of fact
RRBr.	Respondents' reply post-hearing brief
SFF	Staff's proposed findings of fact
SCL	Staff's proposed conclusions of law
SBr.	Staff's initial post-hearing brief
SOCFF	Staff's objections to Complainants' proposed findings of fact
SORFF	Staff's objections to Respondents' proposed findings of fact
SRBr.	Staff's reply post-hearing brief
Tr.	Hearing transcript

I. BACKGROUND.

A. Institution and Procedural History of this Investigation.

By publication of a Notice of Investigation in the *Federal Register* on September 16, 2009, pursuant to subsection (b) of Section 337 of the Tariff Act of 1930, as amended, the Commission instituted Investigation No. 337-TA-692 with respect to U.S. Patent No. 6,266,229 (the "229 patent"), U.S. Patent No. 6,014,309 (the "309 patent"), U.S. Patent No. 6,377,439 (the "439 patent") and U.S. Patent No. 6,243,254 (the "254 patent") to determine the following:

whether there is a violation of subsection (a)(1)(B) of section 337 in the importation into the United States, the sale for importation, or the sale within the United States after importation of certain ceramic capacitors or products containing same that infringe one or more of claims 1–4, 7–9, 11–14, 17–24, 28–31, 34–47, 51–53, 55, and 56 of U.S. Patent No. 6,266,229; claim 3 of U.S. Patent No. 6,014,309; claims 1–3, and 5 of U.S. Patent No. 6,377,439; and claims 1, 2, 9–14, 19, and 20 of U.S. Patent No. 6,243,254, and whether an industry in the United States exists as required by subsection (a)(2) of section 337[.]

74 Fed. Reg. 57194 (2009).

Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc. are named in the Notice of Investigation as the Complainants. *Id.* The Respondents named in the Notice of Investigation are Samsung Electro-Mechanics Co., Ltd. of Suwon City, Korea and Samsung Electro-Mechanics America, Inc., of Irvine, California. *Id.* The Commission Investigative Staff of the Commission's Office of Unfair Import Investigations is also a party in this Investigation. *Id.*

A pre-hearing conference was held on March 24, 2010. (See Order Nos. 10, 14.)

Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America,

Inc. (collectively, "Samsung"); Complainants Murata Manufacturing Co., Ltd. and Murata

Electronics North America, Inc. ("collectively, Murata"); and Commission Investigative Staff ("Staff"), were represented by counsel at the pre-hearing conference.

On June 17, 2010, the Administrative Law Judge issued an initial determination granting Murata's unopposed motion to partially terminate the Investigation with respect to U.S. Patent No. 6,377,439. (*See* Order No. 35.) The Commission determined not to review the order. (*See* Notice of Commission Decision Not to Review an Initial Determination Granting Complainants' Unopposed Motion to Terminate the Investigation in Part as to United States Patent No. 6,377,439 (July 7, 2010).)

The evidentiary hearing on the question of violation of Section 337 began on July 22, 2010, and ended on July 30, 2010. Samsung, Murata, and Staff were represented by counsel at the hearing.

B. The Parties.

1. Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.

Murata Manufacturing Co., Ltd. is a Japanese corporation having its principal place of business in Kyoto, Japan. (*See* Complaint Under Section 337 of the Tariff Act of 1930, as Amended ("Complaint") at 3; CFF 1.13 (undisputed).) Murata Manufacturing Co., Ltd. manufactures capacitors, filters, sensors, modules, circuit components, and other electronics products. (Complaint at 3; CFF 1.22 (undisputed).) It is also engaged in the research and development of new technology and products, including research and development activities relating to multi-layer ceramic capacitors. (CFF 1.28 (undisputed); CFF 1.30; ROCFF 1.30-1.)

Murata Electronics North America, Inc. is a corporation organized under the laws of Texas, having its principal place of business in Smyrna, Georgia. (*See* Complaint at 4; CFF 1.39 (undisputed).) Murata Electronics North America, Inc. is a wholly-owned subsidiary of Murata

Manufacturing Co., Ltd. (Complaint at 4; CFF 1.36 (undisputed).) Murata Electronics North America, Inc. provides quality assurance services, technical engineering functions, technical assistance, sales and marketing, and other services relating to multi-layer ceramic capacitors. (CFF 1.44-45; CFF 1.48-49.)

2. Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc.

Samsung Electro-Mechanics Co., Ltd. is a South Korean corporation with its principal place of business in Suwon City, South Korea. (Complaint at 5; CFF 1.182 (undisputed).)

Samsung Electro-Mechanics Co., Ltd. manufactures, imports, and sells ceramic capacitors accused of infringing the asserted patents. (Complaint at 5; CFF 1.183-84 (undisputed); CFF 1.186-190 (undisputed).)

Samsung Electro-Mechanics America, Inc. is a California corporation with its principal place of business in Irvine, California. (Complaint at 5; CFF 1.205 (undisputed).) Samsung Electro-Mechanics America, Inc. is a wholly owned subsidiary of Samsung Electro-Mechanics Co., Ltd. (*Id.*) Samsung Electro-Mechanics America, Inc. purchases ceramic capacitors accused of infringing the asserted patents from Samsung Electro-Mechanics Co., Ltd., stores them in inventory, and then sells them. (Complaint at 5; CFF 1.209-10 (undisputed).)

C. Overview of the Technology.

At issue are certain multi-layer ceramic capacitors ("MLCCs"). (CFF 1.271 (undisputed); CFF 1.274 (undisputed).) Capacitors are "passive" electronic devices consisting of "one or more pairs of parallel, conducting electrode plates which are separated by a 'dielectric'—i.e., insulating material." (CFF1.271 (undisputed).) Multi-layer capacitors contain more than one pair of electrode plates, or internal (inner) electrodes, embedded in a ceramic block with a

dielectric layer between each pair of electrodes. (CFF 1.276 (undisputed); CFF 1.278 (undisputed).) The internal electrodes are electrically connected, either directly or with a lead electrode, to external (outer) electrodes. (CFF 1.280 (undisputed).) In an electrical circuit, when a voltage is applied to the external electrodes of a multilayer capacitor, the parallel internal electrodes in each pair acquire equal but opposite (positive and negative) charges, and energy is stored in the dielectric between the internal electrodes. (CFF 1.281 (undisputed).)

D. The Patents at Issue.

U.S. Patent No. 6,243,254.

This Investigation concerns U.S. Patent No. 6,243,254 (the "254 patent"), entitled "Dielectric Ceramic Composition and Laminated Ceramic Capacitor Using the Same," which resulted from U.S. Patent Application No. 09/369,988, filed on August 6, 1999, and claims priority to (JP) 10-227202 and 10-227203, both dated August 11, 1998. (*See JX-4* at JX-04.002.) The '254 patent issued on June 5, 2001. (*Id.*) The '254 patent names Nobuyuki Wada, Masamitsu Shibata, Takashi Hiramatsu, and Yukio Hamaji as the inventors. (*Id.*) The '254 patent was assigned to Murata Manufacturing Co., Ltd. (JX-8.)

The '254 patent discloses a composition for a dielectric ceramic and a laminated ceramic capacitor of that composition.

The '254 patent has nine asserted claims, one of which is independent. Asserted claims 1, 2, 9, 11-14, and 19-20 read as follows:

1. A dielectric ceramic comprising

$$(Ba_{1-x}Ca_xO)_mTiO_2+\alpha Re_2O_3+\beta MgO+\gamma MnO$$

in which Re is at least one member selected from the group consisting of Y, Gd, Tb, Dy, Ho, Er and Yb; α , β γ , m and x are molar ratios; $0.001 \le \alpha \le 0.10$; $0.001 \le \beta \le 0.12$; $0.001 \le \gamma \le 0.12$; $1.000 \le m \le 1.035$; and $0.005 \le x \le 0.22$, and

- about 0.2 to 5.0 parts by weight of either a first sub-component or a second sub-component or a third sub-component relative to 100 parts by weight of (Ba_{1-x}Ca_xO)_mTiO₂, wherein
 - [a] the $(Ba_{1-x}Ca_xO)_mTiO_2$ contains about 0.02% by weight or less of alkali metal oxides,
 - [b] the first sub-component is a Li₂O—(Si, Ti)O₂—MO oxide in which M is at least one of Al and Zr,
 - [c] the second sub-component is a SiO₂—TiO₂—XO oxide in which X is at least one selected from the group consisting of Ba, Ca, Sr, Mg, Zn and Mn, and the third sub-component is SiO₂.
- 2. A dielectric ceramic according to claim 1, wherein the $(Ba_{1-x}Ca_xO)_mTiO_2$ has a mean particle size of about 0.1 to 0.7 μ m.
- 9. A dielectric ceramic according to claim 1 in which the third sub-component is present.
- 11. A laminated ceramic capacitor having:
 - [a] a plurality of dielectric layers containing the dielectric ceramic according to claim 1;
 - [b] a plurality of inner dielectric layers comprising Ni or a Ni alloy and existing among a plurality of said dielectric layers; and
 - [c] external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said ceramic capacitor.
- 12. A laminated ceramic capacitor according to claim 11, wherein said external electrodes comprise a sintered layer of conductive metal powder or conductive metal powder and glass frit.
- 13. A laminated ceramic capacitor having:
 - [a] a plurality of dielectric layers containing the dielectric ceramic according to claim 2;
 - [b] a plurality of inner dielectric layers comprising Ni or a Ni alloy and existing among a plurality of said dielectric layers; and
 - [c] external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said ceramic capacitor.
- 14. A laminated ceramic capacitor according to claim 13, wherein said external electrodes comprise a sintered layer of conductive metal powder or conductive metal powder and glass frit.
- 19. A laminated ceramic capacitor having:

- [a] a plurality of dielectric layers containing the dielectric ceramic according to claim 9;
- [b] a plurality of inner dielectric layers comprising Ni or a Ni alloy and existing among a plurality of said dielectric layers; and
- [c] external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said ceramic capacitor.
- 20. A laminated ceramic capacitor according to claim 19, wherein said external electrodes comprise a sintered layer of conductive metal powder or conductive metal powder and glass frit.

(JX-4 at 32:67-33:9, 33:51-34:19, 34:48-62.)

U.S. Patent No. 6,014,309.

This Investigation concerns U.S. Patent No. 6,014,309 (the "309 patent"), entitled "Laminated Ceramic Electronic Parts," which resulted from U.S. Patent Application No. 09/075,668, filed on May 11,1998, and claims priority to (JP) 9-135823, dated May 9, 1997. (*See* JX-2 at 2.) The '309 patent issued on January 11, 2000. (*Id.*) The '309 patent names Yasushi Ueno, Yoshikazu Takagi, Kazuaki Kawabata, and Nagato Omori as the inventors. (*Id.*) The '309 patent was assigned to Murata Manufacturing Co., Ltd. (JX-6.)

The '309 patent discloses a laminated ceramic electronic part in which the thickness of the individual ceramic layers does not exceed 10 microns, the number of internal electrodes is not less than 200, the ratio of thickness of an internal electrode to the thickness of a ceramic layer is 0.10 to 0.40, and the ratio of a volume of the internal electrode to a volume of the ceramic element is 0.10 to 0.30. (JX-2, Abstract.)

The '309 patent has one asserted claim, which is independent. Asserted claim 3 reads as follows:

- 3. A laminated ceramic electronic part, comprising:
 - (a) a ceramic element including:
 - (1) a plurality of overlapping internal electrodes;

- (2) a plurality of internal ceramic layers located between respective pairs of said overlapping internal electrodes;
- (3) upper and lower ceramic layers located above and below the uppermost and lowermost ones of said overlapping internal electrodes, respectively;
- (b) a pair of external electrodes formed on at least one outer surface of said ceramic element, each of said overlapping internal electrodes being electrically coupled to a respective external electrode;
- (c) said ceramic element satisfying the requirements:
 - (1) the thickness of each said internal ceramic layer is 10 µm or less;
 - (2) the number of said internal electrodes is 200 or more;
 - (3) the ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer is 0.10 to 0.40; and
 - (4) the ratio of the combined volume of said internal electrodes to the combined volume of said ceramic element is 0.10 to 0.30.

(JX-2 at 6:15-37.)

U.S. Patent No. 6,266,229.

This Investigation concerns U.S. Patent No. 6,266,229 (the "229 patent"), entitled "Multilayer Capacitor," which resulted from U.S. Patent Application No. 09/501,084, filed on February 9, 2000, which is a continuation-in-part of Application No. 09/042,379, filed on March 13, 1998, now U.S. Patent No. 6,072,687. (*See* JX-1 at JX-01.002.) The '229 patent issued on July 24, 2001 and claims priority to (JP) 9-306717, dated November 10, 1997, and (JP) 11-370803, dated December 27, 1999. (*Id.*) The '229 patent names Yasuyuki Naito, Masaaki Taniguchi, Yoichi Kuroda, Takanori Kondo, Michihiro Murata, and Yoshitaka Tanino as the inventors. (*Id.*) The '229 patent was assigned to Murata Manufacturing Co., Ltd. (JX-5.)

The '229 patent discloses a "multi-layer capacitor device" that includes a capacitor body including "first electrode plates and a plurality of second electrode plates." (JX-1 at Abstract.)

The '229 patent discloses preferred embodiments of a multi-layer capacitor that is designed to

reduce equivalent series induction ("ESL"). (*Id.* at 2:53-55.) One such embodiment is a multilayer capacitor **31** that includes a plurality of generally planar dielectric layers **39** with a pair of internal electrodes (**40**, **41**) in a "face-to-face relationship with each other with a dielectric material layer **39** interposed therebetween. . . ." (*Id.* at 6:28-54.)

FIG. 1




FIG. 2





FIG. 3



(Id. at Figs. 1-3.)

The '229 patent has sixteen asserted claims, three of which are independent. Asserted claims 1-4, 7, 17, 18, 23, 28-31, 34, and 51-53 read as follows:

- 1. A multi-layer capacitor device comprising:
 - [a] a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation;
 - [b] a dielectric material located between each opposed set of the first and second electrode plates;
 - [c] the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and
 - [d] a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein
 - [e] each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and
 - [f] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.
- 2. The multi-layer capacitor according to claim 1, wherein the ratio L/W is equal to about 1.3 or less.
- 3. The multi-layer capacitor according to claim 1, wherein the ratio L/W is equal to about 0.4 or greater.
- 4. The multi-layer capacitor according to claim 1, wherein the ratio L/W is equal to or less than about 1.3 and greater than or equal to about 0.4.

- 7. The multi-layer capacitor according to claim 1, wherein the lengths L of all of the lead electrodes are substantially equal to each other.
- 17. The multi-layer capacitor device according to claim 1, wherein each of the first polarity terminals is adjacent to one of the second polarity terminals and each of the second polarity terminals is adjacent to one of the first polarity terminals along each of the opposed side surfaces of the capacitor body.
- 18. The multi-layer capacitor device according to claim 1, wherein the electrical terminals extend to portions of the top and bottom surfaces.
- 23. The multi-layer capacitor device according to claim 1, wherein each of the pair of opposed side surfaces of the capacitor body includes at least four of the electrical terminals disposed thereon.
- 28. A multi-layer capacitor device comprising:
 - [a] a capacitor body including a pair of opposed side surfaces having continuously smooth surfaces and a pair of opposed end surfaces disposed between the pair of opposed side surfaces;
 - [b] at least four electrical terminals disposed on each of the opposed side surfaces;
 - [c] the capacitor body also including at least one first electrode plate having a substantially rectangular first main electrode portion with a plurality of first lead structures extending therefrom and at least one second electrode plate situated in opposed and spaced apart relation to the first electrode plate, the second electrode plate having a substantially rectangular second main electrode portion with a plurality of second lead structures extending therefrom, respective ones of the first lead structures being located adjacent respective ones of the second lead structures in an interdigitated arrangement and extending to respective ones of the electrical terminals; dielectric material disposed between each opposing set of first and second electrode plates; wherein
 - [d] each of the lead terminals of the at least one first electrode plate being disposed opposite to another of the lead terminals of the at least one first electrode plate across the capacitor body and each of the lead terminals of the at least one second electrode plate being disposed opposite to another of the lead terminals of the at least one second electrode plate across the capacitor body; and
 - [e] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

- 29. The multi-layer capacitor device according to claim 28, wherein the ratio L/W is equal to about 1.3 or less.
- **30**. The multi-layer capacitor device according to claim **28**, wherein the ratio L/W is equal to about 0.4 or greater.
- 31. The multi-layer capacitor device according to claim 28, wherein the ratio L/W is equal to or less than about 1.3 and greater than or equal to about 0.4.
- **34**. The multi-layer capacitor device according to claim **28**, wherein the lengths L of all of the lead electrodes are substantially equal to each other.
- 51. A monolithic capacitor comprising:
 - [a] a capacitor body having two opposed main surfaces and four side surfaces connected between the two main surfaces, said capacitor body including a plurality of dielectric layers extending in the direction in which the two opposed main surfaces extend, and at least one pair of first and second internal electrodes opposed to each other through one of the dielectric layers so as to define a capacitor unit, said capacitor body further including at least two first lead electrodes extending from one of the first internal electrodes to at least two positions on at least one of the side surfaces, and at least one second lead electrode extending from the second internal electrode to a position located between the positions to which the first lead electrodes extend;
 - [b] first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively; wherein the ratio L/W of the length L to the width W of at least one of the first and second lead electrodes is within the range of about 0.4 to about 3.0
- **52**. A monolithic capacitor according to claim **51**, wherein the ratio L/W is in the range of about 0.4 to about 1.3.
- 53. A monolithic capacitor according to claim 51, wherein the first and second lead electrodes extend onto at least two of the side surfaces opposed to each other, respectively.

(JX-1 at 18:2-44, 18:57-59, 19:28-36, 19:53-56, 20:1-41, 20:54-56, 22:1-29.)

E. The Products at Issue.

The products at issue in this Investigation are multi-layer ceramic capacitors ("MLCCs"), including high capacitance MLCCs and low equivalent series induction ("ESL") MLCCs.

Murata accuses Samsung of importing and selling the products accused in this Investigation. (CBr. at 3.) Murata accuses the products identified in CFF 1.417-428 of infringing the '254 patent (the "Accused '254 Products"), the products identified in CFF 1.432 of infringing the '309 patent (the "Accused '309 Products"), and the products identified in CFF 1.433 of infringing the '229 patent (the "Accused '229 Products"). (CBr. at 4.)

The 1,045 Accused '254 Products discussed in CFF 1.417-428 are identified in Attachment C of CX-594C, attached hereto as **Appendix A**. (CFF 1.417-428; CX-594C at Attachment C.)

The products identified in CFF 1.432 (Accused '309 Products) are listed below.

21A225KPFNNN, 21A225KQFNNN, 21A475KAQNNN, 21A475KOQNNJ, 21A475KQQNNJ, 31A106KAHNNN, 31A106KOHNNJ, 31A106KPHNNJ, 31A106MOHNNN, 32A106KAJNNN, 32A106KAULNN, 32A106KOJNNJ, 32A106KOJNNN, 32A106KPINNN, 32A106MOJNNN, 32A226KAJNNN, 32A226KOJNNJ, 32A226KOJNNN, 32A226KPJNNN, 32A226KQJNNN, 32A226MDJNNN, 32A226MPJNNN, 32A226MQJNNN, 21B225KAFNNN, 21B225KOFNFN, 21B225KOFNNN, 21B225KPFNNN, 31B106KAHNNN, 31B106KQHNNN, 31B225KAH4PN, 31B225KAH5FN, 31B225KOH4PN, 31B475KOHNNN, 32B106KAULNN, 32B106KLULNN, 32B106KOJNNN, 32B106KPINNN, 43B226KPJNNN, 31C104JAHNNN, 31F226ZPHNNN, 55F107ZPJNNN, 21X106KAYNNN, 21X475KAQNNN, 21X475KQFNNN, 21X475MAQNNN, 31X106KAHNNN.

(CDX-290C; CX-183C; CX-187C; CX-188C; CX-189C; CX-193C; Murata's Final List of Accused Products at 15-16 (May 26, 2010).)

(CFF 1.432.) The products identified in CFF 1.433 (Accused '229 Products) are listed below.

CL21B104MO5NJN, CL21B474MQ5NJN, CL21Y105MR5NJN, CL21Y225MR5NJN, CL10Y104MR5NJN, CL10Y105MR5NJN, CL10Y155MR5NJN, CL10Y474MR5NJN, CL21B684MO5NJN, CL21B684MQ5NJN, CL10Y225MR5NJN, CL10Z475MS5NJN, CL21A475KQ5NJN.

(Murata's Final List of Accused Products at 15-16 (May 26, 2010).)

(CFF 1.433.) The parties have stipulated that certain products are representative of the Accused '254 Products and Accused '229 Products, but not the Accused '309 Products. (JX-29C at 2-3; Order No. 29.¹)

II. JURISDICTION AND IMPORTATION.

In order to have the power to decide a case, a court or agency must have both subject matter jurisdiction, and jurisdiction over either the parties or the property involved. *See Certain Steel Rod Treating Apparatus and Components Thereof*, Inv. No. 337-TA-97, Commission Memorandum Opinion, 215 U.S.P.Q. 229, 231 (U.S.I.T.C., 1981). For the reasons discussed below, the Administrative Law Judge finds the Commission has jurisdiction over this Investigation.

Samsung has responded to the Complaint and Notice of Investigation and has fully participated in the Investigation by, among other things, participating in discovery, participating in the hearing, and filing pre-hearing and post-hearing briefs. (Tr. at 125-26; RBr. at 1-151.)

Accordingly, the Administrative Law Judge finds that Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc. have submitted to the personal jurisdiction of the Commission and that the Commission has in rem jurisdiction over the

¹ Order No. 29 only allows Sections I.A. through I.D. of the stipulation marked as JX-29C. (*See* Order No. 29.) Section II of JX-29C, which was not agreed to by all parties and refers to products not accused in this Investigation, is not in effect and should be disregarded. (*Id.*)

Accused Products. *Certain Cloisonné Jewelry*, Inv. No. 337-TA-195, Initial Determination at 40-43 (U.S.I.T.C., March, 1985) (unreviewed).

Section 337 declares to be unlawful "[t]he importation into the United States, the sale for importation, or the sale within the United States after importation by the owner, importer, or consignee, of articles" that infringe a valid and enforceable United States patent if an industry relating to the articles protected by the patent exists or is in the process of being established in the United States. *See* 19 U.S.C. §§ 1337(a)(1)(B)(i) and (a)(2). Pursuant to Section 337, the Commission shall investigate alleged violations of the Section and hear and decide actions involving those alleged violations.

With respect to the '254, '309, and '229 patents, it is undisputed that the importation or sale requirement of Section 337 establishing subject matter jurisdiction as to Samsung has been met. (RBr. at 5; SFF 18-19 (undisputed).) Accordingly, the Administrative Law Judge finds that Samsung sells for importation, imports, or sells after importation into the United States, articles that are accused in this Investigation.

III.CLAIM CONSTRUCTION.

A. Applicable Law.

At this stage, the Investigation concerns three utility patents. (See 74 Fed. Reg. 57194 (2009); Order No. 35.)

Any finding of infringement requires a two-step analysis. First, the asserted patent claims must be construed as a matter of law to determine their proper scope.² Second, a factual determination must be made whether the properly construed claims read on the accused devices.

Only claim terms in controversy need to be construed, and then only to the extent necessary to resolve the controversy. *Vanderlande Indus. Nederland BV v. Int'l Trade Comm.*, 366 F.3d 1311, 1323 (Fed. Cir. 2004); *Vivid Tech., Inc. v. American Sci. & Eng'g, Inc.*, 200 F.3d 795, 803 (Fed. Cir. 1999).

See Markman v. Westview Instruments, Inc., 52 F.3d 967, 976 (Fed. Cir. 1995) (en banc), aff'd, 517 U.S. 370 (1996).

Claim construction begins with the language of the claims themselves. Claims should be given their ordinary and customary meaning as understood by a person of ordinary skill in the art, viewing the claim terms in the context of the entire patent. *Phillips v. AWH Corp.*, 415 F.3d 1303, 1312-13 (Fed. Cir. 2005). In some cases, the ordinary meaning of claim language is readily apparent and claim construction will involve little more than "the application of the widely accepted meaning of commonly understood words." *Id.* at 1314. In other cases, claim terms have a specialized meaning and it is necessary to determine what a person of ordinary skill in the art would have understood disputed claim language to mean by analyzing "the words of the claims themselves, the remainder of the specification, the prosecution history, and extrinsic evidence concerning relevant scientific principles, as well as the meaning of technical terms, and the state of the art." *Id.* (quoting *Innova/Pure Water, Inc. v. Safari Water Filtration Sys., Inc.*, 381 F.3d 1111, 1116 (Fed. Cir. 2004)).

The claims themselves provide substantial guidance as to the meaning of disputed claim language. *Id.* at 1314. "[T]he context in which a term is used in the asserted claim can be highly instructive." *Id.* Likewise, other claims of the patent at issue, regardless of whether they have been asserted against respondents, may show the scope and meaning of disputed claim language. *Id.*

With respect to claim preambles, a preamble may limit a claimed invention if it (i) recites essential structure or steps, or (ii) is "necessary to give life, meaning, and vitality" to the claim. Eaton Corp. v. Rockwell Int'l Corp., 323 F.3d 1332, 1339 (Fed. Cir. 2003) (citations omitted).

The Federal Circuit has explained that a "claim preamble has the import that the claim as a

whole suggests for it. In other words, when the claim drafter chooses to use both the preamble and the body to define the subject matter of the claimed invention, the invention so defined, and not some other, is the one the patent protects." *Id.* (quoting *Bell Communications Research, Inc. v. Vitalink Communications Corp.*, 55 F.3d 615, 620 (Fed. Cir. 1995)). When used in a patent preamble, the term "comprising" is well understood to mean "including but not limited to," and thus, the claim is open-ended. *CIAS, Inc. v. Alliance Gaming Corp.*, 504 F.3d 1356, 1360 (Fed. Cir. 2007). The patent term "comprising" permits the inclusion of other unrecited steps, elements, or materials in addition to those elements or components specified in the claims. *Id.*

In cases where the meaning of a disputed claim term in the context of the patent's claims remains uncertain, the specification is the "single best guide to the meaning of a disputed term." *Phillips*, 415 F.3d at 1321. Moreover, "[t]he construction that stays true to the claim language and most naturally aligns with the patent's description of the invention will be, in the end, the correct construction." *Id.* at 1316. As a general rule, however, the particular examples or embodiments discussed in the specification are not to be read into the claims as limitations. *Id.* at 1323.

The prosecution history may also explain the meaning of claim language, although "it often lacks the clarity of the specification and thus is less useful for claim construction purposes." *Id.* at 1317. The prosecution history consists of the complete record of the patent examination proceedings before the U.S. Patent and Trademark Office, including cited prior art. *Id.* It may reveal "how the inventor understood the invention and whether the inventor limited the invention in the course of prosecution, making the claim scope narrower than it would otherwise be." *Id.*

If the intrinsic evidence is insufficient to establish the clear meaning of a claim, a court may resort³ to an examination of the extrinsic evidence. Zodiac Pool Care, Inc. v. Hoffinger Industries, Inc., 206 F.3d 1408, 1414 (Fed. Cir. 2000). Extrinsic evidence may shed light on the relevant art, and consists of all evidence external to the patent and the prosecution history, "including expert and inventor testimony, dictionaries, and learned treatises." Phillips, 415 F.3d at 1317. In evaluating expert testimony, a court should disregard any expert testimony that is conclusory or "clearly at odds with the claim construction mandated by the claims themselves, the written description, and the prosecution history, in other words, with the written record of the patent." Id. at 1318. Furthermore, expert testimony is only of assistance if, with respect to the disputed claim language, it identifies what the accepted meaning in the field would be to one skilled in the art. Symantec Corp. v. Computer Associates International, Inc., 522 F.3d 1279, 1290-91 (Fed. Cir. 2008). Testimony that recites how each expert would construe the term should be accorded little or no weight. Id. An inventor's subjective understanding of the invention is irrelevant to claim construction. Howmedica Osteonics Corp. v. Wright Medical Technology, Inc., 540 F.3d 1337, 1346-47 (Fed. Cir. 2008). Extrinsic evidence is inherently "less reliable" than intrinsic evidence, and "is unlikely to result in a reliable interpretation of patent claim scope unless considered in the context of the intrinsic evidence." Phillips, 415 F.3d at 1318-19.

³ "In those cases where the public record unambiguously describes the scope of the patented invention, reliance on any extrinsic evidence is improper." *Vitronics Corp. v. Conceptronic, Inc.*, 90 F.3d 1576, 1583 (Fed. Cir. 1996).

B. '254 patent.

1. Level of Skill in the Art.

Claims should be given their ordinary and customary meaning as understood by a person of ordinary skill in the art. *Phillips*, 415 F.3d at 1312-13.

Murata does not include a description of a person of ordinary skill in the art related to the '254 patent in its opening post-hearing brief (see CBr. at 5-54), but according to the hearing testimony of its expert on the '254 patent, Dr. Ian Burn, such a person would have possessed at least a bachelor's degree in materials science or a related technical discipline and more than three years' experience in the development or manufacture of dielectric powders for use in multilayer capacitors. (Tr. at 376 (Burn).) In its reply brief, Murata takes exception to the description proposed by Samsung. (CRBr. at 9.) Samsung proposes that a person of ordinary skill in the art at the time of the '254 invention would have possessed a doctorate in materials science, chemical engineering, inorganic chemistry, or electrical engineering, or a master's degree in one of those fields plus three or more years' experience in designing and developing dielectric materials for a multilayer ceramic capacitor ("MLCC"). (RBr. at 11.)

Staff believes that the differences between the private parties' positions are not so significant that they would affect the analysis of claim construct or validity. (SBr. at 11.)

The Administrative Law Judge concludes that an individual would have had at least a bachelor's degree or comparable technical training and preparation in materials science or a related technical discipline and at least three years' academic- or work-related experience in research, development, or production of dielectric ceramic materials for multilayer capacitors in order to meet the standard of a person of ordinary skill in the art of the '254 patent.

2. The Disputed Claim Terms of the '254 patent and Their Proper Construction.

Claim 1, an independent claim, reads as follows:

1. A dielectric ceramic comprising

$$(Ba_{1-x}Ca_xO)_mTiO_2+\alpha Re_2O_3+\beta MgO+\gamma MnO$$

in which Re is at least one member selected from the group consisting of Y, Gd, Tb, Dy, Ho, Er and Yb; α , β γ , m and x are molar ratios; $0.001 \le \alpha \le 0.10$; $0.001 \le \beta \le 0.12$; $0.001 \le \gamma \le 0.12$; $1.000 \le m \le 1.035$; and $0.005 \le x \le 0.22$, and

- about 0.2 to 5.0 parts by weight of either a first sub-component or a second sub-component or a third sub-component relative to 100 parts by weight of (Ba_{1-x}Ca_xO)_mTiO₂, wherein
 - [a] the $(Ba_{1-x}Ca_xO)_mTiO_2$ contains about 0.02% by weight or less of alkali metal oxides,
 - [b] the first sub-component is a Li₂O—(Si, Ti)O₂—MO oxide in which M is at least one of Al and Zr,
 - [c] the second sub-component is a SiO₂—TiO₂—XO oxide in which X is at least one selected from the group consisting of Ba, Ca, Sr, Mg, Zn and Mn, and the third sub-component is SiO₂.

(JX-4 at 32:55-33:6.)

a) Claims 1, 2: "dielectric ceramic"

Murata contends that "dielectric ceramic" as mentioned in the preamble of claim 1, is understood by persons of ordinary skill in the relevant art to refer to "sintered material that has been densified into ceramic by the sintering process" and is the "final product that is created after firing[.]" (CBr. at 7.) In support of this interpretation, Murata points to the testimony of its expert regarding the '254 patent, Dr. Ian Burn, who said that a person of ordinary skill would understand this term to mean sintered materials. (*Id.* (citing Tr. at 383 (Burn)).) Murata points to claims 11 through 20 that disclose, among other things, external electrodes, which, Murata argues, are attached to the capacitor only after the material for the dielectric ceramic has been

sintered. (*Id.* at 8.) Murata also points to a document authored by some of Samsung's engineers (CX-20C at 00059850), which, Murata argues, discloses that these engineers themselves recognized that external electrodes can only be attached to a capacitor after sintering. (*Id.*) Murata believes that this Samsung document fortifies its contention that "dielectric ceramic" is sintered material. (*Id.*) Thus, argues Murata, the plain language of claims 1 and 2 demonstrates that "dielectric ceramic" means sintered material. (*Id.*)

Murata additionally argues that the '254 patent's specification reveals that "dielectric material" means material that has been sintered, citing the title of the patent itself, "Dielectric Ceramic Composition and Laminated Ceramic Capacitor Using Same" which, Murata says, makes clear that "dielectric ceramic" is material contained in a fully formed capacitor, not presintered slurry, green sheet, or other pre-sintered forms of material. (*Id.* at 8-9.) Murata points to the Abstract, Field of Invention, Summary of Invention, Figures, description of invention, and preferred embodiments included in the patent, all of which, Murata says (without citing any particular portions thereof), support its argument. (*Id.*) Further, according to Murata, Samsung's expert Dr. Dougherty supports Dr. Burn's opinion about how a person of ordinary skill would understand the term "dielectric ceramic," because he acknowledged that the patent's use of the letter "m" to identify the adjusted molar ratio of Ba + Ca/Ti pertains to sintered materials, as does the "dielectric ceramic" of claims 1 and 2, in contrast to the use of the letter "n" to identify the molar ratio in pre-sintered starting material. (*Id.* at 9.)

Samsung argues that the term "dielectric ceramic" means materials before being sintered.⁴ (RBr. at 19.) Samsung notes that the patent's specification recites that, after the

⁴ The word "sinter" is defined in one general dictionary: "to cause to become a coherent mass by heating without melting." (Merriam-Webster's Collegiate Dictionary (11th Ed. 2009)). It is defined in another: "a bonded mass of metal particles shaped and partially fused by pressure and heating below the melting point." (Webster's New World

powdered starting materials are weighed for their prescribed molar ratios, "the mixed powder is turned into slurry by adding an organic binder to obtain a green sheet (the dielectric layers 2a and 2b)." (*Id.* (citing the patent specification, JX-4 at 32:55).) Therefore, Samsung argues, the specification equates "dielectric ceramic layers" with pre-sintered "green sheets." (RBr. at 19.)

Samsung says that evidence at the hearing, including testimony by Murata's general manager of intellectual property, Dr. Yoshino, who said that "green ceramic sheet" refers to a pre-sintered composition, supports this construction. (*Id.* (citing Tr. at 268 (Yoshino)).)

Samsung points to testimony previously given in another proceeding by Murata's product development manager, Mr. Kawaguchi, who in connection with a 1999 technical paper he had authored, referred to "ceramic material" as "raw materials" before sintering. (*Id.*)

Staff believes that "dielectric ceramic" refers to "material within a sintered, completed capacitor." (SBr. at 12.) Staff believes that the intrinsic evidence supports this view because "dielectric ceramic" is most commonly applied to materials that have been fired, citing testimony given by Murata's expert Dr. Ian Burn (Tr. at 383 (Burn)). (SBr. at 13.) Staff argues that the specification uses terms such as "slurry" or "ceramic slurry" rather than "dielectric ceramic" when referring to starting materials. (*Id.*) Staff also believes that the inventors drew a distinction between dielectric ceramics and barium calcium titanate starting materials when they commented in the specification that "it was found from scanning electron microscope observation of the grain size in the dielectric ceramics that the grain size was almost equal to the particle size of the barium calcium titanate starting materials in the samples." (*Id.* (citing JX-4 at 9:35-40).)

College Dictionary (4th Ed. 2008)). The parties to this Investigation have not suggested any meaning at variance with these definitions, which are consistent with the language of the '254 patent. (See e.g. JX-4 at 7:36-44.)

Claim 1 does not explicitly define "dielectric ceramic." Nor is the term generally recognized, understood, and used by lay persons, according to current general dictionaries. Dr. Burn's testimony that the term is understood by persons of ordinary skill to be sintered material, upon which both Murata and Staff rely, at least in part, for their proposed claim constructions is extrinsic evidence and should be credited only if the intrinsic evidence itself is not adequate for understanding the disputed claim term and even then only if the extrinsic evidence does not contradict the intrinsic evidence. *Phillips*, 415 F. 3d at 1339-40. It is noted that the testimony of Samsung's expert Dr. Dougherty is essentially contradictory of Dr. Burn's testimony on this point. (*See* Tr. at 1795-96 (Dougherty).)

The specification for the '254 patent says, in the section entitled Background of the Invention, that the "invention relates to a dielectric ceramic *composition* and a laminated ceramic *capacitor* using the same...." (JX-4 at 1:8-10 (italics added).) Thus, there are two aspects to the invention: 1) a composition of materials (dielectric ceramic); and 2) a manufacture (*i.e.*, a laminated ceramic capacitor). The composition of materials (dielectric ceramic) is the subject of claims 1 through 10, and the manufacture (dielectric ceramic capacitor) is the subject of claims 1 through 20. (JX-4 at 32:54-34:62.)

The "dielectric ceramic composition" used to make the capacitor, according to independent claim 1, comprises the following principal materials: $Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ (within prescribed ranges of molar ratios) and some additional subcomponents. (JX-4 at 32:55-33:6.) The Summary of the Invention section confirms this formula:

In one aspect, the present invention provides a laminated ceramic capacitor provided with a plurality of dielectric ceramic layers, inner electrodes formed

⁵ There is no mention of it in Merriam-Webster's Collegiate Dictionary (11th Ed. 2009) or in Webster's New World Dictionary (4th Ed. 2008), for example. Based on a review of the current dictionaries, the Administrative Law Judge assumes that the term was also not in 1998 editions.

between the dielectric ceramic layers and external electrodes being in electrical continuity with the inner electrodes, the dielectric ceramic layer being represented by the following formula:

$$(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$$

(Re₂O₃ is at least one or more of the compounds selected from Y₂O₃, Gd₂O₃, Tb₂O₃, Dy₂O₃, H₂O₃, Er₂O₃, and Yb₂O₃, α , β , γ , m and x representing molar ratio in the range of...), and containing about 0.2 to 5.0 parts by weight of either a first sub-component or a second sub-component relative to 100 parts by weight of a principal component containing about 0.02% by weight or less of alkali-metal oxides in (Ba_{1-x}Ca_xO)_mTiO₂ as starting material to be used for the dielectric ceramic layer....

The material $(Ba_{1-x}Ca_xO)_mTiO_2$ to be used for the dielectric ceramic layer preferably has a mean particle size of about 0.1 to 0.7 μ m.

(JX-4 at 2:11-39.) The phrases "(Ba_{1-x}Ca_xO)_mTiO₂ as starting material to be used for the dielectric ceramic layer" and "[t]he material (Ba_{1-x}Ca_xO)_mTiO₂ to be used for the dielectric ceramic layer" in the section of the specification just cited describe a composition of materials that have not been sintered, inclusive of (Ba_{1-x}Ca_xO)_mTiO₂. The words, "starting material" and "to be used for," signal material preparatory to sintering a dielectric ceramic composition. Elsewhere in the patent's specification is the phrase "(Ba_{1-x}Ca_xO)_mTiO₂ as starting material," used in a similar context to the first quotation, but in reference to another aspect of the invention (improving the plating resistance of the capacitor). (*Id.* at 3:22-23.)

The specification's summary of the invention states that "[t]he material '(Ba_{1-x}Ca_xO)_mTiO₂' to be used for the dielectric ceramic layer preferably has a mean particle size of about 0.1 to 0.7 μ m." (JX-4 at 2:37-39.) The phrase "[t]o be used for" is prescriptive and formulaic, as well as prospective, and the term "particle," as generally used in chemical formulas refers to powder material before sintering. (Tr. at 1794-95 (Dougherty); Tr. at 572 (Burn).) Claim 2 specifically states, by way of limitation, that "the (Ba_{1-x}Ca_xO)_mTiO₂ has a mean particle size of about 0.1 to 0.7 μ m." (*Id.* at 33:7-9.)

The specification, in its description of the preferred embodiment, also refers to (Ba_{1-x}Ca_xO)_mTiO₂ + α Re₂O₃ + β MgO + γ MnO as starting, rather than sintered, material:

The laminated ceramic capacitor according to the present invention will now be explained in more detail with reference to the accompanying drawings.

FIG. 1 is a cross section showing one example of the laminated ceramic capacitor according to the present invention, FIG. 2 is a plane view showing the dielectric ceramic layer part having the inner electrodes in the laminated ceramic capacitor shown in FIG. 1 and FIG. 3 is a disassembled perspective view showing the laminated ceramic part in the laminated ceramic capacitor shown in FIG. 1. In the laminated ceramic capacitor 1 according to the present invention as shown in FIG. 1, outer electrodes 5, and first plating layers 6 and second plating layers 7 if necessary, are formed on both ends of a ceramic laminated body 3 obtained by laminating a plurality of dielectric ceramic layers 2a and 2b via inner electrodes 4.

(JX-4 at 4:13-30.) The last sentence of the second paragraph states that the outer electrodes 5 and first plating layers 6 (and second plating layers 7 if necessary) are formed on both ends of a ceramic laminated body that is obtained by laminating a plurality of dielectric ceramic layers. According to this description, the laminated body is obtained by laminating dielectric ceramic layers, and does not require sintering. Since it is "dielectric ceramic" layers that are laminated, together with electrodes, in the process of constructing the "ceramic laminated body," which occurs before sintering, as we will see shortly, the term "dielectric ceramic" as used in this passage and the previously cited passages from the specification, does not support Murata's and Staff's arguments that a person of ordinary skill in the art would understand $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$, or any portion, as claimed in claims 1 and 2 of the '254 patent, to mean sintered material.

The portion of the specification just cited continues as follows:

The dielectric ceramic layers 2a and 2b are composed of a dielectric ceramic composition having as principal components barium calcium titanate (Ba_{1-x}Ca_xO)_mTi₂, at least one compound selected from Y₂O₃, Gd₂O₃, Tb₂O₃, Dy₂O₃, Ho₂O₃, Er₂O₃, and Yb₂O₃, MgO and MnO, and containing as sub-components either a Li₂O—(Si, Ti)O₂—MnO based oxide (MO is at least one of the

compounds selected from Al₂O₃ and ZrO₂) or a SiO₂—TiO₂—XO based oxide (XO is at least one of the compounds selected from BaO, CaO, SrO, MgO, ZnO and Mno [sic]). The composition described above allows a laminated ceramic capacitor with high reliability and excellent insulating strength to be obtained, wherein the ceramic capacitor can be fired without endowing it with semiconductive properties even by firing in a reducing atmosphere, the temperature characteristics of the electrostatic capacitance satisfy the B-grade characteristics prescribed in the JIS standard and the X7R-grade characteristics prescribed in the EIA standard and the ceramic capacitor has a high insulation resistance at room temperature and at high temperatures.

(JX-4 at 4:31-51.) "The composition described above[,]" which is mentioned in the second sentence of the just-quoted paragraph, refers to "[t]he dielectric ceramic layers 2a and 2b ... composed of a dielectric ceramic composition" mentioned in the first sentence of that paragraph. That "composition," according to the cited section of the specification, can be fired, that is sintered⁶, without endowing the composition with semiconductive properties. Furthermore, this paragraph says that the described composition "allows a laminated ceramic capacitor with high reliability and excellent insulating strength to be obtained[.]" The use of the word "allows" in this passage, in conjunction with the words "to be obtained," denotes a prospective transitional relationship between the composing of materials to be used for, and the manufacture of, the laminated ceramic capacitor, in contrast to "[t]he laminated ceramic capacitor thus obtained" (JX-4 at 7:51 [emphasis added]) "[a]fter firing" (id. at 7:46), as recited elsewhere in the specification. In sum, according to the above quoted section of the specification the dielectric ceramic layers, denominated 2a and 2b in Figures 1, 2, and 3, are a composition, the principal components of which, as therein stated, are pre-sintered. This is owing to the fact that, according to the quoted passage, the stated composition can be fired, even in a reducing atmosphere. This is additional evidence that a person of ordinary skill in the art would understand that the term

⁶ Firing is used synonymously for sintering in the language of the patent. (See, for example, JX-4 at 7:45-50.)

"(Ba_{1-x}Ca_xO)_mTiO₂ + α Re₂O₃ + β MgO + γ MnO" as claimed in claims 1 and 2 of the '254 patent constitutes pre-sintered, or starting, materials.

The specification also describes a "method for producing the laminated ceramic capacitor according to the present invention...in the order of its production steps with reference to FIGS. 1 to 3." (JX-4 at 5:31-34.) It is noted initially that structures depicted in Figures 1-3 are referred to in the course of describing the method for "producing the laminated ceramic capacitor" and, therefore, references in the specification to items 2a and 2b, in designated Figures 1-3, do not in all instances denote a sintered capacitor. The prescribed steps first recite that powdered materials are prepared as starting materials of the dielectric ceramic (id. at 5:35-40), and after being weighed for their prescribed composition ratios and mixed, the resulting powder is turned into a slurry by adding a binder "to obtain a green sheet (the dielectric ceramic layers 2a and 2b) by molding the slurry into a sheet." (Id. at 5:44-48.) Inner electrodes 4 of nickel or nickel alloy "are then formed on one face of the green sheet (the dielectric ceramic layers 2b)[.]" (Id. at 5:48-52.) "Then, a required number of the green sheets (the dielectric ceramic layers 2b) having the inner electrodes...are laminated, which are inserted between the green sheets having no inner electrodes (the dielectric ceramic layers 2a) to form a laminated body after pressing. (Id. at 5:53-58.) "A ceramic laminated body ... is obtained by firing the laminated body at a given temperature in a reducing atmosphere." (*Id.* at 5:58-60.)

As just quoted from the patent specification, what is referred to as "dielectric ceramic layers," is pre-sintered up to the point when it is fired. This is in agreement with the statement elsewhere in the specification that "[t]he dielectric ceramic layers 2a and 2b are composed of a dielectric ceramic composition having as principal components barium calcium titanate (Ba₁. ${}_{x}\text{Ca}_{x}\text{O})_{m}\text{TiO}_{2}$..." which "allows a laminated ceramic capacitor with high reliability and excellent

insulating strength to be obtained," (JX-4 at 4:31-43), a statement in contrast to the post-sintering language "thus obtained" and "after firing" referred to elsewhere in the specification. (*See* JX-4 at 7:45-57.)

The specification includes several explanations why the dielectric ceramic compositions taught in the patent are limited (JX-4 at 21:55); among them is the following:

A MgO content (β) of exceeding about 0.12 as in the sample No. 1006 [Tables 8 and 9] is also not preferable...since the sintering temperature becomes so high that the mean lifetime is extremely shortened. Accordingly, the preferable MgO content (β) is in the range of 0.001 $\leq \beta \leq 0.12$.

(JX-4 at 22:47-53.) The adverse effect produced by MgO with molar ratios in excess of 0.12, because that amount or more requires higher temperatures for sintering the composition, is additional evidence that the claimed formula for the composition refers to pre-sintered, or starting, materials. This explains why the molar ratio in claim 1 does not exceed 0.12. (*Id.* at 32:60.)

The specification also includes the following comment:

It is also not preferable...that the ratio (m) of (Ba, ca [sic])/Ti exceeds about 1.035 as in the sample No. 1011 [Tables 8 and 9] because sintering becomes insufficient to extremely shorten the mean lifetime. Accordingly, the preferable ratio (m) of (Ba, ca [sic])/Ti is in the range of 1.000≤m≤1.035.

(*Id.* at 22:67-23:5.) This, likewise, explains why the molar ratio in claim 1 does not exceed 1.035 (*id.* at 32:61) and offers an additional reason for concluding that the $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ expressed in claim 1 is pre-sintered material.

For these reasons, the Administrative Law Judge concludes that a person of ordinary skill in the art would understand that the term "dielectric ceramic" in the preamble of claim 1 refers to "starting materials."

b) Claims 1, 2: " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ "

The parties, in proposing their respective claim constructions, analyze the term "(Ba₁. $_x$ Ca_xO) $_m$ TiO₂ + α Re₂O₃ + β MgO + γ MnO" differently. Murata and Staff divide the term as follows: 1) (Ba_{1-x}Ca_xO) $_m$ TiO₂; and 2) α Re₂O₃ + β MgO + γ MnO. (CBr. at 6; SBr. at 14-17.) Samsung proposes that the term be construed as an entire unit. (RBr. at 13.)

Murata argues that " $(Ba_{1-x}Ca_xO)_mTiO_2$ " is understood by persons of ordinary skill to mean a barium calcium titanate solid solution with the stated composition. (*Id.* at 14.) Murata says that, because this type of structure is complex and non-uniform, it cannot be described in a precise chemical formula. (*Id.*) Murata, therefore, proposes the following construction for the term " $(Ba_{1-x}Ca_xO)_mTiO_2$ ": "A barium and calcium titanate solid solution having the stated composition." (*Id.*)

Staff suggests that the term " $(Ba_{1-x}Ca_xO)_mTiO_2$ " be construed in this manner: "a solid having the stated composition, wherein the ratio of Ba:Ca = 1-x:x; Ba and Ca in a subcomponent cannot contribute to x." (SBr. at 14.)

One problem with Murata's and Staff's proposed bifurcation is it omits the integral plus sign (+) between the divided components. The plus sign after TiO_2 is just as significant as the ones after αRe_2O_3 and βMgO that Murata and Staff include in their respective proposed constructions, yet Murata and Staff do not explain why it is not included in either of their proposed constructions. The omission has consequences or implications, as noted in the next paragraph. The actual term expressed in claim 1 is " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO[,]$ " representing a unit, the plus signs signifying the addition of what follows it to what precedes it. It also signifies an integral combination of materials, without mention of any disparateness with respect to sintering. For this reason, the Administrative Law Judge concludes

that the term " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ " should be construed as a unit and should not bifurcated for purposes of claim construction.

Samsung proposes that the term " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ " be construed as follows: " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_2 + \beta MgO + \gamma MnO$ starting materials (i.e., materials before sintering)[.]" (RBr. at 13.) The term " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO +$ yMnO" directly follows the preamble of claim 1, and constitutes the principal component of the dielectric ceramic (as distinguished from the subcomponents that are elsewhere mentioned in claim 1). (JX-4 at 32:56, 33:1-6.) Samsung argues that the " $\alpha Re_2O_3 + \beta MgO + \gamma MnO$ " portion of this term has to mean starting compounds, because none of these stated compounds, in the form stated, is present in the ceramic material after it has been sintered. (*Id.* at 14.) Samsung, for support of this statement, points to the testimony of its expert Dr. Dougherty (Tr. at 1775-76) and to that of Murata's expert Dr. Burn, the latter of whom testified that the dielectric material after sintering could not be in the form Re₂O₃, but would be "a reaction product...of { { and the additives" (RBr. at 15 (citing Tr. at 558-59)). (Id. at 15.) Samsung also argues that one of Dr. Burn' professional papers teaches that Mn (manganese) "either substitutes for { } } during sintering to form { } or else is retained in 'a segregated intergranular phase' i.e., in grain boundaries, where it forms compounds with silica and other impurities." (Id.) In either case, Samsung argues, "the Mn is present in a form that is not MnO[,]" and the Mg substitutes for { }to form "magnesium doped { } } a compound which is "chemically different" from MgO (magnesium oxide). (Id.) { Murata argues that Samsung has ignored the testimony of Drs. Burn and Dougherty, who

Murata argues that Samsung has ignored the testimony of Drs. Burn and Dougherty, who testified that within the scientific fraternity it is a recognized convention to describe sintered ceramic by including a list of additives as simple oxides, as in the case of the '254 patent, even

when those additives may, in the process of sintering, take on other forms, such as carbonates. (CRBr. at 10.) Murata argues that listing basic oxides is a "standard way" of describing additives that are included in a sintered material, and this makes particular sense when the material is a core-shell structure, because that kind of structure makes it impossible to describe the precise composition of the materials within the shell portion of the core-shell structure. (*Id.* at 10-11.) Murata argues that the metal components of the additives included as starting materials, such as Mg and Mn, will be found in sintered materials in the same amounts as were included in the pre-sintered composition, and, therefore, the listing of simple oxides (such as MnO and MgO) in a composition formula for sintered material is understood by persons of skill in the art to denote the amount of those components in the sintered material. (*Id.* at 11.) Murata further argues that the '254 patent specification explicitly states that the additives to be included in the chemical materials may be both "oxides and carbonates" as well as other types of solutions. (*Id.* (citing JX-4 at 5:35-43).)

Murata says that it is not inconsistent to argue that the term " $\alpha Re_2O_3 + \beta MgO + \gamma MnO$ " does not mean that these oxides themselves must be present in the sintered material, while arguing at the same time that compounds that make up $(Ba_{1-x}Ca_xO)_mTiO_2$ have to be present. (*Id.* at 11-12.) Murata says that if there is an inconsistency in this, it is owing to conventions used by persons skilled to describe sintered dielectric materials, and Murata's dichotomous stance is consistent with these conventions. (*Id.* at 12.)

Samsung rejoins that Murata's argument in its post-hearing brief diverges from the position it took before the Hearing, which was that " $\alpha Re_2O_3 + \beta MgO$ " has to represent the compositions as stated and is not merely a list of concentrations of atomic elements without any

chemical bonding or formula relationships. (RRBr. at 9.) Murata made the following statement in its Pre-Hearing Brief:

The '254 patent also explains that calcium occupies the same "site" as barium does by writing a portion of the claim 1 composition as $(Ba_{1-x}Ca_xO)_mTiO_2$. That is, the patent's statement that the barium calcium titanate is chemically represented as $(Ba_{1x}[sic] Ca_xO)_mTiO_2$, '254 patent col. 4 ll. 31-34, indicates that barium and calcium exist at equivalent sites within the material. Thus, the $(Ba_{1-x}Ca_xO)_mTiO_2$ is best described as a solid solution of barium titanate and calcium titanate.

(Murata Pre-Hearing Brief, dated June 25, 2010, at 45.)

Samsung also remarks that, at the Hearing, both Murata's and Samsung's experts testified that, as regards (Ba_{1-x}Ca_xO)_mTiO₂, barium titanate forms an "ABO₃" structure in which the "A site" is occupied by titanium and "O" represents oxygen. (*Id.* at 10.) Samsung says that Murata has insisted throughout this Investigation that (Ba_{1-x}Ca_xO)_mTiO₂ requires the stated composition, described as a substance in which calcium occupies some of the barium sites in the barium titanate structure, citing language taken directly from Murata's Pre-Hearing Brief; whereas, Murata, in its Post-Hearing Brief, for the first time, argues that the term (Ba_{1-x}Ca_xO)_mTiO₂ should be interpreted so as to encompass a substance in which calcium occupies "A sites, B sites, both, or neither. (*Id.*) The Ground Rules prevent a party from making such a change in position by warning that issues that are not included in the pre-hearing brief are "deemed waived." (*See* Order No. 2, Ground Rule 10.1.) Murata may not change its stance now.

The Administrative Law Judge concludes that a person of ordinary skill in the art would find that the term " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ " as expressed in claim 1 of the '254 patent means the following: " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ starting materials (*i.e.*, materials before sintering)."

c) Claims 1, 2: " $(Ba_{1-x}Ca_xO)_mTiO_2$ "


Murata proposes that the term " $(Ba_{1-x}Ca_xO)_mTiO_2$ " be construed as follows: "A barium and calcium titanate solid solution having the stated composition." (CBr. at 14.) Samsung proposes a different construction: " $(Ba_{1-x}Ca_xO)_mTiO_2$ represents a perovskite lattice, wherein the ratio of Ba:Ca = 1-x:x; Ba and Ca in a subcomponent cannot contribute to x." (RBr. at 27.) Staff proposes still another construction: "A solid having the stated composition, wherein the ratio of Ba:Ca = 1-x:x; Ba and Ca in subcomponent cannot contribute to x." (SBr. at 14.)

According to Murata, the '254 patent teaches that the barium calcium titanate material ("BCT") in the "dielectric ceramic" mentioned in claims 1 and 2 assumes a complex and non-uniform core-shell structure that cannot be described in a precise chemical formula. (CBr. at 14.) Murata says that a "convention in the industry" is to describe such material using a formula such as in claims 1 and 2, which are sufficient to inform a person of ordinary skill in the art "of the composition of the BCT component of the claimed dielectric ceramic." (*Id.* at 15.) In an effort to provide "English language content and context for understanding the BCT formula" Murata says that it included a "solid solution" which Murata says is an accurate description of the material. (*Id.*)

Samsung argues that the term (Ba_{1-x}Ca_xO)_mTiO₂ requires specific chemical bonding stated according to its precise terms. (RBr. at 27.) Samsung quotes from Murata's Pre-Hearing Brief a portion of the same quotation recited above in Section III.B.2.b), as evidence that Murata shared in that statement. (*Id.* at 27-28.) Samsung argues that Murata previously had explained that {

| } to form BCT [barium calcium titanate] in order to meet the (Ba_{1-x}Ca_xO)_mTiO₂ limitation of the claims. (*Id.* at 27-28.)

Samsung also maintains, as part of its analysis of the disputed term, that the chemical formula $(Ba_{1-x}Ca_xO)_mTiO_2$ represents a compound having a perovskite lattice wherein the ratio of Ba to Ca equals the ratio of 1-x to x. Samsung references the testimony of Dr. Dougherty that a person skilled in the art would recognize $(Ba_{1-x}Ca_xO)_mTiO_2$ to be a perovskite structure. (*Id.* at 28.)



(*Id.* (showing perovskite structure).) Samsung says that calcium ions must replace barium ions in the barium calcium titanate crystal structure that constitutes the claimed $(Ba_{1-x}Ca_xO)_mTiO_2$, quoting Murata's Prehearing Brief (at page 45, the words previously quoted above in Section III.B.2.b)) and citing the testimony of Drs. Burn and Dougherty, both of whom said that the formula $(Ba_{1-x}Ca_xO)_mTiO_2$ requires that calcium occupy the barium site in a barium titanate lattice. (*Id.* at 28-30.)

Samsung says Staff and it agree that the ratio of barium to calcium is equal to the ratio of "1-x:x," but for purposes of calculating "x," the calcium that may be included in one of the subcomponents elsewhere mentioned in claim 1 is not a component of $(Ba_{1-x}Ca_xO)_mTiO_2$. (*Id.* at 29.) Therefore, according to Samsung, { } does not contribute to "x." (*Id.*) This means that { } that might be found in { } does not constitute any part of $(Ba_{1-x}Ca_xO)_mTiO_2$. (*Id.*)

According to Staff, the specification of the '254 patent is silent about whether the structure of $(Ba_{1-x}Ca_xO)_mTiO_2$ is crystalline or, if so, what are the specific characteristics of that

structure. (SBr. at 15.) Therefore, Staff disagrees with Samsung that a person of ordinary skill in the art would understand the structure at issue to be a perovskite lattice. (*Id.*) But Staff agrees with Samsung that one of skill in the art would understand that barium, calcium, oxygen, and titanium would have to be chemically bonded in order to form a defined structure. (*Id.*) Staff points to Dr. Burn's testimony that a solid solution is uniform throughout but the composition of a core-shell structure is non-uniform. (*Id.* at 15 (citing Tr. at 577-78 (Burn)).) Staff agrees with Samsung that calcium that is not part of the compound barium calcium titanate (such as {

} should not be considered in determining whether the "x" value mentioned in (Ba_{1-x}Ca_xO)_mTiO₂ is within the range prescribed in claim 1 (*see* JX-4 at 32:61). (*Id.* at 16.)

The Administrative Law Judge finds that Samsung's proposed construction is too broad because of its inclusion of "perovskite lattice" and a negative limitation. Staff's proposed construction also improperly introduces a negative limitation. Furthermore, Murata's proposed construction adds unnecessary descriptive language with respect to the stated composition.

The Administrative Law Judge concludes that a person of ordinary skill in the art would understand the term $(Ba_{1-x}Ca_xO)_mTiO_2$ to mean the following: "A solid solution having the stated composition."

d) Claim 2: "mean particle size"

Murata, in its initial Post-Hearing Brief, does not propose a construction for this term. (See CBr. at 5-16.) Samsung proposes that this term be construed as follows: "Mean particle size of the (Ba_{1-x}Ca_xO)_mTiO₂ starting material (i.e., material before sintering)." (RBr. at 30.) Staff proposes that the term be construed as follows: "arithmetic average of particle size." (SBr. at 14.) Samsung's proposed construction does not define the term "mean particle size" and adds language that adds restrictions not recited in the claims; therefore it is rejected. Staff's proposed construction is consistent with a general understanding of the term "mean" and is consistent with the specification, which indicates that arithmetic averages were calculated from various particle samples that were examined. (See, e.g., JX-4 at 6:11-16.)

The Administrative Law Judge concludes that the term "mean particle size" means the following: "an arithmetic average of particle sizes."

C. '309 patent.

1. Level of Skill in the Art.

Murata says that a person of ordinary skill in the art relating to the '309 patent would have had at least a bachelor's of science degree in electrical, mechanical or mechanical engineering or in chemistry, materials science, physics or equivalent education and at least two years' work or research experience involving capacitor design, process development, manufacturing or related areas during the early 1990s. (Murata's Pre-Hearing Brief at 119.) Samsung says that a person of ordinary skill in the art would have possessed a bachelor's degree in electrical engineering, material science, ceramic engineering or equivalent engineering degree, and at least two years' experience in designing MLCCs. (RBr. at 82.) Staff says that any

differences between Murata's and Samsung's proposed definitions would not be determinative of any issue in this case. (SBr. at 51.)

The Administrative Law Judge concludes that a person of ordinary skill in the art relating to the '309 patent would have had at least a bachelor's degree in electrical or mechanical engineering, chemistry or materials science or an equivalent education and at least two years' work or academic experience involving capacitor design, process development, or manufacturing or related experience.

2. The Disputed Claim Terms of the '309 patent and Their Proper Construction.

Claim 3, an independent claim, reads as follows:

- **3.** A laminated ceramic electronic part, comprising:
 - (a) a ceramic element including:
 - (1) a plurality of overlapping internal electrodes;
 - (2) a plurality of internal ceramic layers located between respective pairs of said overlapping internal electrodes;
 - (3) upper and lower ceramic layers located above and below the uppermost and lowermost ones of said overlapping internal electrodes, respectively;
 - (b) a pair of external electrodes formed on at least one outer surface of said ceramic element, each of said overlapping internal electrodes being electrically coupled to a respective external electrode;
 - (c) said ceramic element satisfying the requirements:
 - (1) the thickness of each said internal ceramic layer is 10 μm or less;
 - (2) the number of said internal electrodes is 200 or more;
 - (3) the ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer is 0.10 to 0.40; and
 - (4) the ratio of the combined volume of said internal electrodes to the combined volume of said ceramic element is 0.10 to 0.30.

(JX-2 at 6:15-37.)

a) Claim 3, "the thickness of each said internal ceramic layer"

Murata says that this term does not need to be construed and that the ordinary meaning of the words controls. (CBr. at 57-58.) Samsung says this term should be construed as follows: "The thickness of each said ceramic layer as measured at every location." (RBr. at 83.) Staff proposes this construction: "for each individual internal ceramic layer, the sum of a sufficient number of measurements of the thickness of the said layer divided by said number of measurements." (SBr. at 51-52.)

Samsung argues that the subject term is part of limitation 3(c)(1) of claim 3, which reads, "the thickness of each said internal ceramic layer is 10 µm or less." (RBr. at 83.) Samsung contends that this claim element means that at no location does the layer thickness exceed 10 µm and therefore the thickness of each ceramic layer has to be measured at every location. (*Id.*) Samsung notes that during the prosecution of the patent, Murata amended the claims to require that each ceramic layer have the desired thickness, reflecting Murata's intent to limit the scope of the claimed invention to devices having a plurality of ceramic layers, each of which does not exceed 10 µm at any location. (Id.) Samsung says that repeated additions of the word "each" during the course of the prosecution of the patent emphasizes that the thickness value applies to every ceramic layer. (Id. at 83-84.) Samsung says the specification confirms that the "thickness of each said internal ceramic layer" requires a determination for every individual ceramic layer, because by amending the specification to make it more restrictive, patentees showed that they considered their invention as claimed in claim 3 of the '309 patent to be limited to a laminated ceramic electronic part in which each of the internal ceramic layers has a thickness that is 10 µm or less. (Id. at 84.) Samsung, in response to the testimony of Murata's expert Dr. Ulrich, that Samsung's construction would require an infinite number of measurements, points to the

testimony of its own expert Dr. Randall who said that one could easily determine whether each ceramic layer exceeded 10 µm by using an aperture having a 10 µm wide slot to inspect a portion single ceramic layer. (*Id.* (citing RFF 5.33).)

Staff says that Samsung's construction is impossible to carry out and therefore should not be adopted. (SBr. at 52.) Staff says that Murata's "non-construction" does not address the issue whether a layer whose average thickness is less that 10 µm will meet the limitation. (*Id.*) Staff argues that Staff's proposed construction has the merit of requiring that every ceramic layer must meet the stated thickness limitation in accordance with the literal language of the claim, and that the evidence shows that the ceramic layers are non-uniform in thickness. (*Id.*)

Murata responds that nothing in claim 3 or in the specification of the '309 patent requires a particular measurement method for determining the thickness of the ceramic layers, and that arguments regarding proper measurement techniques are a matter of infringement proof and not claim construction. (CRBr. at 35.) Murata says that Staff's construction is errant because it requires measurements be taken of every layer, which is not required in order for a person of ordinary skill to determine whether every ceramic layer in a given device is thinner than 10μm, and that Staff's use of the word "sufficient" renders its proposed construction ambiguous. (*Id.*)

Samsung argues in its reply brief that claim construction opinions offered by Murata's expert Dr. Ulrich should be rejected because he does not qualify as an expert in MLCCs, in contrast to Samsung's expert Dr. Randall. (RRBr. at 42-43.) Samsung says that it and Staff are in agreement that the word "each" as used in the disputed claim term requires that every ceramic layer have a thickness that is less than 10 µm. (*Id.* at 43.) Samsung rejects Murata's argument that there is nothing in the claims or specification that requires measurements of every layer in

order to satisfy the thickness limitation of the '309 patent, saying the literal language of claim 3 requires that the thickness limitation applies to "each" ceramic layer. (*Id.*)

The Administrative Law Judge notes that none of the parties has proposed a construction for the phrase "internal ceramic layer(s)" as mentioned or referred to in claim 3 and, therefore, concludes that phrase does not require construction. As for the rest of the disputed term, the Administrative Law Judge finds that each of the words would be understood by persons of ordinary skill in the art according to its plain and ordinary meaning. The words "thickness" and "each" are well understood, and as used in the context in which they appear in claim 3, do not denote that something different than their ordinary meanings was intended by the inventors. Therefore, the Administrative Law Judge finds that the quoted term would be have been understood by a person of ordinary skill in the art at the time of the '309 patent invention according to the plain and ordinary meaning of the words used.

As for the proposed constructions offered by Samsung and Staff, the Administrative Law Judge finds that they are not necessary for an understanding of the term and, further, that each is objectionable because it attempts to engraft limitations that go beyond the plain and ordinary meaning of the term at issue.

b) Claim 3, "the average thickness of each said internal ceramic layer"

Murata contends that this term does not need to be construed either. (CBr. at 59-61.)

Samsung proposes that this term be construed as follows: "The sum of a sufficient number of measurements of the thickness of each said ceramic layer divided by said number of measurements." (RBr. at 84-86.) Staff recommends that this term be construed as follows: "the sum of the thicknesses of each internal ceramic layer divided by the number of layers." (SBr. at 53-54.)

The claim term reads as follows: "the ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer is 0.10 to 0.40[.]" (Id. at 6:32-34 (emphasis added).) The "average thickness of each said internal ceramic layer" denotes that the "average" in question pertains to each internal ceramic layer. This does not support Staff's proposed construction, as Staff has proposed that the sum of the thicknesses of all of the internal ceramic layers is to be divided by the number of layers to calculate the average. Staff's method for calculating average thickness does not involve the average thickness of each internal layer as required by the claim but, instead, the average of the total thickness of all of the internal ceramic layers. If each internal ceramic layer is not of uniform thickness, Staff's proposal would yield a result that deviates from the literal language of the claim, because it would simply sum the maximum thickness of each of those layers and divide that sum by the number of layers to obtain a total thickness average. A different result would follow if the internal ceramic layers are not uniform in thickness and, therefore, have lesser average thicknesses than their maximum thickness measurements. Assuming the maximum thickness measured for a given layer is constant throughout, the average thickness would be equal to any point where a measurement is taken, since every point represents the maximum thickness of that layer (as well as the minimum) and there are no deviations from that measurement anywhere else within that layer. However, if the measurements of thickness at different points throughout the internal ceramic layer are not uniform, there will be a combination of maximum, minimum, and intermediate measurements of thickness, the average of which will be less than the individual maximum measurement.

Samsung's proposed construction is defective because of its inclusion of the word "sufficient," which is subjective and renders the construction ambiguous.

Therefore, the Administrative Law Judge concludes that the term "the average thickness of each said internal ceramic layer" would have been understood by a person of ordinary skill in the art at the time of the '309 patent invention to have its plain and ordinary meaning.

c) Claim 3, "ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer"

Murata believes that this term does not need to be construed and that the ordinary meaning controls. (CBr. at 61-62.) Samsung proposes the following construction: "The average thickness of each said internal electrode divided by the average thickness of each said internal ceramic layer." (RBr. at 87-88.) Staff suggests this construction: "the ratio of the average of the thicknesses of the internal electrodes to the average of the thicknesses of the internal ceramic layers." (SBr. at 54.)

Staff's proposed construction is defective because it deviates from the language of the claim which relates average thickness to the individual electrodes and individual ceramic layers, rather than the averages of their aggregations. Samsung's proposed construction, while accurate, does not add more clarity to what is already clearly expressed by the words of the term as written in the claim.

The Administrative Law Judge concludes that the term, "ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer" is understood by a person of ordinary skill in the art at the time of the '309 patent invention according to its plain and ordinary meaning and requires no construction.

d) Claim 3, "each"

Murata denies that this word needs any construction. (CBr. at 62.) Samsung proposes this construction: "every one of two or more considered individually." (RBr. at 88.) Staff agrees with Murata that there is no need to construe the word "each."

The Administrative Law Judge concludes that the word "each" as used in claim 3 of the '309 patent would be understood by a person of ordinary skill in the art at the time of the patent according to its plain and ordinary meaning, which is every one of two or more things considered separately. This corresponds to Samsung's proposed construction.

D. '229 patent.

1. Level of Skill in the Art.

Murata proposes that a person skilled in the art relating to the '229 patent would have had a bachelor's or master's degree in engineering, physics, chemistry, or a related field, and two or three years of practical work in the industry. (CBr. at 57, 91; CFF 5.3 (citing Tr. at 995:9-14 (Ulrich)).) Murata also proposes that such a person would have had "at least a bachelor's degree in electrical, mechanical, chemical engineering, chemistry, material science, physics or an equivalent formal education, and would have had at least two years of work or research experience involving capacitor design, process development, manufacturing or related areas during the early 1990s." (CFF 5.5 (citing Tr. at 1314:10 -1315:7 (Ulrich)).)

Samsung's expert, Dr. Randall, testified that a person of ordinary skill in the art of the '229 patent would have been someone with (i) a bachelor's degree in electrical engineering, material sciences, ceramic engineering, or some equivalent type of engineering degree, and also would have had at least two years of experience in designing multilayer ceramic capacitors; or (ii)

a master's degree in the subject area of multilayer ceramic capacitor design. (ROCFF 4.14 (referring to Tr. at 1608:17-1609:9 (Randall)); RBr. at 118.)

It is Staff's position that the two skill levels proposed by the parties would not be outcome determinative. (SBr. at 78-79.)

The Administrative Law Judge concludes that a person of ordinary skill in the art of the '229 patent would have had either (i) a bachelor's degree in electrical engineering, material sciences, ceramic engineering, or an equivalent area, plus two years of experience in capacitor design, or experience in related areas such as capacitor manufacturing, or (ii) a master's degree with a similar course of study.

Therefore, the Administrative Law Judge finds that the disputed claim terms of the '229 patent are to be construed in this Investigation in accordance with this definition of a person of ordinary skill.

2. The Disputed Claim Terms of the '229 patent and Their Proper Construction.

a) Claim 1: "first and second electrode plates being interleaved with each other in opposed and spaced apart relation"

Murata proposes that for the claim language "first and second electrode plates being interleaved with each other in opposed and spaced apart relation," the word "interleaved" should mean "the first and second electrode plates are arranged so that the first electrode plates are positioned between the second electrode plates and second electrode plates are positioned between first electrode plates, except at the top and bottom of the stack," and the phrase "opposed and spaced apart relation" should mean "the first and second electrode plates are positioned next to each other so that each first electrode plate is separated from a second electrode plate by a dielectric layer." (CBr. at 91.) Staff agrees. (SBr. at 79.) Murata and Staff

diverge at Murata's addition that "first electrode plates do not need to be identical and second electrode plates do not need to be identical," as Staff finds that this further proposed construction is improper. (CBr. at 92; SBr. at 79-80.)

Samsung contends that "interleaved with each other in opposed and spaced apart relation" means that the first electrode plates and second electrode plates alternate without any intervening electrode plates. (RBr. at 121.) Samsung further argues that the first and second electrode plates must each be of a single design and a single polarity. (RBr. at 119.)

The disputed language "first and second electrode plates being interleaved with each other in opposed and spaced apart relation" appears in independent claim 1 as follows:

1. A multi-layer capacitor device comprising:

- [a] a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation;
- [b] a dielectric material located <u>between each opposed set</u> of the first and second electrode plates;
- [c] the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and
- [d] a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein
- [e] each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the

- second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and
- [f] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

(JX-1 at 18:2-37 (emphasis added).) A person of ordinary skill in the art reading the disputed phrase in the context of claim 1 as a whole would understand that the capacitor device has multiple layers, including top and bottom surfaces, a plurality of opposed first and second electrode plates, and dielectric material. Between the top and bottom surfaces are the alternating first and second electrode plates that are separated from each other by the dielectric material. Because the claim preamble uses the word "comprising," the claim is open ended. *CIAS*, 504 F.3d at 1360. Thus the claim permits the inclusion of other unrecited elements or materials such as additional internal electrode plates. *Id.* The Administrative Law Judge finds that a person of skill in the art would understand the language the "first and second electrode plates being interleaved with each other in opposed and spaced apart relation" to mean "the first and second electrode plates are arranged so that the first electrode plates are positioned between the second electrode plates and second electrode plates are positioned between first electrode plates, except at the top and bottom of the stack, and each first electrode plate is separated from each second electrode plate by a dielectric layer."

The specification is consistent with this finding. The specification explains generally and also with respect to several embodiments that the layering of the first and second internal electrodes with a "respective dielectric layer located therebetween" forms a capacitor unit, and that a multilayer capacitor may have a plurality of capacitor units. (JX-1 at 4:45-48, 6:51-55, 7:37-44, 9:18-24, 12:45-50.) For example, the first preferred embodiment discloses "first and second internal electrodes **40** and **41** . . . in a face-to-face relationship with each other with a

dielectric material layer **39** interposed therebetween, each such pair of internal electrodes forming a respective capacitor unit." (*Id.* at 6:51-55.) In this embodiment the first and second electrode plates face, or oppose, each other and are spaced apart by the dielectric material layer. The specification also describes a third preferred embodiment which, in contrast to the other embodiments, has a third form of internal electrode plate as follows:

the multi-layer capacitor 81 can be formed by locating the third internal electrode 82, the first internal electrode 40b and the second internal electrode 41b, one above the other with respective dielectric layers being located therebetween. Irrespective of the relative locations of the internal electrodes, the external terminal electrodes are arranged such that each of the third external terminal electrodes 87 through 90 is followed by one of the first external terminal electrodes 48b through 53 and then followed by one of the second external terminal electrodes 60b through 65. This alternating arrangement is repeated throughout the four side surfaces 34 through 37. The above-described order of stacking the internal electrodes 82, 40b and 41b may be changed arbitrarily.

(*Id.* at 10:52-65 (emphasis added.) The internal electrode plates of the third embodiment are also configured to form capacitor units. (*Id.* at 10:67-11:13.) The disclosure of a third form of internal electrode plate shows that patentees contemplated capacitor devices with configurations that included more than just capacitor units with opposed sets of the first and second internal electrode plates, and further supports a finding that claim 1 is open ended. The specification additionally teaches that when both the two electrode and three electrode embodiments were manifested in sample devices, the layering arrangement for these was described in the specification as repeated "stacking" of the two or three kinds of internal electrodes respectively. (*Id.* at 16:54-63.) The Administrative Law Judge finds that a person of skill in the art reading the specification would understand the language the "first and second electrode plates being interleaved with each other in opposed and spaced apart relation" to mean "the first and second electrode plates are arranged so that the first electrode plates are positioned between the second electrode plates and second electrode plates, except

at the top and bottom of the stack, and each first electrode plate is separated from each second electrode plate by a dielectric layer."


The file history does not contradict this finding. Indeed, the file history consists of little more than the application, some information disclosure statements with attached copies of prior art, an examiner interview summary, and a notice of allowability that contains the examiner's amendments (none of which are directed to claim 1) and reasons for allowance. (JX-9.)

According to the examiner,

Regarding claims 1-50, the allowability in combination with the other claimed features is because nowhere in the prior art is there a multilayer capacitor device having at least one of the lead structures of the first and second electrode plates that have a [ratio] L/W is equal to about 3 or less.

(*Id.* at MM_000501.) There is no discussion of the claim language the "first and second electrode plates being interleaved with each other in opposed and spaced apart relation." (JX-9.)

Samsung argues that U.S. Patent No. 5,880,925 (the "DuPré patent") supports a determination that first and second electrode plates that are interleaved in opposed and spaced apart relation do not have intervening electrode plates. (RBr. at 122.) Samsung relies in particular on DuPré figures 2 and 5, reproduced below.






FIG. 5

(JX-9 at MM 000342-43.) Samsung argues that this DuPré reference should be "the primary guide" for claim construction of the '229 patent because Samsung alleges that patentees copied language from the DuPré patent. (Id. at 118-119 (citing V-Formation, Inc. v. Benetton Group SpA, 401 F.3d 1307, 1311 (Fed. Cir. 2005)).) According to Samsung, the DuPré patent provides "particular value as a guide to the proper construction of the term[s], because it may indicate not only the meaning of the term to persons skilled in the art, but also that the patentee intended to adopt that meaning." (Id. (quoting Arthur A. Collins, Inc. v. Northern Telecom Ltd., 216 F.3d 1042, 1045 (Fed. Cir. 2000)).)

Murata responds that Samsung cannot trump the specification with a reference cited in the file wrapper. (CRBr. at 54-55 (citing *Phillips*, 415 F. 3d at 1315 (specification is the single best guide to claim interpretation).) Murata further notes that even if the DuPré patent should be a guide for the disputed language of claim 1 of the '229 patent, Samsung improperly limits its proposed constructions to DuPré's embodiments. (CRBr. at 56.)

The Administrative Law Judge finds that Samsung has placed undue emphasis on the DuPré patent. The DuPré patent is part of the file history (JX-9 at MM 000341-351) and thus under *Phillips* may provide guidance as to the understanding of one of skill in the art at the time the '229 patent was filed. However, it is also noted that the DuPré patent is not referred to or incorporated by reference in the '229 patent specification or discussed by the examiner during prosecution. (JX-1; JX-9 at MM 000494, MM 000499, MM 000501.) In contrast, patentees specifically discussed Japanese Unexamined Patent Publication No. H2-256216 and reproduced several of its figures in the specification, yet Samsung does not look to this publication for assistance in construing the disputed claim language. (JX-1 at 1:15-19, Figs. 15-17.) Nor does Samsung discuss what one of skill in the art would have understood based on the other prior art references cited in the file history, even though these references also use such language as "interleaved layers" and "interdigitated leads." (See e.g., JX-9 at MM 000237, MM 000278.) While the Administrative Law Judge agrees that the DuPré patent, as part of the file history, may be informative to the issue of claim construction, the Administrative Law Judge declines to use it as "the primary guide" for resolving claim disputes for the '229 patent and declines to remove it from the context of the other prior art references disclosed in the intrinsic record.

A review of the DuPré patent shows that (i) its patentees did not provide any special definition for the overlapping portions of the language disputed in claim 1 of the '229 patent and (ii) it does not support Samsung's argument that first and second electrode plates that are "interleaved . . . in opposed and spaced apart relation" do not have intervening electrode plates.

⁷ Collins, 216 F.3d at 1045 ("we adopt the meaning of TST switch that is used in the patents referred to in the written description, which appears to be the meaning given the term by a person skilled in the art.").

⁸ Kumar v. Ovonic Battery Co., Inc., 351 F.3d 1364, 1368 (Fed. Cir. 2003) ("In the present case, the Polk patent is not simply cited in the '686 patent as pertinent prior art; nor is there any showing that the Polk patent adopted a special definition at variance with that prevailing in the art. Rather the Polk patent was considered by both the applicant and the examiner to be highly pertinent prior art...").

Claim 1 of the DuPré patent refers to a multilayer capacitor device "comprising[,]" among other things, "a plurality of first and second electrode plates interleaved in opposed and spaced apart relation." (JX-9 at MM_000350, 7:54-56.) It is noted that this language is not identical to the disputed phrase of claim 1 of the '229 patent, although it uses similar terminology, and that the claimed device is open ended like claim 1 of the '229 patent. Thus claim 1 of the DuPré patent is broad enough to include other unclaimed electrode plates. Furthermore, there is nothing in the language of claim 1 of the Dupré patent as a whole that would prevent other intervening electrode plates.

A review of the DuPré specification shows that the DuPré patentees did not specially define "first and second electrode plates interleaved in opposed and spaced apart relation" or otherwise limit claim 1 to only first and second electrode plates. (JX-9 at MM 000347, 1:43-49 (repeating the open ended term "comprises"). See also id. at 2:17-20, 2:53-3:25, 4:55-64, Fig 2.) Therefore the Administrative Law Judge rejects Samsung's argument (RBr. at 122) that because the embodiments in the DuPré patent only disclose two electrode plate designs, DuPré claim 1 should be understood to exclude other intervening electrode plates. *Phillips*, 415 F.3d at 1323 (embodiments are generally not to be read into the claims as limitations); Gemstar-TV Guide Intern., Inc. v. International Trade Comm'n, 383 F.3d 1352, 1368-69 (Fed. Cir. 2004) (finding no basis to import "regular movement" limitation from preferred embodiment into a claim absent an express disavowal of "irregular movement" in the specification). Furthermore, the DuPré figure 5 confirms that one of skill in the art at the time the '229 patent was filed would have understood that in an embodiment with first and second electrode plates "interleaved in opposed and spaced apart relation," the first and second electrode plates are arranged so that the first electrode plates are positioned between the second electrode plates and second electrode plates

are positioned between first electrode plates, and each first electrode plate is separated from each second electrode plate by a dielectric layer. (JX-9 at MM_000343.)

Other prior art references in the file history confirm that this is what one of skill in the art would have understood. For example, U.S. Patent No. 4,706,162 (the "Hernandez" patent) claims a "multilayer capacitive element" with "interleaved layers of conductive material and dielectric material with alternating layers of conductive material being electrically connected and defining first and second groups of conductive layers." (JX-9 at MM 000278, 10:46-55 (emphasis added).) Thus prior art describing dielectric material sandwiched between metal conductors, such as in the Hernandez patent specification, and showing embodiments of the multilayer capacitor with "a series of stacked ceramic layers interleaved with conductive electrodes; with alternating electrodes being electrically connected . . ." were available to persons of skill in the art. (*Id.* at MM 000265, Fig. 13, MM 000273, 5:24-65, MM 000277, 7:52-56.) As another example, U.S Patent No. 4,814,940 claims a capacitor with "a plurality of internal capacitor plates positioned and maintained in spaced relation with dielectric material." (JX-9 at MM 000287, 4:25-29 (emphasis added).) Thus it was known to one of skill in the art that electrode plates in spaced apart relation had dielectric material separating them. It is further noted that Samsung does not cite to, and the Administrative Law Judge does not find, anything in these other disclosed references to support Samsung's argument that one of skill would have understood the language the "first and second electrode plates being interleaved with each other in opposed and spaced apart relation" of claim 1 of the '229 patent to mean there could be no intervening layers.

Turning to the extrinsic evidence, the Administrative Law Judge declines to consider the Oxford English Dictionary Online definition of "interleave" quoted by Murata. (CBr. at 92.)

Murata fails to cite to any admitted exhibit containing such a definition, and the Administrative Law Judge cannot take judicial notice of a definition found in a subscription-only online dictionary. (*See* http://www.oed.com.) Murata also relies on the expert⁹ testimony of Professor Ulrich (CBr. at 94; CFF 5.10; Tr. at 1018-20 (Ulrich)), which the Administrative Law Judge also declines to consider. In the cited portions of the transcript, Professor Ulrich does nothing more than set forth his subjective understanding with respect to claim construction. *General Protecht Group, Inc. v. International Trade Comm'n*, 619 F.3d 1303, 1310-11 (Fed. Cir. 2010) (expert's subjective understanding irrelevant).

The Administrative Law Judge rejects Murata's proposed language the "first electrode plates do not need to be identical and second electrode plates do not need to be identical." (CBr. at 92.) There is nothing in the plain language of claim 1 of the '229 patent or in the specification that suggests that the plurality of first electrode plates or the plurality of second electrode plates are varied plates. As Staff and Samsung point out (SBr. at 80; RBr. at 120), if all the first internal electrode plates did not need to be identical to each other and all the second internal electrode plates did not need to be identical to each other, then there would be no need to disclose a third preferred embodiment with a third internal electrode plate. (JX-1 at 9:44-56, 10:52-65, Figs. 8-11.) "If the first and second electrodes did not have a consistent shape, the third electrode would be described as yet another second electrode rather than as a third electrode." (SBr. at 80.) Murata counters that this would lead to an absurd result because "a capacitor with three different plate designs necessarily requires that two of the designs use the

⁹ Samsung's litany of objections that Professor Ulrich does not qualify as an expert (*see e.g.*, ROCFF 5.7, 5.8, 5.9 etc.) fail to take the Administrative Law Judge's express finding on this matter into account. (Tr. at 994 ("I think it's sufficient to qualify him to give expert testimony with respect to the two patents that he would be testifying about based upon the reports that he's prepared. Therefore, I'm going to recognize him as an expert with respect to the areas that he will be testifying in this case.").)

¹⁰ Indeed, there is testimony to show that Professor Ulrich's claim construction positions were "given" to him. (Tr. at 1306:2-8.)

same polarity." (CBr. at 94; CFF 5.10.) Murata ignores the language of the specification, however, that explains that—

[a]lthough the arrangement of the third preferred embodiment is different from that in the first preferred embodiment in that external terminal electrodes having different polarities are not necessarily adjacent to each other in all locations, the directions of the current flows on the internal electrodes 40b and 41b is more diverse than those in the conventional multi-layer capacitor 1 shown in FIGS. 15 through 17 and the lengths of the current paths are shorter.

(JX-1 at 11:34-41 (emphasis added).) From this passage it can be inferred that patentees understood that having a third type of internal electrode plate with the same polarity as one of the other two types of plates would result in some lead structures (electrically connected to external terminal electrodes) of the same polarity being positioned adjacent to each other. Based on the intrinsic record, the Administrative Law Judge finds that a person of ordinary skill in the art would understand that all the "first electrode plates," as claimed in claim 1 of the '229 patent, have the same design, and that all the "second electrode plates," as claimed in claim 1 of the '229 patent, have the same design.

Claim 28.

Claim 28 of the '229 patent also contains the disputed language, "in opposed and spaced apart relation," found in claim 1. For the reasons discussed above with respect to claim 1, the Administrative Law Judge finds that the claim language "at least one second electrode plate situated in opposed and spaced apart relation to the first electrode plate . . . dielectric material disposed between each opposing set of first and second electrode plates" means that the first and second electrode plates are arranged so that each first electrode plate is separated from each opposing second electrode plate by a dielectric layer. Just as with claim 1, claim 28 is openended and permits the inclusion of other unrecited internal electrode plates.

b) Claims 1, 28: "in an interdigitated arrangement"

Murata and Staff argue that the disputed language "in an interdigitated arrangement" means "projecting alternately between each other." (CBr. at 95; SBr. at 81.) They further argue that within the context of the '229 patent, "interdigitated leads do not have to be on the same level." (Id.)

Samsung argues that "in an interdigitated arrangement" means "with at least two lead structures of each polarity on a single side arranged in an alternating manner." (RBr. at 122.) Samsung does not argue that interdigitated leads have to be on the same level. (*Id.* at 122-124; RRBr. at 59-61.)

None of the parties argues that the disputed language of the two claims should have differing constructions.

The disputed language appears in independent claims 1 and 28 as follows:

- 1. A multi-layer capacitor device comprising:
 - [a] a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation;
 - [b] a dielectric material located between each opposed set of the first and second electrode plates;
 - [c] the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and
 - [d] a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective

- ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein
- [e] each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and
- [f] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

28. A multi-layer capacitor device comprising:

- [a] a capacitor body including a pair of opposed side surfaces having continuously smooth surfaces and a pair of opposed end surfaces disposed between the pair of opposed side surfaces;
- [b] at least four electrical terminals disposed on each of the opposed side surfaces;
- [c] the capacitor body also including at least one first electrode plate having a substantially rectangular first main electrode portion with a plurality of first lead structures extending therefrom and at least one second electrode plate situated in opposed and spaced apart relation to the first electrode plate, the second electrode plate having a substantially rectangular second main electrode portion with a plurality of second lead structures extending therefrom, respective ones of the first lead structures being located adjacent respective ones of the second lead structures in an interdigitated arrangement and extending to respective ones of the electrical terminals; dielectric material disposed between each opposing set of first and second electrode plates; wherein
- [d] each of the lead terminals of the at least one first electrode plate being disposed opposite to another of the lead terminals of the at least one first electrode plate across the capacitor body and each of the lead terminals of the at least one second electrode plate being disposed opposite to another of the lead terminals of the at least one second electrode plate across the capacitor body; and
- [e] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

(JX-1 at 18:2-37, 20:1-34 (emphasis added).) A review of the claim language at issue within the context of claims 1 and 28 shows that the respective lead structure of each first electrode plate is located adjacent to the respective lead structure of each second electrode plate (and extend to the

respective lead terminals) so that all the lead structures for the two types of electrode plates are alternately arranged. The Administrative Law Judge finds that a person of ordinary skill in the art of the '229 patent would understand the claim language "in an interdigitated arrangement" as used in claims 1 and 28 to mean "projecting alternately between each other." The Administrative further finds that as the respective lead structures are located on the first and second plates, the interdigitated arrangement of leads cannot be on the same level within each stack comprising a first internal electrode, dielectric material, and second internal electrode.

The specification supports this finding. Figures 2 and 3 show examples of first and second electrode plates in the first preferred embodiment. Leads 42 through 47 (attached to terminal electrodes 48 through 53 respectively) of the first electrode plate 40 are arranged to alternate with leads 54 through 59 (attached to terminal electrodes 60 through 65 respectively) of the second electrode plate 41.

FIG. 2






FIG. 3



(JX-1 at Figs. 2, 3.) Figure 1 is a plan view of the first preferred embodiment (shown on opposed principal surface 32) that shows the interdigitated or alternating arrangement of leads 42 through 47 (reflected in the respective external electrodes 48 through 53) of the first electrode plate 40 and leads 54 through 59 (reflected in the respective external electrodes 60 through 65) of the second electrode plate 41:

FIG. 1



(*Id.* at Fig. 1.) For example, sides 37 and 34 show how leads 47, 42, and 43 (reflected in the respective external electrodes 53, 48, and 49) of the first electrode plate 40 project alternately with leads 59, 54, and 55 (reflected in the respective external electrodes 65, 60 and 61) of the second electrode plate 41. (*Id.*) This alternating arrangement continues all the way around the two plates. (*Id.*) The specification, without limiting claims 1 and 28, explains with respect to this embodiment that "[t]he external terminal electrodes 48 through 53 are arranged in an interleaved manner such that no two external electrodes which are electrically coupled to the same internal electrode 40 or 41 are adjacent one another. In operation the polarizations of the first and second internal electrodes 40, 41 are preferably opposite to one another." (*Id.* at 7:32-37.) A person of ordinary skill in the art reviewing the specification would understand "in an interdigitated arrangement" to mean "projecting alternately between each other."

The Administrative Law Judge rejects Samsung's proposed language "with at least two lead structures of each polarity on a single side arranged in an alternating manner" (RBr at 122)

as ambiguous and unsupported by the intrinsic evidence. As an initial matter, the language proposed by Samsung does not make sense when inserted into claims 1 and 28 because "single side" could refer to either a side of an internal electrode plate or to a side of the capacitor device as a whole. Samsung's briefing shows Samsung is referring to internal electrode plate sides, but the proposed language does not reflect this. (RBr. at 124.) Furthermore, does Samsung mean that each internal electrode plate side must have at least two lead structures of a single polarity or that each internal plate must have at least one side that has at least two lead structures of a single polarity? In the former case, Samsung's proposed language would exclude all preferred embodiments, which is rarely if ever¹¹ correct. (*See e.g.*, JX-1 at Figs. 1-3, 6-7, 9-11, 13-14, 20-21.) In the latter case, there is no language in claims 1 and 28 of the '229 patent that suggests that at least one side of each of the first and second internal electrode plates must have at least two lead structures of each polarity.

Claim 1 of the '229 patent requires the capacitor device to have a plurality (two or more) of electrode terminals on each of the opposed surfaces of the capacitor, but these correspond to lead structures of both the first and second electrode plates. (*Id.* at 18:21-29.) Thus the claim is broad enough that each type of electrode plate could have one lead structure on any given side and when the two plates are stacked, the capacitor on that side would have two electrode terminals corresponding to the alternating lead structures of the first and second internal plates. Claim 28 claims "at least four electrical terminals disposed on each of the opposed side surfaces." (*Id.* at 20:1-34.) This language is ambiguous and could be interpreted to mean that the four terminals be disposed on each side surface (and the side surfaces are opposed) or that the four terminals are disposed among the paired (opposed) side surfaces and thus could be

¹¹ MBO Laboratories, Inc. v. Becton, Dickinson & Co., 474 F.3d 1323, 1333 (Fed. Cir. 2007).

apportioned e.g., two to an opposed side. Dependent claim 46, which claims that "each of the pair of opposed side surfaces of the capacitor body includes at least four of the electrical terminals disposed thereon," gives rise to the presumption under the doctrine of claim differentiation that claims 28 and 46 have different scope. SunRace Roots Enterprise Co., Ltd. v. SRAM Corp., 336 F.3d 1298, 1302-3 (Fed. Cir. 2003) (doctrine of claim differentiation creates presumption that different claims have a different scope—a presumption that is "especially strong when the limitation in dispute is the only meaningful difference between an independent and dependent claim, and one party is urging that the limitation in the dependent claim should be read into the independent claim"). Samsung does not identify, and the Administrative Law Judge does not find, any suggestion in the intrinsic or extrinsic record that this presumption should not apply. Thus a narrower claim 46 would mean that the four terminals claimed in broader claim 28 are disposed among the paired (opposed) side surfaces and could be apportioned e.g., two to an opposed side. (Compare JX-1 at 20:1-34 with id. at 21:38-41.) Even if this were not the case, claim 28 does not require that all of these terminals correspond to lead structures on the first and second electrode plates. (Id. at 20:1-34.) Claim 28 is open ended, and for the reasons discussed previously in Section III.D.2.a), may contain more types of electrode plates than just first and second internal electrode plates. It is also noted that claim 28 claims a plurality of lead structures without requiring that any particular number be placed on a given side of the first or second electrode plates. (*Id.* at 20:10-30.)

Furthermore, the third embodiment of the '229 patent supports a finding that the disputed language of claims 1 and 28 is broader than Samsung submits. The specification discloses first

and second internal electrode plates 40b, $41b^{12}$ in the third preferred embodiment that do not have two lead structures on at least one side. (*Id.* at Figs. 10-11.) Samsung does not point to any portion in the specification that suggests that this preferred embodiment should be overlooked, but instead Samsung relies on the DuPré prior art referred to in the file history. As noted above in Section III.D.2.a), Samsung has placed undue weight on the DuPré reference. Although DuPré has some relevance in demonstrating how one of skill in the art would have understood "in an interdigitated arrangement," as claimed in claims 1 and 28 of the '229 patent, this single reference cannot be removed from the context of the '229 patent claims, specification, and file history. Furthermore, the DuPré reference actually contradicts Samsung's argument that "in an interdigitated arrangement" requires at least two lead structures on at least one side. Claim 1 of DuPré specifically claims first and second electrode plates each including a main electrode portion "and at least two spaced apart lead structures extending therefrom. . . . " (JX-9 at MM 000350, 7:61-63.) If Samsung's allegations that patentees had modeled some of the language of claims 1 and 28 of the '229 patent on the DuPré patent's claim language are valid, then patentees were aware of, and could have chosen, the phrase "at least two spaced apart lead structures extending therefrom" for implementation with respect to each of the first and second internal electrode plates claimed in claims 1 and 28 of the '229 patent. It is significant that patentees did not.

The Administrative Law Judge further notes that in other prior art references contained in the file history, the term "interdigitated" has meaning in the art that accords with the language

¹² It is noted that for the third preferred embodiment the specification initially refers to internal electrode 82 as the first internal electrode, 40b as the second internal electrode, and 41b as the third internal electrode. (JX-1 at 9:44-54.) However this appears to be an error: for the remainder of the description of the third embodiment, internal electrode 82 is consistently referred to as the third internal electrode, internal electrode 40b is consistently referred to as the first internal electrode, and internal electrode 41b is consistently referred to as the second internal electrode. (Id. at 9:60-11:49.)

proposed by Murata and Staff—not Samsung. For example, the Prymak article teaches with respect to "Interdigitated Leads" that "[t]his is an arrangement of the pins in a larger capacitor such that the adjacent pins are of opposite polarity (Figure 23)." (JX-9 at MM_000237.)




Figure 23. Interdigitated leads.

(*Id.*) Prymak shows that these interdigitated arrangements are not limited to a "side" of a plate but may occur on a circular shaped unit. (*Id.* at MM_000238.)




Figure 24. Circular capacitor with interdigitated leads.

(*Id.*) The interdigitated leads in both figures 23 and 24 project alternately between each other, although it should be noted here that these diagrams show significantly more leads than the minimum claimed in claims 1 and 28 of the '229 patent. Therefore they have a different appearance than a capacitor device that has a repeated series of first and second electrode plates with a smaller number of leads on a side pursuant to claims 1 or 28 of the '229 patent. This is because Claims 1 and 28 merely require that each lead from each first internal electrode plate be located adjacent to the respective lead from each second internal electrode plate, projecting alternately between each other; they do not claim an interdigitated arrangement that extends symmetrically along a side of the capacitor device (Figure 23) or around all of it (Figure 24). Accordingly, the Administrative Law Judge finds that a person of ordinary skill in the art of the '229 patent would understand, based on the intrinsic record, that the claim language "in an

interdigitated arrangement" as used in claims 1 and 28 means "projecting alternately between each other."

The extrinsic evidence does not support a different finding. The Administrative Law Judge declines to consider the Oxford English Dictionary Online definition of "interdigitate" quoted by Murata. (CBr. at 95-96.) Murata fails to cite to any admitted exhibit containing such a definition, and the Administrative Law Judge cannot take judicial notice of a definition found in a subscription-only online dictionary. (See http://www.oed.com.) Samsung also provides a definition from an online dictionary (RRBr. at 60), not in evidence, although this definition is publicly available. (See http://www.merriam-webster.com/dictionary/interdigitate ("to become interlocked like the fingers of folded hands").) It is noted that this definition provided by Samsung is consistent with Murata and Staff's proposed claim language "projecting alternately between each other" and does not support Samsung's proposed language "with at least two lead structures of each polarity on a single side arranged in an alternating manner." The Administrative Law Judge concludes that one of ordinary skill in the art of the '229 patent would understand, based on the intrinsic and extrinsic evidence, that the claim language "in an interdigitated arrangement" as used in claims 1 and 28 means "projecting alternately between each other."

c) Claims 1, 28: "opposite to"

Murata and Staff argue that the claim language "opposite to," as it relates to terminals in claims 1 and 28 of the '229 patent, means the terminals are positioned on opposite sides without requiring that they be directly across from each other. (CBr. at 98; SBr. at 94.) Samsung does not dispute this position in the posthearing briefing (RBr. at 119-125; RRBr. at 57-62), and thus any arguments disputing Murata and Staff's proposed construction are deemed waived or

abandoned. (Ground Rule 10.1.) As this claim language is no longer in dispute, no construction is necessary. *Vanderlande*, 366 F.3d at 1323 ("[o]nly claim terms in controversy need to be construed").

d) Claim 51, "position located between the positions to which the first lead electrodes extend"

Murata argues that after reconsidering its position, it now agrees with Staff that the claim language "position located between the positions to which the first lead electrodes extend" of claim 51 of the '229 patent should mean "position on the shorter of the two peripheral paths connecting two of the first lead electrodes." (CBr. at 99; SBr. at 84.)

Samsung argues that the disputed language should mean "position on the shorter of the two peripheral paths connecting two of the first lead electrodes, where said first lead electrodes are either on the same side or adjacent sides." (RBr. at 124.)

The parties all agree to the language "position on the shorter of the two peripheral paths connecting two of the first lead electrodes." At issue is whether Samsung's additional proposed limitation, "where said first lead electrodes are either on the same side or adjacent sides," also applies.

As an initial matter, Murata's original proposed claim construction is deemed waived. (Ground Rule 10.1.) The Administrative Law Judge finds, however, that because Murata's new position is duplicative of Staff's there is no prejudice to Samsung. Even if every single new Murata argument relating to this disputed language were to be disregarded, each of these arguments has been timely set forth by Staff. The Administrative Law Judge is unpersuaded by Samsung's argument that Samsung has been precluded from "taking discovery of Murata's infringement contentions under Staff's construction" (RRBr. at 61-62) because Samsung had

adequate knowledge of Staff's proposed construction. Nothing prevented Samsung from requesting discovery from Murata as to its infringement contentions should Staff's proposed construction prevail.

The disputed phrase appears in independent claim 51 as follows:

- 51. A monolithic capacitor comprising:
 - [a] a capacitor body having two opposed main surfaces and four side surfaces connected between the two main surfaces, said capacitor body including a plurality of dielectric layers extending in the direction in which the two opposed main surfaces extend, and at least one pair of first and second internal electrodes opposed to each other through one of the dielectric layers so as to define a capacitor unit, said capacitor body further including at least two first lead electrodes extending from one of the first internal electrodes to at least two positions on at least one of the side surfaces, and at least one second lead electrode extending from the second internal electrode to a position located between the positions to which the first lead electrodes extend;
 - [b] first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively; wherein the ratio L/W of the length L to the width W of at least one of the first and second lead electrodes is within the range of about 0.4 to about 3.0

(JX-1 at 22:1-23 (emphasis added).) There is nothing in the language of claim 51 that suggests that the language "position located between the positions to which the first lead electrodes extend" requires that the first lead electrodes be placed either on the same side or adjacent sides.

A review of the specification and file history shows that there is nothing in these that would signal to one of skill in the art that the first lead electrodes are required to be either on the same side or adjacent sides. The parties agree that all of the preferred embodiments disclosed in the '229 patent specification

illustrate[] a capacitor where a lead electrode extends from the second electrode plate to a position on the shorter of the peripheral paths connecting two of the first lead electrodes, where said first lead electrodes are either on the same side or adjacent sides. (JX-l at figs. 2-3, 6-7, 9-11,13-14, 16-17 and 20-21[.])

(RFF 6.164 (undisputed).) As Staff points out, however, "claims are not limited to the invention described in the embodiments." (SBr. at 85. *See also Phillips*, 415 F.3d at 1323.) The Administrative Law Judge concludes that a person of ordinary skill in the art would not understand the language of claim 51, "position located between the positions to which the first lead electrodes extend," to have the limitation "where said first lead electrodes are either on the same side or adjacent sides."

e) Claims 7, 34, "substantially equal to each other"

Murata argues that "substantially equal to each other" as claimed in claims 7 and 34 of the '229 patent should mean "largely or approximately equal from the viewpoint of one of ordinary skill in the art." (CBr. at 101.) Staff disagrees with Murata's use of the word "approximately" but does not dispute that the claim language at issue should mean "largely equal from the viewpoint of a person of ordinary skill in the art." (SBr. at 86.)

Samsung does not set forth a proposed interpretation of the language "substantially equal to each other" in the posthearing briefing (RBr. at 119-125; RRBr. at 57-62), and thus any arguments disputing Murata and Staff's proposed construction are deemed waived or abandoned. (Ground Rule 10.1.)

It is undisputed that "substantially equal to each other" means at least "largely equal from the viewpoint of a person of ordinary skill in the art." Solely at issue is whether the claim language at issue may also include "approximately."

Claims 7 and 34 read as follows:

- 7. The multi-layer capacitor according to claim 1, wherein the lengths L of all of the lead electrodes are substantially equal to each other.
- **34**. The multi-layer capacitor device according to claim **28**, wherein the lengths L of all of the lead electrodes are substantially equal to each other.

(JX-1 at 18:57-59, 20: 54-56.) The claims do not provide much context for the language "substantially equal to each other" and the specification merely repeats variations of the phrase "the lengths of all of the lead electrodes are preferably substantially equal." (*See e.g.*, JX-1 at 3:66-67, 15:11-13.) Staff argues that as Tables 1 and 2 in the specification have precise measurements of electrode "width," the language "approximately" is not appropriate. (SBr. at 86.) Staff's argument with respect to the *width* of the lead electrodes has no bearing on their *length*, and the lengths in these two tables are measured in tenths, not hundredths of a millimeter. (JX-1 at Tables 1, 2.) Neither party cites to the file history to support their position, and, as noted above in Section III.D.2.a), there is little guidance in the file history with respect to the patentees' or examiner's understanding of the claim language in the '229 patent.

Murata argues that the Federal Circuit has held that "term 'substantial' is a meaningful modifier implying 'approximate,' rather than 'perfect,'" quoting *Playtex Products, Inc. v.*Procter & Gamble Co., 400 F.3d 901, 907 (Fed. Cir. 2005). (CBr. at 101.) "Substantial" is a term that has consistently been interpreted by the Federal Circuit to mean "largely or approximately." (See e.g., Liquid Dynamics Corp. v. Vaughan Co., Inc., 355 F.3d 1361, 1368 (Fed. Cir. 2004); Cordis Corp. v. Medtronic Ave, Inc., 339 F.3d 1352, 1361 (Fed. Cir. 2003); Epcon Gas Sys., Inc. v. Bauer Compressors, Inc., 279 F.3d 1022, 1031 (Fed. Cir. 2002).) There is nothing in the intrinsic record to indicate that "substantially equal to each other" should carry a different meaning. Accordingly, the Administrative Law Judge finds that "substantially equal to each other" as claimed in claims 7 and 34 should mean "largely or approximately equal from the viewpoint of one of ordinary skill in the art."

IV. INFRINGEMENT DETERMINATION

A. Applicable Law

"Determination of infringement is a two-step process which consists of determining the scope of the asserted claim (claim construction) and then comparing the accused product . . . to the claim as construed." *Certain Sucralose, Sweeteners Containing Sucralose, and Related Intermediate Compounds Thereof,* Inv. No. 337-TA-604, Comm'n Op. at 36 (U.S.I.T.C., April 28, 2009) (citing *Litton Sys., Inc. v. Honeywell, Inc.*, 140 F.3d 1449, 1454 (Fed. Cir. 1998) "*Litton*"). An accused device literally infringes a patent claim if it contains each limitation recited in the claim exactly. *Litton*, 140 F.3d at 1454. Each patent claim element or limitation is considered material and essential. *London v. Carson Pirie Scott & Co.*, 946 F.2d 1534, 1538 (Fed. Cir. 1991). In a Section 337 investigation, the complainant bears the burden of proving infringement of the asserted patent claims by a preponderance of the evidence. *Enercon GmbH v. Int'l Trade Comm'n*, 151 F.3d 1376, 1384 (Fed. Cir. 1998).

If the accused product does not literally infringe the patent claim, infringement might be found under the doctrine of equivalents. The Supreme Court has described the essential inquiry of the doctrine of equivalents analysis in terms of whether the accused product or process contains elements identical or equivalent to each claimed element of the patented invention. Warner-Jenkinson Co., Inc. v. Hilton Davis Chemical Co., 520 U.S. 17, 40 (1997). Under the doctrine of equivalents, infringement may be found if the accused product or process performs substantially the same function in substantially the same way to obtain substantially the same result. Valmont Indus., Inc. v. Reinke Mfg. Co., 983 F.2d 1039, 1043 (Fed. Cir. 1993).

B. Analysis of the Accused Products with Respect to the '254 patent.

Murata asserts that the Accused '254 Products, identified in Appendix A (see Section I.E. above) infringe claims 1, 2, 9, 11-14, and 19-20 of the '254 patent. (CBr. at 19-34.)

1. Claim 1

This claim reads as follows:

1. A dielectric ceramic comprising

$$(Ba_{1-x}Ca_xO)_mTiO_2+\alpha Re_2O_3+\beta MgO+\gamma MnO$$

in which Re is at least one member selected from the group consisting of Y, Gd, Tb, Dy, Ho, Er and Yb; α , β γ , m and x are molar ratios; $0.001 \le \alpha \le 0.10$; $0.001 \le \beta \le 0.12$; $0.001 \le \gamma \le 0.12$; $1.000 \le m \le 1.035$; and $0.005 \le x \le 0.22$, and

- about 0.2 to 5.0 parts by weight of either a first sub-component or a second sub-component or a third sub-component relative to 100 parts by weight of (Ba_{1-x}Ca_xO)_mTiO₂, wherein
 - [a] the $(Ba_{1-x}Ca_xO)_mTiO_2$ contains about 0.02% by weight or less of alkali metal oxides,
 - [b] the first sub-component is a Li₂O—(Si, Ti)O₂—MO oxide in which M is at least one of Al and Zr,
 - [c] the second sub-component is a SiO₂—TiO₂—XO oxide in which X is at least one selected from the group consisting of Ba, Ca, Sr, Mg, Zn and Mn, and the third sub-component is SiO₂.

(JX-4 at 32:55-33:6.)

Murata's Contentions

Murata contends that of the 1,045 Accused '254 Products (*see* Section I.E. above), those accused multilayer ceramic capacitors (singularly or plurally, "MLCC") that contain Samsung's compositions {

| } (the "Compositions") infringe claim 1. (CBr. at 18.) Murata bases its allegation of infringement principally on the testimony of its expert Dr. Ian Burn, who relied on analytical testing of Evans Analytical Group ("EAG"), an analytical services laboratory. (*Id.* at 19.) Murata believes it is technically possible to

determine whether the accused Samsung Compositions infringe a limitation of claim 1 by means of the raw materials used to make the dielectric materials, because the elements in the raw materials are not created or destroyed during sintering, although they may migrate or form new combinations. (*Id.*) According to Murata, Inductively Coupled Plasma ("ICP") testing of a representative product containing the { } Composition confirmed that the bulk chemical composition of the sintered dielectric ceramic can be determined by referring to the pre-sintered composition. (*Id.*)

More specifically, Murata argues that an infringement determination based on whether the asserted $\alpha Re_2O+\beta MgO+\gamma MnO$ composition is present in the accused Compositions can be made by referring to the starting materials, because the elements therein will be present in the "final dielectric material" in the same molar amounts. (*Id.* at 20.) Based on the starting materials for the Compositions, Dr. Burn concluded that the molar ratios of the rare earth, magnesium and manganese elements in the Compositions meet the limitations of claim 1 of the '254 patent. (*Id.* at 20.)

Murata says that Dr. Burn, using information provided by Samsung, calculated that the final Compositions contain { } that falls within a range of { } } and satisfies the limitations for one of the asserted alternative subcomponents { } in claim 1. (Id. at 21.) Murata says that business records produced by Samsung about the starting materials it uses to make its capacitors allowed Dr. Burn to make calculations of the amount of alkali metal oxides that can exist in the "sintered dielectric materials," based on the limitations Samsung imposes on its suppliers for alkali metal oxides and other impurities in their raw materials. (Id.)

Murata says the { } } and other raw materials Samsung gets from its suppliers are restricted in their amounts of { } } an alkali metal oxide, to a weight percentage below

0.02 %. (Id.) Murata notes that Samsung's raw materials specifications do not mention {	}
or, with few exceptions, { } which are also alkali metals it uses, because Samsung	has
never experienced contamination when using either of them in its dielectric materials. (Id. a	.t 21-
22.) Therefore, argues Murata, it can be concluded that Samsung's { } starting	g
materials" contain less than 0.02% alkali metal oxides by weight and therefore meet the alka	ıli
metal oxide limitation of claim 1. (Id. at 22.)	
With respect to the x value limitations of claim 1 (0.005 < $x \le 0.22$ (JX-2 at 32:61)),	
Murata says its analyses, using several sources for information, show that {	}
{ } material during sintering of Samsung's accused dielectric Compositions in	1
sufficient amounts to satisfy that limitation. (Id.) Murata says that Samsung's information a	about
its pre-sintered materials shows there is enough calcium present in the dielectric material as	a
whole to meet the x limitation, assuming $\{$	
sintering. (Id.) Murata points to the fact that the Compositions have calcium molar ratios th	at
fall between $\{$ } as far as the total dielectric material, which exceeds the 0.00	5
aspect of the limitation. (Id.) Also, a specific ICP analysis of the Samsung {	
Composition confirmed an x value of $\{$ $\}$ (Id. at 22-23.) Therefore, argues Murata, the	e
question to be addressed regarding the presence of calcium in the Samsung Compositions is	
whether the {	}
} in an amount that is sufficient to satisfy the prescribed " $(Ba_{1-x}Ca_xO)_m$ " limits	ation
for a sintered composition. (Id.)	
Murata notes that Dr. Burn arranged with Evans Analytical Group ("EAG") to perform	m
Transmission Electron Microscope ("TEM") and Energy Dispersive Spectroscopy ("EDX")	
testing on four representative products containing the Compositions, which enabled him to n	naka

reasonable j	judgments about the extent of {	}
{	} (Id. at 23-24.) Murata says that Dr. Burn tested shells that	had
measurable	thicknesses at various "sites of interest" that were studied, which reveale	d decreasing
concentration	ons of dopants (additives) the further away the sites were from the bound	aries of the
grains, as w	would be expected with diffusion. (Id. at 26.) In a case where no dopants	were
detectable, i	it was concluded that the shell was too thin to be measured, and no further	r
conclusions	s were drawn as a result. (Id.)	

According to Murata, Dr. Burn explained that the data produced by EAG could be, and was, used to estimate the amount of calcium in the samples. The way this was done, says Murata, was by determining the ratio of calcium to titanium from a studied site. (*Id.* at 27.)

Murata says that Dr. Burn was confident about the accuracy of the calcium measurements that were reported by EAG because that firm also performed an EDX analysis on dielectric material from a Murata MLCC using dielectric material with a known calcium distribution, the results of which were consistent with the amount of calcium known by Murata to actually be present. (*Id.* at 28-29.) Murata contends that the results of this reference study confirmed that EAG's test equipment was properly calibrated for measuring, to a reasonable degree of certainty, the amount of calcium present in the shell of each of the Samsung Compositions. (*Id.* at 28.) On the basis of the methodology used by EAG, Dr. Burn was able to identify one or more useful sites of interest that gave confirmation that {

3 and confirmed that sufficient calcium was present in the shells to meet the x requirement of the '254 patent. (*Id.*)

Murata says that documents produced by Samsung show that it also performed {
}
testing on the accused {
} Composition and the results of that testing are consistent with Dr.

Burn's analysis. (<i>Id.</i> at 28-29.) Murata says the	hat Samsung records and pa	atents show that it uses
{	} in its {	} Compositions and
indicate that the calcium that is in the {	} is a dopant that wi	ll diffuse into the core-
shell structure during sintering. (Id. at 29.) M	urata argues that Samsung	's U.S. Patent No.
6,556,422 (the '422 patent'') names Ba, (bariu	m) Ca, (calcium) and Si (si	licone) as sintering
agents and teaches that those elements are diff	used into the shells of bari	um calcium titanate.
(Id.) Murata says that Drs. Burn and Dougher	ty agree that Samsung's '4	22 patent contains
statements indicating that the barium, calcium	, and silicon of the BCG ad	lditive diffuse into the
shell of a barium calcium titanate grain. (Id. a	t 30.) Murata also says tha	nt Samsung employees
who developed the { } Composition aut	thored a professional paper	in which they reported
that BCG diffuses into barium during sintering	g, saying that experiments t	hey conducted showed
that BCG reacts with {	} to form a shell region at	a relatively low
temperature during the sintering process and the	nat a minimum amount of o	liffused calcium was
necessary to obtain X7R (an industry standard	for certain dielectric prope	erties) characteristics in
the thin-layer dielectric materials. Murata say	s this is just as in the '254 J	patent. (Id. at 30.) This
disclosure, says Murata, demonstrates that Sar	nsung itself recognizes that	t { }
{		}. (Id. at 31.)
Murata also says this revelation also discredits	the testimony of Samsung	's expert Dr. Dougherty
who testified that if calcium is present in diele	ctric material in some form	other than barium
calcium titanate it will not have the distinctive	properties that barium cald	cium titanate is designed
to have; that the calcium mentioned in claim 1	has to be placed with the b	parium or it will not act
the same way. (Id.) Since Samsung itself says	s that {	} during
sintering and since its dielectric materials beha	ave like barium calcium tita	nate, the only

reasonable conclusion, says Murata, is that the accused Compositions contain barium calcium titanate. (*Id.*)

Murata argues that Dr. Dougherty gave incredible testimony in testifying that no { } } noting that in that respect he is contradicted by EAG's testing, as well as Samsung's. (*Id.* at 32.) Murata also contends that Dr. Dougherty's criticisms of the EAG testing procedures and the results relied on by Dr. Burn are speculations and are rebutted by the record. (*Id.*) Murata says that EAG's testing of a Murata capacitor with a known amount of calcium and of a Samsung capacitor that did not contain calcium confirmed that EDX's equipment was properly calibrated for calcium and was not just reporting "background noise," as Dr. Dougherty suggested. (*Id.*) Murata says Dr. Dougherty had no answer when he was confronted in cross-examination with published papers of Samsung scientists who said calcium diffuses from BCG into the core-shell during sintering. (*Id.*)

Murata argues that Samsung's infringement of the *m* limitation in claim 1 follows as a necessary consequence of a reading of the compositional information for the accused products provided by Samsung, showing that { } Samsung's { } } { } during the sintering stage. (*Id.*) Samsung is known to use a { } } and that ratio, also known as a stoichiometric 13 ratio, will not decrease during sintering, because no barium or titanium leaves the grains, agues Murata. (*Id.* at 33.) The stoichiometry of Samsung's { } } { } according to Murata, and Dr. Burn calculated that, based on the composition of Samsung's { } } a maximum

¹³ Stoichiometry "is the basic chemical concept that tells you how many atoms belong in compound." (Tr. at 27 (technology tutorial).)

possible value of m (assuming that all barium and calcium in the dielectric material are part of the $(Ba_{1-x}Ca_xO)_mTiO_2$ in the sintered dielectric) for all of the accused Compositions is well below 1.035. Therefore, argues Murata, Samsung's accused Compositions must be greater than 1.000 and less than 1.035. (*Id.*)

Samsung's Contentions

Samsung argues that, under its proposed construction, " $(Ba_{1-x}Ca_xO)_mTiO_2 + \alpha Re_2O_3 + \beta MgO+\gamma MnO$ " represents starting materials; therefore, Samsung's accused products do not infringe, because none of the Samsung Compositions use $(Ba_{1-x}Ca_xO)_mTiO_2$, or MgO, or MnO as starting materials. (RBr. at 34.) Samsung notes that while Dr. Burn asserted that Samsung uses MnO and MgO as starting materials, Samsung actually uses { } and these starting materials are dissimilar to those identified by Dr. Burn, as pointed out by Dr. Dougherty and acknowledged by Murata's expert Dr. Glaeser. (*Id.*)

Samsung argues that every embodiment mentioned in the '254 patent "is made using barium calcium titanate starting materials, to which Re_2O_3 , MgO, and MnO starting materials are added as powders." (*Id.*) Samsung says that Murata transgresses the scope of the '254 patent by claiming Samsung's accused Compositions of { } correspond to barium calcium titanate because { } } grains during sintering, thus fulfilling the patent's limitation with respect to $(Ba_{1-x}Ca_xO)_mTiO_2$. (*Id.* at 35.)

Samsung further says that its accused products do not even infringe under Murata's own claim interpretation (and implicitly, Staff's), because the evidence demonstrates that the { } of

Samsung's Compositions, as claimed by Murata and, regardless, this { } would

not have formed $(Ba_{1-x}Ca_xO)_mTiO_2$. (*Id.* at 34-35.) Furthermore, argues Samsung, Murata has not shown that the amount of { } the Samsung Compositions' } is sufficient to satisfy the m and x limitations stated in the '254 claims; nor has Murata provided evidence that αRe_2O_3 , or MgO, or MnO is present in Samsung's Compositions. (*Id* at 35.)

Samsung notes that Murata has insisted throughout that "'(Ba_{1-x}Ca_xO)_mTiO₂' be interpreted as '[a] barium and calcium titanate solid solution having the stated composition." (RRBr. at 16.) Samsung points out that, according to Dr. Burn, a solid solution must have a uniform composition, while the shell of a core-shell structure is not uniform. (RRBr. at 16 (citing Tr. at 328, 396, 400, 404, and 577 (Burn)).) Therefore, says Samsung, claim 1 is limited to (Ba_{1-x}Ca_xO)_mTiO₂ being present in the core of the core-shell material. (*Id.*) Moreover, argues Samsung, all of the relevant experts agree that none of the accused Compositions or products has barium calcium titanate in its core, and therefore none of them can infringe the '254 patent, even under Murata's own claim construction. (RRBr. at 16.)

Samsung says that Murata's reliance on Samsung's starting materials for finding infringement is inconsistent with Murata's assertion that (Ba_{1-x}Ca_xO)_mTiO₂ in claim 1 refers to post-sintered materials, because it is undisputed that (Ba_{1-x}Ca_xO)_mTiO₂+αRe₂O₃+βMgO+γMnO and SiO₂ react at sintering temperatures to ultimately form different compounds, such as various magnesium and manganese silicates (MgSiO₂ and MnSiO₄). (*Id.* at 17 (citing RFF 4.545-553).) Furthermore, the ICP analyses, relied on by Murata, only show atomic percentages of elements within a composition; they do not indicate whether any of Samsung's Compositions have "the stated compositions" of the asserted claim. Essentially, these analyses only provide the same information that is available from a composition table. (*Id.*) Samsung argues that neither the

starting materials used for the accused Compositions nor Murata's ICP analyses demonstrate that the accused Compositions, after sintering, contain $(Ba_{1-x}Ca_xO)_m TiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ having the "stated compositions," according to Murata's interpretation of claim 1. (*Id.* at 17-18.)

Samsung argues that not only did EAG's tests fail to establish the presence of αRe₂O₃ or βMgO or γMnO in Samsung's sintered products, but Dr. Dougherty's unrebutted testimony established that those compounds would not be present. (Id. at 18.) Samsung says that Murata's assertion that it does not have to show that the oxides αRe_2O_3 , βMgO , and γMnO are present in Samsung's accused Compositions, because the elements that form these compounds will exist after sintering in the same molar amounts as they are present before sintering, ignores the language of claim 1, which requires the "stated compositions." (Id.) This means that the chemical bonding expressed as "αRe₂O₃+βMgO+γMnO" has to be shown, a proposition that was espoused by Murata itself in a motion for summary determination. (Id.) In addition, says Samsung, Murata has offered no evidence of where the rare earth, magnesium, and manganese are located within the ceramic grains of Samsung's accused Compositions, and, according to Dr. Burn's own academic research, about half of the added manganese would remain in grain boundaries to form compounds with silica and any impurities that were present, while the other half would be incorporated in manganese-doped { .} (*Id.* at 18-19.) Therefore, argues Samsung, Murata's infringement analysis is indifferent, not only to the chemical compound in which manganese is found, but also its location within the ceramic material. (Id. at 19.)

With respect to Murata's criticism of Dr. Dougherty's statement that no { } had { } into { } in Samsung's Compositions, Samsung says that this is the same position that Murata and its corporate witness, Mr. Sano, took in their

attempts to distinguish a prior-art patent from the '254 patent, with Mr. Sano declaring on that occasion that not enough { from the sintering aid used in the prior art patent would enter the grains of the dielectric material during sintering at 1,300 degrees to meet the requirements of the '254 patent. (Id.) Thus, argues Samsung, the weight of the evidence demonstrates that } under the sintering conditions employed by Samsung. (Id.) With respect to Murata's contention that EAG's analytical testing shows that sufficient } to meet the x requirement, Samsung refers to Dr. { Dougherty's testimony explaining why EAG detected { } on only one side of the surfaces of the grain boundaries in some of its test sites. (Id. at 19-20.) According to Dr. Dougherty, in those instances where calcium was detected by EAG away from surface grain boundaries, the electronic beam was not properly aligned to be parallel to the grain boundary, causing detection of { } within grain boundaries that were lying below the surface of the sample that was being examined. ¹⁴ (*Id.* (citing RFF 4.372).) Samsung argues that EAG's technician reported that "[i]n most of the site[s] of interest, the grain boundary might not be parallel to the beam due to the topography of grain...The data in those areas is not representative." (Id.) Therefore, Samsung says that Staff and it agree that EAG's data is "inconclusive," and Murata has not overcome Dr. Dougherty's testimony that grain boundary misalignment, rather than { diffusion, accounts for the results at all of sites of interest where { } was detected in a location that was away from a grain boundary. (*Id.*)

¹⁴ By way of explanation, the surface of a sample can be considered a two-dimensional plane; whereas the sample itself is three-dimensional. Therefore, in a particular instance, a grain boundary may either lie on the surface or below it, visible in one case, and not in the other, depending on the perceptual depth of the instrument being used.

As for Dr. Burn	n's explanation that, ii	n some of the	e analyzed sites, the	shell around the	
cores of the {	} may ha	ave been extr	remely thin, making	it difficult or	
impossible to obtain m	neasurements of {	} or othe	r elements in those p	portions of the she	ll,
Samsung responds tha	t it is undisputed that	the '254 pate	ent defines the "shell	l" as the portion of	
grain into which dyspr	osium has diffused (c	iting Tr. at 4	22, 615 (Burn)). (Ia	d.) However, "Site	;
of Interest 1" in Exhib	it CX-135C demonstr	rates {	} on b	ooth sides of the	
visualized surface grai	n boundary, because	{	} was detected in bo	th of two bounded	l
grains, but { } ;	appeared on only one	side of their	boundary. (Id. at 21	.) According to	
Samsung, if the {	} in its Composition	ons actually l	nad diffused, as Mur	ata contends, the	
diffusion would have b	peen directionally sim	ilar and, the	refore, EAG's testing	g would have	
detected { } on b	oth sides of the surfac	e grain bour	ndary of the sample;	but this was not th	e
case. (Id.) Thus, argu	es Samsung, Murata's	s theory that	variation and shell to	hickness justify its	;
contentions regarding	the data derived from	the EAG tes	sts is not supported b	y the evidence. (I	d.)
Samsung dispu	ites Murata's statemer	nts that Sams	sung's engineers dete	ermined that{	}
{			} material during si	ntering. (Id.)	
Samsung says that CX	-69C does not state ar	ny conclusio	n regarding {	}	
{ }	and says Murata app	arently relied	d on line-scan data re	ecoded by an EDS	
instrument which, hav	ing been specifically s	set up to reco	ord x-ray emission li	ne energy for	
dysprosium at 6.5 keV	and for {	} label	ed certain indicia {	} whether t	he
instrument detected no	oise, { } or noth	hing. (Id. (ci	iting CX-69C; RRCI	FF 3.335-1 to 3.33	5-
3).) Samsung says tha	t the line scan in CX-	69C that Mu	rata relies on actuall	y detected	
background noise in th	ie grain, not {	} (citing CX	-69C and Tr. at 1892	2-93 (Dougherty)).	
(Id.) Samsung notes the	nat the purported {	} signal{			

} {,	} and says that if	the peaks show	vn in the line scan re	presented an	actual calcium
signal, instead	of background nois	e, the signal w	ould fall to zero at the	ne core, where	all experts
agree no {	} would be present	ent. (Id.) Furt	hermore, Samsung s	ays it ran the	same line scan
as appears in C	CX-96C on one of its	s other accused	d Compositions, {	} w	hich was
confirmed to b	be { } free by	Murata's EAG	G testing, and observ	ed a nearly id	lentical
background no	oise pattern, confirm	ing that the sig	gnal shown in CX-96	C, which Mu	rata attributes
to { } is	actually background	l noise. Sams	ung also argues that l	Murata misqu	oted Dr.
Dougherty's te	estimony when it att	ributed to him	a statement about th	e Samsung El	DS data
showing {	} beca	use he had act	ually faulted Samsur	ng's engineers	for
misinterpreting	g a signal from a {	} windov	v" that was actually o	only backgrou	and noise. (Id.
at 22.) As for	Murata's suggestion	that {	} can be infe	rred from the	existence of a
core-shell stru	cture in the accused	products, Sam	usung responds that t	he hearing tes	stimony shows
that the core-sl	hell structure is defi	ned by diffusion	on of rare earth eleme	ents, not {	} and points
to testimony o	f Dr. Burn who said	that a core-she	ell structure could ex	sist if {	} were absent.
(Id.)					
With re	espect to Murata's a	rgument that S	Samsung's '422 pater	nt itself evide	nces that
{					} of the
accused Comp	ositions, Samsung s	ays that the ex	sperts all agree that s	ilicates, such	as { }
cannot diffuse	into {	} (id., citing	RFF 4.22; RRCFF 3	.697-1); and f	urthermore,
the accused Co	ompositions are not	made with the	'254 patent's barium	n calcium tita	nate starting
materials (BC	T), but, instead, with	n {	}. Therefore	e, even if the '	422 patent did
show that {	} diffuses into bar	rium calcium t	itanate, which Samsı	ung denies, th	is does not
establish that	{		} (<i>Id.</i> at 22-23.)	

Samsung argues that Murata has not proved that the accused Compositions meet the x value limitation of claim 1. (Id at 23.) Samsung says that under Murata's claim construction it was required to show that the x limitation was satisfied by the accused products, in their sintered forms. (Id.) Samsung says that Murata has not demonstrated that any of its accused Compositions contains (Ba_{1-x}Ca_xO)_mTiO₂ in the required form or in the specific amounts necessary for the x limitation of the claim. Samsung argues that the atomic percentage values shown in the EAG data cannot be relied on to quantify the amount of a given element present in a given sample, because Dr. Burn acknowledged that he is not an expert with regard to the techniques applied by EAG and merely assumed that the results of the EAG analyses could be used to quantify the amount of { } present in the grains because that is what the technician at EAG did. (Id. at 24.) However, according to Dr. Dougherty, EDS is ill-suited for measuring "trace" elements (those with very low atomic percentages), such as, in this case, { } in the Samsung Compositions. (Id. (citing Tr. at 1933-34 (Dougherty)).) As for Murata's claim that it conducted an EDS analysis of its own Composition to demonstrate the EDS can be used to quantify trace elements, this too, says Samsung, is not supported by the evidence. (Id.) The } levels in Murata's composition range from { }atomic percent, which is { times greater than the amount of { } reported in Samsung's Composition; and even if the Murata measurements are accurate, they are not relevant for the purpose of deciding whether EDS is suitable for measuring "trace" { } in Samsung's Compositions. (*Id.*) } levels shown for Murata's composition "vary from In addition, the fact that the { } atomic percent" demonstrates the degree of imprecision of the atomic percentages recorded by EDS, Samsung points out. (Id.) According to Samsung,

[b]ecause [Murata's analyzed composition] is made using barium calcium titanate starting material, the reported level of calcium should have been uniform

throughout the grain. (Tr. at 422:4-12 (Burn).) Accordingly, even when measuring elements present in large amounts such as calcium in Murata's [analyzed composition], the reported values have a margin of error of at least several atomic percentage points. This level of inaccuracy is consistent with Dr. Burn's testimony that given the imprecision of the EDS measurements, a calcium value of 0.29 is "essentially the same" as 0.14. (RFF 4.439.)

(*Id.* at 24-25.)

Samsung notes that Murata, in its post-hearing brief, addressed the x value in connection with only a single site of interest with respect to only one of Samsung's accused Compositions (Site of Interest 4 re { } and the reported { } values at that site do not indicate that the Composition that was analyzed meets the x limitation of claim 1. (*Id.* at 25.) Samsung argues that EAG's detection of { } does not indicate that { } is actually present in the grain or that { } is present in the form of (Ba₁₋ $_{x}Ca_{x}O)_{m}TiO_{2}$. (Id.) Further, it says, given the level of imprecision in the EDS analysis, the reported calcium values are at least as likely to be outside the prescribed range of $0.005 \le x \le$ 0.22 of the patent as within it. (*Id.*) The largest value EDS reported for calcium at Site of Interest 4 was { }at Line Spectrum 2, and, therefore Samsung argues, if 0.29 is "essentially the same" as 0.14, as Dr. Burn acknowledged, then { } is essentially the same as { } (Id.) Using Murata's method of approximating x (the ratio of calcium to titanium), the x value for that line spectrum is equal to { } which Samsung argues is outside the prescribed range, and because the remaining { } values at that site are lower than { their x values, using the same method of calculation, are even farther outside the prescribed range of claim 1. (Id.)

Samsung says that, although Murata has acknowledged that the EAG data is not accurate enough to calculate the *m* value specified in the '254 patent, Murata has given no explanation why the EAG analytical data should, nevertheless, be acceptable for determining if trace

elements of calcium are pres	sent in amounts that are sufficient to sat	isfy the x limitation.	(<i>Id</i> .)
Absent some principled basi	is showing that any of the EAG data car	n be relied on, Samsur	ng says
that data should not be accept	pted. (Id. at 25-26.) Samsung says that	Dr. Burn's estimates	of x
values, based on the EAG ar	nalytical data, assume that all of the {	} that purported	lly was
detected in the Samsung Co	mpositions had {	} in order to form	(Ba ₁ .
$_{x}\text{Ca}_{x}\text{O})_{m}\text{TiO}_{2}$, (that is, barium	n calcium titanate in which calcium occ	cupies the same site as	S
barium); however, notes San	msung, Dr. Burn also acknowledged tha	t if the detected {	} had
substituted for {	} the resulting structure	would be different that	an the
$(Ba_{1-x}Ca_xO)_mTiO_2$ taught in	the '254 patent. (Id. at 26, citing RFF 4	.225.) Therefore, arg	gues
Samsung, Murata's evidence	e does not show where the { } re	ported in the EAG an	alyses
is located in the {	} of Samsung's accused (Compositions and doe	s not
prove infringement. (Id.)			
As for Dr. Burn's ca	lculations of x values in the accused pro-	ducts, based on the to	otal
amount of {	}in Samsung'	s starting materials, S	Samsung
argues that those calculation	as erroneously assume that all of the add	led calcium is incorpo	orated
into $(Ba_{1-x}Ca_xO)_mTiO_2$, since	e Dr. Burn also agrees that a significant	amount of the {	}is
confined to the {	} where it does not contribute to the	he formulation of (Ba	1

Samsung also disputes that the evidence shows that its accused Compositions meet the *m* value limitation of claim 1. (*Id.* at 27.) First, Samsung says that Dr. Burn wrongly posits that the *m* value of a sintered composition is different from the *m* value in the precursor material.

Samsung says that the specification for the '254 patent makes clear that adjustment of the ratio of barium and calcium to titanate (Ba+Ca/Ti; *see* JX-4 at 6:47-48), occurs when barium calcium

 $_{x}Ca_{x}O)_{m}TiO_{2}$. (*Id.*)

titanate starting materials are mixed with oxide powders and subcomponents, and that is before these materials are formed into a slurry, spread to become green sheets, printed with inner electrodes, and then sintered. (*Id.* (citing Tr. at 1782, 2000-01 (Dougherty)).) Samsung argues that Dr. Burn was inconsistent with his own position when he calculated m values for the accused Compositions based solely on the { } and that he then erroneously concluded that all of the { } } thereby forming (Ba_{1-x}Ca_xO)_mTiO₂. (*Id.*) Samsung notes that Murata's other expert, Dr. Glaeser, disagreed with Dr. Burn's method for calculating m by using { } } because it is known that some of the {

Samsung additionally argues, with regard to Murata's *m* calculations for the accused Compositions (based solely on the starting materials used to make them) that the EAG data shows that the *m* values in these Compositions fall outside the range claimed in the '254 patent, a fact that Samsung says Murata recognized by remarking that EAG's test results "are not sufficiently precise and, thus, are not generally used to determine a quantitative measure of the stoichiometry of dielectric materials, which is the *m* value in Claim 1 of the '254 patent[,]" (*id.*, citing Tr. at 565-66 (Burn)). Samsung adds that Murata failed to address testimony of Dr.

Dougherty, who said that EAG's analyses were more accurate in measuring the *m* values in the accused products (which are, primarily, ratios of { } } because of the presence of { } which is only present in "trace" amounts. (*Id.*) Thus, argues Samsung, Murata has inconsistently selected EAG data that Murata considers supportive of its position and has ignored other data which it does not find supportive. (*Id.* at 27-28.)

As to Murata's argument that the m values in the Samsung Compositions were not less than 1.000 or greater than 1.035, Samsung says this argument rests on Murata's false conclusion } leaves the grains during sintering. (Id.) Samsung says Murata's that { conclusion is discredited by EAG data that indicates that large amounts of { } were present in the { of Samsung's Compositions, despite the fact that Samsung does not use { \(\)\(\)\((Id.)\)\ According to Samsung, this finding indicates that either { or both diffused out of the grains into the grain boundaries during the process of sintering or, alternatively, that the electron beam of the EAG instrument was not properly aligned with the grain boundaries, leading to false conclusions as to where these elements were actually located in relation to the grain boundaries. (*Id.*) If { or { both, diffuse out of the grains and into the grain boundaries during sintering, Samsung argues that the m values will consequently change and, as a result, could end up being less than 1.000 or greater than 1.035. (Id.)

Moreover, according to Samsung, Murata's assertion that *m* present at a particular location in Samsung's tested samples cannot exceed the *m* value for the overall composition, based on the starting materials, is not justified, because Murata, with respect to the domestic industry element of its Complaint, has asserted that the concentrations of calcium measured at a particular location can exceed the overall concentration of calcium in a composition. (*Id.* at 28-29 (citing Murata's Pre-Hearing Brief at 44 (CFF 3:686)).) Samsung says that since it is undisputed that the "shells" inherent in the accused Compositions are not uniform, at some locations within these Compositions the *m* values are higher than the value of the overall calculation based on the ratios of the starting materials. (*Id.* at 29.) Therefore, according to

Samsung, Murata's assertion that m in Samsung's sintered products must be less than 1.035 is not consistent with the evidence. (Id.)

Samsung takes issue with Murata's argument that infringement can be inferred from the fact that the accused Compositions achieve X7R characteristics for thin-layer dielectric materials, which could not happen unless calcium was present in the shell of a core-shell structure. (*Id.* at 29-30.) According to Samsung,

The prior art '473 Patent describes a thin layer dielectric material with X7R characteristics, but Murata's [witness] Mr. Sano insisted that calcium does not diffuse into barium titanate in the composition of the '473 Patent. (RX-390 at col. 3, lines 12-23, col. 4, lines 49-51 ("even when the dielectric layers in the monolithic ceramic capacitor are thinned, the reliability of the capacitor is not lowered"); RFF 4.311-327.) If Murata were correct that calcium must diffuse into barium titanate in order to achieve X7R characteristics in thin layers, then the '473 Patent would necessarily anticipate the '254 Patent. (RFF 4.310-322.)

(*Id*.)

Staff's contentions

Staff says that, although it and Samsung construe the term (Ba_{1-x}Ca_xO)_mTiO₂ differently, they agree that barium, calcium, oxygen, and titanium must be chemically bound together and not merely mixed together, and that all parties agree that the dielectric ceramic forms a core-shell structure when sintered. (SBr. at 20.) Staff says that in core-shell structures, the shell composition is varied and non-uniform; therefore, the precise composition of the shell cannot be known, because it contains a multiplicity of compounds formed from the interaction of the core material with additives. (*Id.*) In addition, according to Staff, it is difficult for a uniformity of distribution of additives to occur around {

} (Samsung's starting material), because the additives do not reach the core, which is composed of precursor starting material.

(*Id.*) Therefore, says Staff, if the starting material is {

} the core is pure {

}

{	} and if, instead, the starting material is bariu	m calcium	titanate, the	n the core is pu	ıre
bariun	ım calcium titanate. (Id.)				
	Staff disagrees with Murata's contention that	he presenc	e of {	} within the g	gra

in boundary, even if it is not shown to be present in the core, demonstrates infringement of the '254 patent, because claim 1 of the patent is directed to a composition with barium calcium titanate in the core of the grains. (Id.) Compositions produced from { } starting materials, instead of barium calcium titanate, are chemically different from each other and appear very different in STEM-EADS analysis, which shows that the composition of Murata's XEC product made with barium calcium titanate starting material is not the same as Samsung's { Composition made with { } starting materials. (*Id.* at 20-21.) The former shows a high level of calcium in the core of the grain and the latter an absence. (Id.) Staff says that a composition with barium calcium titanate in the cores of its grains behaves differently and has different properties than material with only { } in its cores and some { } in the shells. (Id. (citing CX-140C at SEMCO00975572).) Staff reasons as follows:

Claim 1 states that the $(Ba_{1-x}Ca_xO)_mTiO_2$ cannot contain more than about 0.02% by weight of alkali metal oxides, but also allows the ceramic to have about 0.2 to 5.0 parts by weight of a subcomponent containing Li2O – an alkali metal oxide. JX-4; SFF 51. This suggests that in the compositions claimed in the '254 patent the elements in subcomponents are not fully incorporated into the grains of the ceramic material. If they were, it would make no sense to limit the alkali metal oxides in the barium calcium titanate while then requiring a larger amount to be added.

(Id. at 23.)

Consequently, Staff argues that, for there to be a finding of infringement, the evidence has to show that barium calcium titanate exists at the core of the grains of the accused Compositions, but it does not. (*Id.* at 23-24.)

Regarding the accused Samsung { } Composition, Staff contends that Dr. Burn	
acknowledged that the EAG analysis was inconclusive as to whether the Composition follows	; .
the '254 patent. (Id. at 24 (citing Tr. at 405 (Burn)).) Staff notes also, that Dr. Burn	
acknowledged that EAG's analyses failed to show any { } in the grains, much less the	
required amount of barium calcium titanate. (Id. at 25.) Staff points out that with respect to	
EAG's analyses of Samsung's accused { } Composition, of four sites examined in which	h
{ } was detected, two showed { } one showed	
{ and another showed { } { } } }	
{ (Id. at 25-26.) Staff points to the contrast between the results	s of
the EAG analyses of the Samsung's Composition with that of Murata's XEC composition, wh	iich
showed high levels of calcium throughout, not just in the boundaries and the presence of calci	um
at each site. (Id. at 26.) Thus, contends Staff, the evidence does not show that {	
{ } Composition. Staff believes that the EAC	J
testing is not sufficient to demonstrate that { } at all, much less that	ıt it
penetrates the grains in the quantities specified by the '254 patent. (Id.)	

With respect to whether the *m* and other ratios asserted in the '254 patent are satisfied by the accused { } Samsung Composition, Staff concludes that Dr. Burn's calculations made from ICP analyses merely mimics what is reflected in a composition table because it only describes how many atoms of each element are present, not how they are bonded. (*Id.*) Furthermore, argues Staff, even if Dr. Burn's calculations of molar ratios were accurate, infringement would not thereby be established, because Murata submitted no evidence to demonstrate the identity of the calcium, manganese, and magnesium-containing compounds in the shell. (*Id.* at 27.) Staff points to the fact that, under Murata's interpretation of claim 1, the

range of values specified to	r manganese oxide	e and magnesi	um oxide ha	ve to be pre	sent in the
sintered ceramic material, a	s well as barium c	alcium titanate	e, and not sin	mply calciur	m. (<i>Id</i> .) The
starting materials for {	} contain {	} an	ıd {	} so	there is no
MnO or MgO present in the	sintered dielectri	c ceramic, argi	ues Staff. (I	d.) The pos	t-sintering
compounds containing calc	ium, manganese, a	and magnesiun	n in the accu	sed {	} are entirely
unknown, says Staff, and it	has not been deter	rmined whethe	r Mn and M	g are combi	ned in MnO,
Mn ₃ O ₄ , MgO, MgCO ₃ , or a	ny one of the myr	iad of compou	nds that cou	ld be created	d from the
elements within the shell. (Id.) No evidence	shows that the	calcium tha	it was detect	ed by EAG
exists in the form of barium	calcium titanate;	therefore, ever	n if Dr. Burr	's calculation	ons are
accurate, the evidence is sti	ll insufficient to sl	how that the re	quired amou	ınts of bariu	m calcium
titanate, MnO, or MgO are	present in the grai	ns either pre-	or post-sinte	ring, argues	Staff. (Id.)
Furthermore, Dr. Burn's ca	lculations of mola	r ratios are bas	sed on the as	sumption th	at all starting
materials are fully incorpora	ated into the grain	s in order to sa	itisfy the mo	lar ratios pr	escribed in
the '254 patent; however, S	taff argues that the	is assumption	is not valid,	because eve	n Dr. Burn
acknowledges that significa	ant portions of the	ingredients rea	main in the g	grain bounda	aries in the
analyzed Compositions. (Id	d. at 28.) Staff con	ncludes that the	e evidence d	oes not sho	w that
Samsung's { } Comp	osition contains (I	$Ba_{1-x}Ca_xO)_mTi($	O_2 . (<i>Id</i> .)		
With respect to the	accused Samsung	Composition {	{ } S	taff notes th	at the EAG
analytical tests revealed the	presence of {	} in {		} o	f the samples
tested but {	}	(Id.) Staff po	ints out that	Dr. Burn's	calculations
of calcium in the accused (Composition assum	ne, once again	, that all of t	the {	}
Samsung in the process of I	producing {	} enters the	grain; howev	ver, a portion	n is likely to
remain in the grain boundar	ry. (<i>Id.</i> at 28-29.)	Also, says Sta	aff, the evide	ence shows t	hat Samsung

uses a sintering temperature of { } and Dr. Burn had admitted that if Samsung's
Compositions were sintered at 1,250° C, they might not meet the claims of the '254 patent. (Id.
at 29.) Staff further points out that Murata was only able to calculate a molar ratio of manganese
oxide concentration in the accused Composition { } while claim 1 in fact requires
that the concentration be greater than that. (Id.) Staff disputes Murata's argument that under the
doctrine of equivalents, { } is substantially the same as "greater than 0.001,"
because that would render the words "greater than" superfluous. (Id.) Furthermore, as in the
case of the { } Composition, Staff argues that the evidence shows that a portion of the
{ } such as manganese, remains { } making the amount of
manganese { } significantly smaller than { } (Id.) Staff also repeats its prior
argument that the compounds MnO and MgO are required, rather than the {
used by Samsung, and the lack of evidence with respect to whether Mn and MgO are present in
Samsung's post-sintered materials. (Id.) Thus, Staff does not believe that Murata has provided
sufficient evidence for a finding that the accused { } Composition infringes the '254
patent. (Id. at 30.)
With respect to the accused Samsung Composition { } Staff believes that,
based on the results of the EAG analytical testing of the representative CL21B106KQQNFNB
product with this Composition that the data does not show that {
the grains of this material at all, much less that it did so in the amount required by the patent.
(Id.) Again, as with the { } Composition, Staff does not believe that the molar ratio of
manganese oxide present in the accused { } has been shown to be greater than 0.001 as
specified in claim 1, or that any manganese is present at all. (Id.) Furthermore, Staff says the
evidence shows that not all of the manganese that is present in the material will enter the grain;

the amount which do	des has to be less than o	.001. (<i>Ia.</i>) Also	, argues Stall, the sta	irting materials
for the {	} Composition contain	s {	} and not MnO and	MgCO, and
whether MnO and M	IgO are present in the m	naterials after sin	tering is not known.	Therefore,
argues Staff, Murata	has not carried its burd	en of proof that t	he accused {	}
Composition infring	es the '254 patent.			
As regards th	ne accused {	} Composition,	Staff, for similar rea	sons given in
the case of the previ	ously discussed accused	l Compositions, l	pelieves that the evid	ence put forth
by Murata does not	establish that this Comp	osition has calci	um in the cores of its	grains (id. at
31) and says that the	ere were flaws in the tes	ting method of th	ne material. (Id.) Sta	aff notes that the
technician who perfo	ormed the analyses, Ms	. Ju, acknowledg	ed that in most of the	e sites of interest
the grain boundaries	may not have been par	allel to the beam	, and therefore, the d	ata pertaining
thereto was not repre	esentative. (Id.) In thos	se instances, Ms.	Ju reported that the	smallest
distance of {	} should be	used as a measu	rement of {	} and in
that case, Staff notes	s that the subject {			} a
distance of only {	} a bare amo	unt. (Id. at 32.)	In addition, says Sta	ff, the starting
materials for {	} include {	} and	not MnO and MgO	as mentioned in
the '254 patent. (Id.). Even though {		} are a	all shown to be
present in the accuse	ed Compositions, there	s no evidence sh	owing that barium ca	alcium titanate
is present. Therefor	e, Staff does not believe	the evidence ad	duced by Murata is s	ufficient to
prove that the {	} Composition in	fringes the '254 p	patent. (Id.)	
Findings of	the Administrative La	w Judge		

The Administrative Law Judge has concluded, as discussed above, that the term (Ba_{1-x}Ca_xO)_mTiO₂+ α Re₂O₃+ β MgO+ γ MnO represents starting materials that have not been sintered.

See Section III.B.2 above. Inasmuch as all of the accused Compositions use { ,} and not barium calcium titanate, as starting materials, none of them satisfies the starting material limitation of claim 1 of the '254 patent and, therefore, none of them infringes that patent. There are additional reasons, as follows, why the evidence in this Investigation does not demonstrate that any of the accused products using the Compositions infringe the '254 patent, either under the claim construction adopted or under the claim construction proposed by Murata or Staff.

Murata's evidence of infringement relies on analytical testing performed by EAG and conclusions drawn by Dr. Burn from the results of that testing. In order to establish a basis for reliability of the data upon which Dr. Burn opined, it was necessary for Murata to show that the analytical testing performed by EAG was scientifically accurate. However, the evidence does not demonstrate that. Dr. Dougherty testified that, in order for the data derived from the STEM analysis performed by EAG to be accurate, the electronic beam would need to be parallel with the grain boundary. (Tr. at 1837-40 (Dougherty).) He explained why the results of the EAG analyses with respect to the presence of { } in the accused products are not reliable. (Tr. at 1840, 1895 (Dougherty).) The technician who did the analyses for EAG acknowledges that in most of the sites of interest the grain boundaries may not have been parallel to the beam, and therefore, the data pertaining thereto was not representative. (CX-146C.022.) No one from EAG testified at the Hearing to provide more specific information regarding the accuracy or reliability of the pertinent data to explain or contradict Ms Ju's acknowledgement. Dr. Burn did not perform the testing himself, nor has he professed to be technologically competent to opine upon the reliability of Ms Ju's methods for producing the data on which he relied. Given the testimony of Dr. Dougherty pointing to discrepancies, peculiarities, and irregularities in the data and Ms Ju's acknowledgement that in most of the sites of interest, the data obtained is not

representative, as well as the lack of any explanatory verification from EAG, there is insufficient foundation to rely on the EAG data and consequently any of Dr. Burn's opinions that are based upon it. Therefore, the Administrative Law Judge finds that the evidence is insufficient to demonstrate that any of the accused Compositions satisfies the $(Ba_{1-x}Ca_xO)_mTiO_2$ limitation, even if the limitation were to apply to sintered materials, instead of starting materials.

As for Dr. Burn's calculations of x values in the accused Compositions, based on the total amount of $\{$ $\}$ in Samsung's starting materials, these calculations assume that all of the $\{$ $\}$ is incorporated into $(Ba_{1-x}Ca_xO)_mTiO_2$ in contrast to Dr. Burn's acknowledgement that a significant amount of the $\{$ $\}$ is confined to the grain boundaries where it does not contribute to the formulation of $(Ba_{1-x}Ca_xO)_mTiO_2$. (Tr. at 514 (Burn).) Murata's evidence does not provide a sufficient scientific basis for Dr. Burn's conclusions regarding his calculations of the x values in the accused Compositions to demonstrate that they satisfy the m limitation of claim 1.

The Administrative Law Judge agrees with Samsung's argument that Murata's reliance on Samsung's starting materials for finding infringement is inconsistent with its assertion that (Ba_{1-x}Ca_xO)_mTiO₂ in claim 1 refers to post-sintered materials, and with Samsung's conclusion that (Ba_{1-x}Ca_xO)_mTiO₂ + αRe₂O₃+βMgO+γMnO and SiO₂ react at sintering temperatures to ultimately form different compounds, such as various magnesium and manganese silicates (MgSiO₂ and MnSiO₄). (RFF 4.545-553.) The ICP analyses, relied on by Murata, only indicate atomic percentages of elements within a composition; they do not constitute evidence that any of Samsung's Compositions have "the stated compositions" of the asserted claim. Neither the starting materials used by Samsung, nor Murata's ICP analyses, demonstrates that the accused

Compositions, after sintering, contain $(Ba_{1-x}Ca_xO)_m TiO_2 + \alpha Re_2O_3 + \beta MgO + \gamma MnO$ having the "stated compositions," according to Murata's proposed interpretation of claim 1.

In addition, the evidence offered by Murata is not sufficient to show the presence of MgO or MnO in the accused products. Samsung uses {
} (CX-63C; Tr. at 508-09

(Burn)), which are not the same compounds. (*Id.*) {
} have different molecular weights, different reactions, and different melting points than MnO, according to Dr. Dougherty.

(Tr. at 1799-1800 (Dougherty).) Also, Samsung uses {
} not MgO as specified in the '254 patent, and the evidence does not establish that MgO is present either. (*Id.*) Dr. Burn's theoretical conclusions are no substitute for empirical evidence, especially in the face of countervailing or alternative opinions or hypotheses of Dr. Dougherty.

With respect to the m value limitation of the '254 patent, Murata relies on Samsung's starting compositions for part of its infringement determination and assumes that the { Samsung adds as a { } diffuses into the { } grains of the starting material in such a manner that the sintered composition satisfies the range of the m-value limitation of the '254 patent, even though the EAG analyses indicate that the m values determined from compositions of the Accused '254 Products had not met that limitation. (Tr. at 1880-81 (Dougherty).) Murata's hypothesis for calculating the m values of the accused products, using Samsung's starting materials in its calculations, assumes that none of the { } starting material leaves the grains during sintering (CBr. at 32-33), but this is not shown by the data from the EAG analyses. Instead these analyses show significant amounts of { } present in the { } of the accused Compositions. (CX-133C; CX-134C; CX-135C; CX-146C; CX-147C; CX-163C.) Therefore, Murata's evidence with respect to infringement of the *m*-value limitation of claim 1 by the Accused '254 Products is found to be

insufficient. Again, Murata relies principally on theoretical assumptions and predictions, not proven facts.

Samsung argues that insofar as its Compositions {	} and {	} are
accused of infringing the '254 patent, these Compositions have	never been commerci	alized and
Murata has not offered any proof that they have been. (RBr. at	61.) Furthermore, arg	gues
Samsung, Murata offered no evidence that these Compositions	are used in any of Sar	nsung's
sintered dielectric materials. (Id.) Samsung notes that Murata	's expert witness regar	ding the
'254 patent, Dr. Ian Burn, did not provide any conclusions who	ether {	}
{ } in making these Compositions or about their si	ntered compositions.	(Id.)
According to Samsung, these Compositions do not conform to	the '254 patent's state	d
composition, considered as starting materials, and no evidence	was offered by Murata	a that they
do so as sintered material either. (Id.) Murata has not offered	convincing evidence to	o the
contrary.		
Samsung also points out that its {	} CX-63C, inclu	des { '}
compositions that are the subject of this Investigation but only	four of them have been	n accused
{ } Samsung	notes that with respect	t to the { }
other compositions listed in CX-63C, Dr. Dougherty testified t	hey do not and cannot	practice the
claims of the '254 patent. (Id. at 62, citing Tr. at 1797 (Dough	terty).) Therefore, arg	ues
Samsung, the Investigation should be terminated as to these {	} compositions. Mur	ata has not
offered convincing evidence to the contrary.		

The Administrative Law Judge finds that the evidence produced by Murata does not demonstrate that any of the Accused '254 Products infringe the '254 patent.

2. Claim 2

This claim reads as follows:

2. A dielectric ceramic according to claim 1, wherein the $(Ba_{1-x}Ca_xO)_mTiO_2$ has a mean particle size of about 0.1 to 0.7 µm.

(JX-4 at 33:7-9.) Murata notes that in { } Samsung performed { } } on a capacitor made with the { } composition and found that the average grain (particle) size was { } nanometers, which Murata says is well within the claimed range of claim 2. (CBr. at 33.) In addition, says Murata, EAG obtained a low-magnification scaled picture of each of the samples of the products it tested, allowing Dr. Burn to confirm that the average particle size limitation of claim 2 was met by the accused { } } compositions. (*Id.*)

Neither Samsung nor Staff separately disputes the particle size element of claim 2 but, rather, both rest their respective contentions of non-infringement by the accused products on the fact that claim 2 depends from claim 1 and, for the reasons put forth by them with respect to claim 1, argue that the accused products do not infringe claim 2.

The Administrative Law Judge concludes, based on the testimony of Dr. Burn, that the accused products do satisfy the particle size limitation of claim 2, but do not infringe because they do not meet the limitations of claim 1, from which claim 2 depends.

3. Claim 9

This claim reads as follows:

9. A dielectric ceramic according to claim 1 in which the third sub-component is present.

¹⁵ By way of reminder, this acronym means {

(JX-4 at 33:51-52.) Murata asserts that the accused products meet the additional limitations of this claim based on the testimony of Dr. Burn that he used verified composition information furnished by Samsung of materials it uses in making the accused products to determine that those products contain { } in amounts of { } and { } percent, respectively, by weight, which constitutes enough { } to satisfy claim 9. (CBr. at 21, 34.)

Neither Samsung nor Staff separately disputes this limitation of claim 9, but, as in the case of claim 2, they both maintain that the accused products do not infringe claim 9 because it depends from claim 1.

The Administrative Law Judge concludes that the accused products do not infringe claim 9 for the same reasons given for why they do not infringe claim 1.

4. Claims 11-14 and 19-20.

Murata argues that claims 11-14 and 19-20 are also infringed by the accused products, saying that the additional limitations of those claims are satisfied. (CBr. at 34.)

Once again, neither Samsung nor Staff disputes the additional limitations of claims 11-14 and 19-20 solely, but they reject Murata's allegations of infringement by the accused products, because each of these additional claims depends from claim 1 which, they maintain, is not infringed.

The Administrative Law Judge finds that because the accused products do not infringe independent claim 1, they do not infringe dependent claims 11-14 and 19-20.

C. Analysis of the Accused Products with Respect to the '309 patent.

Claim 3 of the '309 patent reads as follows:

- 3. A laminated ceramic electronic part, comprising:
 - (a) a ceramic element including:

- (1) a plurality of overlapping internal electrodes;
- (2) a plurality of internal ceramic layers located between respective pairs of said overlapping internal electrodes;
- (3) upper and lower ceramic layers located above and below the uppermost and lowermost ones of said overlapping internal electrodes, respectively;
- (b) a pair of external electrodes formed on at least one outer surface of said ceramic element, each of said overlapping internal electrodes being electrically coupled to a respective external electrode;
- (c) said ceramic element satisfying the requirements:
 - (1) the thickness of each said internal ceramic layer is 10 μm or less;
 - (2) the number of said internal electrodes is 200 or more;
 - (3) the ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer is 0.10 to 0.40; and
 - (4) the ratio of the combined volume of said internal electrodes to the combined volume of said ceramic element is 0.10 to 0.30.

(JX-2 at 6:15-37.)

Murata argues that all of the Accused '309 Products (*see* Section I.E, above) satisfy elements (a) and (b) of claim 3 of the '309 patent. (CBr. at 63.) Samsung does not specifically contest Murata with respect to those elements of claim 3. (RBr. at 89-96.) Staff notes in its post-hearing brief that the dispute with respect to infringement of the '309 patent by the Accused '309 Products centers on whether the requirements of element (c) are met. (SBr. at 56.)

Murata bases its evidence of infringement, principally, on the testimony of Dr. Ulrich, who, in turn, relied on calculations he performed, using design and manufacturing information supplied by Samsung, and analyses performed by Micron Analytical Services ("Micron") on samples of the Accused '309 Products. (CBr. at 63-64; Tr. at 1178 (Ulrich).) Dr. Ulrich found this information sufficient for him to arrive at the conclusion that the Accused '309 Products satisfy element (c) of claim 3 of the '309 patent. (CBr. at 63.) By combining information in

Samsung's { } and { } } Dr. Ulrich created a spreadsheet of data. (CBr. at 64; CX-183C.) As explained by Dr. Ulrich, these sources disclose starting dimensions of materials used in manufacturing ceramic layers and electrodes. (CBr. at 64.) From this information, Murata says that Dr. Ulrich was able to determine the amount of shrinkage these materials undergo as a result of being sintered according to Samsung's manufacturing process and to determine the resulting lengths, widths, and thicknesses of various individual and combined components of the Accused '309 Products. (*Id.* at 64-67.) Dr. Ulrich recorded the results of his various calculations in Exhibit CX-183C, which reports that all of the accused MLCCs mentioned therein have ceramic layers that are less than 10 µm thick and have more than 200 inner electrode layers. (CBr. at 67.) Also, according to Murata, Dr. Ulrich's calculations show that the thickness ratios of the internal electrodes to the internal ceramic layers and their volume ratio fall within the ranges of claim 3 of the '309 patent. (*Id.*)

Murata contends that the accuracy of Dr. Ulrich's calculations is confirmed by the analyses performed by Micron using scanning electron microscopy ("SEM") on samples of the Accused '309 Products, disclosing that the sampled items had over 200 electrode layers, ceramic dielectric layers of less than 10 μm, thickness ratios between { } and { } and volume ratios between { } and { } { } (Id. at 67-69.) Murata notes that Dr. Ulrich's conclusions were challenged by Samsung's expert Dr. Randall only with respect to Dr. Ulrich's method for calculating shrinkage and the sufficiency of the number of measurements used by Micron in its analyses. (Id. at 69.) Furthermore, argues Murata, Dr. Randall did not himself recalculate Dr. Ulrich's shrinkage calculations, presumably, because Dr. Randall's method for determining shrinkage would likewise have shown that the Accused '309 Products satisfied claim element (c) of claim 3 and says that his criticism of Micron's analyses unreasonably requires more than

40,000 separate examinations and measurements of ceramic layers and electrodes. (*Id.*) For these reasons, Murata believes its evidence is preponderantly sufficient to establish infringement. (*Id.*)

Samsung contests the adequacy of the Micron analyses, noting that out of hundreds of samples of MLCCs supplied by Samsung, Micron only examined ten and concluded that only five of them infringed. (RBr. at 89.) Samsung argues that Murata presented no evidence showing that the tested products are representative of other MLCCs, and that Micron did not properly measure the physical characteristics of the products to show that they met the limitations of claim 3. (*Id.*)

Samsung contends that, with respect to the requirement that the internal ceramic layers be less than 10 µm (*see* JX-2 at 6:27-29), Dr. Ulrich relied on a Micron analysis that studied a limited number of products and did not measure the thickness of every internal ceramic layer but, instead, only a few. (*Id.*) Samsung argues that measurements taken at nine regions from a cross-section of one of its products are inadequate to support Dr. Ulrich's conclusions. (*Id.*) Samsung notes the fact that within the nine sampled regions Micron performed thickness measurements of only two ceramic layers and two electrodes at five places. (*Id.* at 90.) This amounts to only 18 out of more than 150 possible layers of the sampled item that were measured by Micron, notes Samsung, and this fails to prove that each and every one of the ceramic layers of the tested products satisfied the first numerical requirement of claim 3(c). (*Id.* at 90-91.)

Samsung challenges Dr. Ulrich's conclusion that Micron's sample size was statistically valid, and points out that Dr. Ulrich failed to offer any evidence to support his conclusion that Micron's analyses of the three cross-sectioned samples were an acceptable proxy for measuring every ceramic layer as required by claim 3. (*Id.* at 91.) Samsung points to the fact that Dr.

Ulrich did not know what criteria Micron used for selecting the areas of the sample products it examined; nor could he say whether those areas of study had been selected randomly, and to the extent they were not, Samsung says they cannot be considered reliable representations. (*Id.*)

Samsung says that the nine areas selected by Micron for its measurements were infinitesimally small in relation to the cross-sectional area of the MLCC and, likewise, the five thickness measurements in relation to total lengths of the layers. (*Id.*) There was no evidence provided by Dr. Ulrich that the five measurements constituted a representative sample of the entire ceramic layer thickness, argues Samsung. (*Id.*)

Samsung further faults Micron's analyses, and Dr. Ulrich's use of them, because there is no way of correlating the measurements obtained in any of the nine regions with any other regions in order to arrive at a determination that the data is statistically significant. (*Id.*)

Therefore, argues Samsung, Murata failed to prove that the thickness of each ceramic layer is less than 10 µm, as required by claim 3. (*Id.* at 91-92.)

Samsung also contends that Dr. Ulrich failed to offer any testimony as to the number of layers of internal electrodes in accused product CL31B106NNN; nor could he locate the required information in any records he said he had relied on for his opinions. (*Id.* at 92.)

Samsung asserts that Murata did not measure the average thickness of each internal electrode and did not compare the average thickness of any one internal electrode to the average thickness of any one ceramic layer; and when asked to make such a determination, using an average of the five ceramic layer thickness measurements and five electrode layer thickness measurements from the Micron test data for accused product CL31B106NNN, Dr. Ulrich arrived at a ratio of { } which is outside the range of claim 3 (see JX-4 at 6:33-34). (Id.)

Samsung argues that Dr. Ulrich's methodology for calculating post-sintered
measurements of the Accused '309 Products was insufficient because it relied on {
and { } that do not accurately depict the dimensions of ceramic and
electrode layers in the accused products themselves. (Id. at 93.) Samsung says that the
thicknesses of all ceramic and electrode layers will vary with respect to one another, especially
after sintering, and precision is a requirement to satisfy claim 3 of the '309 patent. (Id.)
Therefore, argues Samsung, it was necessary for Murata to evaluate actual products rather than
rely on Dr. Ulrich's predictions of measurements arrived at from dimensions included in
Samsung's { } and { } (Id.)
Samsung says that Murata failed to present any evidence that Samsung's { }
and { } are sufficient to demonstrate that the actual products made from them
satisfy the limitations of the asserted claim, and that Murata offered no justification for why it
did not attempt to evaluate a greater number of the physical samples it received from Samsung.
(Id.) Additionally, Samsung notes that Dr. Ulrich based his shrinkage calculations on erroneous
information—using post- instead of pre-stacking and pressing data as the starting point and
incorrectly using "size-code" thickness (which includes the addition of the external electrode that
has a significant tolerance factor of its own) to represent total thickness after sintering. (Id. at
94-95.) Hence, Dr. Ulrich uniformly underestimates the amount of shrinkage which causes his
results for ceramic layer thicknesses to be too high, and as a result, the thickness ratios of some
of Samsung's accused products would actually fall outside the range of claim 3, using
information from the { } and specifications. (<i>Id.</i> at 95-96.)
For the foregoing reasons, Samsung says Dr. Ulrich's theoretical analyses of the Accused
'309 Products are unreliable and should be given no weight. (<i>Id.</i> at 97.)

Staff says that Dr. Ulrich's calculated predictions of what the post-sintered dimensions for the Accused '309 Products would be (based on Samsung's {

employs inconsistent methodologies that rely on false assumptions and are not correlated with any actual measurements. (SBr. at 56.) As an example, Staff notes that Dr. Ulrich assumed that shrinkage would be similar for both the length and width measurements of the Accused '309 Products; whereas their shrinkages are dissimilar. (*Id.* at 56-57.) Staff says Dr. Ulrich used different methods for computing shrinkages for the Accused '309 Products and Murata's products. (*Id.* at 57.) Staff points out that Dr. Ulrich, in making calculations for estimating post-sintered dimensions, in some instances used "constants of proportionality" derived from Samsung documents and in other instances used information from Micron's analyses. (*Id.*) Staff says that Dr. Ulrich admitted that when he compiled data he relied on for his calculations, he was unsure of certain referenced sources but, nevertheless, did not believe his confusion produced any significant errors in his work product. (*Id.*)

Staff argues that the accuracy of Dr. Ulrich's predictions respecting what would be the post-sintered dimensions of the Accused '309 Products, based on the pre-sintered dimensions obtained from the {

| } was questionable in light of the Micron analyses showing "significant" differences (usually greater than three percent) in every measured value. (Id. at 57-60.) Staff says that, because of the extremely limited number of products tested by Micron from a small sample size, it is difficult to validate Dr. Ulrich's calculated projections, and Staff does not believe that Dr. Ulrich's independent calculations of post-sintered dimensions of Samsung's designs, specifications, and patterns constitute reliable evidence for demonstrating infringement. (Id. at 60.)

Staff maintains that, in order to determine the ratio of the average thickness of each internal electrode to each internal ceramic layer according to claim 3, its thickness must be measured or reliably inferred; however, Micron's measurements themselves show that the thicknesses of layers can vary significantly within a single product and among different samples. (*Id.* at 60-61.) Staff notes that Micron's measurements were not taken from across the breadth of the measured layers and says Murata made no attempt to determine the average thickness for any single electrode. (*Id.* at 61.) Given the large variation in Micron's measurements, the evidence does not show that a reliable inference about each layer could be made from the small sample size, according to Staff. (*Id.*) In support, Staff points to the testimony of Dr. Randall, who said that the Micron testing is flawed because of insufficient data points and sample etched areas used for taking its measurements. (*Id.*)

Murata responds to Samsung's criticisms of Dr. Ulrich's method of predicting postsintered dimensions by use of a shrinkage factor with the argument that Murata's criticisms do
not impugn the reliability of Dr. Ulrich's conclusions. (CRBr. at 38.) Since Dr. Ulrich's
predictive determinations were that the Accused '309 Products' ceramic layers would turn out to
be less than 10 µm after sintering, the fact that his shrinkage calculation may have overstated the
actual thicknesses simply confirms that the ceramic layers are less than ten microns and,
therefore, meet the limitation of (c)(1) of claim 3. (*Id.*) Murata points to the fact that Dr. Ulrich
acknowledged that there could be a margin of error implicit in his estimates, but that margin
would not be large enough to invalidate his conclusion that the claim limitation was satisfied by
the accused products. (*Id.* at 39.) Murata argues that Dr. Ulrich's use of size code dimensions
instead of "post-tumbling" thickness adds a total of {

} at most, to the thickness of the
product, which results in a variance of only {
} percent to the MLCC, not enough to affect his

infringement conclusion. (*Id.*) Murata also says that even if Samsung were correct in its assertion that Dr. Ulrich's calculations might underestimate the thickness ratios by as much as {} percent, that would not be enough to exclude the Accused '309 Products from infringing claim 3. (*Id.*)

As for Staff's criticisms, Murata argues that Staff confuses the shrinkage ratios applicable to lead electrodes of concern to the '229 patent with shrinkage ratios of concern in the case of the '309 patent, ignores the fact that all experts agree that there are variations in shrinkage rates among different manufacturers and manufacturing processes, fails to recognize that it is irrelevant if the { } } refers to ceramic layers or inner electrodes, because there is always one more of the latter, and the table shows that the accused MLCCs have { } } anyway. (Id.)

Murata argues that Micron has a 40 year history of being a reliable scientific laboratory and performed accurate and reliable testing of the accused MLCCs in accordance with industry standards. (*Id.* at 40.) According to Murata, Micron did not have to measure each ceramic layer in order to demonstrate that it is less than 10 μm, since 270 measurements, comprising 90 from each sample for product CL31B106KAHNNN, showed very consistent ceramic layer thicknesses averaging { } with a standard deviation of { } which is only { } percent of the average. (*Id.*) Murata points to the fact that none of the 270 thickness measurements performed by Micron came anywhere close to 10 μm and, therefore, there is no basis to challenge Murata's proof that element (c)(1) is met. (*Id.*)

With respect to claim element (c)(2), Murata counters Samsung and Staff by arguing that

Micron's reports establish that the tested products had {
} electrodes and were

consistent with Samsung's {
} that reflect that the relevant

product { } layers, and therefore infringement of this element was also proved by Murata's evidence. (*Id.* at 41.)

Regarding the thickness ratio element (c)(3), Murata argues that Samsung's based its noninfringement argument on an erroneous claim construction that would have required Micron to perform 210,000 ratio calculations of the CL31B106KAHNNN product and a similarly high number of calculations for other Accused '309 Products. Murata argues that Micron took 90 inner electrode and ceramic layer thickness measurements for each of the three samples it examined and compared those averages to determine a single thickness ratio as required by claim 3. (*Id.*) The close results obtained by Micron from this procedure confirm the accuracy and reasonableness of the analysis, says Murata. (*Id.*)

With respect to the volume ratio element (c)(4), Murata notes that Samsung has not challenged Murata's evidence on this point and argues that Murata's evidence was sufficient to establish infringement. (*Id.*)

The Administrative Law Judge concludes Murata's evidence in the form of Dr. Ulrich's calculations was sufficient to establish that the Accused '309 Products meet elements (c)(1) and (c)(2) of claim 3. The ceramic layers were { } } to be less than { } (CX-183C) and Dr. Ulrich's calculations based on Samsung's { } } were in the range of { } } well below the ten micron limitation of element (c)(1). Even a { } } percent error in his shrinkage calculation would not overcome the fact that the Accused '309 Products incorporate ceramic layers, all of which are less than 10 µm. The same conclusion applies to element (c)(2): { } } { (CX-183C at 1-2; Tr. at 1213-14 (Ulrich).)

It is with respect to the thickness ratio element (c)(3) that Murata's evidence is found wanting. That element recites, "the ratio of the average thickness of each said internal electrode to the average thickness of each said internal ceramic layer is 0.10 to 0.40[.]" (JX-2 at 6:32-34.) The ceramic layers are three dimensional; therefore, a determination of the average thickness of each layer must take into account both the length and the width of that layer. Dr. Ulrich's testimony does not disclose that he did that, or if he did, how he went about doing it so as to satisfy that the Accused '309 Products fulfill this limitation. His calculations alone do not demonstrate that there is a uniform thickness throughout the length and width of any layer, which there is not according to Micron's analyses showing variations in thicknesses for both electrodes and ceramic layers across a single plane of each of the cross sectioned samples. (CX-187C.010-015.) However, given the fact that the width of each ceramic and electrode layer encompasses considerably more than a two-dimensional surface represented by a cross-sectional slice, Dr. Ulrich's calculations of the ratios of average thickness of each internal electrode to the average thickness of each internal ceramic layer based on the measurements made by Micron from the three samples mentioned in its report are not sufficient to support a conclusion that the Accused '309 Products meet the thickness ratio limitation.

On this point, Samsung's and Staff's criticisms are valid. There is no evidence of the criteria by which Micron selected the areas it chose for taking its measurements, and, therefore, it cannot be concluded that they were randomly selected so as to yield statistically valid data. The scanned areas displayed in Micron's report indicate a magnification factor of 2,500, which leads to the conclusion that what is depicted is minutely small in comparison to the overall size of the sampled product, and that the measured sites are smaller still. Without further explanation, a fact finder is left to conjecture as to whether Micron's measurements are fair representations of the

average thicknesses (across the length and width) of each of the inner ceramic layers and electrodes. Dr. Ulrich's expert qualifications do not justify his statistical conclusions. This is especially true given the fact that he acknowledged that he did not direct Micron in the method by which it chose the areas to take its measurements or where to take those measurements. (Tr. at 1182-83 (Ulrich).) Absent sufficient evidence demonstrating that Micron took measurements of a sufficient number of randomly selected areas of the Accused '309 Products, not just with respect to the two dimensions disclosed in lateral cross-sections examined by Micron, but with respect to the third dimension as well, it cannot be reasonably concluded that the Accused '309 Products satisfy element (c)(3) of claim 3.

This conclusion does not mean that unreasonable demands are being placed on Murata, such as having to perform 210,000 measurements, in order to prove infringement of the thickness ratio element of claim 3. There may be statistical or other methods for demonstrating, according to a preponderance of the evidence, that an accused product does satisfy this element of claim 3 without having to calculate the ratio of the thickness of each electrode to the thickness of each ceramic layer, but such evidence has not been set forth here. The claim is what it is, no matter how challenging the effort needed to establish that an accused product meets all of the claim's limitations. For these reasons, the Administrative Law Judge concludes that the Accused '309 Products have not been shown to infringe element (c)(3) of claim 3 of the '309 patent.

D. Analysis of the Accused Products with Respect to the '229 patent.

Murata asserts that all of the Accused '229 Products infringe asserted claims 1-4, 7, 18, 23, 28-31, 34 and 51-53 of the '229 patent. (CBr. at 102.) The parties have stipulated that Samsung's CL10Y104MR5NJN product (the "CL10") is representative of all Accused '229 Products. (JX-29C at 2.) The CL10 was evaluated to determine whether it met the limitations of

the asserted claims of the '229 patent. Specifically, the {
} used to manufacture the CL10 were evaluated to show the make-up of the internal layers of the CL10. (CBr. at 102; CX-32C; CX-150C; CX-153C; CX-165C; CX-195C; CX-233C; CX-235C; CX-236C; CX-262; CX-312C; Tr. at 1034-1069 (Ulrich).) In addition, Micron performed a destructive analysis of sample parts for Murata, including preparation of cross sections of the CL10 and measurement of the length and width of its lead electrodes. (CX-153C.)

1. Claim 1

This claim reads as follows:

- 1. A multi-layer capacitor device comprising:
 - [a] a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation;
 - [b] a dielectric material located between each opposed set of the first and second electrode plates;
 - [c] the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and
 - [d] a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein
 - [e] each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the

¹⁶ The CL10 has electrodes corresponding to {

^{} (}ROSFF 258.1. See also CX-165C.)

- second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and
- [f] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

(JX-1 at 18:2-37.)


a) **Element "a",** a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation; and

Element "b", a dielectric material located between each opposed set of the first and second electrode plates

The Administrative Law Judge found above in Section III.D.2.a), that the language "first and second electrode plates being interleaved with each other in opposed and spaced apart relation" means "the first and second electrode plates are arranged so that the first electrode plates are positioned between the second electrode plates and second electrode plates are positioned between first electrode plates, except at the top and bottom of the stack, and each first electrode plate is separated from each second electrode plate by a dielectric layer." The Administrative Law Judge further found that claim 1 is open ended and permits the inclusion of other unrecited elements or materials such as additional internal electrode plates. The Administrative Law Judge further found that a person of ordinary skill in the art would understand that all the "first electrode plates," as claimed in claim 1 of the '229 patent, have the same design, and that all the "second electrode plates," as claimed in claim 1 of the '229 patent, have the same design.

Murata and Staff argue that the CL10 meets all the limitations of elements 'a' and 'b' of claim 1. (CBR. at 103-104; SBr. at 88-90.) Samsung relied on its proposed claim constructions to argue that the first and second internal electrode plates are not interleaved in opposed and spaced apart relation on the basis that the CL10 has intervening internal electrode plates and { } first and second internal electrode plates. (RBr. at 128-29.)

The CL10 is an { } (CFF 5.49 (undisputed).) It has { } types of internal electrode plates, designated { } with a { } configuration so that the arrangement of the internal electrode plates repeats within the capacitor device as { } } etc. (ROCFF 5.76-2; CX-195C; Tr. at 1416-17 (Youn); Tr. at 1667:7-18 (Randall); Complaint, Ex. 15; RBr. at 126.)



(RBr. at 126-27 (showing "partial electrode stack" in the CL10 because the capacitor device has many more than { } layers of internal electrode plates: the pattern of { } internal electrode plates, each spaced apart by dielectric layers, is repeated until the target capacitance is reached).)

Each of the plate patterns has a main internal electrode portion and { } lead structures extending therefrom. (CX-150C at 1-3; ROSFF 248.) Within the repeating multilayer arrangement of internal electrode plates noted above, first and second electrode plates { } are placed so that each first electrode plate is separated from each second electrode plate by at least a dielectric layer.

(RBr. at 131 (border added).) Claim 1 is broad enough that other plates, such as additional electrode plates of any of the types { } may also separate the first and second electrode plates A and B. (See Section III.D.2.a), above.) Furthermore, in the CL10 the first electrode

plat	es { } are positioned between the second electrode plates { } and second electrode plates
{	} are positioned between first electrode plates { } It does not matter that there are
inte	rvening plates of the same type any more than there are intervening plates of types {
{ }	For these reasons, Samsung's arguments that the first and second internal electrode plates
are	not interleaved in opposed and spaced apart relation are rejected.

The Administrative Law Judge finds that the evidence shows that the CL10 has "a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation" such that all the limitations of element 'a' of claim 1 of the '229 patent are met. (CX-32C; CX-262C at 55; CX-150C; CX-153C; CX-165C; CX-195C; Tr. at 1034-1051, 1108:23-1109:1 (Ulrich); RFF 6.174-6.175 (undisputed); RFF 6.176; CORFF 6.176.) The Administrative Law Judge further finds that the evidence shows that a dielectric material is located between each opposed set of the first and second electrode plates such that element 'b' of claim 1 of the '229 patent is met. (*Id.*)

b) **Element "c,"** the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes

¹⁷ Murata argues that plates { } are first electrode plates and { } are second electrode plates. (See e.g., CBr. at 103-105.) While there is no requirement that plates A and B be designated the first and second electrode plates as claimed in claim 1 in the '229 patent { } }, plates { } }, plates { } }, plates and thus cannot all be first electrode plates at once. As discussed in Section III.D.2.a), above, the first electrode plates must be identical to the first electrode plates, and the second electrode plates must be identical with the second electrode plates. However, this does not affect the outcome here with respect to infringement of claim 1. The Administrative Law Judge will designate plate A as the first internal electrode plate and plate B as the second internal electrode plate by way of example.

plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and

The Administrative Law Judge found above in Section III.D.2.b) above, that a person of ordinary skill in the art of the '229 patent would understand the claim language "in an interdigitated arrangement" as used in claim 1 to mean "projecting alternately between each other." The Administrative further found that as the respective lead structures are located on the first and second plates, the interdigitated arrangement of leads cannot be on the same level within each stack comprising a first internal electrode, dielectric material, and second internal electrode. (Section III.D.2.b).)

Murata and Staff argue that the CL10 meets all the limitations of element 'c' of claim 1 of the '229 patent. (CBR. at 105; SBr. at 90-92.) Samsung argues, based on its proposed claim construction, that the first and second electrode plates of the CL10 do not have two lead structures of the same polarity extending to one side of the capacitor body. (RBr. at 131.) Samsung's proposed claim construction position was rejected as noted above. The claims do not require at least two lead structures of each polarity on a single side, and therefore Samsung's arguments with respect to this element are unsupported.

As noted above, each of the plate patterns A and B has a main internal electrode portion and { } lead structures extending therefrom. (CX-150C at 1-3; ROSFF 248; RFF 6.182 (undisputed by Staff); CORFF 6.182.) Respective lead structures of the first electrode plates are located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement because they project alternately between each other.

(RBr. at 127 (detail view, border added).)

(CX-150C at 1.) Taken in isolation, respective lead structures { } of the first electrode plate A are located adjacent respective lead structures { } of the second electrode plate B in an interdigitated arrangement. (*Id.*) This is sufficient to meet the limitations of element 'c' of claim

- 1. Because the claim is open ended, ¹⁸ intervening layers of { .} do not change the alternating arrangement of the lead structures of electrode plates A and B on the CL10. The evidence shows that the CL10 has "the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement" such that element 'c' of claim 1 of the '229 patent is met. (CX-150C; CX-153C; CX-165C; CX-195C; Tr. at 1051-52, 1108:23-1109:1 (Ulrich).)
 - c) Element "d," a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein

Murata and Staff argue, and Samsung does not dispute, that this claim element is met by the CL10. (CBr. at 105; SBr. at 93-94; RBr. at 125-131.)

The evidence shows that the CL10 has { } electrical terminals,{ } on each side. (CX-262 at 55; ROSFF 253; RFF 6.174 (undisputed).) Each of the plate patterns has a main internal electrode portion and { } lead structures extending therefrom. (CX-150C at 1-3; ROSFF 248; CFF 5.79 (undisputed).)

¹⁸ See discussion at Sections III.D.2.a) and b) above.

(CX-150C at 1.) The first internal electrode plate A has lead structures { } of a first polarity and the second internal electrode plate B has lead structures { } of a different polarity. (SFF 260 (undisputed by Samsung); COSFF 260; SFF 262-263 (undisputed); CFF 5.173-75 (undisputed); CX-150C at 1; CX-656C at 171-72; Tr. at 1654:15-1655:5 (Randall); Tr. at 1052-1056 (Ulrich).) The terminals are located so that they electrically connect to lead electrodes { } and they have a polarity that corresponds to the respective leads. (*Id.*) Thus at least two electrical terminals (a plurality) are located at the opposed side surfaces of the capacitor body and correspond with lead structures { } of the first electrode plates, as well as lead

structures { } of the second electrode plates. (*Id.*) As a result, the paired terminals and lead structures define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body. (*Id.*) Accordingly, the Administrative Law Judge finds that the CL10 meets all the limitations of element 'd' of claim 1 of the '229 patent.

d) **Element "e,"** each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and

Murata and Staff argue, and Samsung does not dispute, that this claim element is met by the CL10. (CBr. at 105-106; SBr. at 94-95; RBr. at 125-131.) The Administrative Law Judge finds that for the CL10 product, each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body such that element 'e' of claim 1 of the '229 patent is met. (SFF 260 (undisputed by Samsung); COSFF 260; SFF 262-263 (undisputed); SFF 273 (undisputed); CFF 5.173-75 (undisputed); CX-150C at 1; CX-157C; CX-656C at 171-72; Tr. at 1654:15-1655:5 (Randall); Tr. at 1052-1057 (Ulrich).)

e) **Element "f,"** at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less

Murata and Staff argue, and Samsung does not dispute, that element 'f' of claim 1 is met by the CL10. (CBr. at 106; SBr. at 95; RBr. at 125-131.) The pre-sintering L/W ratio for the lead structures on the electrode plates for the CL10 is { } because the lead structures have a } (CX-626C at 26-29; Tr. at 1059 (Ulrich); SFF 268 (undisputed

by Murata); ROSFF 268.1.) Sintering causes shrinkage of the electrodes and lead structures, so the post-sintering length and width of the lead electrodes were measured by Micron, Inc. (CX-153C.) This post-sintering L/W ratio was estimated to be approximately { } (Id.; SFF 270 (undisputed by Murata); ROSFF 270.1; Tr. at 1059-1069 (Ulrich).) The Administrative Law Judge finds that for the CL10 capacitor device, "at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less" such that element 'f' of claim 1 of the '229 patent is met.

f) Conclusion.

The representative CL10 product meets all the limitations of, and thus infringes, claim 1 of the '229 patent. The Administrative Law Judge therefore finds that all of the Accused '229 Products infringe claim 1 of the '229 patent.

2. Claims 2-4, 7, 17-18, and 23.

Inasmuch as each claim limitation must be present in an accused device in order for infringement to be found, an accused product cannot infringe a dependent claim if it does not practice every limitation of the independent claim from which it depends. *See Monsanto Co. v. Syngenta Seeds, Inc.*, 503 F.3d 1352, 1359 (Fed. Cir. 2007); *Warner-Jenkinson Co., Inc. v. Hilton Davis Chemical Co.*, 520 U.S. 17, 40 (1997). Furthermore, the Federal Circuit has explained:

One may infringe an independent claim and not infringe a claim dependent on that claim. The reverse is not true. One who does not infringe an independent claim cannot infringe a claim dependent on (and thus containing all the limitations of) that claim.

Wahpeton Canvas Co., Inc. v. Frontier, Inc., 870 F.2d 1546, 1552 n.9 (Fed.Cir.1989) (citing Teledyne McCormick Selph v. United States, 558 F.2d 1000, 1004 (Ct.Cl. 1977)).

As noted above, the CL10 capacitor device has been found to literally infringe independent claim 1 of the '229 patent. Therefore, the Administrative Law Judge must now determine whether the CL10 capacitor device that infringes independent claim 1 infringes asserted dependent claims 2-4, 7, 17-18, and 23 as well.

Murata and Staff argue that the CL10 also infringes the asserted claims that are dependent on claim 1. (CBR. at 107-108; SBr. at 96-99.) Samsung's arguments with respect to asserted claims 2-4, 7, 17-18, and 23 rely on claim 1 of the '229 patent. Samsung does not dispute that if the CL10 meets the limitations of claim 1, all the limitations of the asserted dependent claims are also met. (RBr. at 125-131.) Claims 2-4, 7, 17-18, and 23 read as follows:

- 2. The multi-layer capacitor according to claim 1, wherein the ratio L/W is equal to about 1.3 or less.
- 3. The multi-layer capacitor according to claim 1, wherein the ratio L/W is equal to about 0.4 or greater.
- **4.** The multi-layer capacitor according to claim **1**, wherein the ratio L/W is equal to or less than about 1.3 and greater than or equal to about 0.4.
- 7. The multi-layer capacitor according to claim 1, wherein the lengths L of all of the lead electrodes are substantially equal to each other.
- 17. The multi-layer capacitor device according to claim 1, wherein each of the first polarity terminals is adjacent to one of the second polarity terminals and each of the second polarity terminals is adjacent to one of the first polarity terminals along each of the opposed side surfaces of the capacitor body.
- 18. The multi-layer capacitor device according to claim 1, wherein the electrical terminals extend to portions of the top and bottom surfaces.
- 23. The multi-layer capacitor device according to claim 1, wherein each of the pair of opposed side surfaces of the capacitor body includes at least four of the electrical terminals disposed thereon.

(JX-1 at 18:38-44, 18:57-59, 19:28-36, 19:53-56.) The Administrative Law Judge finds that the evidence shows that the CL10 has a ratio L/W equal to about 1.3 or less such that claim 2 is met.

(CX-153C; CX-626C at 26-29; Tr. at 1059-1070 (Ulrich); SFF 268 (undisputed by Murata); ROSFF 268.1; SFF 270 (undisputed by Murata); ROSFF 270.1.) The Administrative Law Judge finds that the evidence shows that the CL10 has a ratio L/W equal to about 0.4 or greater such that the limitation of claim 3 is met. (Id.) The Administrative Law Judge finds that the evidence shows that the CL10 has a ratio L/W that is equal to or less than about 1.3 and greater than or equal to about 0.4 such that the limitations of claim 4 are met. (Id.) The evidence further shows that the CL10 is a multi-layer capacitor according to claim 1, wherein the lengths L of all of the lead electrodes are substantially equal to each other, and therefore the limitations of claim 7 are met. (CX-153C; CX-626C at 26-29; Tr. at 1059, 1070-71 (Ulrich); SFF 268 (undisputed by Murata); ROSFF 268.1.) In addition, the limitations of claim 17 of the '229 patent are met because each of the first polarity terminals of the CL10 multi-layer capacitor device is adjacent to one of the second polarity terminals and each of the second polarity terminals is adjacent to one of the first polarity terminals along each of the opposed side surfaces of the capacitor body. (SFF 260 (undisputed by Samsung); COSFF 260; SFF 262-263 (undisputed); SFF 273 (undisputed); CFF 5.173-75 (undisputed); CX-150C at 1; CX-157C; CX-656C at 171-72; Tr. at 1654:15-1655:5 (Randall); Tr. at 1052-1057, 1071-72 (Ulrich).) The electrical terminals of the CL10 multi-layer capacitor device extend to portions of the top and bottom surfaces such that the limitations of claim 18 are met. (CX-150; CX-262 at 55; SFF 262 (undisputed); Tr. at 1072-1074 (Ulrich).) Finally, each of the pair of opposed side surfaces of the capacitor body of the CL10 multi-layer capacitor device includes at least four of the electrical terminals disposed thereon such that the limitations of claim 23 of the '229 patent are met. (*Id.*)

3. Claims 28-31, 34.

Murata and Staff argue that the CL10 also infringes asserted independent claim 28 and dependent claims 29-31 and 34. (CBR. at 108-110; SBr. at 99-106.) Samsung does not dispute that the CL10 meets the limitations of claims 28-31 and 34. (RBr. at 125-131.) It is noted that Samsung's noninfringement arguments with respect to claim 1 of the '229 patent (RBr. at 125-131) pertain to claim 28 because the two claims contain similar limitations. However, for the reasons discussed above with respect to claim 1, these arguments are rejected. (*See* Section IV.D.1 above.)

Claims 28-31 and 34 read as follows:

28. A multi-layer capacitor device comprising:

- [a] a capacitor body including a pair of opposed side surfaces having continuously smooth surfaces and a pair of opposed end surfaces disposed between the pair of opposed side surfaces;
- [b] at least four electrical terminals disposed on each of the opposed side surfaces;
- [c] the capacitor body also including at least one first electrode plate having a substantially rectangular first main electrode portion with a plurality of first lead structures extending therefrom and at least one second electrode plate situated in opposed and spaced apart relation to the first electrode plate, the second electrode plate having a substantially rectangular second main electrode portion with a plurality of second lead structures extending therefrom, respective ones of the first lead structures being located adjacent respective ones of the second lead structures in an interdigitated arrangement and extending to respective ones of the electrical terminals; dielectric material disposed between each opposing set of first and second electrode plates; wherein
- [d] each of the lead terminals of the at least one first electrode plate being disposed opposite to another of the lead terminals of the at least one first electrode plate across the capacitor body and each of the lead terminals of the at least one second electrode plate being disposed opposite to another of the lead terminals of the at least one second electrode plate across the capacitor body; and
- [e] at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less.

- 29. The multi-layer capacitor device according to claim 28, wherein the ratio L/W is equal to about 1.3 or less.
- **30**. The multi-layer capacitor device according to claim **28**, wherein the ratio L/W is equal to about 0.4 or greater.
- 31. The multi-layer capacitor device according to claim 28, wherein the ratio L/W is equal to or less than about 1.3 and greater than or equal to about 0.4.
- **34**. The multi-layer capacitor device according to claim **28**, wherein the lengths L of all of the lead electrodes are substantially equal to each other.

(JX-1 at 20:1-41, 20:54-56.) With respect to claim 28 of the '229 patent, the Administrative Law Judge finds that the CL10 is a multi-layer capacitor device comprising (i) a capacitor body including a pair of opposed side surfaces having continuously smooth surfaces and a pair of opposed end surfaces disposed between the pair of opposed side surfaces; (ii) at least four electrical terminals disposed on each of the opposed side surfaces; (iii) the capacitor body also including at least one first electrode plate having a substantially rectangular first main electrode portion with a plurality of first lead structures extending therefrom and at least one second electrode plate situated in opposed and spaced apart relation to the first electrode plate, the second electrode plate having a substantially rectangular second main electrode portion with a plurality of second lead structures extending therefrom, respective ones of the first lead structures being located adjacent respective ones of the second lead structures in an interdigitated arrangement and extending to respective ones of the electrical terminals; (iv) dielectric material disposed between each opposing set of first and second electrode plates; (v) wherein each of the lead terminals of the at least one first electrode plate being disposed opposite to another of the lead terminals of the at least one first electrode plate across the capacitor body and each of the lead terminals of the at least one second electrode plate being disposed opposite to another of the lead terminals of the at least one second electrode plate across the capacitor body; and (vi) at

least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less. (CX-32C; CX-150C at 1-3; CX-153C; CX-165C; CX-157C; CX-195C; CX-262C at 55; CX-656C at 171-72; CX-626C at 26-29; CFF 5.79 (undisputed); CFF 5.173-75 (undisputed); RFF 6.174-6.175 (undisputed); RFF 6.176; CORFF 6.176; RFF 6.178 (undisputed in material part); RFF 6.182 (undisputed by Staff); CORFF 6.182; ROCFF 5.76-2; ROSFF 248; ROSFF 253; SFF 260 (undisputed by Samsung); COSFF 260; SFF 262-263 (undisputed); SFF 268 (undisputed by Murata); ROSFF 268.1; SFF 270 (undisputed by Murata); ROSFF 270.1; SFF 273 (undisputed); Tr. at 1416-17 (Youn); Tr. at 1654:15-1655:5, 1667:7-18 (Randall); Tr. at 1034-1057, 1059-1069, 1077-1083, 1108:23-1109:1, 1112:22-1113:12, 1113:14-15 (starting at "I find..." (Ulrich); Complaint, Ex. 15.) The Administrative Law Judge further finds that the CL10 multi-layer capacitor device has a ratio L/W equal to about 1.3 or less such that the limitation of claim 29 is met. (Id. See, in particular, CX-153C; CX-626C at 26-29; Tr. at 1059-1070, 1082 (Ulrich); SFF 268 (undisputed by Murata); ROSFF 268.1; SFF 270 (undisputed by Murata); ROSFF 270.1.) The Administrative Law Judge further finds that the CL10 multi-layer capacitor device has a ratio L/W equal to about 0.4 or greater such that the limitation of claim 30 is met. (Id.) The Administrative Law Judge further finds that the CL10 multi-layer capacitor device has a ratio L/W equal to or less than about 1.3 and greater than or equal to about 0.4 such that the limitations of claim 31 of the '229 patent are met. (Id.) In addition, the CL10 is multi-layer capacitor device, wherein the lengths L of all of the lead electrodes are substantially equal to each other, such that the limitations of claim 34 are met. (CX-153C; CX-626C at 26-29; Tr. at 1059, 1070-83 (Ulrich); SFF 268 (undisputed by Murata); ROSFF 268.1.)

^{19 (}See Order No. 56.)

4. Claims 51-53.

The Administrative Law Judge found in Section III.D.2.d) above, that the language "position located between the positions to which the first lead electrodes extend" of claim 51 of the '229 patent should mean "position on the shorter of the two peripheral paths connecting two of the first lead electrodes." The Administrative Law Judge further found that claim 51 does not require that the first lead electrodes be positioned either on the same side or adjacent sides. (*See* Section III.D.2.d) above.)

Murata and Staff argue that the CL10 meets all the limitations of claims 51-53. (CBr. at 110-112; SBr. at 106-109.) Samsung argues that the CL10 internal electrode plates do not have two lead electrodes extending to at least two positions on the same side or adjacent sides of the capacitor body. (RBr. at 132.) Samsung's argument relies on a claim construction position that was rejected and thus is unsupported. (*See* Section III.D.2.d) above.) Samsung does not dispute that if the CL10 meets the limitations of claim 51, the limitations of dependent claims 52-53 are also met. (RBr. at 132.)

Claims 51-53 read as follows:

51. A monolithic capacitor comprising:

- [a] a capacitor body having two opposed main surfaces and four side surfaces connected between the two main surfaces, said capacitor body including a plurality of dielectric layers extending in the direction in which the two opposed main surfaces extend, and at least one pair of first and second internal electrodes opposed to each other through one of the dielectric layers so as to define a capacitor unit, said capacitor body further including at least two first lead electrodes extending from one of the first internal electrodes to at least two positions on at least one of the side surfaces, and at least one second lead electrode extending from the second internal electrode to a position located between the positions to which the first lead electrodes extend;
- [b] first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively; wherein

the ratio L/W of the length L to the width W of at least one of the first and second lead electrodes is within the range of about 0.4 to about 3.0

- **52**. A monolithic capacitor according to claim **51**, wherein the ratio L/W is in the range of about 0.4 to about 1.3.
- **53**. A monolithic capacitor according to claim **51**, wherein the first and second lead electrodes extend onto at least two of the side surfaces opposed to each other, respectively.

(JX-1 at 22:1-29.) The Administrative Law Judge finds that the CL10 meets the limitations of claim 51 of the '229 patent because it is a monolithic capacitor comprising: (i) a capacitor body having two opposed main surfaces and four side surfaces connected between the two main surfaces; (ii) said capacitor body including a plurality of dielectric layers extending in the direction in which the two opposed main surfaces extend, and at least one pair of first and second internal electrodes opposed to each other through one of the dielectric layers so as to define a capacitor unit; (iii) said capacitor body further including at least two first lead electrodes extending from one of the first internal electrodes to at least two positions on at least one of the side surfaces, and at least one second lead electrode extending from the second internal electrode to a position located between the positions to which the first lead electrodes extend; (iv) first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively; (v) wherein the ratio L/W of the length L to the width W of at least one of the first and second lead electrodes is within the range of about 0.4 to about 3.0. (CX-32C; CX-150C at 1-3; CX-153C; CX-157C; CX-165C; CX-195C; CX-262C at 55; CX-626C at 26-29; CX-656C at 171-72; CFF 5.79 (undisputed); CFF 5.173-75 (undisputed); RFF 6.174 (undisputed); RFF 6.176; CORFF 6.176; RFF 6.178 (undisputed in material part); RFF 6.182 (undisputed by Staff); CORFF 6.182; ROCFF 5.76-2; ROSFF 248; ROSFF 253; SFF 260 (undisputed by Samsung);

COSFF 260; SFF 262-263 (undisputed); SFF 268 (undisputed by Murata); ROSFF 268.1; SFF 270 (undisputed by Murata); ROSFF 270.1; SFF 273 (undisputed); Tr. at 1416-17 (Youn); Tr. at 1034-1047, 1049-1069, 1083-1094, 1116:2-13 (Ulrich); Complaint, Ex. 15.) The Administrative Law Judge further finds that the CL10 is a monolithic capacitor according to claim 51, wherein the ratio L/W is in the range of about 0.4 to about 1.3, such that claim 52 is met. (*Id.*) The CL10 is also a monolithic capacitor according to claim 51, wherein the first and second lead electrodes extend onto at least two of the side surfaces opposed to each other, respectively, such that the limitations of claim 53 of the '229 patent are met. (*Id.*; RFF 6.185.)

5. Conclusion.

As discussed above in this Section IV.D., the Administrative Law Judge finds that the CL10, and thus the Accused '229 Products, meet all of the limitations of asserted claims 1-4, 7, 17, 18, 23, 28-31, 34, and 51-53 of the '229 patent. Accordingly, the Administrative Law Judge finds that Samsung has infringed claims 1-4, 7, 17, 18, 23, 28-31, 34, and 51-53 of the '229 patent.

V. VALIDITY

A. Background

One cannot be held liable for practicing an invalid patent claim. *See Pandrol USA, LP v. AirBoss Railway Prods., Inc.*, 320 F.3d 1354, 1365 (Fed. Cir. 2003). However, patent claims are presumed valid. 35 U.S.C. § 282. A respondent that has raised patent invalidity as an affirmative defense must overcome the presumption by "clear and convincing" evidence of invalidity. *Checkpoint Systems, Inc. v. United States Int'l Trade Comm'n*, 54 F.3d 756, 761 (Fed.

Cir. 1995). Further, as stated by the Federal Circuit in *Ultra-Tex Surfaces, Inc. v. Hill Bros. Chem. Co.*:

when a party alleges that a claim is invalid based on *the very same references* that were before the examiner when the claim was allowed, that party assumes the following additional burden:

When no prior art other than that which was considered by the PTO examiner is relied on by the attacker, he has the added burden of overcoming the deference that is due to a qualified government agency presumed to have properly done its job, which includes one or more examiners who are assumed to have some expertise in interpreting the references and to be familiar from their work with the level of skill in the art and whose duty it is to issue only valid patents.

Ultra-Tex Surfaces, Inc. v. Hill Bros. Chem. Co., 204 F.3d 1360, 1367 (Fed. Cir. 2000) (emphasis added) (quoting American Hoist & Derrick Co. v. Sowa & Sons, Inc., 725 F.2d 1350, 1359 (Fed. Cir. 1984) "American Hoist").

B. Anticipation.

A determination that a patent is invalid as being anticipated under 35 U.S.C. § 102 requires a finding, based upon clear and convincing evidence, that each and every limitation is found either expressly or inherently in a single prior art reference. *See Celeritas Techs. Inc. v. Rockwell Int'l Corp.*, 150 F.3d 1354, 1361 (Fed. Cir. 1998). Anticipation is a question of fact, including whether a limitation, or element, is inherent in the prior art. *In re Gleave*, 560 F.3d 1331, 1334-35 (Fed. Cir. 2009). The limitations must be arranged or combined the same way as in the claimed invention, although an identity of terminology is not required. *Id.* at 1334 ("the reference need not satisfy an *ipsissimis verbis* test"); MPEP § 2131.

In addition, the prior art reference's disclosure must enable one of ordinary skill in the art to practice the claimed invention "without undue experimentation." Gleave, 560 F.3d at 1334-35. A prior art reference that allegedly anticipates the claims of a patent is presumed enabled; however, a patentee may present evidence of nonenablement to overcome this presumption.

Impax Labs., Inc. v. Aventis Pharmaceuticals Inc., 468 F.3d 1366, 1382 (Fed. Cir. 2006).

"[W]hether a prior art reference is enabling is a question of law based upon underlying factual findings." Gleave, 560 F.3d at 1335.

1. '254 patent.

a) U.S. Patent No. 5,742,473.

Samsung, in its post-hearing reply brief, but not in its post-hearing opening brief, argues that if Murata's infringement theory is adopted, the '254 patent is anticipated by U.S. Patent No. 5,742,473 entitled Monolithic Ceramic Capacitor ("the '473 patent") which was filed on December 20, 1996 and issued on April 21, 1998. (RX-390.) According to Samsung, if the '254 patent's claims are construed the same for validity as Murata argues they should be for infringement, the '254 patent is plainly anticipated by the '473 patent. (RRBr. at 32.) According to Samsung, Dr. Dougherty determined that the '473 patent describes each limitation of claim 1 and explicitly describes the alkali metal oxide limitation as well. (*Id.*) Samsung notes that the '473 patent provides that "the dielectric ceramic layers each are made of a material comprising barium titanate having a content of alkali mental oxide impurities of about 0.02% by weight or less." (*Id.* (citing RX-390 at 3:33-36, Table 1).)

As for what Samsung believes to be the remaining limitation $(Ba_{1-x}Ca_xO)_mTiO_2$ in which $0.005 < x \le 0.22$, Samsung says that Murata alleges that Samsung's pre-sintered composition

This is not to be confused with the standards for enablement to support issuance of a patent claim under 35 U.S.C. § 112. *Gleave*, 560 F.3d at 1334.


information shows that enough {	} is present in the dielectric material as a whole to meet
the x limitation if diffusion of {) occurs during sintering. (Id. at 32
(citing CBr. at 22).) Samsung notes the	hat Murata contends that it is reasonable to expect a
sufficient amount of { } in Sam	sung's compositions would diffuse into the {
grains during sintering of the {	} material to meet the "0.005 \leq x \leq
0.22" limitation of claim 1. (Id. at 32	-33.) Similarly then, says Samsung, the same holds true for
the '473 patent, because, like Samsun	g's Accused '254 Products, the '473 patent uses {
{	} which sinters at almost the
identical temperatures. (Id. at 33.) The	hus, Samsung's expert Dr. Dougherty determined that the
"(Ba _{1-x} Ca _x O) _m TiO ₂ in which $0.005 <$	$x \le 0.22$ " limitation is also met by the '473 patent, applying
Murata's own criteria. (Id.) Samsung	g says that Murata cannot take the position that the same
{	}
{ } will lead to calcium diffusi	ion in the case of Samsung's products but not for the '473
patent. (<i>Id.</i> (citing CBr. at 45-46).)	

The Administrative Law Judge notes that Samsung failed to argue invalidity based on anticipation of by the '473 patent in its opening post-hearing brief and therefore waived this defense under Ground Rule 10.1. Additionally, Samsung's defense of anticipation is based on Murata's proposed claim construction, which has been rejected, and therefore Samsung's argument fails for that reason, too. Finally, Samsung has not demonstrated that the '473 patent satisfies all of the limitations of claim 1 of the '254 patent in addition to the limitations specifically discussed in its reply post-hearing brief, and for that reason as well Samsung does not demonstrate by clear and convincing evidence that the '254 patent is anticipated by the '473 patent.

2. '309 patent.

a) Nakano Application.

Samsung alleges that the '309 patent is anticipated by Japanese Patent Application No. H06-342736 ("Nakano"), published on December 13, 1994, over two years before the alleged priority date of the asserted patent. Samsung points out that Nakano was not considered by patent examiner during the prosecution of the '309 patent. (RBr. at 105.) According to Samsung, Nakano discloses the identical arrangement of ceramic layers and electrodes as the '309 patent. (Id.) Figure 1 of Nakano, shown below, depicts a capacitor with a plurality of internal ceramic layers interspersed with overlapping internal electrodes, vertically capped at opposite ends with ceramic layers, and laterally bracketed by a pair of external electrodes. (Id.)



(RBr. at 106 (showing figure from RX-121 as labeled by Samsung).)

Samsung believes that Nakano discloses all of the information needed for the '309 patent's quantitative limitations. (*Id.* at 106.) First, it discloses a dielectric green sheet layer having a thickness of 0.5 to 10 μ m. (*Id.*) Second, it discloses 200 or more internal electrodes. (*Id.*) Third, it discloses a range for the ratio of the thickness of the internal electrode to the

thickness of the ceramic layer of 0.01 to 10, which, Samsung says, covers the '309 patent's entire claimed range of 0.10 to 0.40. (*Id.*) Fourth, it discloses a range for the total volume of the internal electrodes to the volume of the ceramic element of 0.03 to 0.33, which, Samsung says, covers the '309 patent's entire claimed range of 0.10 to 0.30. (*Id.*) Therefore, Nakano discloses each of the limitations of claim 3 of the '309 patent under all of the claim constructions proposed by the parties in this Investigation, Samsung says, or else renders obvious claim 3.²¹ (*Id.*)

Staff agrees with Samsung that Nakano discloses elements (a), (b), and (c)(1) and (2) of claim 3 of the '309 patent. (SBr. at 65-66.) However, Staff disagrees that elements (c)(3) and (4) are disclosed in Nakano. (*Id.* at 66.) Staff says that Nakano discloses electrode layers with a thickness of 0.5 to 5 µm and dielectric layers with thicknesses of 30 µm or less, particularly 0.2 to 5 µm, making it possible to pick values within these ranges that meet the claimed ratios. (*Id.*) However, Staff concludes that because Nakano does not teach that the ratios claimed in element (c)(3) and (4) are particularly desirable or point to specific values that meet those ratios, it does not inherently disclose these elements. (*Id.*)

Murata responds that a thickness ratio of 0.01 to 10 (a ratio of 1 to 1,000) cannot be considered to anticipate the much smaller thickness ratio of 0.10 to 0.40 (a ratio of 1 to 4) in element (c)(3). (CRBr. at 44 (citing *Atofina v. Great Lakes Chem. Corp.*, 441 F.3d 991 (Fed. Cir. 2006)).) Murata argues that Samsung, in making this claim, failed to make any attempt to show that a person of ordinary skill in the art would necessarily create an MLCC that meets all of the

Samsung posits that claim 3 of the '309 patent merely recites professed optimum numerical ranges for the dimensions of standard MLCCs, which are the result of routine experimentation in fabricating samples with varying dimensions and testing them to see which succeeded or failed. (*Id.*) Therefore, Samsung argues, claim 3 is obvious in light of Nakano, which discloses an identical physical structure and all of the information needed by a person of ordinary skill in the art to derive the respective numerical ranges of claim 3. (*Id.*) Because Nakano discloses what Samsung describes as a relatively wide range of possible thicknesses for its green sheets (0.5 to 50 μm), which Dr. Randall calculated corresponds to a thickness ratio that ranges from 0.01 to 10, this encompasses the '309 ratio of 0.10 to 0.40 in element (c)(3) of claim 3. (*Id.* at 107.) Samsung contends therefore that a claimed numerical range such as in element (c)(3) is obvious where the range disclosed by prior art overlaps or encompasses it. (*Id.*)

limitations of claim 3 by virtue of Nakano. (*Id.* at 44-45.)²² Because Nakano mentions such a wide range of potential coverage of internal electrodes with respect to dielectric green sheets (from 10 to 90 percent) there is not enough disclosure in Nakano to teach the benefits produced by the much narrower range of ratios taught by the '309 patent. (*Id.*)

The Administrative Law Judge concludes that Nakano does not anticipate the '309 patent because it does not disclose the limitations specified in elements (c)(3) and (4). The disclosures in Nakano are far too broad to lead one of ordinary skill in the art to conclude that there are any benefits to be derived by narrowing the range of ratios to those specified in claim 3 of the '309 patent.

3. '229 patent.


a) Applicant Admitted Prior Art.


Samsung contends that all of the asserted claims of the '229 patent are anticipated by the applicant admitted prior art ("AAPA") disclosed in the '229 patent. (RBr. at 136.) Murata and Staff argue that the AAPA does not disclose the L/W ratio required by the asserted claims. (CBr. at 119-120; SBr. at 114.)

As an initial matter, Samsung has a heightened burden with respect to the AAPA because Samsung is relying entirely on material disclosed to the examiner. *Ultra-Tex*, 204 F.3d at 1367. Some deference is due to the examiner, who is presumed to have properly issued a valid patent based on his expertise in interpreting the references and familiarity with the level of skill in the art. (*Id.*)


Murata also disputes Samsung's argument regarding any obviousness inherent in Nakano as concerns the '309 patent by pointing to the fact that Nakano does not disclose a thickness or a volume ratio or how they would relate to each other so as to achieve reliability benefits as described in the '309 patent. (*Id.*)

It is also significant that Samsung's arguments (RBr. at 136; RFF 6.473-582) rely on how the prior art, specifically Japanese Unexamined Patent Publication No. H2-256216 (the "H2 application"), is depicted in the '229 patent. (*See* JX-1 at 114-2:49.) This presents some difficulty as to what is considered the single alleged anticipatory reference pursuant to Section 102. Surely Samsung is not attempting to argue that the '229 patent specification itself is this anticipatory reference. If Samsung means the H2 application, it is unclear why Samsung indirectly approaches this reference through the '229 patent specification. Samsung fails to mention that the H2 application is included in the file history (JX-9 at MM_000367), possibly because the figures therein do not precisely match the drawings disclosed in figures 15 through 17 of the '229 patent.






(JX-1 at Figs. 15-17; *id.* at 1:14-2:49.) In particular, the lead structures of the Japanese Unexamined Patent Publication No. H2-256216 (the "H2 application") have a different, wider shape than that shown in figures 15-17 of the '229 patent.



(JX-9 at MM_000376.) For example, figure 17 of the '229 patent appears to be a representation of figure 5 of the H2 application, but the shape of lead electrodes in both figures is not accurately reproduced. Instead, figure 17 provides a general understanding of prior art figure 5 while maintaining the style of the other figures in the '229 patent. In addition, figure 18 appears to have been constructed entirely by patentees based on their analysis of the prior art. (*Id.*)



(*Id.* at Fig. 18.) There is no such drawing shown in the H2 application. It is apparent that the '229 patentees have added something to the description and drawings of the H2 application that is not contained within the four corners of that reference. Whether these additions are the '229 patentees' own work or whether they are derivations from other unnamed prior art references is unclear from the descriptions in the '229 patent specification. However, it is clear that Samsung has not met its burden of showing by clear and convincing evidence that the AAPA, as disclosed in the '229 patent rather than in the H2 application, meets the requirements of a single prior art reference pursuant to Section 102. *Celeritas*, 150 F.3d at 1361.

In the same vein, one of skill in the art would understand that the figures in both the '229 patent and H2 application are not necessarily drawn to scale. It is a general rule that figures in a patent are not drawn to any particular scale unless the patent specifically states that they are. *Go Medical Industries Pty., Ltd. v. Inmed Corp.*, 471 F.3d 1264, 1271 (Fed. Cir. 2006) "[P]atent drawings do not define the precise proportions of the elements and may not be relied on to show particular sizes if the specification is completely silent on the issue.") (quoting *Hockerson-Halberstadt, Inc. v. Avia Group. Int'l, Inc.*, 222 F.3d 951, 956 (Fed. Cir. 2000)). Samsung does

not point to, and the Administrative Law Judge does not find, language in the '229 patent mentioning that any figures are drawn to scale. (JX-1.) Staff argues that the fact that figures are not drawn to scale does not mean that they are meaningless (SBr. at 116), however, as the parties have failed to examine the figures actually disclosed in the prior art, as opposed to what patentees have translated, the Administrative Law Judge finds this argument carries no weight.


Accordingly, the Administrative Law Judge finds that Samsung has failed to demonstrate by clear and convincing evidence that the AAPA anticipates any claims of the '229 patent.

b) U.S. Patent No. 4,831,494.

Samsung contends that the asserted claims of the '229 patent are anticipated by U.S. Patent No. 4,831,494 (the "Arnold" reference), dated May 16, 1989. (RBr. at 135-36.) Murata argues that Arnold is not an anticipatory reference because (i) it does not have external terminals that extend to the capacitor side surfaces, and (ii) it does not disclose the L/W ratio required in all the asserted claims of the '229 patent. (CBr. at 120-21.) Staff agrees that the Arnold reference is not anticipatory, pointing out that "in Arnold, the electrode plates are oriented vertically" so that the external terminals are on the top and bottom surfaces of the capacitor. (SBr. at 121-22.)

Just as with the AAPA, Samsung has a heightened burden with respect to the Arnold reference because Samsung is relying entirely on material disclosed (JX-9 at MM_000294) to the examiner during prosecution. *Ultra-Tex*, 204 F.3d at 1367. Samsung submits that not only were patentees aware of the Arnold patent, they discussed its "Japanese counterpart," the H2 application, in the '229 patent specification. (RBr. at 135; RFF 6.363.) However, Samsung's statement, which notably is not supported by the testimony of its expert, that "[t]he inventors of the '229 patent understood that Arnold describe[s] a side terminated capacitor" (RFF 6.363), is

less than credible. As discussed above with respect to the AAPA, the '229 patentees took some liberties with their depictions and descriptions of the prior art. The H2 application does not show a capacitor with terminals on the side surfaces.



(JX-9 at MM_00375-76 (Figs. 3, 9).) Therefore the Administrative Law Judge rejects Samsung's attempts to tie the H2 application to the Arnold reference through the dubious conduit of the AAPA.

Turning to the remainder of the Arnold reference, Samsung's briefing is somewhat confusing as it jumbles all of the asserted patent claims into a discussion of "the capacitor claimed in the '229 patent." (RBr. at 135-36.) Samsung's expert, Dr. Randall, is equally cursory in his analysis of whether the asserted claims are anticipated by Arnold. (Tr. at 1639-1641 (Randall).) Dr. Randall did not expressly testify that the Arnold reference shows a capacitor with terminals on the side surfaces, instead blurring all the asserted patent claims into a quick summary of various limitations:

Arnold shows that there are first and second electrode plates that are interleaved. It shows interdigitated leads. It shows that the leads are substantially equal in dimension or length. They're disposed opposite each other. The tabs are between each other. And they have an L over W ratio or aspect ratio of 3 or less. They also have an L over W of between [0].4 and 1.3.

(*Id.*) Thus there is some doubt whether Samsung has met its initial burden of showing by clear and convincing evidence that the Arnold patent discloses even those limitations of asserted claims 1-4, 7, 17-18, 23, 28-31, 34, and 51-53 of the '229 patent that are not disputed by Murata and Staff. However, this issue need not be reached, as it is apparent that Arnold does not disclose a capacitor with terminals on the side surfaces.

Claim 1, and consequently dependent claims 2-4, 7, 17-18, and 23, of the '229 patent require "a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body. . . ." (JX-1 at 18:21-22.) Claim 28, and consequently dependent claims 29-31 and 34, of the '229 patent require "at least four electrical terminals disposed on each of the opposed side surfaces" (*Id.* at 20:7-8.) Claim 51, and consequently dependent claims 52-53, of the '229 patent require "first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend. . . ." (*Id.* at 22:17-19.)

Samsung's evidence on this issue is as follows:

- [Claim 1] RFF 6.379 Arnold discloses a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body. (Tr. at 1626:22-25, 1640:1-11, 1641:12-19 (Randall); RX-959 at 7:50-8:4, figs. 4, 4A)
- [Claim 28] RFF 6.423 Arnold discloses a capacitor body wherein at least four electrical terminals disposed on each of the opposed side surfaces. (Tr. at 1640:1-11 (Randall); RX-959 at 5:7-20, figs. 4-4A)
- [Claim 51] RFF 6.463 Arnold discloses a capacitor body wherein first and second external terminal electrodes are provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively. (RX-959 at 1:39-40, figs. 1, 3, 4, 4A, and 6; 6:1-5; 7:55-8:4)

(RFF 6.379; RFF 6.423; RFF 6.463.) Taking each piece of evidence in turn, it is clear that the cited evidence does not support Samsung's proposed finding that the claim limitations of claims 1, 28, and 51 are met. Looking at the citations to Dr. Randall's testimony,

- 22 It talks -- it shows also the Arnold patent, which is
- 23 the basis -- the Japanese version of this is the basis
- 24 for the prior art in '229, which also has a tabbed and
- 25 interdigitated structure.

* * *

- 1 Q Let's turn to RDX-157, which, again, looks
- 2 at figure 4 from the Arnold patent. And does it
- 3 satisfy all of the limitations of the asserted claims?
- 4 A Yes, it does.
- 5 Q Can you walk us through that, please?
- 6 A It has interleaved first and second plates
- 7 in opposed and spaced apart relation. It has
- 8 interdigitated lead electrodes. The leads are
- 9 substantially equal to each other in dimension. And
- 10 the lead for the second plates is between the leads on
- 11 the first plates. And it has external terminals.

* * *

- 12 A Arnold shows that there are first and second
- 13 electrode plates that are interleaved. It shows
- 14 interdigitated leads. It shows that the leads are
- 15 substantially equal in dimension or length. They're
- 16 disposed opposite each other. The tabs are between
- 17 each other. And they have an L over W ratio or aspect
- 18 ratio of 3 or less. They also have an L over W of
- 19 between [0].4 and 1.3.

(Tr. at 1626:22-25, 1640:1-11, 1641:12-19 (Randall), there are no opinions to show the electrical terminals in Arnold are disposed on the side surfaces. Indeed, Dr. Randall sidesteps this issue by testifying that there are "external terminals." Samsung's citations to the Arnold reference are equally unavailing:

Each row of tabs is connected one to the other by a shorting bar or electrode. Final connection of the ca- 40


Referring now to the Figures in more detail and particularly referring to FIGS. 1 to 3 there is shown a multilayer capacitor, generally indicated by 10, according to the invention. The multilayer capacitor 10 comprises a plurality of laminae 12 wherein each of the laminae comprises a conductive plate portion 14 and a non-conductive sheet portion 16. At each end of the multilayer capacitor 10 there is at least one non-conductive sheet portion 18 which does not contain a conductive plate portion. There may, of course, be more than one non-conductive sheet portion 18, if desired. The conductive plate portion 14 has at least one tab 20 projecting to at least one surface edge 32 of the conductive plate portion 14 and lamina 12. An important feature of 20

The multilayer capacitor 10 further comprises islands of metallurgy 34 joining selective groups of tabs 20 in each row such that each of the islands 34 covers a portion of each row of tabs. It is preferred that the islands 34 cover only a portion of each and every row of tabs.

islands of metallurgy 34. However, capacitor 110 fur- 55 ther comprises at least one tab 43 projecting to an opposite edge 45 of each of the conductive plate portions 114. The capacitor 110 further comprises islands of metallurgy 46 which join selected groups of opposed tabs 43.


FIG. 4A is a modification of capacitor 110 shown in FIG. 4. Capacitor 120 of FIG. 4A also further comprises at least one tab 43 projecting to an opposite edge 45 of each of the conductive plate portions 122. Capacitor 120, however, is configured such that each edge 32, 65 45 of the conductive plate portion 122 has at least one tab which represents a mirror image of the opposed edge 45, 32 of the conductive plate portion 122. That is,

tabs 43 represent a mirror image of tabs 20. With respect to the islands of metallurgy, the islands of metallurgy 34, 46 on opposed sides of the capacitor 110 join mirror-image selected groups of tabs.



(RX-959 at 1:39-40, 5:7-20, 6:1-5; 7:55-8:4, Figs. 1, 3, 4, 4A, 6.) While the selected passage in the Arnold specification refers to "islands of metallurgy **34**, **36** on opposed sides of the capacitor **110**[,]" a review of the figure referred to in that passage (4A) shows that this reference does not

disclose electrical terminals disposed on the side surfaces. (*Id.* at 8:2-4.) Just as in the H2 application, Arnold shows these terminals on the top and bottom surfaces.



(*Id.* at Figs. 2, 7.) Additionally, as there is no suggestion that the figures in the Arnold reference are drawn to scale, the L/W ratio limitation of the asserted claims is not met. The Administrative Law Judge concludes that Samsung has failed to show by clear and convincing evidence that the Arnold reference anticipates any of the asserted '229 patent claims.

c) Galvagni Reference.

Samsung contends that claims 51-52 and 55-56 of the '229 patent are anticipated by an article by John Galvagni, So Many Electrons, So Little Time" (the "Galvagni" reference), published in 1994. (RBr. at 137.) As claims 55-56 of the '229 patent are not asserted claims, Samsung's arguments with respect to these will be disregarded. Murata argues that the Galvagni reference²³ does not disclose the L/W ratios claimed in the asserted claims and also does not disclose terminals on the capacitor side surfaces. (CBr. at 121-122.) Staff argues that the Galvagni reference does not anticipate any of the asserted claims because it fails to disclose terminals on the opposed side surfaces. (SBr. at 122-23.)

²³ Murata combines its arguments with respect to the Galvani reference with another article authored by John Galvagni, however Samsung makes no mention of this second reference in its post-hearing brief and thus has abandoned it. (Ground Rule 10.1.)

Just as with the Arnold prior art reference, the Administrative Law Judge questions whether Samsung has presented clear and convincing evidence to show that those elements of claims 51 and 52 that are not disputed by Murata and Staff are actually present in the Galvagni reference. Once again, as Galvagni does not disclose "first and second external terminal electrodes provided on the side surfaces onto which the first and second lead electrodes extend. . .." as required by claims 51 and 52 of the '229 patent (JX-1 at 22:17-19), this question of whether Samsung has met its burden with respect to the other elements need not be reached. Dr. Randall testified that the lead structures in the device in the Galvagni reference terminate to one side only and that the electrode leads are in a "face-down orientation" pointing towards the circuit board. (Tr. at 1642:11-15, 1643:11-18 (Randall).)




Figure 2 of RX-872 (Color Added)

(Figure from RFF 6.600 (RX-872 is a duplicate of RX-620).) Mr. Galvagni, the article's author, testified that the electrode tabs are pointing "up" and are located at the "top of the device." (Tr. at 1478:5-9 (Galvagni).) Thus the terminals that connect to these would be located on the top, not the side of the disclosed capacitor. Furthermore, Mr. Galvagni admitted that the drawings in the article are not to scale (Tr. at 1470:22-24 (Galvagni)), and therefore Samsung has not demonstrated by clear and convincing evidence that the L/W ratio limitation of each of the asserted claims has been met. Accordingly, the Administrative Law Judge concludes that

Samsung has failed to demonstrate by clear and convincing evidence that the Galvagni reference anticipates claims 51 and 52 of the '229 patent.

d) U.S. Patent No. 5,880,925.

Samsung contends that the '229 patent is anticipated by U.S. Patent No. 5,880,925 (the "DuPré" patent). (RBr. at 123.) Murata argues that DuPré does not disclose the L/W ratios required by all of the asserted patent claims. (CBr. at 123-24.) Staff agrees. (SBr. at 120.)

Just as with the Arnold prior art, Samsung has a heightened burden with respect to the DuPré reference because Samsung is relying entirely on material disclosed (JX-9 at MM 000341) to the examiner during prosecution. *Ultra-Tex*, 204 F.3d at 1367.

Samsung relies on the testimony of Dr. Randall to show that DuPré discloses the L/W ratios claimed in the asserted claims. (RBr. at 123.) However, Dr. Randall based this opinion on measurements he made of the DuPré patent figures, even though he admitted these were not drawn to scale. (Tr. at 1634 (Randall).) The Administrative Law Judge finds that Samsung has failed to show by clear and convincing evidence that DuPré discloses the claimed L/W ratios of the asserted claims. *Go Medical*, 471 F.3d at 1271.

e) U.S. Patent No. 5,430,605 and deNeuf Product.

Samsung no longer contends that the '229 patent is anticipated by U.S. Patent No. 5,430,605 and the deNeuf Product, alleged to be prior art to the '229 patent. (*See* RBr. at 132-137.) Samsung is deemed to have abandoned its Section 102 allegations with respect to these references. (Ground Rule 10.1.)

C. Obviousness.

Under 35 U.S.C. § 103(a), a patent is valid unless "the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made" to a person having ordinary skill in the art. 35 U.S.C. § 103(a). The ultimate question of obviousness is a question of law, but "it is well understood that there are factual issues underlying the ultimate obviousness decision." *Richardson-Vicks Inc. v. Upjohn Co.*, 122 F.3d 1476, 1479 (Fed. Cir. 1997) (citing *Graham v. John Deere Co. of Kansas City*, 383 U.S. 1, 17 (1966) ("*Graham*")).

After claim construction, "[t]he second step in an obviousness inquiry is to determine whether the claimed invention would have been obvious as a legal matter, based on underlying factual inquiries including: (1) the scope and content of the prior art, (2) the level of ordinary skill in the art, (3) the differences between the claimed invention and the prior art; and (4) secondary considerations of non-obviousness." *Smiths Indus. Med. Sys., Inc. v. Vital Signs, Inc.*, 183 F.3d 1347, 1354 (Fed. Cir. 1999) (citing *Graham*, 383 U.S. at 17). The existence of secondary considerations of non-obviousness does not control the obviousness determination: a court must consider "the totality of the evidence" before reaching a decision on obviousness. *Richardson-Vicks*, 122 F.3d at 1483.

The Supreme Court recently clarified the obviousness inquiry in KSR Int'l Co. v. Teleflex Inc., 550 U.S. 389 (2007) ("KSR"). The Supreme Court said:

When a work is available in one field of endeavor, design incentives and other market forces can prompt variations of it, either in the same field or a different one. If a person of ordinary skill can implement a predictable variation, § 103 likely bars its patentability. For the same reason, if a technique has been used to improve one device, and a person of ordinary skill in the art would recognize that it would improve similar devices in the same way, using the technique is obvious unless its actual application is beyond his or her skill. Sakraida and Anderson's-Black Rock are illustrative—a court must ask whether the improvement is more

than the predictable use of prior art elements according to their established functions.

Following these principles may be more difficult in other cases than it is here because the claimed subject matter may involve more than the simple substitution of one known element for another or the mere application of a known technique to a piece of prior art ready for the improvement. Often, it will be necessary for a court to look to interrelated teachings of multiple patents; the effects of demands known to the design community or present in the marketplace; and the background knowledge possessed by a person having ordinary skill in the art, all in order to determine whether there was an apparent reason to combine the known elements in the fashion claimed by the patent at issue. To facilitate review, this analysis should be made explicit.

* * *

The obviousness analysis cannot be confined by a formalistic conception of the words teaching, suggestion, and motivation, or by overemphasis on the importance of published articles and the explicit content of issued patents. The diversity of inventive pursuits and of modern technology counsels against limiting the analysis in this way. In many fields it may be that there is little discussion of obvious techniques or combinations, and it often may be the case that market demand, rather than scientific literature, will drive design trends. Granting patent protection to advances that would occur in the ordinary course without real innovation retards progress and may, in the case of patents combining previously known elements, deprive prior inventions of their value or utility.

KSR, 550 U.S. at 417-19.

The Federal Circuit has since held that when a patent challenger contends that a patent is invalid for obviousness based on a combination of several prior art references, "the burden falls on the patent challenger to show by clear and convincing evidence that a person of ordinary skill in the art would have had reason to attempt to make the composition or device, or carry out the claimed process, and would have had a reasonable expectation of success in doing so."

PharmaStem Therapeutics, Inc. v. ViaCell, Inc., 491 F.3d 1342, 1360 (Fed. Cir. 2007) (citations omitted).

The TSM²⁴ test, flexibly applied, merely assures that the obviousness test proceeds on the basis of evidence--teachings, suggestions (a tellingly broad term), or motivations (an equally broad term)--that arise before the time of invention as

²⁴ TSM means teaching, suggestion, motivation.

the statute requires. As KSR requires, those teachings, suggestions, or motivations need not always be written references but may be found within the knowledge and creativity of ordinarily skilled artisans.

Ortho-McNeil Pharmaceutical, Inc. v. Mylan Laboratories, Inc., 520 F.3d 1358, 1365 (Fed. Cir. 2008).

1. '254 patent.

a) Japanese Patent Publication H8-31232.

Samsung asserts that the '254 patent is invalid as obvious by reason of Japanese Patent Application Publication No. H8-31232 ("the '232 publication"). (RBr. at 62.) Additionally, says Samsung, the '254 patent is rendered obvious by the '232 Publication in light of U.S. Patent No. 5,742,473 ("the '473 patent") because it explicitly limits alkali metal oxides in barium titanate to about 0.02 percent by weight, or less. (*Id.* at 63.) Samsung argues that the '473 patent describes a composition that is made from barium titanate that has a mean particle size in the range prescribed in claim 2 of the '254 patent. (*Id.*) If one applies Murata's proposed claim construction, which Samsung says disregards any chemical bonding of the individual components, the '473 patent would be found to describe a composition containing all of the chemical elements in the molar amounts specified by the '254 patent. (*Id.*)

Samsung claims that the '232 publication describes both barium titanate and barium calcium titanate ceramic compositions that accept internal nickel electrodes and can be sintered in a reducing atmosphere. (*Id.* at 64.) As such, the '232 publication describes the production of ceramic dielectric compositions that have high dielectric constants and can be sintered in a reducing atmosphere even though nickel is used in the electrodes. (*Id.*) One of the embodiments mentioned in the '232 publication involves (Ba,Ca)TiO and Re₂O₃, where Re is selected from Y, Gd, Dy, Ho, Er, and Yb. (RBr.) This embodiment also includes manganese, magnesium, Li₂CO₃

and SiO₃, says Samsung. (*Id.* at 65.) Sample 36 in Table 7 of the '232 publication mentions proportions of Ba, Ca, Re, MnO, and SiO₂, which Samsung suggests "allow comparison with the '254 patent claims. (*Id.*)

According to Samsung, the absence of a limitation in the '232 publication stating that the presence of metal oxides in the composition have to be 0.02 percent or less is not a fatal omission for the '232 publication being considered invalidating prior art, because such a restriction of alkali metal oxides was well known to those of skill in the art at the time of its publication and also was taken into account by virtue of the fact that commercially available starting materials came that way. (Id. at 65-66.) Because persons skilled in the art understood and appreciated the fact that impurities, such as alkali metal oxides, had to be minimized, they therefore would have known the importance of making use of low alkali metal content in any family of barium titanate materials for starting materials, says Samsung. (Id. at 66.) Samsung emphasizes that, prior to the '254 patent application, barium titanate powders were readily available, commercially, that contained less than 0.02 percent alkali metal oxide by weight. (Id.) Therefore, says Samsung, the alkali metal oxide limitation that Dr. Burn says was not included in the '232 publication would nevertheless have been obvious to anyone of skill in the art at the time the '254 application was filed. (Id. at 67.) Samsung argues that, because Murata relies solely on the absence of this limitation in the '232 publication, it bears the burden of proving the publication does contain alkali metal oxide in an amount greater than what is allowed by the '254 patent. (Id. (citing Upsher-Smith Labs v. Pamlab, LLC, 412 F.3d 1319, 1322 (Fed. Cir. 2005)).) According to Samsung, its *prima facie* proof that the '254 patent is invalid by reason of the '232 publication shifts the burden of producing rebuttal evidence to Murata. (*Id.* at 68.)

Samsung argues that Murata is only speculating when it says that Li₂CO₃, which is present as a sintering aid in sample 36 of the '232 publication, will decompose at sintering temperatures and form Li₂O, and in saying that, the resulting Li₂O may diffuse into (Ba₁. $_x$ Ca_xO)_mTiO₂ in an amount that exceeds the 0.02 percent by weight threshold of the '254 patent. (*Id.*) Samsung argues that Murata's speculation here is flawed for several reasons. First, lithium carbonate, the compound actually used as a sintering aid in sample 36 of the '232 publication, is not an alkali metal oxide. (*Id.* (quoting Tr. at 584 (Burn).) Second, the '232 publication teaches the addition of Li₂CO₃ in combination with SiO₂, and as lithium is known to be stable in that form, it is not likely to diffuse into the barium calcium titanate of sample 36. (*Id.* at 69.) Additionally, Samsung argues that Li₂CO, to the extent it might be formed at all from Li₂CO₃, would not diffuse into barium calcium titanate. (*Id.*)

According to Samsung, even if one were to assume that Li₂CO₃ decomposes to form Li₂CO, which in turn diffuses into (Ba_{1-x}Ca_xO)_mTiO₂ in sample 36 of the '232 publication, such diffusion fails to distinguish the '254 patent claims over the '232 publication, because, in the first place, the '254 patent itself claims a lithium-containing sub-component, Li₂O-(Si,Ti)O₂-MO oxide, and if Li₂CO diffuses into (Ba_{1-x}Ca_xO)_mTiO₂ insofar as the teaching of the '232 publication, it would likewise diffuse in the embodiment of the '254 patent that makes use of Li₂O-(Si,Ti)O₂-MO oxide as a "first component." (*Id.* at 70.) Secondly, Samsung argues that any possible diffusion of alkali metal oxide during sintering is irrelevant to this discussion because any proper construction of the '254 patent requires that there only be 0.02 percent by weight, or less, of alkali metal oxides in (Ba_{1-x}Ca_xO)_mTiO₂ as starting materials.²⁵ Accordingly, Samsung believes it would be inconsistent to interpret the '254 patent to include a limitation on the amount of Li₂O

²⁵ Before sintering.

diffusion into $(Ba_{1-x}Ca_xO)_mTiO_2$ when the amount of Li₂O diffusion was never mentioned in the '254 specification and is, according to Dr. Burn, impossible to quantify, anyway. (*Id.*)

Even assuming Li₂CO₃ decomposes to form Li₂O, which diffuses into barium calcium titanate, the sintered barium calcium titanate would be lithium-free at its core, argues Samsung. (*Id.* (citing Tr. at 1920 (Dougherty).) Therefore, according to Samsung, even after sintering, sample 36 indisputably would contain lithium-free (Ba_{1-x}Ca_xO)_mTiO₂ at the core and, thus, the '232 publication renders obvious the '254 patent regardless of any lithium diffusion into the shell. (*Id.* at 71.)

Murata counters that, in the '232 publication, lithium oxide is not considered to be an impurity but, rather, an essential component, commenting that what may be considered an impurity for one composition may not be for another. (CRBr. at 30.) Murata says that the '232 publication teaches that a high level of lithium oxide (Li₂O), an alkali metal oxide, must be present in the sintered dielectric material, far more than the maximum of 0.02 percent by weight permitted by the '254 patent. (CBr. at 47.) Murata says that Li₂O is an essential component of the '232 publication dielectric material and no combination, including the ones mentioned in the '232 publication, would have eliminated it. (*Id.* at 48.) The inventors named in the '232 publication found experimentally that an insufficient lithium concentration produced unexpectedly poor temperature characteristics of capacitance, Murata argues. (*Id.* 49.) Therefore, Murata argues that no one of ordinary skill would find it obvious to eliminate the essential Li₂O ingredient, quoting *In re Marosi*, 710 F.2d 799, 803 (Fed. Cir. 1983) as follows:

the [prior art], which requires alkali metal as an essential ingredient, neither anticipates nor renders obvious appellants' process, which requires the practical elimination of alkali metal. A person of ordinary skill in the art would reasonably expect that, if what is taught as an essential ingredient is not included, an undesirable reaction or no reaction at all would occur.

(CRBr. at 30-31.)

Murata argues that the '254 patent's requirement, that the molar ratio of calcium (x) in the barium calcium titanate material must fall within a range of 0.005 to 0.22, would not have been obvious in view of the '232 publication. This is because Samsung's expert witness Dr. Dougherty only discussed sample 36 in Table 7 of the '232 publication and ignored other samples in the same table that were contraindicative of obviousness, such as sample 39 which has an x value of 0.030, which, although within the range of the '254 patent, is marked outside the range of the '232 publication. (CBr. at 50.) Murata says that the '232 publication's inventors found that the amount of calcium in sample 39 resulted in a low specific dielectric constant and low insulation resistance, and the publication teaches away from the '254 patent's x range with samples 33 and 34 within the stated range of the '232 publication, yet with values of less than 0.005. (Id.)

Murata says that the '232 publication could render the '254 patent obvious only if Samsung had proved by clear and convincing evidence that Li₂O in the '232 publication was present outside the barium calcium titanate material (not having been diffused into it during sintering), and because Samsung did not test the material described in the '232 publication, it is unclear whether that material contains over 0.02 percent by weight of alkali metal oxides. (CRBr. at 31.)

Murata responds to the portion of Samsung's argument that references *Upsher-Smith*Labs v. Pamlab, LLC, supra, by noting that in that case the court found that a "prior art composition that 'optionally includes' an ingredient anticipates a claim for the same composition that expressly excludes that ingredient." (*Id.* at 32 (quoting *Upsher-Smith*, 412 F.3d at 1320-21).)

Unlike the circumstances in that case, the '232 publication does not "optionally include" Li₂O;

instead, it requires a very high concentration of it, argues Murata, and therefore the cited case is inapposite. (*Id.*) Furthermore, in the cited case, the prior art was anticipatory and therefore secondary considerations of non-obviousness and the prior art's teaching away from the claimed invention were not an issue, as they are here. (*Id.*) Finally, Murata says that in *Upsher-Smith*, the burden of production only shifted to the patentee once the challenger had presented a prima facie case of invalidity, which Samsung has not done here. (*Id.*)

Murata says that, because the '232 publication is not anticipatory, one must examine the reference as a whole to determine if the '254 patent's claims are obvious, and Samsung's expert never attempted to explain why a person of ordinary skill in the art upon reviewing the '232 publication would have been motivated to use the amount of calcium in sample 36 but not samples 33, or 39, which are within the scope of the '232 publication but not the '254 patent, or vice versa. (*Id.*) Finally, argues Murata, Samsung's obviousness argument completely ignores the objective indicia, or secondary considerations, of non-obviousness. (*Id.* at 32-33.)

Staff says that the '232 publication, with respect to sample 36 or example 3, meets every claim limitation of claim 1 of the '254 patent except the limitation requiring 0.02 percent or less of an alkali metal oxide and the required value for the γ , which is equal to, instead of greater than, 0.001. (SBr. at 40-41.)

The Administrative Law Judge agrees with Murata and Staff that the evidence provided by Samsung does not demonstrate clearly and convincingly that the '232 publication renders obvious the '254 patent with respect to claim 1's limitation that restricts the presence of alkali metal oxides in (Ba_{1-x}Ca_xO)_mTiO₂ to 0.02 percent or less by weight (see JX-4 at 32:66-67). Given the lack of any empirical evidence that the barium calcium titanate material described in the '232

publication does not include more than 0.02 percent by weight of alkali metal oxide, the evidence does not demonstrate that it would have been obvious to one of skill in the art at the time to do so.

b) U.S. Patent No. 5,742,473.

Samsung also asserts that the '254 patent is rendered obvious over the '232 publication in view of U.S. Patent No. 5,742,473 entitled Monolithic Ceramic Capacitor ("the '473 patent") which was filed on December 20, 1996 and issued on April 21, 1998. (RBr. at 71.) According to Samsung, the '473 patent expressly teaches a principal component barium titanate with 0.02 percent by weight or less alkali metal oxides, and that it and the '232 publication are directed to ceramic compositions for use with nickel electrodes. Both of these compositions are sintered in a reducing atmosphere without developing semi-conductive properties, and thus it would have been obvious to apply the teaching of the '473 patent regarding 0.02 percent by weight or less alkali metal oxides in the principal component to the composition described in the '232 publication, Samsung argues. (*Id.* at 71.)

Samsung also argues that the '473 patent does not teach away from the '254 invention by treating calcium as an impurity in its Table 1, as maintained by Murata, because the '473 patent expressly teaches to include calcium as a sub-component in the form of oxide glass and because it is well understood by material scientists to control the amount of each compound that is added to a ceramic. (*Id.* at 71-72.) Because calcium is added as part of a sub-component in the '473 patent, the total calcium would vary if additional calcium were present in the principal component and thus the '473 patent labels calcium oxide an "impurity." (*Id.* at 72.) Samsung argues that this is because it needs to be controlled, not because it is to be excluded from the composition. (*Id.*)

Samsung says that the '473 patent explicitly teaches grain sizes smaller than 0.75 microns, and because it was known by those skilled in the art to start out with powders having particle sizes of 0.3 to 0.6 microns, the subject matter of claim 2 of the '254 patent (mean particle size of about 0.10 to 0.7 μ m) was rendered obvious by the '473 patent and the '232 publication. (*Id.*)

With respect to claim 9 of the '254 patent, Samsung says sample 36 of the '232 publication teaches 0.384 parts by weight of SiO₂, which may be a third sub-component according to claim 9 as it depends from claim 1. (*Id.*)

With respect to dependent claims 11, 13, and 19, which are directed to a laminated ceramic capacitor having a plurality of dielectric layers containing the dielectric ceramic according to claims 1, 2, or 9 ("a plurality of inner dielectric layers comprising Ni or an NI alloy and existing among the plurality of said dielectric layers; and external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said capacitor"), Samsung contends that the subject matter of these claims is obvious in view of the '232 publication. (*Id.* at 73.)

With respect to dependent claims 12, 14, and 20, which are directed to a laminated ceramic capacitor according to claims 11, 13, and 19, wherein the external electrodes comprise a sintered layer of conductive metal powder or conductive metal powder and glass frit, Samsung argues that conductive metal powders and glass frits have been used for decades as the standard way to apply external electrodes. (*Id.*) Thus Samsung argues the subject matter of these claims is also obvious. (*Id.*)

Murata disputes Samsung's arguments with respect to the '473 patent by pointing to the fact that both Dr. Dougherty and Mr. Sano²⁶ agreed that little or no calcium from the calcium-

²⁶ One of the '473 patent's inventors.

containing sintering aid would incorporate into barium titanate during sintering under process conditions described in the '473 patent. (CBr. at 46.) Murata argues that chemical analysis would be required to determine the extent to which any calcium from the sintering aid diffused into barium titanate, and Samsung presented no such evidence. (*Id.*) Also, Mr. Sano testified that according to experiments that were conducted regarding the '473 composition, calcium does not diffuse into the barium titanate in the '473 dielectric material during sintering. Murata further notes that all of the expert witness who dealt with the '473 patent agreed that barium calcium titanate is not present in its dielectric material either before or after sintering. (*Id.* at 47.)

Staff's position stems from the fact that the '473 patent does not disclose an amount of manganese that falls within the range of the '254 patent. (SBr. at 45.)

The Administrative Law Judge concludes that Samsung has not produced evidence that shows clearly and convincingly that the '473 patent, either alone or in conjunction with the '232 publication, renders obvious the '254 patent. The calcium to be used as an optional sintering aid in the '473 patent has not been demonstrated by Samsung to diffuse into the barium titanate composition. No inferences can be drawn about that possibility based on conjecture alone; empirical evidence supportive of Samsung's allegation is lacking.

2. '309 patent.

a) The Yoneda Article.

Yoneda

Samsung maintains that the '309 patent is invalid by reason of an October 1996 article entitled "Relationship Between Microstructure and Characteristics of Multilayer Capacitors having 'Core-Shell' Structure," by Murata employee Yasunobu Yoneda (the "Yoneda" article).

(RBr. at 107.) Samsung says Yoneda was not disclosed to the Patent Office during the prosecution of the '309 patent. (*Id.*)

According to Samsung, Yoneda used the identical testing methods for an MLCC as were apparently used for the '309 patent, and Yoneda expressly discloses three of the four quantitative requirements of the '309 patent: 1) a ceramic layer thickness of 3 µm; 2) 200 or more layers (specifically 350); and 3) a ratio of the thickness of the internal electrode to the thickness of the ceramic layer of 0.4. (Id.) Although acknowledging that Yoneda does not expressly disclose the percentage of electrode coverage needed to determine electrode volume, Samsung argues that the electrode "coverage" was basic information that was known to persons of ordinary skill in the art of MLCC design at the time, or else it would have been obvious to them to apply to Yoneda the teaching of electrode coverage taught by Nakano. (Id. at 107-108.) Samsung reasons that persons skilled in the art would have been motivated to resort to Nakano's electrode coverage information using the teachings of Yoneda because both references are directed to the same problem of selecting dielectric and electrode thicknesses for MLCCs. (Id. at 108.) Furthermore, according to Samsung, persons of skill would also have been motivated to use the top and bottom cover layer thickness taught by U.S. Patent No. 6,160,472 ("Arashi") because both references are directed to the same problem of designing multilayer ceramic electronic parts. (Id.) Thus, Samsung contends, Yoneda alone, or in combination with either Nakano or Arashi, or both, renders the '309 patent obvious. (*Id.*)

<u>Arashi</u>

Samsung points out that Arashi, filed on March 22, 1996 and issued on December 12, 2000, which was not considered by the Patent Office during the prosecution of the '309 patent, discloses a multilayer varistor having the same structure as the MLCC of the '309 patent as well

as three of its quantitative requirements: 1) a ceramic layer thickness of 7 µm; 2) 200 layers; and 3) a ratio of thickness of the internal electrode to thickness of the ceramic layer equal to 0.36, which falls with the '309 patent's claimed range of 0.10 to 0.40. (*Id.*) Samsung says that Arashi also discloses all of the measurements needed to calculate the volume ratio of the '309 patent, including cover layer thickness, except the area of an internal electrode. (*Id.* at 109.) As a result, Arashi reveals a volume ratio ranging from 0.03 to 0.23—overlapping with the 0.10 to 0.30 range disclosed in claim 3 of the '309 patent—and, therefore, persons of skill in the art would have been motivated to combine the electrode coverage disclosed in Nakano with the teachings of Arashi. (*Id.*) Samsung argues this is because both references are directed to the same problem of selecting dielectric and electrode thicknesses for multilayer ceramic electronic parts. (*Id.*)

Sano

Samsung argues that another reference relevant to a finding of obviousness is Japanese Patent Application No. H07-074047 ("Sano"), which it says was published on March 17, 1995 and assigned to Murata, but was never disclosed to the Patent Office. (*Id.*) Samsung says Sano discloses a "stacked ceramic condenser" having the same configuration as the other prior art mentioned by Samsung and the '309 patent and teaches the same objective of avoiding cracking or delamination when using very thin ceramic layers. (*Id.*) Sano discloses an MLCC with a ceramic layer thickness of 7.5 μm and a ratio thickness of the internal electrode layer to the thickness of the ceramic layer which is less one-seventh, or 0.143. (*Id.*) Samsung argues that persons of skill in the art would have been motivated to combine Nakano's disclosure of numbers of electrode layers with the electrode coverage information of Sano, because both of these references are directed to the same problem of selecting dielectric and electrode

thicknesses for MLCCs. (*Id.* at 109-110.) Therefore Samsung argues that this combination of references renders obvious claim 3 under all of the parties' proposed claim constructions. (*Id.*) Additionally, Samsung says that Murata offered no evidence of secondary considerations to rebut Samsung's contentions of obviousness stemming from the three cited prior references. (*Id.* at 110.)

Staff believes that Nakano discloses all of the elements of the claim 3 of the '309 patent except elements (c)(3) and (4) and that Sano discloses elements (c)(3) and (4) to the same degree as claim 3 of the '309 patent. (SBr. at 67-68.) Staff argues that there was a great desire in the industry to design capacitors that used thinner layers and to increase the number of those layers. (*Id.* at 68.) Staff says that there is ample evidence that persons of skill in the art were motivated to combine the teachings of Nakano and Sano and therefore claim 3 of the '309 patent was rendered obvious by these prior art references. (*Id.*)

Staff also notes that Arashi discloses all of the elements of the '309 patent except possibly (c)(2), while Nakano discloses all of the elements except (c)(3) and (4). (*Id.* at 69-70.) Staff argues that the combination of Nakano and Arashi renders claim 3 of the '309 patent obvious. (*Id.* at 70-72.)

Staff is also of the opinion that Yoneda in combination with Nakano and Arashi renders claim 3 of the '309 patent obvious. (*Id.* at 72-73.) Staff does not believe that there is evidence of any secondary considerations that stand in the way of a finding of obviousness, noting that only { } of more than { } capacitors sold in the United States by Murata use the invention of the '309 patent, representing only { } percent of relevant sales. (*Id.* at 73.) Staff says there is no evidence licensing activity by Murata either. (*Id.*) Finally, Staff notes that Murata

has not shown that it has experienced any commercial success through its practice of the '309 patent. (*Id.*)

Murata counters Samsung's and Staff's respective obviousness contentions by arguing that none of the combinations of prior art put forth by the proposing parties discloses a volume ratio ranging from 0.10 to 0.30, and says that Samsung did not even attempt to show invalidity under its own proposed construction. (CBr. at 82; CRBr. at 44.) Murata argues that claim 3 of the '309 patent uses a combination of thickness and volume ratios to achieve desirable results, and that there can be no obvious finding if there is no recognition in the prior art that such a combination achieves a recognized result. (CBr. at 82.) Murata points out that none of the combinations relied upon by Samsung teaches that the thickness or volume ratio, considered individually, achieves a desired result, much less that they conjunctively accomplish the objectives of the '309 patent. (Id.) Murata argues that the only evidence that exists that the combination of the thickness and volume ratios is a key for solving reliability problems lies within the '309 patent itself. (Id.) Murata contends that Samsung, for its obviousness arguments, improperly employs hindsight. (Id.) Murata also reasons that Nakano's thickness ratio of 0.01 to 10 (which equates to a spread of 1 to 1,000) would not have caused a person of ordinary skill in the art to understand the benefits of the '309 patent's ratio of 0.10 to 0.40 (which equates to a spread of 1 to 4). (CRBr. at 44.)

Murata notes that Arashi was concerned with increased capacitance and improved surge resistance, not reliability, and proposed certain compositions for use in varistors. (CBr. at 83; CRBr. at 46.) Murata notes that, aside from a mention in one sentence that ceramic layers be "at least 1, preferably 2 to about 200" most of the examples in Arashi have 15 layers or fewer, the highest number shown in any example being 170. (*Id.*) Murata points out that Arashi does not

mention the subjects of cracking or delamination and teaches nothing about volume ratios in the varistors it discusses. (*Id.*)

As for Yoneda's bearing on the issue of obviousness, Murata points out that it does not even discuss the topic of a thickness ratio (CBr. at 84; CRBr. at 46) and is not concerned with enhancement of mechanical reliability. Rather, Yoneda is concerned with optimizing the dielectric's crystal structure to avoid electrical breakdown at high voltage and managing changes in voltage and capacitance. (CBr. at 84.) Yoneda does not disclose a volume ratio, discuss the importance of volume ratios, or provide sufficient information for how to calculate a volume ratio, Murata notes. (*Id.*; CRBr. at 47.) According to Murata, a person of ordinary skill in the art would not look to all references relating in any way to MLCC design but would instead focus on references addressing the particular problem under consideration. (CRBr. at 47.)

Murata argues that Sano does not disclose volume ratios or their importance and addresses devices with only 19 layers—a small number relative to the number claimed in the '309 patent. (CBr. at 85; CRBr. at 47.) Murata contends that Sano teaches away from the '309 patent based on some of the thickness ratios included in its examples, which would fall within the range disclosed in the '309 patent but, according to Sano, are outside the scope of what it teaches. (*Id.*)

Murata, addressing Staff's argument that the '309 patent itself does not disclose required information for calculating a volume ratio, anymore than do the Yoneda, Sano, or Arashi references, argues that Staff's reasoning is fundamentally flawed, on the basis that it ignores the specification of the '309 patent. Murata argues that the '309 specification expressly discloses the volume ratios of MLCCs that were actually tested and the manner in which the volume ratio is determined, that being dividing the volume of the internal electrodes by the volume of the entire

ceramic element. (CRBr. at 48.) Therefore, argues Murata, it is irrelevant that the '309 patent does not provide values for the dimensions needed to re-calculate the volume ratios determined by the inventors for their specific test samples; whereas, it is dispositive that the asserted prior art references do not disclose either a volume ratio or sufficient information to calculate it, and lacking such information, they cannot be considered as rendering the '309 patent obvious. (*Id.*)

The Administrative Law Judge concludes that Nakano, Yoneda, Arashi, and Sano do not invalidate the '309 patent. As noted by Murata, these references do not teach how to achieve the benefits claimed by the '309 patent by combining the thickness and volume ratios disclosed in claim 3, elements (c)(3) and (4). The argument that a person of skill in the art would extract bits and pieces of information from these references and combine them in the manner achieved by the '309 patent is too attenuated. Nakano's thickness ratio of 0.01 to 10 is simply far too broad to suggest that the far narrower thickness ratio declared in the '309 patent is an obvious derivation of Nakano. Arashi does not disclose the relationship between the thickness and volume ratios described in the '309 patent or associate the volumes of the electrodes and ceramic layers with the number of layers; and neither Samsung nor Staff has offered more than generalities for why someone of skill in the art would find it obvious to extract information in Nakano, Arashi, Yoneda, and Sano for purposes of producing more reliable electronic parts or would be motivated to ferret information from them for doing so. Sano does not address a volume ratio; nor does it suggest a way of improving reliability of electronic parts that have ceramic layers of 200 and above. It is not simply multilayered ceramic electronic parts that are the subject of the '309 patent, but parts that suffer additional delamination and cracking problems when they are laminated in layers of 200 and more. Sano does not address this subject or how the thickness and volume ratios of the internal electrodes and ceramic layers are

interrelated therewith. Yoneda does not concern the subject of advantages of certain thickness ratios and does not discuss a volume ratio or how to calculate a volume ratio that offers reliability against cracking and delamination.

3. '229 patent.

Samsung and Staff contend that the '229 patent is rendered obvious based on the knowledge possessed by one of skill in the art, or alternatively, on combinations of prior art references. (RBr. at 139-143; SBr. at 127-129.) For the reasons discussed above with respect to anticipation, the Administrative Law Judge declines to consider the AAPA as a prior art reference in lieu of the underlying H2 application. It is further noted that any issues relating to the level of skill in the art and scope of the asserted patent claims have already been resolved in Section III.D. above. Below is a discussion of (i) the scope and content of the relevant prior art, as well as the differences between it and the asserted claims of the '229 patent, to the extent these were not already discussed above with respect to anticipation; and (ii) any objective indicia of non-obviousness raised by the parties. *Smiths Indus.*, 183 F.3d at 1354.

a) DuPré.


Claim 1.

It is undisputed that DuPré discloses a multi-layer capacitor. (RFF 6.253 (undisputed).)

It is further undisputed that:

DuPré discloses a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces. (Tr. at 1635:15-23 (Randall); RX-113 at 5:17-23, figs. 4-5)

DuPré discloses a capacitor body including a plurality of first electrode plates and a plurality of second electrode plates. (Tr. at 1635:15-23 (Randall); RX-113 at 5:17-23, figs. 5, 6.)



DuPré discloses a capacitor body wherein the first and second electrode plates being interleaved with each other in opposed and spaced apart relation. (Tr. at 1514:8-15, 1635:15-1637:11, 1637:2-24 (Randall); RX-113 at 2:17-21, figs. 5-6; see also RX-113 at 5:49-52, 6:42-51)

DuPré discloses a capacitor body wherein a dielectric material located between each opposed set of the first and second electrode plates. (Tr. at 1635:15-23 (Randall); RX-113 at 1:45-47; 5:54-59, figs. 5-6; see also RX-113 at 6:42-51)

DuPré discloses the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom. (Tr. at 1635:15-1636:6 (Randall); RX-113 at 2:21-28; 6:1-17)

DuPré discloses lead structures of the first electrodes plates being located adjacent to respective lead structures of the second electrode plates in an interdigitated arrangement. (Tr. at 1514:6-25, 1613:5-20, 1635:15-1636:6, 1637:2-24 (Randall); RX-113 at 2:21-28; 5:25-28; 6:1-17, figs. 6-7)

DuPré discloses lead structures of the first electrodes plates and lead structures of the second electrodes plates projecting alternately between each other. (Tr. at 1514: 6-25, 1613:5-20, 1637:2-24 (Randall); RX-113 at 2:21-28; 5:25-28 ("As can be seen, the opposite polarity terminals located on each lateral side of capacitor body 42 are interdigitated such that a first polarity terminal 44 will always be adjacent at least one second polarity terminal 46 (and vice versa)."); 6:1-17, figs. 6-7)

DuPré discloses a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body. ([]; RX-113 at fig. 4, 5:16-23)

DuPré discloses a capacitor body wherein the corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates are electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals[.] ([]; RX-113 at figs. 4-7, [])




Figure 4 of DuPre (RX-113)

DuPré discloses a capacitor body wherein each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body. ([]; RX-113 at 1:23-25; 5:17-32, fig. 4)

(RFF 6.254-60 (undisputed); RFF 6.261-263 (undisputed in relevant part).) Thus it is undisputed that the DuPré prior art reference teaches all of the elements of claim 1 except the last element, which requires that "at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less." (JX-1 at 18:35-37.) As discussed above with respect to anticipation, the Administrative Law Judge has found that this is not disclosed in DuPré.

At issue is whether the claimed L/W ratio would have been obvious for one of skill in the art. Samsung and Staff contend that one of skill in the art would have had sufficient knowledge to understand that even if the figures in DuPré were not drawn to scale, roughly square leads

with a L/W ratio of approximately 1 were disclosed. (RBr. at 138-39; SBr. at 121.) Murata contends that Samsung's arguments are based on hindsight, and that there was no recognition in the prior art that the length to width ratio achieved desirable results. (CBr. at 125.)

The clear and convincing evidence shows that it would have been obvious for a person of skill in the art at the time the '229 patent was filed to implement leads within the claimed L/W range when making the capacitor device disclosed in DuPré. According to the testimony of Dr. Randall, it would have been obvious for one of skill in the art to try various combinations of electrode lead lengths and widths to achieve reduced inductance. (Tr. at 1611-14 (Randall).) His testimony is supported by the unrebutted testimony of two persons of skill in the art. Mr. Galvagni, who designed interdigitated low inductance products in the 1980's through the mid-1990's, testified that he never designed general purpose interdigitated capacitors with tabs having a L/W ratio greater than 3 because that would "violate some of the first principles." (Tr. at 1474-77 (Galvagni).) Mr. deNeuf, who designed and manufactured multilayer capacitor devices for a Murata U.S. subsidiary until 1995, testified that one of the considerations for determining the width of the lead electrodes for the capacitor he designed was "to improve the ESR inductance properties of the product." (Tr. at 1485-87, 1489, 1492-93, 1500-01 (deNeuf); RX-345.) Furthermore, Dr. Ulrich admitted that one of skill in the art would have known that shortening the current path by widening the lead electrode tabs would have reduced inductance. (Tr. at 1294-96, 1300-01 (Ulrich).) Likewise, he admitted that a person of skill in the art would have known that shortening lead electrodes would also result in a reduction of inductance. (Id. at 1288.) In contrast to the findings with respect to disclosed ratios in the '309 patent above, the Administrative Law Judge concludes that the clear and convincing evidence shows here that it

would have been obvious for one skilled in the art to implement leads within the claimed L/W range when making the capacitor device disclosed in DuPré.

DuPré in Combination.

The Administrative Law Judge further notes that DuPré in combination with other prior art also renders claim 1 obvious. For example, Japanese unexamined patent application H11-214249 ("Nagakari"), published January 29, 1998, discloses a low inductance decoupling capacitor. (RX-413.) Nagakari teaches multiple options for reducing inductance, including putting tabs closer together. (*Id.* at ¶0010, 21, 53.) Furthermore, Nagakari specifically discloses L/W dimensions for the lead electrode formed using a mask pattern²⁷ resulting in a L/W ratio of 0.67. (*Id.* at ¶0001, 43, Figs. 1, 6; Tr. at 1649 (Randall).) Murata argues that these dimensions are "pre-cutting dimensions" (CBr. at 127), however, as Staff points out, "that will decrease L while keeping W the same, thereby only making the L/W range smaller than 0.67 and thus even closer to the center of the claimed ranges." (SBr. at 128.) As another example, the product samples sold by Murata and provided by Mr. deNeuf have electrode tabs with a L/W ratio between 1.59 and 2.9. (Tr. 1649:8-1650:1, 1651:23-24 (Randall); Tr. at 1491-1493 (deNeuf); RPX-15.)

Dr. Randall further presented testimony that a person of ordinary skill in the art would have been motivated to combine Nagakari or DeNeuf with DuPré because they provide guidance on making low inductance capacitors. (Tr. 1626:14-1627:6, 1629:23-1630:11, 1650-52 (Randall).) Murata argues that persons of skill in the art would not have been motivated to combine any of the references cited by Samsung, but Murata does not cite to any supporting

Murata argues that Nagakari describes the dimensions of a mask and not a lead electrode. (CRBr. at 67.) However, because the mask is used to set the boundaries of the electrode during formation, this is a distinction that leads to the same result: a lead electrode with those L/W dimensions or a close approximation thereof.

evidence. (CBr. at 125-26.) "Unsworn attorney argument is not evidence." *Perfect Web Technologies, Inc. v. InfoUSA, Inc.*, 587 F.3d 1324, 1332 (Fed. Cir. 2009).

Secondary Indicia of Non-Obviousness.

Murata argues that Samsung's obviousness defense is undermined because Samsung (i)

{ } when designing { }

{ } and (ii) { }

{ (CBr. at 128 (citing CFF 5.283; CFF 5.585; CFF 5.588; CFF 5.94; CFF 5.600).) Staff argues that Murata has failed to provide evidence of copying or other evidence that would be sufficient to outweigh a finding of obviousness. (SBr. at 130.)

Samsung argues that Murata relies on evidence that does not amount to a showing of copying and therefore has failed to present any secondary indicia of non-obviousness. (RRBr. at 71-72.)

With respect to (i), Murata relies on proposed finding of fact CFF 5.283 which reads:

CX-157C at page SEMCO00069512 identifies claim 51 of U.S. Patent No. 6,226,229, and states as follows: {

} (CX-157C at SEMCO00069512 (emphasis added), CX-657C (Youn dep. Vol. VIII) at 267:25-268:20; CX-643, (Wi dep.) at 78:20 – 79:8, 85:24 – 86:7.).

(CFF 5.283.) The Administrative Law Judge finds that this quoted intellectual property opinion does not amount to evidence of non-obviousness.

Murata's other proposed findings of facts on which it relies, CFF 5.585, CFF 5.588, CFF 5.594, and CFF 5.600, refer to proposed exhibits CX-635C and CX-636C, which exhibits were not admitted into the record. Thus CFF 5.585 and CFF 5.588, which cite to no other supporting evidence, will be disregarded. CFF 5.594 and CFF 5.600 cite to CX-250C at SEMCO00019363 and CX-32C at SEMCO00078060, respectively. CX-250C at SEMCO00019363 and CX-32C at SEMCO00078060 are untranslated and show little more than that Samsung {

{ The Administrative Law Judge finds Murata's evidence unpersuasive. Having considered "the totality of the evidence," the Administrative Law Judge finds that claim 1 of the '229 patent is invalid as obvious. *Richardon-Vicks*, 122 F.3d at 1483.

Claims 2-4, 7, 17-18, 23, 28-31, 34, 51-53.

For the reasons discussed above with respect to claim 1, the Administrative Law Judge finds that claims 2-4 would have been obvious to one of skill in the art because they claim L/W ratios within the disclosed range of claim 1. It is undisputed that DuPré discloses the additional limitations of claims 7, 17, and 23 of the '229 patent, and therefore the Administrative Law Judge also concludes that these are obvious under Section 103. (RFF 6.274 (undisputed in relevant part); RFF 6.288 (undisputed in relevant part); RFF 6.300 (undisputed).)

With respect to claim 18, Murata argues that Samsung has failed to carry its burden to show any prior art with "electrical terminals extending to the top and bottom surfaces of the capacitor device." (CRBr. at 66.) Even if Murata were correct (and the Administrative Law Judge does not agree that this limitation is not disclosed in DuPré Figure 4), this appears to be a distinction without a difference as Murata has admitted that electrical terminals extending to the top and bottom surfaces of the capacitor device were known at the time the '229 patent was filed. (CORFF 6.515.²⁸) Indeed, the prior art submitted by patentees in the file history shows that electrical terminals extending to the top and bottom surfaces of the capacitor device were well known at the time the '229 patent was filed. (See e.g., JX-9 at MM_000116, MM_000119-20, MM_000134, MM_000137-38,MM_000177-78, MM_000236, MJM_000407-08, MM_000417-21, MM_000477-78, MM_000484, MM_000490. See also examiner comments at JX-9 at

Note that the Administrative Law Judge is not using the AAPA as a prior art reference, but for the limited purpose of showing *Murata's own admission* as to what was known in the art at the time the '229 patent was filed.

MM_000501 recognizing that only the claimed L/W ratio is novel in relation to the prior art.)

Accordingly, the Administrative Law Judge finds that claim 18 is also obvious.

With respect to claim 28, it is undisputed that:

DuPré discloses a capacitor body with a pair of opposed side surfaces having continuously smooth surfaces and a pair of opposed end surfaces disposed between the pair of opposed side surfaces. (Tr. at 1635:18-1636:6 (Randall); RX-113 at 5:17-23, fig. 4)

DuPré discloses a capacitor body wherein at least four electrical terminals disposed on each of the opposed side surfaces. (Tr. at 1635:18-1636:6 (Randall); RX-113 at 5:17-23, figs. 4, 7)

(RFF 6.305-306 (undisputed).) It is further undisputed that with the exception of the L/W ratio limitation, the remaining limitations of claim 28 which overlap with claim 1 are disclosed by DuPré. (RFF 6.254-60 (undisputed); RFF 6.261-263 (undisputed in relevant part). *But see* CORFF 6.304, which points out that claim 28 does not have the "interleaved" limitation.) For the reasons discussed with respect to claim 1, the Administrative Law Judge finds the L/W ratio of claim 28 obvious. Accordingly, the Administrative Law Judge concludes that claim 28 of the '229 patent is invalid as obvious pursuant to Section 103.

For the reasons discussed with respect to claims 1 and 28, the Administrative Law Judge finds that claims 29-31 are obvious. It is undisputed that DuPré discloses the additional limitation found in claim 34, and therefore that claim is obvious. (RFF 6.314 (undisputed in relevant part).)

With respect to claim 51, it is undisputed that:

DuPré discloses a monolithic capacitor. (Tr. at 1634:2:10 (Randall); RX- 113 at Title; RDX-149)

DuPré discloses a capacitor body having two opposed main surfaces and four side surfaces connected between the two main surfaces. (Tr. at 1634:2-10, 1635:18-1636:6 (Randall); RX-113 at 5:17-23, figs. 4; RDX-149)

DuPré discloses a capacitor body including a plurality of dielectric layers extending in the direction in which the two opposed main surfaces extend. (Tr. at 1634:2-10, 1635:18-1636:6 (Randall); RX-113 at 6:42-51, fig. 5; RDX-149)

DuPré discloses a capacitor body wherein least one pair of first and second internal electrodes opposed to each other through one of the dielectric layers so as to define a capacitor unit. ([]; RX-113 at fig. 5; 1:45-47; 5:54-59; RDX-149)

DuPré discloses a capacitor body including at least two first lead electrodes extending from one of the first internal electrodes to at least two positions on at least one of the side surfaces. ([]; RX-113 at 5:25-28; 5:60-67, figs. 6-7; RDX-149)

DuPré discloses a capacitor body including at least one second lead electrode extending from the second internal electrode to a position located between the positions to which the first lead electrodes extend[.] ([]; RX-113 at 5:25-28, figs. 6-7; [])

DuPré discloses a capacitor body wherein first and second external terminal electrodes are provided on the side surfaces onto which the first and second lead electrodes extend, and electrically connected to the first and second lead electrodes, respectively. ([]; RX-113 at 1:55-61, fig. 4; [])

(RFF 6.320-42 (undisputed); RFF 6.343-46 (undisputed in relevant part)²⁹.) Thus it is undisputed that DuPré discloses all the limitations of claim 51 except for the L/W ratio limitation. For the reasons discussed above with respect to claim 1, the Administrative Law Judge finds the L/W ratio limitation of claim 51 obvious. Accordingly, the Administrative Law Judge concludes that claim 51 of the '229 patent is invalid as obvious.

With respect to claim 52 of the '229 patent, for the reasons discussed above with respect to claims 1 and 51, this claim is invalid as obvious. It is undisputed that the additional limitation found in claim 53 is disclosed by DuPré, and therefore the Administrative Law Judge finds that claim 53 is invalid as obvious. (RFF 6.352 (undisputed).)

²⁹ With respect to RFF 6.346, Murata objects that the cited passage of DuPré does not "state that the external terminals connect the lead electrodes." (CORFF 6.346.) However, Murata does not argue that the cited Figure 4 fails to disclose this limitation. (*Id. See also* JX-9 at MM 000343, Fig. 5.)

D. Validity Under 35 U.S.C. § 112.

1. 3254 Patent

Samsung alleges that claims 11-14 and 19-20 of the '254 patent are invalid according to 35 U.S.C. § 112, because they do not adequately describe the invention. (RBr. at 74.) Claim 11 reads as follows:

11. A laminated ceramic capacitor having:

- [a] a plurality of dielectric layers containing the dielectric ceramic according to claim 1;
- [b] a plurality of inner dielectric layers comprising Ni or a Ni alloy and existing among a plurality of said dielectric layers; and
- [c] external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said ceramic capacitor.

(JX-4 at 33:55-64.) Claims 12-14, 19 and 20 either depend from claim 11 or else have similar language. (*Id.* at 34:1-62.) According to Samsung, the '254 specification does not describe "a plurality of inner dielectric layers comprising Ni or Ni alloy and existing among a plurality of said dielectric layers." Samsung notes that Murata's expert Dr. Burn testified that he could find no mention of nickel or nickel alloy in the specification. (*Id.*) Samsung reasons that nickel, in one or the other mentioned forms, is required for the *electrodes*, not for the *dielectric layers*, as is stated in claims 11-14 and 19 and 20. Samsung quotes one of the inventors as acknowledging that nickel cannot be used as a dielectric and that the specification does not disclose nickel as being a dielectric. (*Id.* at 75.)

Samsung argues that Murata did not propose a claim construction for the subject claims of the '254 patent and therefore cannot now seek to have the defective claims amended following the Hearing. (*Id.*) Furthermore, says Samsung, these defective claims should not be rewritten for the purpose of preserving their validity. (*Id.*) Samsung argues that in order to correct

language mentioning nickel in association with dielectric layers rather than electrodes, multiple paragraphs of six different claims would have to be rewritten and that goes beyond correcting an obvious typographical error. (*Id.* at 76.) Samsung also says that the fact that Murata itself proposes contradicting constructions of these claims proves the nature of the alleged error is not apparent from the face of the patent. (*Id.*)

Murata responds that, although the challenged claims contain the errors cited by Samsung, as properly written, these claims refer to "inner *electrode* layers comprising Ni or Ni alloy." (CBr. at 155.) Murata argues that a claim satisfies the written description requirement of 35 U.S.C. § 112 when it reasonably conveys the invention to those skilled in the art, citing *Ariad Pharms., Inc. v. Eli Lilly & Co.*, 598 F.3d 1336, 1351 (Fed. Cir. 2010). Murata points to the fact, acknowledged by Samsung, that the original written description of the '254 patent and its priority applications described nickel and nickel alloy used as electrodes and not as dielectric layers. (*Id.*) Murata notes that both Mr. Sano and Dr. Burn testified that a person of ordinary skill in the art would immediately recognize this "translation" error and would understand that the claims actually refer to "inner *electrode* layers." (*Id.*)

Murata argues that Samsung cannot seriously dispute the fact that this was an obvious drafting error, having agreed in the Joint Technology Stipulation that the standard MLCC structure includes inner electrodes that are electrically connected to "outer electrodes" or "eternal electrodes" formed on the external side faces of the ceramic block. (*Id.*) Murata notes that claims 11, 13, 15, 17, and 19 include a limitation of "external electrodes in electrical continuity to a plurality of said inner dielectric layers and being on the surface of said ceramic capacitor." This language would make no sense and would be inconsistent with the basic structure of an

MLCC as understood by Samsung and everyone else in the industry, unless the claims are corrected to read "inner electrode layers comprising Ni or a Ni alloy," argues Murata. (*Id.*)

Therefore, Murata reasons that Samsung's Section 112 defense should be rejected and the claims should be corrected to read as Murata proposes. (*Id.*)

Samsung rejoins that although the challenged claims have indisputable errors it is unclear what was intended. (RRBr. at 40.) Samsung points to the fact that Murata and its expert Dr. Burn acknowledged that nickel may be included in a dielectric material. (*Id.*) Therefore, argues Samsung, because the claim language is indisputably susceptible to two alternative interpretations, the language is not is not suitable for modification now in this Investigation, citing *Novo Indus., L.P. v. Micro Molds Corp.*, 350 F.3d 1348, 1357-58 (Fed. Cir. 2003.) (*Id.* at 41.)

Staff contends that evidence does not warrant treating the language of the challenged claims as clear error subject to correction, as there is disagreement on that point. (*Id.* at 48-49.)

Patents are presumed valid. 35 U.S.C. § 282. The first paragraph of Section 112 says: "The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same. . . ." 35 U.S.C. § 112. "The form and presentation of the description can very with the nature of the invention; compliance with the written description requirement is a fact-dependent inquiry." *In re Skvorecz*, 580 F.3d 1262, 1269 (Fed. Cir. 2009). "[T]he applicant [for a patent] may employ 'such descriptive means as words, structures, figures, diagrams, formulas, etc., that fully set forth the claimed invention." (*Id.*, citing In re Alton, 76 F.3d 1168, 1172 (Fed. Cir. 1996).) The adequacy of the description depends on content, rather than length. *In re*

Hayes Microcomputer Products, Inc. Patent Litigation, 982 F.2d 1527, 1534 (Fed. Cir. 1992). "Specifically, the level of detail required to satisfy the written description requirement varies depending on the nature and scope of the claims and on the complexity and predictability of the relevant technology." Ariad Pharms., Inc. v. Eli Lilly & Co., 598 F.3d 1336, 1352 (Fed. Cir. 2010) (en banc). The specification must objectively demonstrate that the applicant was in possession of the claimed subject matter. (Id. at 10, 12.)

The Administrative Law Judge concludes that claims 11-14, 19 and 20 are invalid as written for lack of a written description as required by 35 U.S.C. § 112. Given the fact that Dr. Burns acknowledges that dielectric materials may contain nickel (Tr. at 594 (Burn)), whereas the specification does not mention any dielectric layers comprising Ni or Ni alloy, the patent fails to reveal how the contested claims were precisely understood by the inventors. Regardless of any conclusions that might be drawn respecting the obvious existence of errors in the wording (or lack thereof) in these claims, redrafting them so that they indisputably conform with the intentions of the inventors is not appropriate in a case such as this, especially since there are a variety of ways to modify the language of the claims, which may or may not faithfully express what the inventors actually had in mind. For example, the first element of claim 11 describes a plurality of dielectric ceramic layers, but not inner dielectric ceramic layers, and therefore the term "said dielectric layers" in the second element appears not to pertain to the "plurality of inner dielectric layers" mentioned at the start of that element, which may be an error, but if it is, how should that be corrected? If the "Ni or Ni alloy" mentioned in the second element was intended to apply to electrodes, instead of "inner dielectric layers," then does "said dielectric layers" also mentioned in that element need to be amended to read "said inner dielectric layers" or left as it is, but placed somewhere else?

Obviously, the problem here is not merely a typographical error, but something more substantive. The Administrative Law Judge is no more permitted to rewrite claims to preserve their validity than are the federal courts. *See Allen Eng'g Corp. v. Bartell Indus, Inc.*, 299 F.3d 1336, 1349 (Fed. Cir. 2002.) There is no description of Ni or Ni alloy dielectric ceramic material in the patent specification and there is no way a person of ordinary skill would be enabled to understand and practice claims 11-14 and 19 and 20 as they are written.

For these reasons the Administrative Law Judge concludes that claims 11-14, 19, and 20 of the '254 patent are invalid for lack of written description under 35 U.S.C. § 112.

2. '309 Patent

Samsung asserts that the '309 patent is invalid according to 35 U.S.C. § 112, par. 1, because the patent does not adequately describe the claimed thickness and volume ratio ranges to demonstrate that the inventors actually possessed the invention. (RBr. at 98.) Pointing to Table 1 of the patent, Samsung notes that the patent supposedly provides test data of 16 sampled devices as to such characteristics as their ceramic layer and electrode thicknesses, their calculated values for thickness and volume ratios, their capacitances and insulation resistances, and their incidences of defects by way of delamination, cracking, and thermal shock cracking. (*Id.* at 98-99.) Samsung says that the specification does not explain how the inventors of the '309 patent determined the claimed ranges for the thickness and volume ratios and notes that, according to Table 1, the sole source of experimental data for the claimed ranges, is replete with errors. (*Id.* at 99.) In its post-hearing brief, Samsung included an excerpt from Table 1 of the '309 patent, wherein Samsung has added corrections, in brackets, of erroneous calculations, shown as strikethroughs, reported in the table. Samsung's emendation is reproduced below.

		Table 1	(Excerpt)	
		Thickness	Ratio of	Ratio of
	Thickness	of	Thickness of	Volume of
	of Ceramic	Internal	Internal	Internal
	Layer	Electrode	Electrode	Electrode
	(um)	(<i>u</i> m)	()	()
*1	9.8	0.68	0.06 [0.07] ¹	0.075 [0.065] ²
2	9.8	0.99	0.10	$0.100 [0.092]^2$
2 3 4	9.8	1.13	$0.15 [0.12]^{1}$	$0.112 [0.103]^2$
4	9.8	1.97	0.20	0.186 [0.167]
*5	9.8	2.50	0.26	$0.307 [0.203]^2$
* б	6.2	0.58	0.09	$0.095 [0.086]^2$
7	6.2	0.87	0.14	$0.135 [0.123]^2$
8	6.2	1.15	0.19	$0.172 [0.156]^2$
9	6.2	1.87	0.31 [0.30] ¹	$0.257 [0.232]^2$
*10	6.2	2.40	0.38 j0.39j ¹	0.310 [0.279] ²
*11	4.3	0.41	0.10] ¹	$0.103 [0.087]^2$
12	4.3	0.71	0.16 [0.17] ¹	$0.170 [0.142]^2$
13	4.3	0.97	0.23	0.200 [0.184] ²
14	4.3	1.23	0.29	0.210
*15	4.3	1.65	$0.41 [0.38]^{1}$	$0.310 [0.277]^2$
*16	4.3	2.40	0.56	0.300 [0.358] ²

¹Math errors. (RFF 5.119.)

(RBr. at 99-100.) Because of the alleged errors in Table 1 as shown above, Samsung says the inventors have not demonstrated that they were in possession of the claimed subject matter at the time of the '309 patent invention. (*Id.*) Samsung remarks that in the cases of samples 11 and 15 shown in the table, the corrected values place those samples from outside to inside the claimed range for the thickness ratio (*id.* at 100) and notes that in five instances the volume ratios are shown to be greater than the samples' thickness ratios, which, according to both Drs. Ulrich and Randall, cannot be true, geometrically. (*Id.*) Samsung further notes that 15 of the 16 entries included in Table 1 of the patent declare volume ratios that are greater than the maximum values that would result if the electrode coverage was 100 percent. (*Id.*) Samsung argues that the devices had no margins or cover layers, instead of the claimed features of the invention, revealing that in all but one of the 16 samples shown in the table the volume ratios impossibly

² Volume ratios greater than either thickness ratios or maximum volume ratios. (RFF 5.120-121.)

exceed either the thickness ratios or the theoretical maximum value that could be realized given the characteristics of the device disclosed in the invention. (*Id.*) Inasmuch as all but one of the volume ratio values shown in Table 1 exceed either the thickness ratio or the theoretical maximum ratio, Samsung argues, this reveals that the inventors of the '309 patent did not have possession of the claimed subject matter as of the filing date. (*Id.*)

According to Samsung, the errors identified in Table 1 are not typographical or mechanical, because correcting them in some cases places them outside the range claimed in the patent and, in others, invalidates the conclusions drawn by the inventors. (*Id.* at 101.) After corrections for several of the errors contained in the table, those samples fell within the claimed range of the patent, but nevertheless they were still found to include unacceptable levels of cracking, delamination, and thermal shock cracking, contrary to the benefits claimed for the invention. (*Id.* at 102.) Samsung argues that in the face of the profound deficiencies in the data disclosed in Table 1, there is no meaningful disclosure. (*Id.*) Because of the patent's numerous errors and omission of any description of how the ratio ranges—the only claimed novelty of the invention—were calculated or how they support the alleged utility of the claimed invention,

Samsung adds, the patent fails to satisfy the written description requirement of the statute. (*Id.* (citing *Univ. of Rochester v. G.D. Searle & Co.*, 358 F.3d 916, 922 (Fed. Cir. 2004)).)

Besides those shortcomings, Samsung contends that the '309 patent fails to satisfy the enablement requirement of 35 U.S.C. § 112, par. 1, because it furnishes no detail of how the inventors calculated the volumes of the internal electrodes or the ceramic layers, owing to the fact that the patent does not disclose the dimensions for the margins, electrode areas, or cover layer thickness. (*Id.* at 103.) Samsung cites Dr. Ulrich's testimony acknowledging that the volume ratio mentioned in the patent cannot be calculated from the information it provides. (*Id.*)

Samsung points out that Murata itself requires dimensions for the margins, electrode areas, and cover layer thickness in order to calculate the volume ratios for its domestic industry products, thereby acknowledging that this information is essential for determining the claimed volume ratio. (*Id.*) Quoting from *National Recovery Techs. Inc. v. Magnetic Separation Sys. Inc.*, 166 F.3d 1190, 1198 (Fed. Cir. 1999), Samsung says that by only providing a starting point that necessitates that a person of ordinary skill in the art perform further research in order to practice the claimed invention as regards the omitted dimensions, the inventors of the '309 patent failed to discharge their duty to provide sufficient information to enable others to practice the invention. (*Id.* at 103-104.)

Staff also finds fault with the information in Table 1 of the '309 patent and believes the inaccuracies therein render the patent invalid for failing to provide an adequate written description. (SBr. at 74-76.) Staff further believes that the '309 patent is defective for lack of sufficient information for someone to enable someone to determine the volume ratio, noting, as did Samsung, that even Murata's expert Dr. Ulrich could not calculate the volume ratio from the information in the patent. (*Id.* at 77 (citing Tr. at 1315 (Ulrich)).) Staff points to the testimony of Samsung's expert witness Dr. Randall, who said that the '309 specification "doesn't tell you really some very key information that you'd need to know, one skilled in the art, in order to actually design a device with these thicknesses and volume ratios." (SBr. at 77 (citing Tr. at 1554 (Randall)).) Staff concludes that claim 3 of the patent is not enabled. (*Id.*)

Murata counters both Samsung's and Staff's Section 112 complaints with the statement that the '309 specification specifically explains how to calculate the volume ratio, referring to JX-2, Abstract and at 2:30-35. (CRBr. at 49.) Murata argues that the specification explains that the volume of the ceramic element includes the "total volume of the [sic] internal electrodes and

the ceramic material," according to JX-2 at 2:34-35, thereby leaving no room for doubt that the upper and lower ceramic layers are included in the calculation. (*Id.*) Murata argues that neither Samsung nor its expert Dr. Randall had any trouble understanding the concept of volume ratio or applying it in their analysis of prior art for purposes of invalidity or with respect to their contention that it is impossible for the volume ratio to exceed the thickness ratio. (*Id.*)

As noted above, patents are presumed valid. 35 U.S.C. § 282. The specification shall contain a written description of the manner and process of making and using the invention "in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same." 35 U.S.C. § 112. According to the Federal Circuit,

To be enabling, the specification of a patent must teach those skilled in the art how to make and use the full scope of the claimed invention without undue experimentation. Whether undue experimentation would have been required to make and use an invention, and thus whether a disclosure is enabling under 35 U.S.C. § 112, \P 1, is a question of law that we review de novo, based on underlying factual inquiries that we review for clear error. Because patents are presumed valid, lack of enablement must be proven by clear and convincing evidence.

ALZA Corp. v. Andrx Pharmaceuticals, LLC, 603 F.3d 935, 940 (Fed. Cir. 2010) (internal quotations and citations omitted). One of skill in the art may need to exercise a reasonable amount of routine experimentation to practice the patent, provided the experimentation is not undue. (Id.) Factors that should be considered with respect to this inquiry into whether a disclosure requires undue experimentation ("Wands factors") are as follows:

(1) the quantity of experimentation necessary, (2) the amount of direction or guidance presented, (3) the presence or absence of working examples, (4) the nature of the invention, (5) the state of the prior art, (6) the relative skill of those in the art, (7) the predictability or unpredictability of the art, and (8) the breadth of the claims.

Id. However, Samsung has failed to expressly discuss any of the *Wands* factors. (RBr. at 97-104.)

Element (c)(4) of claim 3 reads as follows: "the ratio of the combined volume of said internal electrodes to the combined volume of said ceramic element is 0.10 to 0.30." (JX-2 at 6:35-38.) The "ceramic element" mentioned there is defined in element (a):

- (a) a ceramic element including:
 - (1) a plurality of overlapping internal electrodes;
 - (2) a plurality of internal ceramic layers located between respective pairs of said overlapping internal electrodes;
 - (3) upper and lower ceramic layers located above and below the uppermost and lowermost ones of said overlapping internal electrodes, respectively;
- (*Id.*) Thus, the "ceramic element" includes the internal electrodes, the internal ceramic layers and the upper and lower ceramic layers, everything but the external electrodes (*see id.* at 6:23-26.) Because ceramic electronic parts are manufactured in multiple standard sizes, their respective electrode volumes and ceramic layer volumes will vary, as will the volumes of their upper and lower ceramic layers. The "volume ratio" of element (c)(4), nevertheless, is capable of understanding by those of ordinary skill in the art as that portion of the total volume of the "ceramic element" represented by the combined volume of the internal electrodes, and can be determined by fairly elementary mathematics. A person skilled in the art would know how to design a capacitor to adapt the side and end margin dimensions and the sizes of the cover layers in order to affect total volume. (Tr. at 1594-95 and 1600-01 (Randall).)

For these reasons, the Administrative Law Judge concludes that the evidence does not demonstrate, clearly and convincingly, that element (c)(4) of claim 3 of the '309 patent is not enabled.

In regard to Samsung's and Staff's assertions that the patent does not provide an adequate written description because of the errors in Table 1, Murata replies that the proponents have not cited any judicial authority that incorrect data in the specification invalidates a clearly asserted claim of a patent. (CRBr. at 50.) Murata argues that the written description requirement of Section 112 does not demand either examples or an actual reduction to practice and a constructive reduction to practice that definitively identifies the claimed invention will satisfy the written description requirement. (*Id.* at 50-51 (citing *Ariad Pharms., Inc. v. Eli Lilly & Co.*, 598 F.3d 1336, 1352 (Fed. Cir. 2010) (en banc)).) Murata points to the fact that the patent discloses "in a definite way" a MLCC with at least 200 inner electrodes and certain dimensional requirements for the inner electrode and dielectric layers and prescribes exactly how to calculate both the thickness and volume ratios. (*Id.* at 51.)

Murata further argues, in response to the contentions of Samsung and Staff about the errors in Table 1 in the patent specification, that the complaining parties have in many respects erred themselves and based their conclusions on unfounded assumptions. (*Id.*) Murata notes, by way of example, that Staff mistakenly concluded that there are errors in Table 1 because the percentage incidence of delamination must be in multiples of 0.2 percent, but certain samples in the table show percentages that are odd numbers, in disregard of detailed testimony of Mr. Ueno who explained why these particular values as they are reported in the table need not be even whole-number multiples of 0.2 percent. (*Id.*)

Murata argues that Samsung and Staff assume the error in Table 1 with respect to the thickness ratio shown for sample 11 is a calculation error rather than a transcription error respecting the actual thickness of the electrode or ceramic layer, which is equally plausible, and the same possibility exists for each of the mathematical errors in Table 1 cited by Samsung. (*Id.*)

Murata argues that sample 1 in the table was considered outside the scope of the invention even though it was not afflicted by cracking or delamination because the specification notes that the electrostatic capacity value was low. (*Id.* at 52.) Murata points out that Samsung and Staff ignore explanations given by Mr. Ueno for why some of the sampled parts shown in Table 1 could have volume ratios that exceed their thickness ratios and notes that in certain cases where cracking was found within compliant parts, the incidences of such were extremely small and were less than the defect rate of Samsung's own parts. (*Id.*) Murata maintains that the inventors were at liberty to establish for themselves criteria for gauging acceptable or unacceptable outcomes for their invention. (*Id.*) Murata also argues that Dr. Randall's calculations for maximum volume ratios and inconsistent with Mr. Ueno's experiments. (*Id.*) Concluding, Murata asserts that Samsung and Staff have failed to put forth clear and convincing evidence that the inventors were not in possession of the claimed subject matter at the time of the invention. (*Id.* at 52-53.)

As noted above with respect to the '254 patent, compliance with the written description requirement is a fact-dependent inquiry that varies depending on the nature and scope of the claims and on the complexity and predictability of the relevant technology. *Skvorecz*, 580 F.3d at 1269; *Ariad*, 598 F.3d at 1352. The specification must objectively demonstrate that the patentees were in possession of claim 3 of the '309 patent.

Here, the Administrative Law Judge concludes that Samsung and Staff have not demonstrated by clear and convincing evidence that the '309 patent fails to satisfy the written description requirement of 35 U.S.C. § 112. The discrepancies pointed to in Table 1 do not vitiate what is expressed in the language of claim 3 and are not necessary for a person of ordinary skill to practice the patent.

E. Inequitable Conduct.

Patent applicants and their attorneys have "a duty of candor and good faith" in dealing with the PTO, "which includes a duty to disclose . . . information known . . . to be material to patentability." 37 C.F.R. § 1.56(a). A patent may become unenforceable on the grounds of inequitable conduct if the patentee withheld material information from the PTO with intent to mislead or deceive the PTO into allowing the claims. *LaBounty Mfg., Inc. v. U.S. Int'l Trade Comm'n*, 958 F.2d 1066, 1070-1074 (Fed. Cir. 1992) ("*LaBounty*"). Both materiality and intent must be proven by clear and convincing evidence. *Id.* When inequitable conduct occurs in relation to one or more claims of a patent, the entire patent is unenforceable. *Kingsdown Med. Consultants, Ltd. v. Hollister, Inc.*, 863 F.2d 867, 877 (Fed. Cir. 1988) (*en banc*).

"The materiality of information withheld during prosecution may be judged by the 'reasonable examiner' standard." *McKesson Information Solutions, Inc. v. Bridge Medical, Inc.*, 487 F.3d 897, 913 (Fed. Cir. 2007) ("Materiality . . . embraces any information that a reasonable examiner would substantially likely consider important in deciding whether to allow an application to issue as a patent."). However, a patentee need not disclose material information that is merely cumulative of other information already before the examiner. *Baxter Int'l, Inc. v. McGaw, Inc.*, 149 F.3d 1321, 1328 (Fed. Cir. 1998); 37 C.F.R. 1.56(b).

Generally, when withheld information is highly material, a lower showing of deceptive intent will be sufficient to establish inequitable conduct. *American Hoist and Derrick Co. v. Sowa and Sons, Inc.*, 725 F.2d 1350, 1363 (Fed. Cir. 1984) (*America Hoist*). Moreover, "[d]irect evidence of intent or proof of deliberate scheming is rarely available in instances of inequitable conduct, but intent may be inferred from the surrounding circumstances." *Critikon, Inc. v. Becton Dickinson Vascular Access, Inc.*, 120 F.3d 1253, 1256 (Fed. Cir. 1997). Once the

materiality of the withheld information and the patentee's intent to mislead have been established, the administrative law judge "must weigh them to determine whether the equities warrant a conclusion that inequitable conduct occurred." *Bristol-Myers Squibb Co. v. Rhone-Poulenc Rorer, Inc.*, 326 F.3d 1226, 1234 (Fed. Cir. 2003) (quoting *Molins PLC v. Textron, Inc.*, 48 F.3d 1172, 1178 (Fed. Cir. 1995)).

1. '254 Patent

Murata points out that Samsung did not include any discussion of its inequitable conduct defense of the '254 patent in its brief and therefore such defense is waived under Ground Rule 10.1 and should therefore should not be considered. (CRBr. at 34.) Staff contends that the evidence at the hearing does not establish that the '254 patent is unenforceable on this ground. (SBr. at 51.)

The Administrative Law Judge concludes that Samsung has waived this defense by failing to raise and argue it in its post-hearing brief by virtue of Ground Rule 10.1.

2. '309 Patent

Murata points out that Samsung did not mention inequitable conduct as a defense to infringement of the '309 patent in its post-hearing brief and, therefore, it has been waived and abandoned. (CRBr. at 49.) Staff maintains that the evidence does not support a finding that the '309 patent is unenforceable because of inequitable conduct on the part of Murata since requisite intent has not been demonstrated.

The Administrative Law Judge concludes that Samsung has waived this defense according to Ground Rule 10.1, by failing to argue it in its post-hearing brief and finds that the

evidence does not demonstrate clearly and convincingly that the '309 patent is invalid by reason of inequitable conduct of the patentees.

3. '229 Patent

Samsung did not set forth an inequitable conduct defense with respect to the '229 patent in the initial post-hearing brief. (RBr. at 110-143.) The Administrative Law Judge finds that this defense is waived. (Ground Rule 10.1.)

VI. WAIVER OR WITHDRAWAL OF RESPONDENTS' OTHER DEFENSES.

Samsung's response to the Complaint and Notice of Investigation contain a number of defenses and arguments that were not raised in Samsungs' pre-hearing briefing, discussed at the hearing, or raised in post-hearing briefing ("non-asserted defenses"). The non-asserted defenses include the "public interest," laches, waiver, and estoppel affirmative defenses. (*See* Response of Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc. to the Complaint and Notice of Investigation, dated November 19, 2009.) These non-asserted defenses and arguments are deemed abandoned or withdrawn. (*See* Order No. 2, Ground Rules 7.2 10.1.)

VII. DOMESTIC INDUSTRY

As stated in the Notice of Investigation, a determination must be made as to whether an industry in the United States exists as required by subsection (a)(2) of Section 337. Section 337 declares unlawful the importation, the sale for importation or the sale in the United States after importation of articles that infringe a valid and enforceable U.S. patent "only if an industry in the United States, relating to articles protected by the patent . . . concerned, exists or is in the process of being established." 19 U.S.C. § 1337(a)(2); *Certain Ammonium Octamolybdate Isomers*, Inv. No. 337-TA-477, Comm'n Op. at 55 (U.S.I.T.C., Jan. 2004) ("*Certain Isomers*"). The domestic

industry requirement consists of both an economic prong (*i.e.*, the activities of, or investment in, a domestic industry) and a technical prong (*i.e.*, whether complainant practices its own patents). *Certain Isomers*, at 55. The complainant bears the burden of proving the existence of a domestic industry. *Certain Methods of Making Carbonated Candy Products*, Inv. No. 337-TA-292, Comm'n Op. at 34-35, Pub. No. 2390 (U.S.I.T.C., June 1991).

{See Notice Re Correction of Error in Final Initial Determination, dated January 11, 2011.

}

At issue is whether the Murata Products meet the technical and economic prongs of the domestic industry requirement with respect to the '254, '309, and '229 patents. The Administrative Law Judge finds that (i) the economic domestic prong is met with respect to all of the asserted patents; (ii) the technical domestic industry prong is met with respect to the '254 patent; (iii) the technical domestic industry prong is not met with respect to the '309 patent; and

(iv) the technical domestic industry prong is met with respect to the '229 patent, as discussed below.

A. Technical Analysis

A complainant in a patent-based Section 337 investigation must demonstrate that it is practicing or exploiting the patents at issue. See 19 U.S.C. § 1337(a)(2) and (3); Certain Microsphere Adhesives, Process for Making Same, and Products Containing Same, Including Self-Stick Repositionable Notes, Inv. No. 337-TA-366, Comm'n Op. at 8, Pub. No. 2949 (U.S.I.T.C., January 16, 1996). "In order to satisfy the technical prong of the domestic industry requirement, it is sufficient to show that the domestic industry practices any claim of that patent, not necessarily an asserted claim of that patent." Certain Isomers, supra, at 55. Fulfillment of the "technical prong" of the domestic industry requirement is not determined by a rigid formula but rather by the articles of commerce and the realities of the marketplace. Certain Diltiazem Hydrochloride and Diltiazem Preparations, Inv. No. 337-TA-349, Initial Determination at 139, Pub. No. 2902 (U.S.I.T.C., June 1995) (unreviewed in relevant part); Certain Double-Sided Floppy Disk Drives and Components Thereof, Inv. No. 337-TA-215, Views of the Comm'n, Additional Views of Chairwoman Stern on Domestic Industry and Injury at 22, 25, Pub. No. 1860 (U.S.I.T.C., May 1986).

The test for claim coverage for the purposes of the technical prong of the domestic industry requirement is the same as that for infringement. *Certain Doxorubicin and Preparations Containing Same*, Inv. No. 337-TA-300, Initial Determination at 109, 1990 WL 710463 (U.S.I.T.C., May 21, 1990), *aff'd*, Views of the Commission at 22 (October 31, 1990). "First, the claims of the patent are construed. Second, the complainant's article or process is examined to determine whether it falls within the scope of the claims." *Id.* The technical prong

of the domestic industry can be satisfied either literally or under the doctrine of equivalents.

Certain Dynamic Sequential Gradient Devices and Component Parts Thereof, Inv. No. 337-TA335, Initial Determination at 44, Pub. No. 2575 (U.S.I.T.C., November 1992).

1. '254 patent.

Murata's { } capacitors and those with similar compositions.

Murata asserts that the evidence establishes that its model number GRM155B30J105KE18D is representative of its domestic industry products using various } which is specifically designed to practice the '254 patent and compositions, including the { is made in accordance with the preferred embodiment of the '254 patent. (CBr. at 40.) Murata says that much information establishing its practice of the '254 patent is contained in Murata's } the former one having been prepared by Mr. Sano and other Murata employees. (Id.) Murata says the { } is a roadmap used to achieve its goal of practicing the '254 patent. (Id.) During the development of the { composition, Murata used an analytical method known as ICP testing to confirm that the composition of the dielectric ceramic contains sufficient amounts of the elements needed to meet the limitations of the '254 patent. (*Id.* at 40-41.) Murata says that during mass production, Murata used a "calibration line" set by ICP and other forms of testing to confirm that MLCCs made with { } contain sufficient rare earth and other components to meet the limitations of the '254 patent. (Id. at 41.) Murata says that its { } document that the products made with { } materials meet the { } relating to the '254 patent. (*Id.*) Murata says that elements present in the starting materials used to make dielectric compositions will still exist in their initial molar amounts after sintering. (Id.) Murata points out that Dr. Burn used Murata's { } to compile a table

of the materials used in producing each of the { } Murata dielectric compositions in question						
and converted the table into form that facilitated comparison of the amounts listed to the						
limitations of the '254 patent. (Id.) According to Murata, these documents show that the						
powders combined for the { } composition include a sufficient amount of rare earth,						
magnesium, and manganese to meet the α , β , and γ limitations of claim 1 of the '254 patent, as						
well as the alkali metal oxide limitation and the requirement of a specified amount of one of						
three alternative sub-components (in this case, { } sub-component). (Id.)						
The dielectric ceramic of the $\{$ $\}$ composition also meets the x value limitation of the						
'254 patent, according to the evidence at the hearing. (Id. (citing Tr. at 427-28 (Burn), 683-85						
(Sano)).) First, argues Murata, { } uses barium calcium titanate starting material with calcium						
distributed { } including sufficient calcium in the starting material to						
ensure that $x > 0.005$ and ≤ 0.22 will exist in the sintered material. (<i>Id.</i>) Second, according to						
Murata, EDX testing on a representative GRM155B30J105KE18D capacitor by EAG, at Dr.						
Burn's direction, confirmed that the level of calcium in the grain of the { } material was about						
the specified x amount of 0.05 and within the range of claim 1 of the '254 patent. (<i>Id.</i> at 42.)						
Murata contends that the { } composition also satisfies the <i>m</i> limitation of claim 1 of						
the '254 patent (1.000 $< m \le 1.035$), m being the ratio of (Ba+Ca)/Ti. (Id. (citing JX-4, at 6:48,						
10:66, 66:1-5).) Murata says that the barium calcium titanate starting material for making {						
has a (Ba+Ca)/Ti ratio very close to { } and Murata adds to the starting material { }						
compound containing barium as a starting material, with the { } diffusing into the barium						
calcium titanate during sintering. This increases the (Ba+Ca)/Ti above { } and ensures that the						
m > 1.0 to satisfy the lower limit for m in claim 1. (Id.) Murata notes that the '254 patent						
specifically discusses such an adjustment. (<i>Id.</i> (citing JX-4 at 6:47-7:45, Tables 1, 2).) By						

controlling the amount of calcium added to the starting material, Murata says it ensures that *m* does not exceed the upper limit of 1.035 in claim 1. (*Id.*)

Murata says that in addition to the foregoing, ICP and X-ray Fluorescence testing by Murata on a GRM155B30J105KE18D capacitor, included as an addendum to Dr. Burn's declaration in support of the Complaint also confirms that all of the requirements of claim 1 of the '254 patent are met. (Id.) Based on this evidence, Dr. Burn opined that the GRM155B30J105KE18D capacitor and the { } material practice all of the limitations of claim 1. (*Id.* at 42-43.) { } dielectric materials developed by Murata also use a barium calcium titanate starting material similar to the { } composition along with similar levels of relevant additives, it says. (Id.) Therefore any of these similar compositions (namely, { } also practices claims 1 and 2 of the '254 patent, according to Murata. (Id.) Murata says also that it has sold { } of capacitor models through MENA that were made using { } other similar compositions all of which practice the '254 patent. (*Id.*)

Murata's capacitors that use the HJA and HJV compositions.

Murata asserts that its { } compositions were specifically designed to practice the '254 patent using an alternative method that includes barium titanate, rather than barium calcium titanate, as a starting material, in which calcium diffuses into the barium calcium during sintering so that the requirements of the '254 patent are met in the sintered dielectric material.

According to Murata, the procedure for producing the { } compositions allowed Murata to make small, highly reliable capacitors as taught by the '254 patent, but with a slightly higher dielectric constant than that found in materials made using barium calcium titanate as starting materials. (*Id.* at 43-44.) Murata argues that evidence which it presented, including

conclusions derived from Murata's {		} and {	} confirmed that		
the {	} compositions practice the	ctice the '254 patent, just as in the case of the accused			
Samsung pro	oducts, and shows that these comp	ositions meet the rare e	arth, magnesium,		
manganese a	and alkali metal oxide specification	ns of the '254 patent. (A	Id.)		

According to Murata, it was able to confirm that calcium diffuses into barium titanate to form $(Ba_{1-x}Ca_xO)_mTiO_2$ that meets the x and m requirements of the '254 patent by TEM-EDX testing, examples of which were presented at the hearing. (*Id.*) Murata says that Mr. Sano specifically confirmed during his hearing testimony that the $\{$ $\}$ materials were above Murata's target values for the presence of calcium required by the '254 patent as regards the x value and also confirmed that the patent's restriction of the m value was also met by these compositions. (*Id.*)

Samsung did not address the question whether Murata's own products practice the '254 patent and, therefore, as Murata notes in its reply brief, Samsung has waived any objection on this issue by reason of Ground Rule 10.1. (CRBr. 28.)

Staff believes that Murata's { } composition does satisfy claim 1 of the '254 patent for purposes of satisfying the technical prong of the domestic industry requirement. (SBr. at 34-35.) However, Staff argues that with respect to the {} composition, Murata's evidence does not establish that the composition meets the calcium-related limitation of the patent. (*Id.* at 35-36.)

The Administrative Law Judge concludes that the evidence with respect to the {
} and similar compositions³⁰ is sufficient to demonstrate that Murata's domestic products made
from these compositions do practice the '254 patent. However, with respect to the {
} and {
} compositions, the Administrative Law Judge concludes that they do not satisfy the limitations of

^{30 { (}CBr. at 40.)

claim 1 insofar as they do not contain barium calcium titanate as starting material, and consequently do not satisfy any of the dependant claims either. The Administrative Law Judge concludes that Murata has satisfied the technical domestic industry prong with respect to the '254 patent.

2. '309 patent.

Murata contends that the evidence demonstrates that certain domestic MLCCs of Murata practice claim 3 of the '309 patent, particularly the testimony of Mr. Kubodera. (CBr. at 70 (citing CFF 4.214-240).) Murata says that the evidence clearly establishes that the Murata products designated the '309 patent DI Products satisfy each limitation of claim 3. With respect to subparts (a) and (b) of the claim, Murata says there can be no real dispute that they are satisfied by these products, as they include a plurality of overlapping internal electrodes and a plurality of internal ceramic layers located between respective pairs of overlapping internal electrodes. (CBr. at 70.) They also include upper and lower ceramic layers located above and below the uppermost and lowermost overlapping internal electrodes and a pair of external electrodes formed on at least one outer surface of the overlapping internal electrodes electrically coupled to a respective external electrode, says Murata. (*Id.*)

According to Murata, the '309 patent DI Products are shown to practice subpart (c) as well, by reason of Murata's {
} which shows that each ceramic layer has a thickness is between {
} µm thick—far less than the 10 µm maximum of (c)(1) of claim
}. (Id. at 71.) Murata notes also that the database further discloses, as Mr. Kubodera and Dr.
Ulrich testified, that each Murata DI Product has more than 200 layers. (Id.) Murata says that, with respect to element (c)(3) of claim 3, Murata's database provides the {
} thickness of the paste used for making the electrodes, and the sintered thickness of the electrode

greater than the thickness of the paste, based on Murata's manufacturing experience. Therefore, the sintered thickness is easily obtainable by simply multiplying the pre-sintered thickness of the paste by a factor of { } (*Id.*) As a result of doing this, Mr. Kubodera and Dr. Ulrich were able to testify that the '309 patent DI Product indentified in CX-8C and CX-190C has a thickness ratio between 0.10 and 0.40 and therefore satisfies element (c)(3) of claim 3. (*Id.* (citing CFF 4.272-274).)

with respect to the volume ratio requirement, Murata asserts that Mr. Kubodera explained his analytical framework for calculating these ratios, using the {
} to determine the volume ratio, and Dr. Ulrich confirmed the accuracy of this analysis.

(Id.) Murata says that this was done by taking the pre-sintered values for length and width of the ceramic element and taking into account, based on years of manufacturing experience, that shrinkage will occur in the length and width dimensions of the ceramic layers of about {
} percent. Therefore, Murata calculated post-sintered lengths and widths of the ceramic element by multiplying the pre-sintered values by {
} percent. (Id.) Murata then took into account the maximum and minimum sintered values for the thickness of the ceramic element as included in its {
} which can vary slightly depending on processing conditions. (Id. at 72-73.)

By averaging those thickness values, Murata was able to obtain a post-sintered measurement for the thickness of the ceramic element, which, when multiplied by the calculated post-sintered length and width values, produced the volume of the ceramic element. (Id. at 73.)

Murata determined the volume of the internal electrode region by multiplying the thickness of an internal electrode by the product of the number of electrode layers and the internal electrode area. (*Id.*) Murata says that the length of the internal electrode is determined by taking the overall length of the sintered device, as calculated according to the description in

the previous paragraph, and subtracting the value of the sintered "L-gap." (*Id.*) The same procedure was used for determining overall width, only this time double the value of the "W-gap" was subtracted. (*Id.*) Once the post-sintered length and width of the internal electrode have been determined, the electrode area is obtained by multiplying those two values. (*Id.*)

Following its determination of the electrode area, Murata calculated the volume of the internal electrodes and then calculated the volume ratio by dividing the volume of the internal electrodes by the volume of the ceramic element. (*Id.*) According to Murata, that calculation shows that every Murata MLCC identified in CX-8C and CX-190C has a volume ratio between 0.10 and 0.30. (*Id.*) Therefore, as Dr. Ulrich and Mr. Kubodera testified, every Murata '309 patent DI Product meets the final element of (c)(4) of claim 3. (*Id.*)

Murata says that it confirmed the results of the foregoing calculations by taking measurements of a sample of one of the '309 patent DI Products, GRM21BG31C475K, Murata used electronic and optical microscopes for measuring at 75 different locations, 25 each from upper, middle, and lower regions, thereby determining that the smallest thickness of the ceramic layer was { } μ m and the greatest was { } μ m, with the average being { } μ m. (*Id.* at 74.) With respect to the internal electrodes, Murata determined through this analysis that the smallest thickness measured {. } μ m and the largest measured {. } μ m, with an average thickness of { } μ m. (*Id.*)

Murata determined the number of internal electrodes by using an optical microscope for counting, and came up with the number { } (Id.)

In order to obtain the information necessary to calculate the volume ratio, Murata took measurements of the length, width, and thickness of the ceramic element. (*Id.*) It then took L-gap and W-gap measurements at six locations in the upper, middle, and lower regions, and used

the information obtained to calculate the volume of the ceramic element (length times width
times thickness) and the volume of the internal electrodes (the length, less L-gap, times the width,
less twice the W-gap, times the thickness of the internal electrodes, divided by 1,000 times the
number of internal electrodes). (Id.) By this process, Murata calculated the volume ratio. (Id.)
Murata says that the results of these measurements fully support and confirm the accuracy of the
calculations it performed using its { } showing that for the DI Product that was
analyzed, the thickness of the ceramic layers was about $\{\ \ \}$ μm , there were $\{\ \ \}$ internal
electrodes, the thickness ratio was { } and the volume ratio was { } (Id.) Those
measurements are very close and serve to verify the predicted dimensions based on the {
{ } analysis which showed that the thickness of the ceramic layers was about { }
microns, that there were { } inner electrodes, the thickness ratio was { } and the volume ratio
was{ } (Id.)
Samsung says that Murata failed to demonstrate that its products practice the '309 patent
because Dr. Ulrich's evaluation of information from Murata's { } was
insufficient and unreliable, particularly, since Murata admits that it examined only one physical
product to verify Dr. Ulrich's predictions based on the { }. (RBr. at 50.)
Samsung notes that Dr. Ulrich's predicted ceramic layer thickness was off by ten percent { }
μm versus { } μm and that he miscounted the number of layers by { } predicted and { } }
measured). (Id.) Samsung says these degrees of inaccuracy in Dr. Ulrich's predictions, given
that it was Murata's own product and database, show that Dr. Ulrich's methodology was
unreliable. (Id.)

Staff says that the evidence shows that some of Murata's products meet the limitations of element (c) of claim 3. (SBr. at 62.) Staff says Mr. Kubodera was unable to answer questions

about how the data in the tables used for Dr. Ulrich's predicted values was obtained and his testimony was inconsistent, for example, with respect to length and width values for electrodes, which he said were not recorded in any database or document. (*Id.* at 63.) Also, Staff says there are inconsistencies in the methodology used by Murata, pointing out that although Murata says that it historically experiences a { } percent shrinkage after sintering, Dr. Ulrich's predictions were based on shrinkages ranging from { } to {} percent and different products were assumed to have different shrinkage rates. (*Id.*) In addition, says Staff, the evidence shows that sintered electrode thicknesses actually increase. (*Id.* (citing testimony of Mr. Kubodera at Tr. 908).)

Nevertheless, Staff concludes that Murata offered sufficient evidence to establish that the majority of its '309 Domestic Products practice the '309 patent. (*Id.*)

The Administrative Law Judge concludes that the evidence does not demonstrate that Murata's '309 patent DI products practice claim 3 of the patent. Murata's manufacturing process and the data derived from it are sufficient to establish that the subject products satisfy elements (a), (b), and (c)(1) and (2), as discussed above. With respect to elements (c)(3) and (4), the evidence is less clear. The fact that Murata uses a standard process for administering the thickness of the paste material it uses for making its electrodes and, based on historical experience, has compiled data of the sintered thickness of its electrodes from which a determination can be made of the relationship between the thickness of the sintered electrode and the paste, is not disputed. However, element (c)(3) specifies that the ratio of the average thickness of *each* said internal electrode to the average thickness of *each* said internal ceramic layer is 0.10 to 0.40[.]" (JX-2 at 6:32-34 (emphasis added).) Murata's evidence does not show how it determined that the average thickness of each of the internal electrodes to the average thickness each of the internal ceramic layers of its DI Products is between 0.10 and 0.40. Just as

was the case for proving infringement, Murata must show for purposes of satisfying the technical prong of the domestic industry requirement that element (c)(3) is satisfied. That requires more than making predictions about a thickness value of an electrode after sintering based on the thickness of the paste that is used to make it. Murata has not shown that the thickness of each internal ceramic layer is uniform throughout its length and width; nor has it shown that to be the case with each internal electrode. Even the analysis performed by Murata for the purpose of confirming Dr. Ulrich's predictions only shows thickness values at certain points, not the average thickness of the electrode itself or of the ceramic layer itself. When Murata says that a certain measured thickness of a ceramic layer is "approximately { } µm" (CBr. at 75), this does not establish that that is also the average thickness of that layer. Yet that is how claim 3 of the '309 patent reads and must be measured. Murata's evidence does not demonstrate that its '309 DI Products satisfy element (c)(3) of claim 3 and for that reason, the Administrative Law Judge concludes that the evidence does not establish that Murata's products satisfy the technical prong of the domestic industry requirement.

3. '229 patent, claim 1.

Murata and Staff argue, and Samsung does not dispute, that the Murata '229 Products meet all of the elements of claim 1 of the '229 patent such that the technical domestic industry requirement is met. (CBr. at 116-119; SBr. at 109-113; RBr. at 125-145.) The Administrative Law Judge finds that the Murata '229 Products meet all of the elements of claim 1 of the '229 patent because these products are multi-layer capacitor devices that comprise: (i) a capacitor body including top and bottom surfaces and opposed side surfaces which have continuously flat surfaces and are disposed between the top and bottom surfaces and opposed end surfaces disposed between the top and bottom surfaces and the opposed side surfaces, the capacitor body

including a plurality of first electrode plates and a plurality of second electrode plates, the first and second electrode plates being interleaved with each other in opposed and spaced apart relation; (ii) a dielectric material located between each opposed set of the first and second electrode plates; (iii) the first and second electrode plates each including a main electrode portion and a plurality of spaced apart lead structures extending therefrom, respective lead structures of the first electrodes plates being located adjacent respective lead structures of the second electrode plates in an interdigitated arrangement; and (iv) a plurality of electrical terminals located on each of the opposed side surfaces of the capacitor body, corresponding lead structures of the first electrode plates and corresponding lead structures of the second electrode plates being electrically connected together by respective ones of the electrical terminals to define a plurality of first polarity electrical terminals and a plurality of second polarity electrical terminals, respectively, located on the capacitor body; wherein (v) each of the first polarity terminals is disposed opposite to another of the first polarity terminals across the capacitor body and each of the second polarity terminals is disposed opposite to another of the second polarity terminals across the capacitor body; and (iv) at least one of the lead structures of the first and second electrode plates have a length L and a width W and a ratio L/W is equal to about 3 or less. (CX-159C; CX-160C; CX-161C; RX-910 at MM 011693; CFF 5.377-78 (undisputed in relevant part); CFF 5.391-399 (undisputed³¹); CFF 5.403-426 (undisputed³²); SFF 274-78 (undisputed); SFF

Samsung's chief, repeating objection to these proposed findings of fact is that Dr. Ulrich is not an expert in the '229 patent. Such an objection directly contradicts the Administrative Law Judge's specific finding at the hearing that Dr. Ulrich is recognized "as an expert with respect to the areas that he will be testifying in this case." (Tr. at 994.) While the fact that Dr. Ulrich is not a person of ordinary skill in the art of the '229 patent gives his testimony little persuasive value with respect to his opinions on claim construction under *Phillips*, this does not mean he is unqualified with respect to such topics as infringement, validity, and technical domestic industry. Samsung's "objections" in this regard are rejected. It is further noted that Samsung points to no evidence or testimony to show that the facts underlying Dr. Ulrich's opinions are incorrect. Samsung's objections with respect to claim construction are likewise unsupported, as Samsung's proposed claim constructions relating to these proposed findings of fact were not adopted in Section III.D., above.

32 See previous footnote.

280-81 (undisputed); SFF 283 (undisputed); ROSFF 282.2; ROSFF 282.3; Tr. at 849-862 (Kubodera); Tr. at 1122-1134 (Ulrich).) Therefore, the Administrative Law Judge concludes that Murata has met the technical prong of the domestic industry requirement for the '229 patent.

B. Economic Analysis.

The economic prong of the domestic industry requirement is defined in subsection 337(a)(3) as follows:

- (3) For purposes of paragraph (2), an industry in the United States shall be considered to exist if there is in the United States, with respect to the articles protected by the patent, copyright, trademark or mask work concerned—
 - (A) Significant investment in plant and equipment;
 - (B) Significant employment of labor or capital; or
 - (C) Substantial investment in its exploitation, including engineering, research and development, or licensing.

19 U.S.C. § 1337(a)(3). The economic prong of the domestic industry requirement is satisfied by meeting the criteria of any one of the three factors listed. Murata bears the burden of demonstrating that the economic prong of the domestic industry requirement is satisfied.

Murata argues that it satisfies the economic prong of the domestic industry requirement for the asserted patents under any of the three Section 337(a)(3) criteria. (CBr. at 129.) Murata's evidence with respect to its domestic expenditures is dependent upon Murata's determination that the products listed in RX-58 at Exhibits 2-4 practice the three asserted patents (the "domestic industry products"). (CBr. at 130; Tr. at 765-66 (McHargue); Tr. at 1337-38 (Kubota); CX-15C; CX-33C; CX-44C; RX-58C.) Staff argues that while the issue of economic domestic industry is close, Murata has demonstrated that the requirement has been met for all three asserted patents. (SBr. at 133.)

Samsung argues that Murata's investments with respect to the '229 and '309 patents "are de minimis at best," although Samsung does not conclude that Murata's domestic investments with respect to the '254 patent are insufficient. (RBr. at 144-45.) Samsung argues that because Murata's products are manufactured overseas, it cannot meet the domestic industry requirement under Section 337(a)(3)(A) or (B). (RBr. at 144 (citing Certain Mobile Telephone Handsets, Wireless Communication Devices, and Components Thereof, Inv. No. 337-TA-578, Order No. 33 at 4 (U.S.I.T.C., Feb. 16, 2007) ("Mobile Handsets")).) Samsung further argues that Murata must show in "absolute terms" that it has made a substantial domestic investment pursuant to Section 337(a)(3)(C). (Id.)

As an initial matter, the *Mobile Handsets* order relied on by Samsung to claim that a party may not establish a domestic industry in a patented product manufactured overseas pursuant to subsections (A) or (B) of Section 337(a)(3) is not binding precedent. Even if this were not the case, the *Mobile Handsets* order relies on questionable precedent. According to *Mobile Handsets*, the Commission in *Certain Dynamic Random Access Memories, Components Thereof and Products Containing Same* "interpreted the intent of Section 337(a)(3)(A)-(B) to be the protection of domestic manufacture of goods." *Mobile Handsets*, at 4 (citing *Certain Dynamic Random Access Memories, Components Thereof and Products Containing Same*, Inv. No. 337-TA-242, Commission Opinion at 61, (U.S.I.T.C. September 21, 1987) ("*DRAM*")). What that opinion actually says is that "the intent of the statute is the protection of domestic manufacture of goods." *DRAM* at 61. However, the Commission in *DRAM* was referring to an older version of Section 337. 33 Id. In that opinion, the Commission commented on the fact that the "term 'domestic industry' for purposes of section 337 is not defined in the statute." (Id.

³³ It is noted that even at that time, the Commission considered the totality of the circumstances and credited not only manufacturing operations, but distribution, research and development, and sales. *DRAM* at 62.

(emphasis added).) One year after the *DRAM* opinion, Section 337 was amended to specifically provide a definition for 'domestic industry.'

Furthermore, Congress clarified that Section 337 is not just intended to protect the domestic manufacture of goods:

The Committee is concerned, however, that in some recent decisions the Commission has interpreted the domestic industry requirement in an inconsistent and unduly narrow manner. In order to clarify the industry standard, a definition is included which specifies that an industry exists in the United States with respect to a particular article involving an intellectual property right if there is, in the United States,—

- 1. significant investment in plant and equipment;
- 2. significant employment of labor or capital; or
- 3. substantial investment in the exploitation of the intellectual property right including engineering, research and development or licensing.

The first two factors in this definition have been relied on in some Commission decisions finding that an industry does exist in the United States. The third factor, however, goes beyond ITC's recent decisions in this area. This definition does not require actual production of the article in the United States if it can be demonstrated that significant³⁴ investment and activities of the type enumerated are taking place in the United States. Marketing and sales in the United States alone would not, however, be sufficient to meet this test.

Omnibus Trade and Competitiveness Act, H. Rept. 100-40, pt. 1, at 157 (1987) (emphasis added). It is noted here that "definition" refers to the definition of domestic industry as a whole, which includes discussion of all three subsections. In addition, the sentence that explains that the 'definition' does not require actual domestic production of the patented article uses the language "significant investment" (subsections 1 and 2) and not "substantial investment" (subsection 3). Therefore in that sentence "definition" does not refer to, and thus is not limited to, the word "factor" in the preceding sentence. The Administrative Law Judge finds that the 1988 amendment to Section 337 was intended to show that the domestic industry requirement is not limited *in any way* to actual production of the patented article in the United States.

³⁴ This word has frequently misquoted by other sources.

Instead, the new distinction drawn in the revision of the statute was tied to the broader question of whether an industry was extant or in the process of being developed. Subsection (C) reflects Congressional intent to include, for example, a patent owner "actively engaged in steps leading to the exploitation of the intellectual property, including application engineering, design work, or other such activities." (Certain Coaxial Cable Connectors and Components Thereof and Products Containing Same, Inv. No. 337-TA-650, Comm'n Op. at 45-46 (U.S.I.T.C., April 14, 2010) (quoting S.Rep.No. 100-71 at 130).) The Commission has expressed the belief, in reference to the 1988 amendment, that a common thread may be derived from Congressional discussion of the amendment, namely a domestic industry inquiry into whether "the intellectual property right holder is taking steps to foster propagation or use of the underlying intellectual property, be it a copyrighted image or a patented invention." Id. at 49. Thus, provided the intellectual property right holder is fostering propagation or use of the patented invention domestically, it stands to reason that significant investment in plant and equipment in the United States or significant employment of labor or capital in the United States may be credited, even for products that are not manufactured domestically. It should be noted that the Administrative Law Judge is not suggesting that Section 337 has unlimited breadth with respect to economic domestic industry, but rather that the outcome must depend on a reasoned and detailed evaluation of the patent owner's domestic investments relating to the patented product rather than on any "hard and fast",35 rules.

Other administrative law judges have taken this approach. For example, in *Certain Salinomycin Biomass and Preparations Containing Same*, the administrative law judge found the 1988 changes to Section 337 to mean that "Congress contemplated that the domestic industry

³⁵ Certain Printing and Imaging Devices and Components Thereof, Inv. No. 337-TA-690, Initial Determination at 421 (U.S.I.T.C., September 23, 2010).

requirement could be satisfied by foreign production under the patent at issue if coupled with activities and investments in the United States." Certain Salinomycin Biomass and Preparations Containing Same, Inv. No. 337-TA-370, Final Initial Determination at 124-25 (U.S.I.T.C., November 6, 1995) (unreviewed) (also noting that even predating the amendment to Section 337, the Federal Circuit held that "in proper cases 'industry' may encompass more than the manufacturing of the patent item"). In Certain Liquid Crystal Display Devices and Products Containing the Same, the administrative law judge found that Samsung Electronics Co., Ltd. maintained a domestic industry pursuant to subsection (B) for significant domestic labor costs related to (i) "the support, service, repair and replacement regarding domestic products that allegedly practice the '311 patent"; (ii) "service and support with respect to domestic products allegedly practicing the '344 patent[,] [including] services provided by field engineers, authorized service centers, and retail store chains"; (iii) outside vendor "warranty, repair work and quality control, testing, and product validation of Samsung cellular phones that allegedly practice the '666 patent"; and (iv) "support, service, repair and replacement regarding domestic products that allegedly practice the '196 patent[.]" Certain Liquid Crystal Display Devices and Products Containing the Same, Inv. No. 337-TA-631, Order No. 18 at 7-8 (U.S.I.T.C., September 23, 2008) (unreviewed). Whether any domestic labor costs were devoted to the initial manufacture of the patented product (or whether such initial manufacture ever occurred domestically) was never a consideration. (Id.) Accordingly, the Administrative Law Judge rejects Samsung's argument that Murata cannot rely on subsections (A) or (B) of Section 337(a)(3) to establish an economic domestic industry with respect to a product manufactured overseas.

In addition, the Administrative Law Judge rejects Samsung's argument that Murata must establish domestic industry pursuant to subsection (C) in "absolute terms." Establishment of an economic domestic industry is not dependent on any "minimum monetary expenditure." *Certain Stringed Musical Instruments and Components Thereof*, Inv. No. 337-TA-586, Comm'n Op. at 25-26 (U.S.I.T.C., December 2009) ("*Stringed Instruments*"). The Commission expressly stated during an economic domestic industry analysis with respect to subsection C that there is no "need to define or quantify the industry itself in absolute mathematical terms." (*Id.*) In the same vein, there is no need to show that large quantities of representative products must be involved to show an investment is "substantial." *Certain Video Displays, Components Thereof, and Products Containing the Same*, Inv. No. 337-TA-687, Order No. 20 at 5 (U.S.I.T.C., May 20, 2010) (unreviewed) ("*Video Displays*"). "A precise accounting is not necessary, as most people do not document their daily affairs in contemplation of possible litigation." *Stringed Instruments* at 26. Rather, a complainant must demonstrate a sufficiently focused and concentrated effort to lend support to a finding of a 'substantial investment.' *Id.*

Here, the relevant evidence with respect to Murata's economic domestic industry is as follows:

- 1. Approximately { } people work at Murata Electronics North America, Inc.'s ("MENA") Smyrna, Georgia facility, which is over { } square feet. (CFF 6.17 (undisputed); SFF 318 (undisputed); Tr. at 768 (McHargue).)
- 2. The entire Smyrna facility, including land, is estimated at { (McHargue); CFF 6.17 (undisputed).)
- 3. MENA also has a Rockmart, Georgia facility of approximately { } square feet with an estimated value of { } (Tr. at 771 (McHargue); CFF 6.19-20 (undisputed).)
- 4. The equipment in use at the Rockmart facility has an estimated { } in value. (Tr. at 772-73 (McHargue); CX-392C; CX-454C; CFF 6.21 (undisputed).)
- 5. Approximately { } employees work at the Rockmart facility. (Tr. at 771-72 (McHargue).)
- 6. The Rockmart facility includes a logistics warehouse in which MENA's approximately {
 } square foot quality control laboratory is located. The lab has equipment valued at approximately {
 } all of which has been used to analyze domestic industry

- products.³⁶ This lab handles electrical and physical tests of Murata's multilayer ceramic capacitors and has equipment that permits analysis of Murata's multilayer ceramic capacitors. The lab has at least a { } and a { } who handle multilayer ceramic capacitors. (Tr. at 766-767, 772-74, 781-82, 830 (McHargue); CX-454C; CX-389C; CFF 6.22-30 (undisputed).)
- 7. MENA's Quality Assurance Manager, Lanney McHargue, testified that an estimated { percent of MENA's business { } relates to the products alleged to practice the asserted patents, based on a calculation by dollar volume of sales, and that approximately { } percent of the lab time at the Rockmart laboratory has been used for Murata's domestic industry products. (Tr. at 769-70, 773 (McHargue).)
- 8. Mr. McHargue's quality assurance department, or failure analysis group, consists of at least { } key technical people. They may conduct all or a portion of a failure analysis for a product. They also prepare technical reports to Murata customers relating to product failure. The office space of the quality assurance department is valued at approximately { } (Tr. at 775, 777-79 (McHargue); CX-416C; CX-417C; CX-419C; CX-443C; CX-444C; CX-388C; CX-492C; CX-356C; CFF 6.68-6.77 (undisputed in relevant part); CFF 6.114-126 (undisputed).)
- 9. The salaries for MENA's quality assurance department totaled { } in fiscal 2009. Mr. McHargue estimated that { } percent of his time, { } percent of Mr. Crew's time, and { } percent of Mr. Peek's time is spent on the domestic industry products. (Tr. at 783, 820-21 (McHargue); CFF 6.79 (undisputed).)
- 10. Mr. McHargue estimated that { } percent of capacitor claims from 2007 through 2009 involved the domestic industry products, although it includes a patent that has been withdrawn from the Investigation. Specifically, CX-393C identifies that { } percent of capacitor claims from 2007-2009 involved the '254 patent, { } involved the '309 patent, and { } involved the '229 patent. (Tr. at 783-84 (McHargue); CX-393C.)
- 11. Kazuyuki Kubota, MENA's former {
 Smyrna facility, testified that the capacitor marketing group provided customer support and would ascertain the technical needs of customers, including design-in activities and product customization. He testified that "the primary responsibilities of the capacitor marketing group [were] to provide technical support as they relate to capacitors." (Tr. at 1332-35, 1338-39, 1341-43, 1347, 1360 (Kubota); CX-354C; CX-376C; CX-377C; CX-441C; RX-365C; CFF 6.143 (undisputed); CFF 6.147-150 (undisputed); CFF 6.180 (undisputed). See also Tr. at 239 (Yoshino).)
- 12. The MENA capacitor marketing group has about { } employees, including product engineers. (Tr. at 1333 (Kubota); RX-365C; CFF 6.80-82 (undisputed); CFF 6.87-88 (undisputed); CFF 6.94 (undisputed).)
- 13. Mr. Kubota estimated that he spent about { } to {} percent of his time on design-in work, and the other product engineers at MENA spent about {} percent of their time on design-in work. (Tr. at 1340 (Kubota); CFF 6.153 (undisputed).

³⁶ Staff argues that only { } of these lab tests relate to capacitors sold in the United States and that "products that do not enter the United States cannot be considered to practice a United States patent." (SBr. at 137.) The Administrative Law Judge disagrees with Staff's conclusion because it is understood these products entered the United States to be tested in the lab. Thus Staff's estimated allocations of { } for the Rockmart lab equipment relating to the '254, '309, and '229 patents (SBr. at 137) should not be further reduced.

	average engineer's time allocation for the		~ ~	-
	nated at { } percent for the '229 pater		-	
perc	ent for the '309 patent. (RX-365C at 6.	See also Tr. at 1	341-43 (Kubota).)
15. Acc	ording to the estimates provided in RX-3	365C, the Capaci	tor Marketing gro	up
men	nbers spend the following amounts of tin	ne doing technica	al work on produc	ets
prac	ticing each of the asserted patents: {		, –	} of
-	time; {		} of his time; {	}
{		} of his time; {	,	,
•	} his time; {			
}h	is time; {		} of his time;	. {
		of his time; {	, ,	
	} of his time; and {			of his
time	e. (CFF 6.157-60; RX-365C at 6.)			, 01 1115
	MENA capacitor marketing group space	e estimates equi	nment estimates a	and navroll
	set forth in RX-365C and updated in RX			
	C; Tr. at 1345-46 (Kubota); CFF 6.36-37	,		
17. {			uare foot cubicle i	, ,
•	That space is valued at approximately			
		` ' -	equipment and an	
) }	} in her computer and software. (CI			
45.6	Kubota).)	1 0.40 (unuispu	ica), 102-570C, 11	1. at 1544
18. {	Kubota).)	} works from h	nie (in North
•	olina. MENA has invested approximatel	,	office furniture and	
	pment and an additional { } in his c			
-	lisputed); RX- 370C.001; Tr. at 1344:6 -	•	,	
19. {	• •	•	erly occupied a {	} square
	office in Smyrna, GA. That space was		• • •	per year.
	ddition, MENA had invested approximate		n his office furnitu	
			oftware. (CFF 6.4	
-	lisputed in relevant part); RX-370C; Tr.	-	,	-2
20. {	- ·	•	uare foot cubicle i	n San Ioca
	That space is valued at approximately	. , .		
	sted approximately { } in his office			
	} in his computer and software. (CF			
• .	Kubota).)	1 0.45 (undisput	.cu), ICA-570C, 11	at 1544
21. {	* *	t MENA occupi	es a { } square fo	ot cubicle
`	an Jose, CA. That space is valued at app		· · ·	
	NA has invested approximately {		· •	
	tional { } in his computer and sof			
		iwaie. (CFF 0.4	+ (undisputed), K.	λ-370C, 11.
	344–45 (Kubota).)	ENIA coounica o	() gauge foo	t office in
22. {			square foo	
	roit, MI. That space is valued at approximately (• • •		
		•	rniture and equipn	
	tional { } in his computer and software { }	vale. (CFF 0.45	(undisputed); KX-	-5/UC; II.
at 1.	344–45 (Kubota).)			

23.	{ at MENA, occupies a { } square foot cubicle in Smyrna
	GA. That space is valued at approximately { } per year. In addition, MENA has
	invested approximately { } in his office furniture and equipment and an additional
	{ } in his computer and software. (CFF 6.46 (undisputed); RX-370C; Tr. at 1344–45
	(Kubota).)
24.	
	in Smyrna, GA. That space is valued at approximately { } per year. In addition,
~	MENA has invested approximately { } in his office furniture and equipment and an
	additional { } in his computer and software. (CFF 6.47 (undisputed); RX-370C; Tr.
	at 1344–45 (Kubota).)
25.	
	GA. That space is valued at approximately { } per year. In addition, MENA has
	invested approximately { } in his office furniture and equipment and an additional
	{ } in his computer and software. (CFF 6.48 (undisputed); RX-370C; Tr. at 1344–45
	(Kubota).)
26.	On an annual basis, MENA invests approximately { } in office and cubicle space for
	the Product Engineers and Product Managers who work on multilayer ceramic capacitors,
	including the domestic industry products. (RX-370C.)
27.	In addition, MENA has invested approximately { } in office equipment, furniture,
	computers and software for the Product Engineers and Product Managers who work on
	multilayer ceramic capacitors, including the domestic industry products. (RX-370C.)
28.	A portion of the sales staff, particularly the sales engineers and technical sales managers,
	assists with design-in activities and provides technical support to customers. Mr.
	McHargue estimated that { } people in MENA's sales department provide technical
	support to customers. Salaries and benefits for the sales department in 2009 were
	approximately { } although it is not clear what portion of these are attributable
	to those sales staff providing technical support. CX-365C shows MENA's domestic
	investments in space and equipment for members of the sales group, including sales
	engineers and technical sales managers. (Tr. at 1339-40 (Kubota); Tr. at 792-95

The Administrative Law Judge finds that Murata has not set forth sufficient investments in plant and equipment, taken by themselves, to establish an economic domestic industry pursuant to 337(a)(3)(A). This is because only a small portion of these investments are attributable to the domestic industry products. However, the Administrative Law Judge finds that Murata has set forth a sufficiently focused and concentrated showing of a significant employment of labor with respect to Murata's domestic quality assurance and capacitor marketing groups, and to a more limited extent such members of the sales staff as sales engineers and technical sales managers, to establish an economic domestic industry in the asserted patents

(McHargue); RX-58C; CX-356C; CX-455C; CX-373C; CX-365C.)

pursuant to 337(a)(3)(B). The Administrative Law Judge also finds that Murata has demonstrated a substantial investment in the exploitation of the '254, '309, and '229 patents based on the engineering and research (and to a minor extent, { } activities of Murata's domestic quality assurance and capacitor marketing groups, which investments include domestic expenditures relating to the space and equipment necessary for these activities.

VIII. CONCLUSIONS OF LAW

- 1. The Commission has personal jurisdiction over the parties, subject-matter jurisdiction, and in rem jurisdiction over the Accused Products.
- 2. The importation or sale requirement of Section 337 is satisfied.
- 3. None of the Accused '254 Products identified in Appendix A literally infringe asserted claims 1, 2, 9, 11-14, and 19-20 of the '254 patent.
- 4. None of the Accused '309 Products identified in Section I.E. above literally infringe asserted claim 3 of the '309 patent.
- 5. All of the Accused '229 Products identified in Section I.E. above literally infringe asserted claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of the '229 patent.
- 6. The asserted claims 1, 2, 9, 11-14, and 19-20 of the '254 patent are not invalid under 35 U.S.C. § 102 for anticipation.
- 7. The asserted claim 3 of the '309 patent is not invalid under 35 U.S.C. § 102 for anticipation.
- 8. The asserted claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of the '229 patent are not invalid under 35 U.S.C. § 102 for anticipation.
- 9. The asserted claims 1, 2, 9, 11-14, and 19-20 of the '254 patent are not invalid under 35 U.S.C. § 103 for obviousness.

- 10. The asserted claim 3 of the '309 patent is not invalid under 35 U.S.C. § 103 for obviousness.
- 11. The asserted claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of the '229 patent are invalid under 35 U.S.C. § 103 for obviousness.
- 12. The asserted claims 11-14, and 19-20 of the '254 patent are invalid under 35 U.S.C. § 112 for lack of written description.
- 13. Asserted claim 3 of the '309 patent is not invalid under 35 U.S.C. § 112 for lack of written description.
- 14. The asserted claims 1, 2, 9, 11-14, and 19-20 of the '254 patent are not rendered unenforceable due to inequitable conduct.
- 15. The asserted claim 3 of the '309 patent is not rendered unenforceable due to inequitable conduct.
- 16. The asserted claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of the '229 patent are not rendered unenforceable due to inequitable conduct.
- 17. A domestic industry does exist with respect to the '254 patent, as required by Section 337.
- 18. A domestic industry does not exist with respect to the '309 patent, as required by Section 337.
- 19. A domestic industry exists with respect to the '229 patent, as required by Section 337.
- 20. With respect to Samsung, it has been established that no violation exists of Section 337 for claims 1, 2, 9, 11-14, 19-20 of the '254 patent.
- 21. With respect to Samsung, it has been established that no violation exists of Section 337 for claim 3 of the '309 patent.

22. With respect to Samsung, it has been established that no violation exists of Section 337 for claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of the '229 patent.

This Initial Determination's failure to discuss any matter raised by the parties, or any portion of the record, does not indicate that it has not been considered. Rather, any such matter(s) or portion(s) of the record has/have been determined to be irrelevant, immaterial or meritless.

Arguments made on brief which were otherwise unsupported by record evidence or legal precedent have been accorded no weight.

IX. INITIAL DETERMINATION AND ORDER

Based on the foregoing, it is the INITIAL DETERMINATION ("ID") of this

Administrative Law Judge that with respect to Respondents Samsung Electro-Mechanics Co.,

Ltd. and Samsung Electro-Mechanics America, Inc., no violation of Section 337 of the Tariff Act
of 1930, as amended, has occurred in the importation into the United States, the sale for
importation, or the sale within the United States after importation of certain multi-layer ceramic
capacitors by reason of infringement of one or more of claims 1, 2, 9, 11-14, and 19-20 of United
States Patent No. 6,243,254.

The Administrative Law Judge further determines that with respect to Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc., no violation of Section 337 of the Tariff Act of 1930, as amended, has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation of certain multi-layer ceramic capacitors by reason of infringement of claim 3 of United States Patent No. 6,014,309.

The Administrative Law Judge further determines that that with respect to Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc., no violation of Section 337 of the Tariff Act of 1930, as amended, has occurred in the importation into the United States, the sale for importation, or the sale within the United States after importation of certain multi-layer ceramic capacitors by reason of infringement of one or more of claims 1-4, 7, 17-18, 23, 28-31, 34, 51-53 of United States Patent No. 6,266,229.

The Administrative Law Judge further determines that a domestic industry exists that practices U.S. Patent Nos. 6,243,254. A domestic industry does not exist that practices U.S. Patent No. 6,014,309. The Administrative Law Judge further determines that a domestic industry exists that practices U.S. Patent No. 6,266,229.

Further, this ID, together with the record of the hearing in this Investigation consisting of:

- (1) the transcript of the hearing, with appropriate corrections as may hereafter be ordered, and
- (2) the exhibits received into evidence in this Investigation, as listed in the attached exhibit lists in **Appendix B**,

are CERTIFIED to the Commission. In accordance with 19 C.F.R. § 210.39(c), all material found to be confidential by the undersigned under 19 C.F.R. § 210.5 is to be given *in camera* treatment.

The Secretary shall serve a public version of this ID upon all parties of record and the confidential version upon counsel who are signatories to the Protective Order (Order No. 1) issued in this Investigation, and upon the Commission Investigative Attorney.

RECOMMENDED DETERMINATION ON REMEDY AND BOND

I. REMEDY AND BONDING

The Commission's Rules provide that subsequent to an initial determination on the question of violation of Section 337 of the Tariff Act of 1930, as amended, 19 U.S.C. § 1337, the Administrative Law Judge shall issue a recommended determination containing findings of fact and recommendations concerning: (1) the appropriate remedy in the event that the Commission finds a violation of Section 337, and (2) the amount of bond to be posted by respondents during Presidential review of Commission action under Section 337(j). *See* 19 C.F.R. § 210.42(a)(1)(ii).

A. Applicable Law.

The Commission may issue a remedial order excluding the goods of respondents found in violation of Section 337 (a limited exclusion order) or, if certain criteria are met, excluding all infringing goods regardless of the source (a general exclusion order). 19 U.S.C. § 1337(d); *Certain Hydraulic Excavators and Components Thereof*, Inv. No. 337-TA-582, Comm'n Op., at 15 (U.S.I.T.C., February 3, 2009) ("*Certain Excavators*"). Here, Murata requests a limited exclusion order if it prevails in the Investigation. A limited exclusion order instructs the U.S. Customs and Border Protection ("CBP") to exclude from entry all articles that are covered by the patents at issue and that originate from a named respondent in the investigation. *See* 19 U.S.C. § 1337(d).

B. Remedy with Respect to the '254, '309, and '229 patents.

As discussed above in the Initial Determination on Violation of Section 337, the

Administrative Law Judge has found that no violation has occurred with Respondents Samsung

Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc. with respect to the

'254, '309, and '229 patents. Therefore, remedy with respect to the '254, '309, and '229 patents is not warranted. In the event the Commission were to find a violation of the '254, '309, and '229 patents, the Administrative Law Judge's recommendation with respect to remedy follows.

Murata argues that a limited exclusion order should bar Samsung products found to infringe the asserted patent claims, as well as to downstream products imported by or behalf of Samsung. (CBr. at 143.) According to Murata, Samsung's downstream products and modules such as Bluetooth modules, motor modules, tuner modules, wall mounts, ISM modules for digital camera applications, power modules, and W-LANs should be excluded if they contain multilayer ceramic capacitors that infringe any asserted patent claims. (*Id.*) Murata also argues that "[i]t would be a negligible burden for Respondents to identify and certify to Customs those downstream products that do not contain infringing MLCCs." (*Id.* at 149.)

Samsung argues that products that are no longer accused of infringement in this Investigation should be expressly excluded from the scope of any limited exclusion order. (RBr. at 147.) Samsung further argues against any importation bar of downstream products containing infringing capacitors, but if such a bar is imposed, Samsung requests a certification provision. (*Id.* at 149.)

Staff "is of the view that the appropriate remedy will include a limited exclusion order directed at the Accused Products and directed at certain downstream modules imported by SEMCO or its affiliates, subsidiaries, successors, and assigns." (SBr. at 141.)

As an initial matter, with respect to the number of accused products that were initially asserted and pared down, the Administrative Law Judge does not agree that these products should be expressly excluded from a limited exclusion order. After being informed that approximately 4,600 products were in issue, the Administrative Law Judge directed the private

parties to reduce this number. (Pre-Hearing Conference Tr. at 57, March 24, 2010.) Thus, for purposes of engaging in expeditious proceedings (Commission Rule 210.2), Murata did not necessarily assert all Samsung products that potentially infringe. Furthermore, Commission remedial orders may cover all infringing products, not just specified products. *Certain Optical Disk Controller Chips and Chipsets and Products Containing Same, Including DVD Players and PC Optical Storage Devices*, Inv. No. 337-TA-506, Comm'n Op. at 56 (U.S.I.T.C., September 28, 2005) (finding no basis to exclude a specified product when no determination made as to that product, particularly in light of Commission's "long-standing practice" to direct remedial orders to all products covered by patent claims). Here, in light of the number of capacitors that Samsung makes, the Administrative Law Judge recommends that any limited exclusion order be directed to Samsung products found to infringe the asserted patent claims, rather than to specific enumerated product models, that are manufactured abroad or imported by or on behalf of Samsung, or any of its affiliated companies, parents, subsidiaries, or other related business entities, or their successors or assigns.

Should infringement of any of the accused capacitors be found, the Administrative Law Judge further finds that a limited exclusion order against only infringing Samsung capacitors might be ineffective because the capacitors could be imported as a component of other Samsung products or product components. (CFF 7.6 (undisputed); CFF 7.9-7.37 (undisputed).) Therefore, the Administrative Law Judge finds that a review of the "EPROMs factors" is appropriate to determine if Samsung's downstream products containing infringing capacitors should be subject to a limited exclusion order. *See Certain Erasable Programmable Read-Only Memories, Components Thereof, Products Containing Such Memories, and Process for Making Such Memories,* Inv. No. 337-TA-276, Comm'n Op. at 125-26 (U.S.I.T.C., May 1989) ("EPROM").

These factors are designed to weigh a complainant's interest in protection from infringement against the potential to disrupt legitimate trade of products that were not themselves found to violate Section 337, and include the following:

- 1) the value of the infringing articles relative to the value of the downstream products in which they are incorporated;
- 2) the identity of the manufacturer of the downstream products in which they are incorporated, *i.e.*, whether it can be determined that the downstream products are manufactured by the respondent or by a third party;³⁷
- 3) the incremental value to the complainant of the exclusion of the downstream products;
- 4) the incremental detriment to respondents of exclusion of such products;
- 5) the burdens imposed on third parties resulting from exclusion of downstream products;
- 6) the availability of alternative downstream products that do not contain the infringing articles;
- 7) the likelihood that the downstream products actually contain the infringing articles and are thereby subject to the exclusion order;
- 8) the opportunity for evasion of an exclusion order that does not include downstream products; and
- 9) the enforceability of an order by Customs.

Id. The Commission in *EPROM* made clear that this is not an exhaustive list, and that other considerations may also play a role in determining whether remedial exclusion should be extended to downstream products. (*Id.*)

The evidence shows that the Accused Products are worth only a fraction of the downstream products. (See e.g., CFF 7.15-16 (undisputed); RBr. at 148.) However, factor 1 is not just a cost consideration, but also a question of the importance of the accused components to the operation of the downstream products in which they are incorporated. Certain Baseband Processor Chips and Chipsets, Transmitted and Receiver (Radio) Chips, Power Control Chips,

³⁷ This factor has little relevance following the Federal Circuit opinion limiting downstream product relief to named respondents when a limited exclusion order is sought. *Kyocera Wireless Corp. v. International Trade Comm'n*, 545 F.3d 1340, 1358 (Fed. Cir. 2008).

and Products Containing Same, Including Cellular Telephone Handsets, Inv. No. 337-TA-543, Comm'n Op. at 36 (U.S.I.T.C., June 19, 2007) (rev'd on other grounds). Here, the accused capacitors are functionally significant to the downstream modules products because they would not operate without the capacitors. (CFF 7.13 (undisputed); CFF 7.17 (undisputed); CFF 7.22 (undisputed); CFF 7.26 (undisputed); CFF 7.30 (undisputed); CFF 7.37 (undisputed).) Thus, factor 1 weighs in favor of extending downstream relief.

With respect to factors 3 and 4, Murata argues that it would be denied effective relief if a limited exclusion order did not apply to downstream products because Samsung imports a substantial quantity of downstream products into the United States. (CBr. at 145.) Samsung does not directly refute this argument. Nor does Samsung argue that it would face any detriment if downstream products were excluded. (RBr. at 147-9; RRBr. at 72-73 (claiming U.S. customers will be harmed).) Murata argues that Samsung would not be adversely affected and has had an opportunity to make alternate plans to protect itself should such a remedy be implemented. (CBr. at 145-46.) The Administrative Law Judge finds that factors 3 and 4 also weigh in favor of extending downstream relief.

According to Murata and Staff, the evidence also indicates that alternate downstream products are available, thus factors 5 and 6 weigh in favor of downstream relief. (CBr. at 146; SBr. at 140.) Staff does not cite to any such supporting evidence. (SBr. at 140.) Murata's sole support is that Samsung has a number of competitors in the multi-layer ceramic capacitor market (CFF 1.192 (undisputed)), implying that alternative downstream products by Samsung containing competitors' capacitors would be readily available. The Administrative Law Judge finds that factor 6 also weighs in favor of extending downstream relief, but that the evidence is insufficient to make any determination with respect to factor 5.

Samsung argues, with respect to factor 7, that Murata has not presented any evidence that the Samsung downstream products actually contain accused capacitors, although, evidentiary objections aside, Samsung does not argue they do not. (RBr. at 148.) Samsung contradicts its own position with a number of admissions that a variety of downstream products contain at least one accused product. (CFF 7.3-7.4 (undisputed); CX-593C at 10-12; CX-545C.) Murata argues that as the only downstream products in dispute are those manufactured by Samsung, there is no question that they contain Samsung's capacitors. (CBr. at 147.) While Factor 7 has less relevance following the *Kyocera* opinion (*Kyocera*, 545 F.3d at 1358) because there is no issue as to whether there are infringing Samsung capacitors in nonparty downstream products, the Administrative Law Judge finds that factor 7 also weighs in favor of extending downstream relief.

With respect to factor 8, the Administrative Law Judge finds, based on the number of different downstream products containing Samsung capacitors, that Samsung has an ample opportunity to evade a limited exclusion order that does not include downstream products. (CFF 7.3-7.5 (undisputed).) Thus factor 8 also weighs in favor of downstream relief.

Samsung and Murata both recognize that a certification provision would minimize any burden on Customs and request the same. (RBr. at 149; CBr. at 148-49.) The Administrative Law Judge finds that factor 9 does not weigh against a limited exclusion order that includes downstream products.

The Administrative Law Judge finds, after considering the EPROM factors, that a limited exclusion order should extend to Samsung's downstream products containing infringing Samsung capacitors, including Samsung's Bluetooth modules, Motor modules, Wall Mount modules, Tuner modules, ISM modules, W-LAN modules, and Power modules, and that a

certification requirement should be imposed. The parties agree that downstream products manufactured by non-party Samsung Electronics, Co. Ltd. would be outside the scope of any limited exclusion order. (RFF 8.4 (undisputed).)

II. CEASE AND DESIST ORDER

Section 337 provides that in addition to, or in lieu of, the issuance of an exclusion order, the Commission may issue a cease and desist order as a remedy for violation of Section 337. *See* 19 U.S.C. § 1337(f)(1). The Commission generally issues a cease and desist order directed to a domestic respondent when there is a "commercially significant" amount of infringing, imported product in the United States that could be sold so as to undercut the remedy provided by an exclusion order. *See Certain Crystalline Cefadroxil Monohydrate*, Inv. No. 337-TA-293, Comm'n Op. on the Issue Under Review, and on Remedy, the Public Interest and Bonding at 37-42, Pub. No. 2391 (U.S.I.T.C., June 1991). Cease and desist orders have been declined when the record contains no evidence concerning infringing inventories in the United States. *Certain Condensers, Parts Thereof and Products Containing Same, Including Air Conditioners for Automobiles*, Inv. No. 337-TA-334, Comm'n Op. at 28 (U.S.I.T.C., Aug. 27, 1997).

Murata and Staff argue that a cease and desist order is warranted. (CBr. at 149; SBr. at 141.) Samsung relies on the fact that documents it incorporated by reference into its admitted interrogatory responses (CX-589C at 5-6) are not part of the record. (ROCFF 7.47-49.) The record evidence shows that Samsung Electro-Mechanics America, Inc. maintained more than } units of at least one of the accused products in the United States in 2009. (CFF 7.45 (undisputed); CX-589C.) Furthermore, the Administrative Law Judge finds that because Samsung incorporated the pages bates labeled SEMCO00262774-SEMCO00262775 by reference into CX-589C and that document was admitted into the record, those underlying

documents are deemed part of CX-589C. Samsung was permitted to cite to these documents to avoid the burden of copying their contents into its interrogatory response, and may not obtain unfair advantage because the documents are physically located elsewhere. While the pages SEMCO00262774-SEMCO00262775 have not been supplied to the Administrative Law Judge, Samsung does not dispute that CFF 7.48, CFF 7.49, and CFF 7.50 accurately represent their contents. (ROCFF 7.48-50.) The Administrative Law Judge finds that it is Samsung Electro-Mechanics America, Inc.'s practice to maintain commercially significant amounts of its capacitors and thus a cease and desist order would be appropriate should the Commission find that a violation has occurred.

III.BOND DURING PRESIDENTIAL REVIEW PERIOD

The Administrative Law Judge and the Commission must determine the amount of bond to be required of a respondent, pursuant to Section 337(j)(3), during the 60-day Presidential review period following the issuance of permanent relief, in the event that the Commission determines to issue a remedy. 19 C.F.R. § 210.42(a)(1)(ii). The purpose of the bond is to protect the complainant from any injury. 19 C.F.R § 210.50(a)(3).

When reliable price information is available, the Commission has often set the bond by eliminating the differential between the domestic product and the imported, infringing product. See Certain Microsphere Adhesives, Process for Making Same, and Products Containing Same, Including Self-Stick Repositionable Notes, Inv. No. 337-TA-366, Comm'n Op., at 24 (U.S.I.T.C., December 15, 1995). In circumstances where pricing information is unclear, or where variations in pricing make price comparisons complicated and difficult, the Commission typically has set a 100 percent bond. Id., at 24-25; Certain Digital Multimeters and Products with Multimeter Functionality, Inv. No. 337-TA-588, Comm'n Op., at 12-13 (U.S.I.T.C., June 3, 2008) (finding

100 percent bond where each respondent set its price differently, preventing clear differentials between complainant's products and the infringing imports). When a pricing comparison is impossible, it is also appropriate to set the bond based on a reasonable royalty. *Certain Digital Televisions and Certain Products Containing Same and Methods of Using Same*, Inv. No. 337-TA-617, Commission Opinion at 18 (U.S.I.T.C., April 23, 2009).

Murata argues that Samsung's data regarding pricing is too varied to calculate a differential and therefore a bond of 100% should be set. (CBr. at 149-150.) Samsung argues that Murata did not make any effort to calculate a price differential analysis and therefore bond should be set at zero. (RBr. at 150.) Staff, relying on a license agreement, argues that bond should be set at 2.5 percent of the entered value of the infringing accused products. (SBr. at 143-44.)

The license agreement Staff relies on, Exhibit 949C, is a license by AVX Corporation to Murata Manufacturing Co., Ltd. for an AVX patent in exchange for a lump sum payment of { } and { } percent of the net sales price of licensed capacitors. (RX-949C at AVX00000534-36.) Staff does not factor in, or account for, the lump sum payment, which may have affected the royalty rate of the licensed capacitors. It is further noted that because the Samsung capacitors sell for as little as { } or even less, such a royalty rate would do little to protect Murata from injury. The Administrative Law Judge declines to set a royalty rate so small that it would be necessary to calculate amounts smaller than thousandths of a penny. Also, the license here is not for the asserted patents or any of Murata's other patents, and therefore does not demonstrate Murata's commercial bargaining power with respect to its intellectual property. In the same vein, one example of a license agreement is not enough to show a general trend in the industry. Additionally, as noted above, the license includes an up front payment which casts

the royalty rate in doubt. Accordingly, the Administrative Law Judge declines to implement Staff's proposed form of bond.

Samsung's modules that incorporate Samsung's capacitors range in average price from { { (CFF 7.8 (undisputed in relevant part).) Average selling prices for Samsung capacitors for these modules include { } per unit (CFF 7.12 (undisputed)), { } per unit (CFF 7.16 (undisputed)), { } per unit (CFF 7.21 (undisputed)), { } per unit (CFF 7.25 } per unit (CFF 7.29 (undisputed)), { (undisputed), { } per unit (CFF 7.33 (undisputed)), and { } per unit (CFF 7.36 (undisputed)). Thus, known prices range at least between { } a significant variation in pricing. Even though Murata has not cited to any evidence regarding the pricing for its own domestic products in the briefing on bond, Murata previously identified with respect to economic domestic industry that these can be located in RX-58C, Exhibit 2. A review of the average pricing for Murata products shows prices ranging from { } per unit. (RX-58C, Ex. 2.) Just as with the Samsung products, the Murata products have a significant variation in average price, preventing clear differentials between Murata and Samsung's products. Therefore, the Administrative Law Judge recommends that a 100% bond would be appropriate.

Accordingly, the Administrative Law Judge recommends a bond of one hundred percent, including one hundred percent of each infringing Samsung capacitor found in Samsung's downstream products.

IV. CONCLUSION

In accordance with the discussion of the issues contained herein, it is the RECOMMENDED DETERMINATION of the Administrative Law Judge that in the event the Commission finds a violation of Section 337, the Commission should issue a limited exclusion

order directed to Respondents and all of their affiliated companies, parents, subsidiaries, or other related business entities, or their successors or assigns, and should apply to products that infringe the asserted claims of the '254, '309, and '229 patents, as well as Respondents' downstream products containing them. Should the Commission determine that a violation has occurred, the Administrative Law Judge recommends that the Commission issue a cease and desist order against Samsung Electro-Mechanics America, Inc. Furthermore, if the Commission imposes a remedy following a finding of violation, Respondents should be required to post a bond of a bond of one hundred percent of each infringing capacitor designated in the limited exclusion order imported during the Presidential review period. A bond of one hundred percent of each infringing capacitor contained in Respondents' downstream products should also be imposed.

Within seven days of the date of this document, each party shall submit to the office of the Administrative Law Judge a statement as to whether or not it seeks to have any portion of this document deleted from the public version. The parties' submissions must be made by hard copy by the aforementioned date.

Any party seeking to have any portion of this document deleted from the public version thereof must submit to this office a copy of this document with red brackets indicating any portion asserted to contain confidential business information by the aforementioned date. The parties' submission concerning the public version of this document need not be filed with the Commission Secretary.

SO ORDERED.

E James Gildea

Administrative Law Judge

APPENDIX A ACCUSED '254 PRODUCTS

UNITED STATES INTERNATIONAL TRADE COMMISSION WASHINGTON, D.C.

Before the Honorable E. James Gildea

In the Matter of	<i>;</i> ·			••	
CERTAIN CERAMIC C	APA	CIT	OR.	ŠΑ	NĎ
PRODUCTS CONTAIN	ING	SAN	Æ		

Investigation No. 337-TA-692

RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD.
& SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S FIRST SUPPLEMENTAL
RESPONSE TO COMPLAINANTS MURATA MANUFACTURING CO. LTD.-&
MURATA ELECTRONICS NORTH AMERICA INC.'S SECOND SET OF
INTERROGATORIES (65, 69-72, 76, 79, 80 AND 86)

Pursuant to Commission Rules of Practice and Procedure 210.27 and 210.29,
Respondents Samsung Electro-Mechanics Co. Ltd. and Samsung Electro-Mechanics America,
Inc. (collectively the "SEMCO Respondents") hereby provide their first supplemental responses
to Interrogatory Nos. 65, 69-72, 76, 79, 80 and 86 of the Second Set of Interrogatories of
Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.
(collectively "Murata" or "Complainants").

GENERAL OBJECTIONS

The following General Objections ("General Objections") apply to each interrogatory, whether or not separately repeated in each response:

1. The SEMCO Respondents object to each and every interrogatory to the extent that Complainants' "Definitions," "Instructions" and "Interrogatories" purport to impose burdens on the SEMCO Respondents that are inconsistent with, or not otherwise authorized by, the applicable rules of the International Trade Commission ("ITC") and/or the orders and Ground Rules of the Honorable E. James Gildea, the Administrative Law Judge assigned to this

ATTACHMENT C

model	composition
CL01Y105MR5NLN	COMPOSITION
CL01Y474MR5NLN	
CL02B101KP2NNN	-
CL02B221KP2NNN	
CL02B331KP2NNN	
CL03A103KP3NNK	
CL03A103KP3NNN	
CL03B102KA3NNN	- . ·
CL03B102KO3NNN	
CL03B103KP3NNN	12. 12th
CL03B103KQ3NNN CL03B103MP3NNN	
000001001111 01111111	
CL03B151KO3NNN	
CL03B221KO3NNN	
CL03B222KP3NNN	
CL03B271KO3NNN	_
CL03B331KA3NNN	
CL03B331KO3NNN	
CL03B332KP3NNN	
CL03B471KO3NNK	
CL03B471KO3NNN	
CL03B472KP3NNN	_
CL03B472KQ3NNN	
CL03B561KO3NNN	
CL03B682KP3NNN	
CL03B682KQ3NNN	
CL03B821KO3NNN	
CL05A104KA5NNN	
CL05A154KP5NNN	
CL05A223KO5NNN	
CL05A224KP5NNN	
CL05A224KQ5NNN	
CL05A224MP5NNN	
CL05A224MQ5NNN	
CL05A823KP5NNN	
CL05B102JB5NNN	
CL05B102KB5NCN	
CL05B102KB5NFN	
CL05B102KB5NNN	_ 4
CL05B102KB5NNP	
CL05B102KO5NNN	
CL05B103JB5NNN	
CL05B103JO5NNN	
CL05B103KA5NCN	
CL05B103KA5NNN	<u> </u>
CL05B103KB5NFN	
CL05B103KB5NNN	
CL05B103KO5NNN	그
CL05B103KO5NNP	
CL05B103KP5NNN	
CL05B104JO5NNN	
CL05B104JP5NNN	
CL05B104KO5NFN	
10 to	

Allachment C

CL05B104KO5NNN	
CL05B104KP5NNN	
CL05B104KP5NNP	
CL05B104KQ5NNN	
CL05B104MP5NNN	
CL05B122KB5NNN	<u> </u>
CL05B123KO5NNN	<u> </u>
CL05B152JB5NNN	<u> </u>
CL05B152KA5NNN	<u> </u>
CL05B152KB5NNN	
CL05B153KA5NNN	
CL05B153KO5NNN	
CL05B181KB5NNN	
CL05B182KB5NNN	<u> </u>
CL05B221JB5NNN	<u> </u>
CL05B221KB5NNN	
CL05B222JB5NNN	<u> </u>
CL05B222KB5NNN	
CL05B222KB5NNP	
CL05B223JO5NNN	
CL05B223KA5NNN	
CL05B223KO5NNN	
CL05B223MO5NNN	
CL05B224KO5NNN	
CL05B271KB5NNN	
CL05B272KB5NNN	
CL05B273KO5NNN	
CL05B301KB5NNN	
CL05B331JB5NNN	
CL05B331KB5NNN	
CL05B332JA5NNN	
CL05B332JB5NNN	
.CL05B332KA5NNN	
CL05B332KB5NCN	
CL05B332KB5NNN	
CL05B333KO5NNN	
CL05B333KP5NNN	
CL05B333MO5NNN	
CL05B391JB5NNN	
CL05B391KB5NNN	
CL05B392KB5NNN	
CL05B393KO5NNN	
CL05B393KP5NNN	
CL05B471JB5NNN	
CL05B471KB5NNN	
CL05B471KB5NNP	
CL05B472JB5NNN	
CL05B472KA5NNN	
CL05B472KB5NNN	
CL05B473KO5NNN	
CL05B473KP5NNN	
CL05B473MO5NNN	
CL05B561JB5NNN	-
CL05B561KB5NNN	
CL05B562KA5NNN	

CL05B562KB5NNN	
CL05B563KO5NNN	
CL05B563KP5NNN	
CL05B681KB5NNN	
CL05B682JB5NNN	
CL05B682KA5NNN	
CL05B682KB5NNN	–
CL05B683KO5NNN	
CL05B683KP5NNN	
CL05B821KB5NNN	
CL05B822KA5NNN	_
CL05B822KB5NNN	
CL05B822KO5NNN	
CL05B823KO5NNN	
CL05B823KP5NNN	<u> </u>
CL05J104KP5NNN	-
CL05J105KP5N3N	
CL05J105KP5NNN	-
CL05J105KQ5NNN	
CL10A105KO8NNN	
CL10A105KP8NNN	
CL10A105KQ8NNN	<u> </u>
CL10A105KQ8NNP	
CL10A105MO8NNN	
CL10A105MQ8NNN	
CL10A224KA8NNN	
CL10A224KA6NNN CL10A224KP8NNN	
CL10A474KA8NNK	-
· CL10A474KOBNNN	
CL10A474KOBNNN	
CL10B101KB8NNN	· -
CL10B101/CBININ	-
CL10B102JB8NNN	
CL10B102388NNN	
CL10B102KB8NCN	
CL10B102KB8NDN	
The second secon	
CL10B102KB8NFN	
CL10B102KB8NNN CL10B102KB8NNP	
CL10B102KC8NNN	
CL10B102MB6NXN	. —
CL10B102MB8NNN	-
CL10B103JB8NNN	-
CL10B103KA8NNN	
CL10B103KB8NCN	-
CL10B103KB8NDN	
CL10B103KB8NNN	
CL10B103KC8NNN	
CL10B103MB6NXN	_
CL10B103MB8NNN	
CL10B104JB8NNN	
CL10B104JO8NNN	
CL10B104KA8NFN	
CL10B104KA8NNN	
CL10B104KB8NDN	L

CL108104KB8NFN		\neg
CL10B104KB8NNN		
CL10B104KO8NFN		
CL10B104KO8NNN		\neg
CL10B104KO8NNP		\dashv
CL10B104MA8NNN		\neg
CL10B104MB6NXN	-	-
CL10B104MB8NNN	-	
CL10B104MO8NNN		-
		\dashv
CL10B105KA8NFN		\dashv
CL10B105KA8NNN	_	-
CL10B105KO8NFN		
CL10B105KO8NNN		
CL10B105KP8NFN		_
CL10B105KP8NNN		_
CL10B105KQ8NNN		
CL10B122KB8NNN		
CL10B123KA8NNN		\Box
CL10B123KB8NNN		\Box
CL10B124KO8NNN		\Box
CL10B151KB8NNN		
CL10B152JB8NNN.		
CL10B152KB8NDN		
CL10B152KB8NNN		
CL10B153JB8NNN		
CL10B153KA8NNN	-	
CL10B153KB8NFN		
CL10B153KB8NNN		\neg
CL10B153KO8NNN		
CL10B154K08NNN		
CL10B154KP8NNN		\neg
CL10B181KB8NNN		\neg
CL10B182KB8NNN		\neg
.CL10B183JB8NNN		\neg
CL10B183KA8NNN		7
CL10B183KB8NNN		
CL10B201KB8NNN		\neg
CL10B202KB8NNN		_
CL10B203KB8NNN		7
CL10B221JB8NNN		7
CL10B221KB8NDN		-
CL10B221KB8NNN		-
CL10B221RB6NNN		-
CL10B2223B8NNN CL10B222KB8NDN		+
CL10B222KB8NFN	 	+
CL10B222KB8NNN		\dashv
		-
		-
CL10B223JB8NNN		\dashv
CL10B223KA8NNN		\dashv
CL10B223KB8NDN		\dashv
CL10B223KB8NFN	<u> </u>	\dashv
CL10B223KB8NNN		-
CL10B223KO8NNN	 	+
CL10B223MB6NXN	<u>. </u>	4

CL10B224KA8NFN	
CL10B224KA8NNN	
CL10B224KO8NFN	
CL10B224KO8NNN	
CL10B224KP8NNN	
CL10B224MO6NXN	
CL10B224MO8NNN	
CL10B224MQ6NXN	
CL10B225KQ8NNN	
CL10B242KB8NNN	
CL10B271KB8NDN	
CL10B271KB8NNN	
CL10B272JB8NNN	
CL10B272KB8NNN	
CL10B273JB8NNN	
CL10B273KABNNN	
CL108273KB8NNN	
CL10B273KO8NNN	
CL10B331JB8NNN	
CL10B331KB8NDN	
CL10B331KB8NNN	
CL10B332JB8NNN	
CL10B332KB8NFN	
CL10B332KB8NNN	
CL10B333JB8NNN	
CL10B333KA8NNN	-
CL10B333KB8NDN	
CL10B333KB8NNN	
CL10B333KO8NNN	
CL10B334KO8NNN	
CL10B334KP8NNN	
CL10B391KB8NNN	
CL10B392KB8NNN	
CL10B393KA8NNN	
CL10B393KB8NNN	
CL10B393KO8NNN	
CL10B471JB8NNN	
CL10B471KB8NDN	
CL10B471KB8NNN	
CL10B472JB8NNN	
CL:10B472KA8NNN	
CL10B472KB8NDN	
CL10B472KB8NFN	
CL10B472KB8NNN	
CL10B472MB6NXN	
CL10B472MB8NNN	
CL10B472MC6NXN	
CL10B473KA8NFN	
CL10B473KA8NNN	
CL10B473KB8NFN	
CL10B473KB8NNN	
CL10B473KO8NNN	
CL10B473MB6NXN	
CL10B474KA8NFN	
CL10B474KA8NNN	

CL10B474KO8NFN	
· CL10B474KO8NNN	
CL10B474KP8NNN	
CL10B474KQ8NNN	
CL10B474MO8NNN	
CL10B511KB8NNN	
CL10B561JB8NNN	
CL10B561KB8NNN	
CL10B562KB8NDN	
CL10B562KB8NNN	·
CL10B562MB8NNN	
CL10B563KA8NNN	
CL10B563KB8NNN	
CL10B563KO8NNN	T I
CL10B681JB8NNN	
CL10B681KB8NDN	
CL10B681KB8NNN	
CL10B682JB8NNN	T
CL10B682KB8NDN	T
CL10B682KB8NNN	T
CL10B683KA8NNN	T
CL10B683KB8NNN	T
CL10B683KO8NNN	T
CL10B684KQ8NNN	T
CL10B751KB8NNN	T
CL10B821KB8NNN	T 7
CL10B822KB8NDN	T 7
CL10B822KB8NNN	T 7
CL10B823KA8NNN	T 7
CL10B823KB8NNN	T 7
CL10B823KO8NNN	
· CL10J104KA8NNN	
CL10J104KO8NNN	T
CL10J105KA8N3N	T 7
CL10J105KA8NNN	
CL10J105KO8N3N	
CL10J105KP8N3N	T
CL10J225KO8N3N	
CL10J225KP8N3N	
CL10J225KQ8N3N	
CL10J475KP8N3N	
CL10J475KQ8N3N	
CL10J475KQ8NNN	
CL10X105MQ8NNN	
CL10Y104MR5NJN	
CL10Y105MR5NJN	
CL10Y474MR5NJN	
CL11B105MODNNN	
CL14A104KO6NAK	
CL14A333KO6NAK	
CL21A105KOFNNN	
CL21A105MOCNAN	
CL21A106KOFN3N	
CL21A106KQQN3N	<u>L.</u>
CL21A225KPFNNN	

·	
.CL21A225KQFNNN	
CL21A225MQFNNN	
CL21A475MQFNNN	Γ –
CL21A684KOFNNN	
CL21B102JBANNN	-
CL21B102JCANNN	_
CL21B102KAANNN	_
CL21B102KBANNN	-
CL21B102KBCNNN	
CL21B102KCANNN	<u> </u>
CL21B102KDCNFN	-
CL21B102KDCNNN	
CL21B103JBANNN	
CL21B103JBCNNN	<u> </u>
CL21B103KAANNN	
CL21B103KBANDN	
CL21B103KBANFN	
CL21B103KBANNN	L _
CL21B103KBCNNN	
CL21B103KCANNN	
CL21B103KDCNNN	
CL21B103MBANNN	
CL21B104JBCNNN	Π
CL21B104KACNNN	
CL21B104KAFNNN	
CL21B104KBCNFN	–
CL21B104KBCNNN	<u> </u>
CL21B104KBFNNN	
CL21B104KOANNN	
CL21B104MACNNN	
CL21B104MBCNNN	
CL21B104MO5NJN	-
CL21B104MOCNBN	- -
CL21B105KAFNFN	-
CL21B105KAFNNN	├
CL21B105KBFNFN	
CL21B105KBFNNN	<u> </u>
CL21B105KOFNFN	
CL21B105KOFNNN	-
CL21B105KPFNNN	<u> </u>
CL21B106KPQNFN	-
CL21B106KPQNNN	<u> </u>
CL21B106KQQNFN	├ -
CL21B106KQQNNN	
CL21B122KBANNN	
CL21B123JBANNN	
CL21B123KBANNN	
CL21B124JACNNN	
CL21B124KACNNN	
CL21B124KBFNNN	
CL21B151KBANNN	
CL21B152KBANNN	
CL21B152KCANNN	
CL21B153JBANNN	_ 7
CL21B153KBANFN	

CL21B153KBANNN		
CL21B153KCCNNN		
CL21B153KOANNN		
CL21B154KACNNN	_	
CL21B154KAFNNN		
CL21B154KBFNNN	_	
CL21B154KOANNN	-	
CL21B155KAFNNN		_
CL21B181KBANNN	-	-
CL21B182KBÁNNN	-	
CL21B182KDCNNN		-
CL21B183KBANFN	-	-
CL21B183KBANNN	-	
CL21B183KCFNNN		-
CL21B184KOANNN	-	-
CL21B201KBANNN	-	-
CL21B202KBANNN	-	
CL21B203KBANNN		-
CL21B221KBANNN		
CL21B221KCANNN	***************************************	-
CL21B221KDCNNN		-
CL21B222JBANNN		-
CL21B222KBANFN	,	-
CL21B222KBANNN		\dashv
CL21B222KBCNNN		_
CL21B222KCANNN		
CL21B222KDCNNN		
CL21B222MBANNN	_	
CL21B223JBANNN		
CL21B223KBANON		-
CL21B223KBANFN		
CL21B223KBANNN		
CL21B223KBCNNN		\neg
CL21B223KCFNNN		\neg
CL21B224JAFNNN		\dashv
CL21B224KAFNNN		
CL21B224KBFNFN	_	-
CL21B224KBFNNN		-
CL21B224KOCNNJ		\dashv
CL21B224KOCNNN		
CL21B224KOFNNN		
CL21B225KAFNNN		
CL21B225KOFNFN		
CL21B225KOFNNN		
CL21B225KPFNNN		
CL21B225MOFNNN		
CL21B271KBANNN		\dashv
CL21B271KCANNN		\neg
CL21B272KBANNN		\neg
CL21B273KBANNN		-
CL21B273KCFNNN		\dashv
CL21B274KAFNNN		
CL21B274KOCNNN		-
CL21B301KBANNN		\neg
CL21B331KBANNN		\neg

CL21B332JBANNN		
CL21B332KBANFN		
CL21B332KBANNN		
CL21B333JBANNN		
CL21B333KBANFN		
CL21B333KBANNN		
CL21B334KAFNNN		
CL21B334KBFNFN		
CL21B334KBFNNN		
CL21B334KOCNNN		
. CL21B391JBANNN		
CL21B391KBANNN		ļ.,
CL21B392KBANNN		
CL21B393KBANNN		
CL21B471JBANNN		
CL21B471KBANNN		
CL21B471KCANNN		
CL21B471KDCNNN		
CL21B471MBCNBN		
CL21B472JBANNN		
CL21B472KBANNN		i
CL21B472KCANNN		
CL21B472KDCNNN		
CL21B473JBCNNN		
CL21B473KAANNN		
CL218473KBANNN		
CL21B473KBCNFN		
CL21B473KBCNNN		
CL21B473KCFNNN		
CL21B473MBCNNN		ĺ
CL21B474JAFNNN		
CL21B474KAFNFN		
CL21B474KAFNNN		
CL21B474KBFNNN		
CL21B474KOFNNN		
CL21B474MQ5NJN		i
CL21B475KQQNNN	<u> </u>	
CL21B511KBANNN		
CL21B561KBANNN CL21B562KBANNN		
CL21B563KBCNNN	<u> </u>	
CL21B681KBANNN		
CL21B682JBANNN		i
CL21B682KBANNN		
CL21B682KCANNN		
CL21B683KAANNN		
CL21B683KBCNEN		
CL21B683KBCNNN		l
CL21B683KBFNNN		
CL21B684KOFNFN		
CL21B684KOFNNN	-	
CL21B684KPFNNN		
CL21B821KBANNN		
CL21B822KBANNN		
CL21B823KBCNNN		

CL21B823KBFNNN	
CL21J105KOFN3N	
CL21J106KOFN3N	_
CL21J106KPFN3N	
CL21J106KQFN3N	
CL21J225KAFN3N	
CL21J226MQQNNN	
CL21J475KAFN3N	
CL21J475KOFN3N	
CL21J475KPFN3N	
CL21J475KQFN3N	
CL21Y225MR5NJN	
CL31A106KPHNNN	
CL31A106MPHNNN	
CL31A106MQHNNN	
CL31A106MQHNON	
CL31A225KAHNNN	
CL31A225KOHNNN	
CL31A226MQCLNN	
CL31A335KOHNNN	
CL31A335KPHNNN	
CL31A335KQHNNN	
CL31A475KOELON	
CL31A475KOHNNN	
CL31A475KPHNNN	
CL31A475MOHNNN	-
CL31B102KBCNNN	_
CL31B102KCCNNN	
CL31B102KDCNNN	
CL31B102KGFNFN	
CL31B102KGFNNN	_
CL31B102KHFNFN	
CL31B102KHFNNN	
CL31B102KIFNFN	-
CL31B102KIFNNN	
CL31B102KJHNNN	
CL31B103JBCNNN	
CL31B103KBCNNN	
CL31B103KCCNNN	
CL31B103KDCNNN	
CL31B103KGFNNN	
CL31B103KHFNFN	_
CL31B103KHFNNN	
CL31B103MBCNNN	_
CL31B104JBCNNN	
CL31B104KACNBN	
CL31B104KACNNN	
CL31B104KBCNFN	
CL31B104KBCNNN	
CL31B104KCFNNN	
CL31B104KDHNNN	- 1
CL31B104KEHNNN	
CL31B104MBCNNN	_
CL31B105JAHNNN	
CL31B105KAHNFN	_ 1
,	

PUBLIC VERSION

CL31B105KAHNNN	
CL31B105KAPLNN	
CL31B105KBHNFN	
CL31B105KBHNNJ	\neg
CL31B105KBHNNN	
CL31B105KCHNNN	
CL31B105KOFNNN	
CL31B105MOFNNN	
CL31B106KAHNFN	
CL31B106KAHNNN	
CL31B106KOHNFN	
CL31B106KOHNNN	
CL31B106KPHNNN	
CL31B106KQHNFN	
CL318106KQHNNN	
CL31B106MQHNNN	
CL31B123KBCNNN	
CL31B124KBCNNN	
CL31B125KPCNNN	
CL31B152KBCNNN	
CL31B152KGFNNN	
CL31B153JBCNNN	
CL31B153KBCNNN	
CL31B153KCCNNN	
CL31B153MBCNBN	
CL31B154KBCNNN	-
CL31B154KCHNNN.	\dashv
CL31B155KOFNNN	
CL31B221KBCNNN CL31B221KGFNNN	
CL31B222JBCNNN	
CL31B222KBCNNN	-
CL31B222KCCNNN	-
CL31B222KDCNNN	-
CL31B222KGFNFN	_
CL31B222KGFNNN	
CL31B222KIFNNN	
CL31B222MGFNNN	
CL31B223JBCNNN	
CL31B223KBCNNN	
CL31B223KCCNNN	
CL31B223KDCNNN	
CL31B224JBFNNN	
CL31B224KACNNN	\neg
CL31B224KBFNFN	\neg
CL31B224KBFNNN	\neg
CL31B225KAHNFN	\neg
CL31B225KAHNNN	-
CL31B225KBHNFN	-1
CL31B225KBHNNN	
CL31B225KOHNNN	-
CL31B225KPENNN	-
CL31B225KPFNNN	\dashv
CL31B225MOHNNN	
I OLD IGZZDINOI IIVININ	

PUBLIC VERSION

CL31B225MPENNN	
CL31B225MPFNNN	<u> </u>
CL31B272KBCNNN	<u> </u>
CL31B274KBFNNN	_
CL31B331KBCNNN	
CL31B331KHFNNN	F
CL31B332KBCNNN	
CL31B332KCCNNN	 -
CL31B332KGFNNN	-
CL31B333JBCNNN	-
. CL31B333KBCNNN	_
	<u>-</u>
CL31B333KCCNNN .	<u></u>
CL31B333KDFNNN	
CL31B333KGHNNN	
CL31B334JACNNN	
CL31B334JBFNNN	
CL31B334KACNNN	
CL31B334KBFNNN	
CL31B334KOCNNN	
CL31B334MACNNN	<u> </u>
CL31B335KOHNNN	
CL31B391JBCNNN	
CL31B394KACNNN	
CL31B471KBCNNN	
CL31B471KDCNNN	
CL31B471KGFNNN	
CL31B472KBCNNN	
CL31B472KGFNNN	
CL31B473JBCNNN	
CL31B473KBCNNN	
CL31B473KCCNNN	
CL31B473KDFNNN	-
CL31B473KEHNNN	- -
CL31B473MACNBN	- -
CL31B474KAFNNN	
CL31B474KBHNNN	
CL31B474KOCNNN	
CL31B474KOPSFN	
CL31B475KAHNFN	
CL31B475KAHNNN	_
CL31B475KOELNN	- -
CL31B475KOHNFN	
CL31B475KOHNNN	<u> </u>
CL31B475KPHNNN	-
CL31B561KBCNNN	<u> </u>
CL31B562KBCNNN	_
CL31B681KBCNNN	<u> </u>
CL31B681KGFNNN	
CL31B681KIFNNN	
CL31B682KBCNNN	
CL31B682KGFNNN	
CL31B683KBCNNN CL31B684KAHNNN	
	-
CL31B684KBHNNN	
CL31B684KOCNNN	<u> </u>

PUBLIC VERSION

CL31B685KQHNNN	T
CL31B822KBCNNN	T -
CL31B822KGFNNN	
CL31B823KBCNNN	
CL32A106KAJNNN	-
CL32A106KOJNNN	 -
	-
CL32A106KPINNN	-
CL32A106MOJNNN	
CL32A107MQVNFN	
CL32B102KJFNNN	<u> </u>
CL32B103KGFNNN	
CL32B104KBFNNN	Ļ <u> </u>
CL32B104KCFNNN	
CL32B104KEJNNN	
CL32B105KAFNNN	
CL32B105KBHNNN	
CL32B105KCJNNN	T ===
CL32B106KAJNFN	T -
CL32B106KAJNNN	–
CL32B106KAULNN	<u></u>
CL32B106KLULNN	-
CL32B106KOJNNN	-
CL32B106KPINFN	 -
CL32B106KPINNN	- -
CL32B154KBFNNN	<u> </u>
CL32B154KCFNNN	<u> </u>
CL32B223KGFNNN	-
CL32B224KBFNNN	
CL32B224KCHNNN	
CL32B225KAINNN	
CL32B225KBJNNN	
CL32B226KOJNFN	
CL32B226KOJNNN	
CL32B226MOJNNN 1	
CL32B226MQJNNN	<u> </u>
CL32B334KBFNNN	
CL32B334KCHNNN	
CL32B473KEHNNN	
CL32B474JBFNNN	
CL32B474KAFNNN	
CL32B474KBFNNN	
CL32B474KCJNNN	_
CL32B475KAJNNN	_
CL32B475KBUYNN	
CL32B475KOINNN	
CL42B102KJFNNN	
CL43B102KJFNNN	├ -
CL43B102KJFNNN	
CL43B103KIFNINN CL43B104KCFNNN	-
CL43B104KDFNNN	
CL43B104KGINNN	
CL43B105KBFNNN	·
CL43B105KCJNNN	· -
CL43B106KALNNN	
しし イスロフラスド (こだりが)	

PUBLIC VERSION .

		_	
CL43B224KBFNNN			
CL43B226KPJNNN			
CL43B274KCFNNN			
CL43B334KBFNNN		·-	
CL43B334KCFNNN			
CL43B474KBFNNN			
CL43B474KCHNNN			
CL43B684KBFNNN			
CL43B824KCJNNN			
CL55B105KBINNN	_		
CL55B105KCHNNN		and the second of the second o	
CL55B475KBJNNN		CARPETER PROPERTY OF THE COLUMN TWO COLUMN TWO COLUMN TO COLUMN TO COLUMN THE COLUMN TWO COLUMN TO COLUMN THE COLUMN TWO COLUMN THE	
CL55B475KCJNNN			

APPENDIX B EXHIBIT LISTS

UNITED STATES INTERNATIONAL TRADE COMMISSION WASHINGTON, D.C.

Before the Honorable E. James Gildea Administrative Law Judge

IN THE MATTER OF

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

Investigation No. 337-TA-692

COMPLAINANTS' CORRECTED FINAL EXHIBIT LIST

In accordance with Order No. 55, Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc. (collectively, "Murata") hereby submit the following Corrected Final Complainants' Exhibit List.

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

						· · · · · · · · · · · · · · · · · · ·		
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Admitted	Admitted	Withdrawn	Withdrawn	Admitted	Admitted
Purpose	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of domestic Ulrich / Burn / Industry w/r/t Tech. Kawaguchi/Kub Prong for the '229 odera	Evidence of domestic industry w/r/t Tech. Prong for the '309 patent
Sponsoring Witness	Ulrich	Uirich	Burn	Burn	Uirich	Ulrich	Ulrich / Burn / Kawaguchi/Kub odera	Ulrich / Burn / Kubodera/Kaw aguchi
Description & Title	Certified translation of JP 9-306717; priority application for '229 patent (withdrawn as duplicate of JX-24)	Certified translation of JP 11-370803; priority application for '229 patent (withdrawn as duplicate of JX-23)	Certified translation of JP 10- 227202; priority application for '254 patent (withdrawn as duplicate of JX-25)	Certified translation of JP 10- 227203; priority application for '254 patent (withdrawn as duplicate of JX-26)	Certified translation of JP 9-135823; priority application for '309 patent (withdrawn as duplicate of JX-13)	Certified translation of JP 11- 202039; priority application for '439 patent (withdrawn as duplicate of JX-27)	List of Murata ceramic capacitor products that practice one or more claims of the '229 patent	List of Murata ceramic capacitor products that practice one or more claims of the '309 patent
Date	11/10/1997	12/27/1999	8/11/1998	8/11/1998	5/9/1997	7/15/1999	3/19/2010	3/19/2010
Ending Bates	·						MM_302009	MM_302394
Beginning Bates		Exh. 4 to '229 Ulrich Rebuttal Expert Report			Exh. 1 to '309 Ulrich Rebuttal Expert Report	Exh. 4 to '439 Ulrich Rebuttal Expert Report	MM_301962	MM_302359
CX No.	CX 4	CX-2	cx-3	CX-4		9 X > 0	CX-7C	CX-8C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	1								٦								····							Ī	***********	-		
	Admitted/ Withdrawn/ Rejected	,				Withdrawn			Withdrawn			Withdrawn							Withdrawn					Withdrawn				Withdrawn
	Purpose	Evidence of domestic industry w/r/t Tech.	Prong for the '439	patent; Evidence of	Murata's practice of the	'439 patent	Evidence of domestic	industry re economic	prong	Evidence of domestic	industry re economic	prong	Evidence of Secondary	obviousnoss ro '054	1229, 1309, 1439 patents.	commercial success;	Evidence of domestic	industry, economic	prong	Evidence of Secondary	Indicia of Non-	obviousness re '254,	['229, '309, '439 patents,	commercial success	Evidence of Secondary	Indicia of Non-	obviousness re '254,	commercial success
	Sponsoring Witness			Ulrich / Burn /	Kubodera/Kaw	aguchi	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder				Burn / Ulrich /	Kubota /	McHargue /	Wilder		Burn / Ulrich /	Kubota /	McHargue /	Wilder		Burn / Ulrich /	Kubota /	McHargue / Wilder
	Description & Title	List of Murata ceramic	capacitor products that	practice one or more claims	of the '439 patent; Murata DI	Practice spreadsheets	Spreadsheet of MENA	expenses for fiscal years	2006 thru 2008		Examples of MENA	Marketing and Promotion					Murata's Summary and	Outlook for Capacitors, by	Mark Waugh of MENA			2009 Capacitor Market	Summary and Outlook, by	Mark Waugh of MENA			Macquarie Research	Equities: Electronic components
	Date					3/19/2010			11/17/2009			2006-2009						Jan/Feb	2008				eb	2009				
	Ending Bates					MM_302358			MM 001690			MM_301535			·				MM 027160					MM 027205				SEMCO00314496 3/21/2006
**	Beginning Bates					MM_302124			MM 001678	:		MM_301324					-		MM_027158					MM_027161				SEMCO00314429
	CX No.					CX-9C			CX-10C			CX-11C		-					CX-12C					CX-13C				CX-14C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn	Admitted	Withdrawn
A W Furpose	ndary 154, ess; estic hnical ongs	Evidence of secondary Indicia of Non-obviousness re '254, commercial success; Evidence of domestic industry w/r/t Technical and Economic Prongs for the '254 patent	Evidence of secondary Indicia of Non-obviousness re '254, commercial success; Evidence of domestic industry w/r/t Technical and Economic Prongs for the '254 patent	dary 4, ss; stic nical
Sponsoring Witness	Evir Indi obv con Burn / Sano / Evir Kubota / indi McHargue / and	Evir Indi obv con Burn / Sano / Evir Kubota / indu McHargue / and	Evir Indi obv con Evir Evir Indi and	Evic Indi obv con con Evic indi and
Description & Title	Spreadsheet of Murata Domestic Industry products for the '254 patent and sales data thereof	Spreadsheet of Murata Domestic Industry products for the '254 patent and sales data thereof	Set of data that correlates dielectric material codes to part numbers; chronology of development efforts at Murata	Murata's Preliminary List of Murata Ceramic Capacitor Products that Practice One or More Claims of the '254 Patent
Date	8 1 1 1 4/20/2010	4/22/2010 c	8 8 9 6 6 7 7 7 7 8	M N N N N N N N N N N N N N N N N N N N
Ending Bates	MM_302650	MM_304944		
Beginning Bates	MM_302639	MM_304531	Sano Deposition Ex. 3	Sano Deposition Ex. 4
DX No.	CX-15C	CX-16C	SX-17C	CX-18C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/	Rejected						Withdrawn										Admitted					-	-	Admitted	-	-				Admitted	2011					Withdrawn	411111111111111111111111111111111111111
	Purpose	Evidence of Secondary	Indicia of Non-	obviousness re patents-	In-suit, SEMCO'S	copying of the	inventions of the natents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit;	Evidence of SEMCO's	infringement of the '254	patent	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re '254	patent, SEMCO's	copying of the	inventions of the '254	Evidence of Secondary	Indicia of Non-	obviousness re '254	patent, SEMCO's	copying of the	inventions of the '254	paralit
Sponsoring	Witness			-		Ulrich / Burn /	Youn, Hyuk- Joon							Ulrich / Burn /	Yoon, Seock-	Hyun / Lee,	Sang Kyun					Ulrich / Burn /	Yoon, Seock-	Hyun		-				Burn / Youn, Hark, loop	ilogo voći i			-		Burn / SEMCO	Williass
	Description & Title			,		List of documents related to	Studies on Murata's MLCCs										Problem Patent Review					Presentation re Y. Sakabe's	Thesis, prepared by Suk	Hyun Yoon					Technological Analysis	(Focusing on muRata Line-	(Recommended)			Spreadsheet showing	chemical composition	calculations and listing patentl Burn / SEMCO	Significan
, 1	Date						2/24/2010										1/25/2006						,	no date						of cho						no data	ונו ממני
	Ending Bales						SEMCO02308918									i	SEMCO00050878						1	SEMC001229308	-					SEMCOOOD3989	200000000000000000000000000000000000000					SEMCODONZADA	
	Beginning Bates						SEMCO02308913										SEMCO00050837							SEMCO01229283						SEMCOOOO3983						SEMCOUNTANAN	OEMICCOCC CCC
7.70	CX No.						CX-19C										CX-20C							CX-21C						CX-22C						CX-23C	٦

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admilted/ Withdrawn/ Rejected		-		10 to						Admitted				- 1.14.41			Withdrawn		***************************************					Withdrawn				Withdrawn			Withdrawn
W. W. Furpose	Evidence of Secondary Indicia of Non-	obviousness re '254 patent, SEMCO's	copying of the	inventions of the '254		Evidence of Secondary Indicia of Non-	obviousness re '254	patent, SEMCO's	copying of the	inventions of the '254 patent	Evidence of Secondary	Indicia of Non-	obviousness re '254	patent, SEMCO's	copying of the	ons of the '254	4	Evidence of Secondary	Indicia of Non-	obviousness re '254	patent; evidence re	proper claim	ction re the '254	patent	viderice of Secondary	Indicia of Non-	sness re '254	4	Evidence of Secondary	obviousness re '254	
Sponsoring Witness	<u> </u>	<u>o a</u>	*******	Burn / Cho, lir	1	<u> </u>	0			Burn / Cho, ir Joon Yeob p			0	<u>a</u>		E WCO	witness	Ш		<u>o</u>	<u>a</u>	<u>a.</u>		Bum	ш.			Burn	ш.=	= C	Burn
Description & Title			Work Report of Material	Development	Gloup/Corribosition Leann	-			Complete DR Report Data,	MLCC 150nm or under BCT powder				SEMCO design review	document re Barium Calcium	Itanate dielectric material	and citing "M" company					-		U.S. Pat. No. 6,051,516				U.S. Pat. No. 5,801,111	No 5 818 686	(withdrawn as duplicate of	
 Date				5/23/2006	T					6/29/2006							3/11/2004							4/18/2000				9/1/1998			
Ending Bates				SEMCOOD827819						SEMCO00249066						000000000000000000000000000000000000000	SEMCO02238563							MM 001677			070700	MM UUTOTS			SEMCO00566825 10/6/1998
Beginning Bates				SEMCO00627613	SEINICONOST O I S				•	SEMCO00249004				-		000000000000000000000000000000000000000	SEMCO02238562	-						MM 001620	-		0,000	MM UUTOTU	e sg th		SEMCO00566810
CX No.				CX-24C	T					CX-25C							CX-79C							CX-5/				CY-78			CX 29

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn		:		Admitted		Admitted
Purpose	Evidence of Secondary Indicia of Non- obviousness re '254 patent	Evidence of Secondary Indicia of Non- obviousness re '254 patent	Evidence of Secondary Indicia of Non- obviousness re '229	patent, commercial success; Evidence of SEMCO's infringement	of the '229 patent; Evidence of Secondary Indicia of Non-	obviousness, SEMCO's copying of the inventions of the patents-in-suit	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '229 patent; Evidence of Secondary Indicia of Non-obviousness re '229 patent, commercial	snccess
Sponsoring Witness	Burn	Burn			-	Ulrich / Burn / obviousness, s Wi, Song Kwon copying of the / Lee, Byoung inventions of the Hwa	Ulrich / Bum / Kawaguchi / Kubota / McHarque /	Wilder
Description & Title	U.S. Pat. No. 5,742,473 (withdrawn as duplicate of RX-0390)	U.S. Pat. No. 5,734,545 (withdrawn as duplicate of RX-0806)				Design of Low ESL MLCC with controlled ESR for High Frequency Decoupling	Spreadsheet of Murata Domestic Industry products for the '229 patent and sales	data thereof
 Dafe	4/21/1998	3/31/1998				no date		no date
Ending Bates	SEMCO00566345 4/21/1998	SEMCO00566317				SEMCO00078064		MM_302590
Beginning Bates	SEMCO00566333	SEMCO00566305				SEMCO00078051		MM_302589
CX No.	CX 30	CX-34				CX-32C	***************************************	CX-33C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-892 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '229 patent; Evidence of Secondary Indicia of Non-obviousness re '229 patent, commercial success	Evidence of Secondary Indicia of Non- obviousness re '229 patent, SEMCO's copying of the inventions of the '229	Evidence of Secondary Indicia of Non- obviousness re '229 patent, SEMCO's copying of the inventions of the '229 patent	Evidence of Secondary Indicia of Non-obviousness re '229 patent, SEMCO's copying of the inventions of the '229 patent
Sponsoring Witness	Ulrich / Burn / Kawaguchi / Kubota / McHargue / Wilder	Ulrich / Burn / SEMCO witness	Ulrich / Burn / SEMCO witness	Ulrich / Burn / SEMCO witness
Description & Title	ts les	SEMCO analysis of compelitors' patents, including Murata '229 patent	Spreadsheet listing and analyzing multiple non- SEMCO patents	SEMCO analysis of competitors' patents, including Murata '229 patent [withdrawn because SEMCO 00314663 is duplicative of SEMCO00128249 (CX-248)]
Date	no date	8/16/2004	no date	8/16/2004
Ending Bates	MM 302682	8282	SEMCO00078876 no date	SEMCO00314696
Beginning Bates	MM 302651	SFMCO00128249	SEMCO00078829	SEMCO00314663
CX No.	CX-34C	CX.35C	CX-36C	CX 37C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted
Purpose	Evidence of SEMCO's infringement of the '229 patent; Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the patents-in-suit	Evidence of Secondary Indicia of Non- obviousness re '229 patent, long-felt need	Evidence of Secondary Indicia of Non- obviousness re '229 patent, Iong-felt need	Evidence of Secondary Indicia of Non- obviousness re '229 patent, long-felt need	Evidence of Secondary Indicia of Non- obviousness re '229 patent, long-felt need	Evidence of Secondary Indicia of Non- obviousness re '229 patent, long-felt need	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '309 patent
Sponsoring Witness	Ulrich / Burn / Lee, Byoung Hwa	Ulrich / Burn	Ulrich / Burn / Kubodera / Kubota / McHargue / Wilder				
Description & Title	Spreadsheet tracking competitor patent filings	U.S. Pat. No. 6,191,932 (withdrawn as duplicate of RX-0828)	U.S. Pat. No. 5,880,925	U.S. Pat. No. 5,517,385	U.S. Pat. No. 4,831,494	U.S. Pat. No. 4,430,690	Spreadsheet of Murata Domestic Industry products for the '309 patent and sales data thereof
Date	Aug. 2006	2/20/2001	3/9/1999	5/14/1996	5/16/1989	2/7/1984	no date
Ending Bates	SEMCO00110775	SEMCO00567916 2/20/2001	MM_001482	MM_001471	MM_001437	MM_001389	MM_302638
Beginning Bates	SEMCO00110476	SEMCO00567910	MM_001472	MM_001465	MM_001425	MM 001375	MM_302637
CX No.	CX-38C	CX 39	CX40	CX41	CX-42	CX-43	CX-44C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

		•			
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '309 patent, Evidence of Secondary Indicia of Non-obviousness re '309 patent, commercial success	Evidence of Secondary Indicia of Non-obviousness re '309 and '439 patents, commercial success	Evidence of Secondary Indicia of Non- obviousness re '309 and '439 patents, commercial success	Evidence of Secondary Indicia of Non- obviousness re '309 patent, long-felt need	Evidence of Secondary Indicia of Non- obviousness re '309 patent, long-felt need
Sponsoring Witness	Ulrich / Burn / Kubodera / Kubota / McHargue / Wilder	Burn / Ulrich / SEMCO witness	Burn / Ulrich / SEMCO witness	Ulrich / Burn	Ulrich / Burn
Description & Title	Spreadsheet of Murata Domestic Industry products for the '309 patent and sales data thereof	Email re analysis of M company products	Spreadsheet of comparison and analysis of Murata products vs. SEMCO products	U.S. Pat. No. 5,072,329	U.S. Pat. No. 5,014,158
Date	no date		no date	12/10/1991	5/7/1991
Ending Bates	MM 304530	SEMCO01022750 10/30/2007	SEMCO00534652	MM_001524	MM_001509
Beginning Bates	MM_304402	SEMCO01022749	SEMCO00534540	MM_001518	MM_001495
CXNo	CX.45C	CX-46C	CX-47C	CX-48	CX-49

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorabie E. James Gildea

	·			
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '309 patent; Evidence of Secondary Indicia of Non-obviousness re '309 patent, commercial success	Evidence of domestic industry w/r/t Technical and Economic Prongs for the '309 patent; Evidence of Secondary Indicia of Non-obviousness re '309 patent, commercial success	Evidence of Secondary Indicia of Non-obviousness re '439 patent, SEMCO's copying of the inventions of the '439 patent	Evidence of Secondary Indicia of Non- obviousness re '439 patent, SEMCO's copying of the inventions of the '439 patent
Sponsoring Witness	Ulrich / Burn / Kubodera / Kubota / McHargue / Wilder	Ulrich / Burn / Kubodera / Kubota / McHargue / Wilder	Ulrich / Burn / SEMCO witness	Burn / Ulrich / SEMCO witness
Description & Title	Spreadsheet of Murata Domestic Industry products for the '309 patent and sales data thereof	Spreadsheet of Murata Domestic Industry products for the '309 patent and sales data thereof	Charts analyzing Murata patent publications	Spreadsheet with multiple worksheets analyzing numerous non-SEMCO patents
Date	no date	no date	no date	circa 2006- 2007
Ending Bates	MM_302636	MM_304401	SEMCO00321179 Ino date	native excel file
Beginning Bates	MM_302591	MM_302683	SEMCO00321176	SEMCO00305707
OX No.	CX-50C	CX-51C	CX-52C	CX-53C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

		<u> </u>					r	
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted	Admitted	Admitted
Purpose	Evidence of SEMCO's infringement of the '439 patent; Evidence of Secondary Indicia of Non-obviousness re '439 patent, SEMCO's copying of the inventions of the '439 patent	Evidence of Secondary Indicia of Non-obviousness re '439 patent, SEMCO's copying of the inventions of the '439 patent	Evidence of Secondary Indicia of Non- obviousness re '439 patent, long-felt need	Evidence of Secondary Indicia of Non- obviousness re '439 patent, long-felt need	Evidence of domestic industry	Evidence of domestic industry	Establish qualifications of expert witness	Establish qualifications of expert witness
Sponsoring Witness	Burn / Ulrich / SEMCO withess	Burn / Ulrich / SEMCO witness	Ulrich / Burn	Ulrich / Burn	Kubota /McHargue / Wilder	Kubota /McHargue / Wilder	Burn	Burn
Description & Title	Spreadsheet with multiple worksheets analyzing numerous non-SEMCO patents (withdrawn as duplicate of RX-0962C)	Spreadsheet with multiple worksheets analyzing numerous non-SEMCO patents	U.S. Pat. No. 5,989,726	U.S. Pat. No. 6,128,177	Kubota //McHa //moportation of DI Productions Wilder	Kubota Quality Assurance Engineers //McHargue / benefits and salary	n Vitae	List of Ian Burn publications, 2000-2010
Date	circa 2008	circa 2008	11/23/1999	10/3/2000	no date	no date	11/12/2009	7/2/1905
Ending Bates	native excel file	native excel file		MM_001590	MM_304944	MM_301961		
Beginning Bates	SEMCO01370574	SEMCO01370273	Ex. 22 to Response of SEMCO to Complaint and NOI	MM_001586_	MM_302651	MM_301847	Exh. 2 to expert report of Burn	Exh. 3 to expert report of Burn
CX No.	CX-54C	CX-55C	CX-56	CX-57	CX-58C	CX-59C	CX-60	CX-61

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorabie E. James Gildea

Admirad/ Windrawn	Rejected		Admittod			Admitted			Withdrawn		Withdrawn		Withdrawn		-	Admitted			Admitted		Admitted				Admitted		148.41	Withdrawn				Withdrawn
	Purpose	Evidence of knowledge	of a person of ordinary	Evidence of SEMCO's	infringement of the '254	patent	Evidence of SEMCO's	infringement of the '254	patent	Evidence of SEMCO's infringement of the '254	patent	Evidence of SEMCO'S	miringement of the 234	Evidence of SEMCO's	infringement of the '254	patent	Evidence of knowledge	of a person of ordinary	skill in the art	Evidence of SEMCO's	infringement of the '254		Evidence of SEMCO's	infringement of the '254	patent	Evidence of SEMCO's	infringement of the '254	parent		Evidence of Murata's	practice of the '254	patent
Snonsoring	Witness		ğ		ć	Hyuk Joon		Burn / Kwon,	Sang Hoon		Burn		Ē		Burn / Youn,	Hyuk Joon			Burn		Burn / SEMCO			Burn / SEMCO	witness	,		HYUK JOON				Burn / Sano
The second secon	Description & Tille	U.S. Patent No. 3,920,781	-	SEMCO composition table			March 16, 2010 Sang Hoon	Kwon Deposition Transcript		SEMCO produced chart of "other" capacitors received	on April 6	 Carculations of motal values	from Exhibit 5		NB322C' New X7R Additive	МССВ	Wu et al (J. Am. Ceram.	Soc., 89, (9) 2702-2709,	2006)	Core-Shell Structural	Analysis, Shell Domain Analysis	Comparison and Analysis of	Micro-structures According to	MLCC Property [FE-	TEM/EDS]	Handwritten chart titled	BEADS (Ex. 39 to Hyuk Joon Burn / Youn,	roun deposition)	List of Murata capacitors	domestic industry	compositions (withdrawn as	duplicate of RX-0856C)
	Date		44/4R/407E	0 0 1		no date		040010410	3/16/2010		4/6/2010		3/14/2010	Т					6/28/1905		o date				3/29/2007			3/19/2010				no date
	Ending Bates								:							SEMCO00864922 4/30/2010					SEMC001447528				SEMCO01692120 3/29/2007							MM_302400
	Beginning Bates		Exh. 4 to expert	aporto nami	Exh. 5 to expert	report of Burn		Exh. 6 to expert	report of Burn	Exh. 7 to expert	report of Burn	ליסיאס מי מי שאבו	renort of Burn			SEMC000864907		Exh. 14 to expert	report of Burn		SFMC001447517			-	SEMCO01692072		Exh. 21 to expert	report of burn				MM_302395
	CX No.		CX-62	70		CX-63C		200	CX-64C		CX-65C		CX-66C	1		CX-67C			CX-68C		C8-80				CX-70C		747	Т				CX-72C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Date Description & Title Inspection report of HJA
Inspection report of HKC
Inspection report of HQC
Inspection report of HWC
Inspection report of SKA
Inspection report of XEA
inspection report of XEC
Inspection report of XFA
Inspection report of XFC
Inspection report of XJC
Mixing standard of HJV
Calculation of weight percentage values for Murata compositions based on
inspection reports

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/	Rejected		Withdrawn		Withdrawn		Withdrawn			Withdrawn		Withdrawn			Withdrawn			Withdrawn	-	Withdrawn			Withdrawn		Withdrawn			Withdrawn		Admitted		Admitted
	Purpose	Evidence of Murata's	practice of the '254	Evidence of Murata's	practice of the '254 patent	Evidence of Murata's	practice of the '254 patent	Evidence of Murata's	practice of the '254	patent	Evidence of Murata's	patent	Evidence of Murata's	practice of the '254	patent	Evidence of Murata's	practice of the '254	patent	Evidence of Murata's	practice of the 234	Evidonce of Murata's	practice of the '254	patent	Evidence of Murata's	practice of the 234	Evidence of Murata's	practice of the '254	patent	Evidence of Murata's	practice of the '254 patent	Evidence of SEMCO's	Infingement of the 234 patent
Snonsoring	Witness		Burn / Sano		Burn		Burn		1	Burn		Burn			Burn			Burn		Birn			Burn		Burn			Burn		Burn / Sano		Burn
	Description & Title	Murata target compositions	in mole ratios (withdrawn as dublicate of RX-0859C)		HJA calculation		HKC calculation		:	HQC calculation		HWC calculation			SKA calculation			XEA calculation		XFC calculation			XFA calculation		XJC calculation			XFC calculation		Kesuits of Murata EUX-1EM testing of Murata capacitors		Calculations of values for Dy252C composition
	Date		no date		4/30/2010		4/30/2010			4/30/2010		4/30/2010	Т		4/30/2010			4/30/2010		4/30/2010	T		4/30/2010		4/30/2010	Т		4/30/2010		4/30/2010		4/30/2010
	Ending Bates		MM 302424							-											***************************************											
	Beginning Bates		MM 302424		EXN. 35 to expering the second of Burn		Exh. 37 to expert report of Burn		Exh. 38 to expert	report of Burn	100 to 400	report of Burn		Exh. 40 to expert	report of Burn		Exh. 41 to expert	report of Burn	1.0 4.0 4.0	report of Burn		Exh. 43 to expert	report of Burn	-	EXH. 44 to expert		Exh. 46 to expert	report of Burn		EXN. 47 to expert		Exn. 48 to expert report of Burn
	CX No.		CX 85C		CX-86C		CX-87C			CX-88C		CX-89C			2X-90C			CX-91C		CX-92C	Т		CX-93C		CX-94C	†		CX-95C r		CX-96C		CX-97C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Street, and the property of the second	Withdrawn	Rejected		Admitted		1	Admitted		Admitted		Withdrawn			Withdrawn						Withdrawn						Withdrawn				Withdrawn					Withdrawn
		Purpose	Evidence of SEMCO's	Infringement of the '254	Evidence of SEMCO's	infringement of the '254	patent	Evidence of SEMCO's infringement of the '254	patent	Evidence of SEMCO's	miningement of the 234 patent	Evidence of SEMCO's	infringement of the '254	patent				Evidence of SEMCO's	intringement of the '254	patent				Evidence of SEMCO's	infringement of the '254	patent			Evidence of SEMCO's	infringement of the '254			Evidence of SEMCO's	infringement of the '254	patent
	Sponsoring	Witness	-	Burn			aurn		Burn		witness		_	Hyuk Joon		-				Skamser			-			Randall				Burn / Yoon, Seock-Hvin	T				Seock-Hyun
		Description & Title		Calculations of values for X7R262C composition			NBZ3ZPU01 composition	Calculations of values for	NB332P001 composition	Specification of Array Type	MILCO CLI4AI 63 MILGO ARC	March 17, 2010 Youn	Transcript (pp. 109-110)		Declaration of Daniel	Skamser, Ph.D in support of	motion for summary	determination of invalidity of	U.S. Patent No. 6,243,254	patent, March 21, 2010	Declaration of Michael S.	Randall in support of motion	for summary determination of	invalidity of U.S. Patent No.	6,377,439, March 21, 2010		April 23, 2010 Dr. Seock	Hyuk Joon Rough Deposition	Transcript (corrected name:	Yoon, Seock-Hyun)	April 22 2040 Dr. Spoot	Hvuk Joon Rough Deposition	Transcript (corrected name:		
		Date		4/30/2010		0,000,000,0	4/30/2010		4/30/2010		9/29/2006			3/17/2010						3/21/2010						3/16/2010				4/23/2010	010707			0,00,00,	4/23/2010
		Ending Bates		-						SEMCO00450676							-												-				٠		
Description of the control of the co		Beginning Bates		Exh. 49 to expert report of Burn		Exh. 50 to expert	report of burn	Exh. 51 to expert	report of Burn	SEMCO00450649			Exh. 54 to expert	CX-102C report of Burn				1	Exh. 55 to expert	CX-103C report of Burn					Exh. 56 to expert	CX-104C report of Burn			-	Exh. 57 to expert CX-105C report of Burn	Tipo lo todo			Exh. 58 to expert	CX-106C report of Burn
		CX No.		CX-98C			786-47		CX-100C		CX-101C			CX-102C	-				000	CX-103C						CX-104C				CX-105C	200			7	CX-100C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	red/ rwn/ red	ted	ted	10	te	ted	ted	ted .	ted	ted	ted	ted	ted
	Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted
	Purpose	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent	Evidence of Murata's practice of the '254 patent
Systematic Annual Control of Cont	Sponsoring Witness	Burn / Kwon, Sang-Hoon	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano	Burn / Sano
	Description & Title	Product Specification (2nd Edition); Material: High Purity Burn / Kwon, Perovskite; Grade BT-05	Murata target compositions (same information as in Exhibit 35)	Harunobu Sano deposition exhibit 14	Inspection Report of HKC	Formula standard of HKC	Inspection Report of HQC	Formula standard of HQC	Inspection Report of HWC	Formula standard of HWC	Inspection Report of XEA	Formula standard of XEA	Inspection Report of XEC
	Date	1/30/2005 and 1/30/2006	no date	4/2/2010	10/19/2009	10/2/2009	8/20/2009	2/23/2009	5/29/2007	8/18/2008	6/30/2009	3/2/2009	9/3/2009
	Ending Bates	SEMCO02309176			MM_273966	MM_274002	MM 274006	MM 274041	MM 274045	MM_274060	MM_274065	MM 274092	MM_274095
	Beginning Bates	SEMCO02309169	Exh. 66 to expert report of Burn	Exh. 68 to expert report of Burn	CX-110C MM_273965	CX-111C MM_273968	CX-112C MM 274005	CX-113C MM 274008	CX-114C MM 274044	CX-115C MM 274047	CX-116C MM 274064	MM 274067	CX-118C MM 274094
	GX No.	CX-107C	CX-108C	CX-109C	CX-110C	CX-111C	CX-112C	CX-113C	CX-114C	CX-115C	CX-116C	CX-117C	CX-118C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

CX.13C MM_274132 4/29/2008 Formula standard of XEC Burn / Standard of YEC Burn / Standard of SKA Burn / Standard of SKA </th <th>- 1 - 1 - 2 - 3</th> <th></th> <th>Admitted</th>	- 1 - 1 - 2 - 3		Admitted
Bates Date Description & Title MM 274132 4/29/2008 Formula standard of XEC B MM 274137 9/30/2009 Inspection Report of XFA B MM 274165 10/21/2009 Formula standard of XFA B MM 274192 6/16/2009 Formula Standard of XFC B MM 274197 9/10/2009 Inspection Report of XJC B MM 27424 4/18/2009 Formula Standard of AJC B MM 301555 12/29/2009 Inspection Report of HJA B MM 301567 1/29/2010 Mixing standard of HJV B MM 301569 7/12/2009 Inspection Report of SKA B MM 301579 6/15/2009 SEMCO performing ICP B			1
MM 274132 4/29/2008 Formula standard of XEC Bu MM 274137 9/30/2009 Inspection Report of XFA Bu MM 274160 3/2/2009 Formula standard of XFA Bu MM 274192 6/16/2008 Formula Standard of XJC Bu MM 274224 4/18/2008 Formula Standard of XJC Bu MM 301555 12/29/2009 Inspection Report of HJA Bu MM 301566 9/12/2008 Formula Standard of HJV Bu MM 301567 1/29/2010 Inspection Report of SKA Bu MM 301569 7/12/2009 Inspection Report of SKA Bu MM 301569 7/12/2009 Inspection Report of SKA Bu MM 301569 7/12/2009 Inspection Report of SKA Bu	cription & Title Witness	Purpose	Withdrawn Rejected
MM 274132 4/29/2008 MM 274137 9/30/2009 MM 274160 3/2/2009 MM 274192 6/16/2008 MM 27424 4/18/2008 MM 301566 9/12/2009 MM 301569 7/12/2009 MM 301569 7/12/2009		Evidence of Murata's	
MM 274132 4/29/2008 MM 274160 3/2/2009 MM 274165 10/21/2009 MM 274192 6/16/2008 MM 27424 4/18/2008 MM 301566 9/12/2009 MM 301569 7/12/2009 MM 301569 7/12/2009		practice of the '254	
MM 274137 9/30/2009 MM 274160 3/2/2009 MM 274165 10/21/2009 MM 274192 6/16/2008 MM 27424 4/18/2009 MM 301566 9/12/2009 MM 301569 7/12/2009 MM 301569 7/12/2009	standard of XEC Burn / Sano	patent	Admitted
MM 274137 9/30/2009 MM 274160 3/2/2009 MM 274165 10/21/2008 MM 274197 9/10/2009 MM 27424 4/18/2008 MM 301555 12/29/2009 MM 301566 9/12/2009 MM 301569 7/12/2009		Evidence of Murata's	
MM 274160 3/2/2009 MM 274165 10/21/2009 MM 274197 9/10/2008 MM 27424 4/18/2008 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009		practice of the '254	
MM 274160 3/2/2009 MM 274165 10/21/2009 MM 274192 6/16/2008 MM 27424 4/18/2008 MM 301566 9/12/2008 MM 301569 7/12/2009 MM 301569 7/12/2009	on Report of XFA Burn / Sano	patent	Admitted
MM 274165 10/21/2009 MM 274192 6/16/2008 MM 274197 9/10/2009 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009		Evidence of Murata's	
MM 274165 10/21/2009 MM 274192 6/16/2008 MM 274197 9/10/2009 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009		practice of the '254	
MM 274165 10/21/2009 MM 274192 6/16/2008 MM 27424 4/18/2008 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009	standard of XFA Burn / Sano	patent	Admitted
MM 274165 10/21/2009 MM 274197 6/16/2008 MM 274224 4/18/2008 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009		Evidence of Murata's	
MM 274165 10/21/2009 MM 274197 6/16/2008 MM 274224 4/18/2008 MM 301555 12/29/2009 MM 301566 9/12/2009 MM 301569 7/12/2009 MM 301569 6/15/2009	******	practice of the '254	
MM 274192 6/16/2008 MM 274197 9/10/2009 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301569 7/12/2009 MM 301569 6/15/2009	on Report of XFC Burn / Sano	patent	Admitted
MM 274192 6/16/2008 MM 274197 9/10/2009 MM 301555 12/29/2009 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301579 6/15/2009		Evidence of Murata's	
MM 274192 6/16/2008 MM 27424 4/18/2008 MM 301555 12/29/2009 MM 301567 1/29/2010 MM 301569 7/12/2009	******	practice of the '254	
MM 274197 9/10/2009 MM 274224 4/18/2008 MM 301555 12/29/2009 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301579 6/15/2009	Standard of XFC Burn / Sano	patent	Admitted
MM 274197 9/10/2009 MM 274224 4/18/2008 MM 301555 12/29/2009 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301579 6/15/2009		Evidence of Murata's	
MM 274224 9/10/2009 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009		practice of the '254	
MM 274224 4/18/2008 MM 301554 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301568 MM 301569 7/12/2009 MM 301579 MM 301579 6/15/2009	on Report of XJC Burn / Sano	patent	Admitted
MM 274199 MM 274224 4/18/2008 MM 301554 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301569 7/12/2009 MM 301579 6/15/2009		Evidence of Murata's	
MM 301564 MM 301555 12/29/2008 MM 301566 MM 301566 9/12/2008 MM 301567 MM 301569 7/12/2009 MM 301568 MM 301569 7/12/2009		practice of the '254	
MM 301554 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 MM 301569 7/12/2009 MM 301579 MM 301579 6/15/2009	Standard of XJC Burn / Sano	patent	Admitted
MM 301554 MM 301555 12/29/2009 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301579 6/15/2009		Evidence of Murata's	
MM 301554 MM 301555 12/29/2009 MM 301566 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301568 MM 301569 7/12/2009 MM 301579 6/15/2009		practice of the '254	
MM 301566 MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301569 MM 301579 6/15/2009	on Report of HJA Burn / Sano	patent	Admitted
MM 301566 9/12/2008 MM 301567 1/29/2010 MM 301567 1/29/2010 MM 301569 7/12/2009 MM 301579 6/15/2009	-	Evidence of Murata's	
MM 301566 MM 301566 9/12/2008 MM 301567 MM 301567 1/29/2010 MM 301568 MM 301569 7/12/2009 MM 301579 6/15/2009		practice of the '254	
MM_301567 MM_301567 1/29/2010 MM_301569 7/12/2009 MM_301579 6/15/2009	Standard of HJZ Burn / Sano	patent	Admitted
MM_301567 1/29/2010 MM_301569 7/12/2009 MM_301579 6/15/2009	tandard of HJV	Evidence of Murata's	
MM 301568 MM 301569 7/12/2009 MM 301579 MM 301579 6/15/2009		practice of the '254	7 7 7
MM_301569 7/12/2009 MM_301579 6/15/2009	DUITI / SATIO	patent	Admined
MM_301568 MM_301569 7/12/2009 MM_301579 MM_301579 6/15/2009		Evidence of Murata's	
MM 301579 MM 301579 6/15/2009	n Report of SKA Rurn / Sano	patent	Admitted
MM 301579 6/15/2009		Evidence of Murata's	
MM_301579 MM_301579 6/15/2009		practice of the '254	
SEMCO performing ICP	Burn / Sano	patent	Admitted
Itesting on a Murata capacitor Burn /	SEMCO performing ICP festing on a Murata capacitor Burn / Kang,	Evidence of Murata's practice of the '254	-
CX-131C SEMCO01086397 SEMCO01086402 no date Sang-	Sang-Hyung	patent	Admitted

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted	Admitted	Admitted	Withdrawn	Withdrawn
Purpose	Evidence of Murata's practice of the '254 patent	Evidence of SEMCO's infringement of the '254 patent	Evidence of SEMCO's infringement of the '254 patent	Evidence of SEMCO's infringement of the '254 patent	Evidence of SEMCO's infringement of the '254 patent	Evidence of SEMCO's Burn / SEMCO infringement of the '254 witness	Evidence of SEMCO's infringement of the '254 patent
Sponsoring Witness	Burn	Burn	Burn	Burn	Burn / Youn, ii Hyuk-Joon	Burn / SEMCO is witness	E Burn / Youn, ii Hyuk-Joon p
Description & Title	Results of Evans Analytical Group EDS analysis of sample GRM155B30J105KE18D	Results of Evans Analytical Group EDS analysis of sample CL05B104KP5NNNB	Results of Evans Analytical Group EDS analysis of sample CL21B106KQQNFNB	Results of Evans Analytical Group EDS analysis of sample CL31B475KOHNNNB	rrata) ed to	SEMCO capacitors (and capacitors made by other companies, including Murata) that show the internal electrode layers connected to the external electrodes	SEMCO capacitors (and capacitors made by other companies, including Murata) that show the internal electrode layers connected to the external electrodes
Date	4/30/2010	4/30/2010	4/30/2010	4/30/2010	no date	no date	no date
Ending Bates					SEMCO00320980	SEMCO00749726	SEMCO00398591
Beginning Bates	Exh. 95 to expert CX-132C report of Burn	Exh. 96 to expert report of Burn	Exh. 97 to expert CX-134C report of Burn	Exh. 98 to expert CX-135C report of Burn	SEMCO00320976	SEMCO00749679	SEMCO00398564
CX No.	CX-132C	CX-133C	CX-134C	CX-135C	CX-136C	CX-137C	CX-138C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admittan	Withdrawn/ Relected		Admitted							Admittod	אוווווופת		Admitted			Withdrawn				Admitted		Withdrawn			Admitted			Admitted
	Pumose	Evidence of SEMCO's infringement of the '254	patent	Evidence of SEMCO's	infringement of the '254	Secondary Indicia of	Non-obviousness re	254 patent, SEMCO's	copying of the	inventions of the '254	Jaiolii Filia	Evidence of SEMICO'S	burn / SEMCO Intringement of the 254 witness	Evidence of SEMCO's	Burn / SEMCO Infringement of the '254	patent		Evidence of SEMCO's	infringement of the '254	patent	Evidence of SEMCO's	infringement of the '254 patent		Evidence of SEMCO's	infringement of the '254 patent		Evidence of SEMCO's	infringement of the '254 patent
	Sponsoring Witness									Joon	1001		Burn / SEMCO		Burn / SEMCO	witness			, Hyuk-	Joon					Bum			Burn
	Description & Title	Control Plan, Document related to X7R262C composition		Document showing results of	a TEM analysis on a Murata							SEMICO Product Data Sheet	BI-HP2505	HPBT-1AFS product	specification		=MCO	chemical composition	information		Calculations for BT-04 252C	and BT-04 262C	Results of Evans Analytical	Group EDS analysis of	sample CL05J105KP5NNNB	STEM-EDS testing results by	samples of	OBN3NB
	Date		11/9/2009							8/16/2003	0/10/2000		12/15/2008			1/18/2006				no date		4/30/2010			4/30/2010			5/24/2010
	Ending Bates		SEMCO00084035							SEMCOODSEEDE	CENICOCOST SCSS		SEMCO00010787 12/15/2008			SEMCO01460124 1/18/2006				SEMCO00050977								
	Beginning Bates		SEMCO00083934						-	SEMPONDOZEE21	OF INICORDAY OOL		CX-141C SEMCO00010785			CX-142C SEMCO01460114				SEMCO00050976		Exh. 111 to expert CX-144C report of Burn		4	Exh. 112 to expert CX-145C report of Burn	Evh 2 to	supplemental	expert report of Burn
	CX No.		CX-139C							7077			CX-141C			CX-142C				CX-143C		CX-144C			CX-145C r			expe CX-146C Burn

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	Admiraci Withdrawn	Rejected				Admitted			Admitted	Withdrawn				Admitted				Admitted				Admitted		Admitted				Admitted		7 7 %	Admitted		Withdrawn
	4 M				e '254	ď			Ă			co's		Ā			-	ď		- s,oo	е '229		co's			CO's	е '229		co's		1	CO's	
		Purpose		Evidence of SEMCO's	infringement of the '254	patent		Establish qualifications	of expert witness	Claim Construction		Evidence of SEMCO's	infringement of the	patents-in-suit		Cho, Dong soo Evidence of SEMCO's	intringement of the	patents-in-suit		Evidence of SEMCO's	infringement of the '229	patent	Evidence of SEMCO's	intringement of the '229 natent		Evidence of SEMCO's	infringement of the '229	patent	Evidence of SEMCO's	infringement of the '229	parerii	Evidence of SEMCO's	infringement of the '229 patent
	Sponsoring					Burn			Cirich	N/A	Ulrich / Burn /	Cho, Dong Soo	/ Lee, Byoung	Hwa	Ulrich / Burn /	Cho, Dong Soo	, eyoung	Hwa	Ulrich / Burn /	Cho, Dong Soo	/ Youn, Hyuk-	Joon		(Hrich / Burn	Ulrich / Burn /	Lee, Byoung	Hwa / Youn,	Hyuk-Joon		1	Cilcu		Ulrich
		Description & Title	STEM-EDS testing results by	samples of	CL32B104KCFNNNB	capacitor	Ulrich CV			2010,03,25 Parties Joint Claim Construction Chart				N10-BAM-SLIC-14 screen			NZ1-BAM-SCIC-11, 12	Screen	pattern layout for N21 BAM-	SLIC-14 (21B104M05)			Micron Inc - Analysis of Naito	Samples	SEMCO technical document	re low ESL capacitors			'229 Screen Dimensions			229 claim chart based upon SEMCO screen patterns for	low ESL products
CHURCH CONTRACTOR CONT		Date				5/24/2010			no date	3/25/2010		***		no date				no date				no date		4/16/2010				no date		400	no date		no date
		Ending Bates	-								SEMCO00313243				SEMCO00313248				SEMCO00313251									SEMCO00200877 no date					
		Beginning Bates	Evh 1 to	supplemental	expert report of	Burn		Exn. 4 to expert	CA-148C report of Ulrich	Exh. 6 to expert CX-149C report of Ulrich	SEMCO00313243				SEMCO00313248				SEMCO00313251					Exh. 11 to expert CX-153C report of Ulrich				SEMCO00200808		Exh. 15 to expert	about of Office		Exh. 16 to expert CX-156C report of Ulrich
		CX NO.				CX-147C		() () () () () () () () () ()	CA-148C	CX-149C				CX-150C			0 4 7 4 7 4 7	CX-151C				CX-152C		CX-153C				CX-154C		7. 45ED			CX-156C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Admitted	Withdrawn	Admitted			Admitted		Admitted		Withdrawn			A	Admitted	-	Admitted			Admitted		Withdrawn	1998	Withurawii
Purpose	Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the	patents-in-suit	Evidence of SEMCO's infringement of the '229	Evidence of Murata's practice of the '229	patolin	Evidence of Murata's practice of the '229	patent	Evidence of Murata's	practice of the '229 patent	Evidence of Murata's	practice of the '229		Evidence of SEMCO's	infringement of the '229	patent	Evidence of SEMCO'S Infringement of the '229	patent	Evidence of SEMCO's	infringement of the '229	patent	Evidence of SEMCO's	infringement of the '439 patent	Evidence of SEMCO's infringement of the '439	parem
Sponsoring Witness	Evidence of Se Indicia of Non- Ulrich / Burn / obviousness, S Wi, Song Kwon copying of the / Lee, Byoung Inventions of the	Hwa	C	Ulrich / Burn / Kubodera / Kawagiichi	Hrich / Burn /	Tahara / Kawaguchi /			Ulrich / Burn / Tahara-san		Clrich Clrich		~	Youn, Hyuk-	1000	Ulrich / Burn /		Cho, Dong Soc. Your	Hyuk-Joon;	Richard Ulrich		Urich	, c	1
Description & Title	SPIL CPU 1608 8T SLIC presentation, including	competitor patent analyses	'229 claim chart on SEMCO products	'229 list of Murata domestic industry products	OC96A print screen pattern			Murata print screen patterns		0C96A Claim Chart		Image of Current Flow (0603	8t SLIC) (image from	SEMCO00069492, CX-	(5/C)	LOW ESL Presentation			Model Screen number and	Pattern Document	439 Patent Merged	Spreadsheet	Analysis of SEMCO MLCC CL05B102KB5NNNB	
Date		11/20/2007	no date	no date			no date		no date		no date				rio date		6/6/2005			no date		no date	o co	ווס טמוס
Ending Bates		SEMCO00069514 11/20/2007							MM_302123	-				30303000000	SEINICOUGUBSOO	SEMCCOUZ65468		ITC30B6- SAMODO01458						
Baginning Bates	· .	SEMCO00069492	Exh. 19 to expert CX-158C report of Ulrich	Exh. 20 to expert		Exh. 21 to expert	CX-160C report of Ulrich		MM_302010		Exh. 23 to expert report of Uirich			a cacacacacacacacacacacacacacacacacacac	SEMICOCOCCESCO	SEMCCOUZ65456	_	ITC30B6- SAM00001447	00000000			Exh. 27 to expert report of Ulrich	Exh. 28 to expert	ובסחור חו סוורים
ÖX No.		CX-157C	CX-158C	CX-159C			CX-160C		CX-161C		CX-162C			7637			CX-164C			CX-165C		CX-166C	CX_1870	201-70

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Date
no date
() ()
2
no date
ateb on
no date
no date
no date
no date

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

																															Ī						1
Admitted/ Withdrawn/	Rejected									Withdrawn			-						Admitted									Withdrawn		Withdrawn							Admitted
	Purpose	Evidence of SEMCO's	infringement of the '439	patent; Evidence of	Secondary Indicia of	Non-obviousness re	'439 patent, SEMCO's	copying of the	inventions of the '439	patent	Evidence of SEMCO's	infringement of the '439	patent; Evidence of	Secondary Indicia of	Non-obviousness re	'439 patent, SEMCO's	copying of the	Cho, Dong Soo inventions of the '439	patent	Evidence of SEMCO's	infringement of the '439	patent; Evidence of	Secondary Indicia of	Non-obviousness re	'439 patent, SEMCO's	copying of the	inventions of the '439	patent	Evidence of Murata's	practice of the '439					Fyidence of SEMCO's	infringement of the '309	patent
Sponsoring	Witness			,			Ulrich / Burn /	Kim, Sujin /	Youn, Hyuk-	Joon				-			Ulrich/ Burn /	Cho, Dong Soo	/ Kim, Sujin						Ulrich / Burn /	Kim, Sujin /	Youn, Hyuk-	Joon	!	Ulrich / Burn / Kuhodera	5						Ulrich
	Description & Title	Designing Margin to	Reinforce Load Life in	Humidity and Thermal Shock							Document re Margin change	experiment								-					-			Testing Results Report	Sekidou '439 list of Murata DI	products with GPN's	Ueno demo for sheet 4	(combines data from sheet 4	of the SEMCO00154903.xis	design table and the printing	pattern specification of SEMCON2787860 vis.)	(Sec. 50) (OC 70)	
	Date									no date									no date									7/18/2007		ateb on							no date
	Ending Bates	SEMCO01671698									SEMCO01032588		-	-						SEMCO02306673		****													-		
	Beginning Bates	SEMC001671697						-			SEMC001032559									SEMCO02306657										Exh. 45 to expert						Exh. 46 to expert	CX-183C report of Ulrich
	CX No.									CX-179C	,								CX-180C									CX-181C		CX-182C							CX-183C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	s 09 Withdrawn		s 09 Withdrawn	s 09 Admitted	s 09 Admitted	s 09 Admitted	Admitted	s 09 Withdrawn	s 09 Withdrawn
Purpose	Evidenc infringe patent		Evidence of SEMCO's infringement of the '309 patent	Evidence of SEMCO's infringement of the '309 patent	Evidence of SEMCO's Infringement of the '309 patent	Evidence of SEMCO's infringement of the '309 patent	Evidence of Murata's practice of the '309 patent	Evidence of SEMCO's infringement of the '309 patent	Evidence of SEMCO's infringement of the '309 patent; Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the patents-in-suit
Sponsoring Witness	Ulrich / Bum / Chang, Dong Ik / Cho, Dong Soo / Wi, Song Kwon	Ulrich / Burn / Chang, Dong lk / Cho, Dong Soo / Wi, Song Kwon	Ulrich	Ulrich / Burn	Ulrich / Burn	Ulrich / Burn	Ulrich / Burn / Kubodera	Ulrich / Burn / Kubodera	Ulrich / Burn / Kubodera / SEMCO witness
Description & Title	Design Table for SEMCO capacitors (withdrawn as duplicate of RX-0845)	Native Excel file with multiple sheets SEMCO's current printing pattern specification (withdrawn as duplicate of RX-0849)	309 Patent claim chart for SEMCO product	Micron Analysis of SEMCO MLCCs re '309 patent	Summary of Micron '309 analysis re SEMCO parts	Micron analysis of SEMCO MLCCs re '309 patent	309 list of Murata DI products	Specifications sheet for CL31B106KAHNNNE-h	Document re X7R type SEMCO and competitor capacitors
Date	no date	no date	no date	2/12/2010	no date	4/29/2010	no date	no date	9/11/2006
Ending Bates	native file	native file							SEMCO00022320
Beginning Bates	SEMCO00154903	SEMCO02787860	Exh. 47 to expert report of Ulrich	Exh. 48 to expert report of Ulrich	Exh. 49 to expert CX-188C report of Ulrich	Exh. 50 to expert report of Ulrich	Exh. 51 to expert CX-190C report of Ulrich	Exh. 52 to expert CX-191C report of Ulrich	CX-192C SEMCO00022291
CX No.	CX-184C	CX-185C	CX-186C	CX-187C	CX-188C	CX-189C	CX-190C	CX-191C	CX-192C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Tawn/ Fad	itted	rawn	itted	itted	itted	itted	Admitted	tted	tted	tted
Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn	Admitted	Admitted	Admitted	Admitted	Adm	Admitted	Admitted	Admitted
Purpose	Evidence of SEMCO's infringement of the '309 patent	Evidence of Murata's practice of the '309 patent	Unich / Burn / infringement of the Chang, Dong ik patents-in-suit	Evidence of SEMCO's Ulrich / Burn / infringement of the Chang, Dong Ik patents-in-suit	Evidence of SEMCO's Urich / Burn / infringement of the Cho, Dong Soo patents-in-suit	Evidence of SEMCO's Urich / Burn / infringement of the Cho, Dong Soo patents-in-suit	Evidence of SEMCO's Ulrich / Burn / infringement of the Cho, Dong Soo patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Ulrich / Burn	Ulrich / Burn / Kubodera / SEMCO witness	Ulrich / Burn / Chang, Dong Ik	Ulrich / Burn / Chang, Dong Ik	Ulrich / Burn / Cho, Dong Soo	Ulrich / Burn / Cho, Dong Soo	Ulrich / Burn / Cho, Dong Soo	Ulrich / Burn / Cho, Dong Soo	Ulrich / Burn / Cho, Joon Yeob	Uirich / Burn / Cho, Joon Yeob
Description & Title	Micron Analysis of SEMCO MLCCs re '309 patent	Murata Testing Results for GRM40X5R475K16D520 -	Spreadsheet re NJN capacitors including shrinkage data	Email from Dong-Ik Chang to Hyung-Wook Lim, et al. re L/D measurements	Spreadsheet re dimensions and data of low ESL SEMCO Urich / Burn / capacitors Cho, Dong Sor	05 Screen pattern ng order	Spreadsheet re dimensions and data of low ESL SEMCO capacitors (withdrawn as duplicate of RX-0844)	Hand written drawing by Cho, Dong Soo illustrating dimensional terminology	Email from Joon-yeob Cho to Ulrich / Burn Han-sung Jung, et al. re: Cho, Joon Regarding DY252C NG lot Yeob	Email from Joon-yeob Cho to Jae-yeol Chol re: This is a request regarding powder from Fine Chemicals and a competitor -10B104KB
Date	5/24/2010	no date	no date	6/21/2009	no date	no date	no date	4/22/2010	9/27/2008	8/28/2008
Ending Bates			native excel file	SEMCO00744124	native excel file	native excel file	native excel file		SEMCO00583951	SEMCO00586641
Beginning Bates	Exh. 1 to supplemental expert report of Ulrich	Exh. 2 to supplemental expert report of Ulrich	SEMCO00313303	SEMCO00744118	SEMCO00176596	SEMCO000313264	SEMCO00308365	Exh. 12 to deposition of Cho, Dong Soo		CX-202C SEMCO00586638
CX No.	CX-193C	Exh. 2 supple experi CX-194C Ulrich	CX-195C	CX-196C	CX-197C	CX-198C	CX-199C	CX-200C	CX-201C	CX-202C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Cooperate Paragraph			,		,	,	
Admitted/ Withdrawn/ Rejected	Withdrawn	Admitted		Admitted	Admitted	·	Admitted
Purposa	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's	infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary	Indicia of Non- obviousness re patents- in-suit, SEMCO's copying of the inventions of the patents-in-suit
Sponsoring Witness	Ulrich / Burn / Cho, Joon Yeob	Uirich / Burn / Cho, Joon Yeob / Yoon, Seock-Hyun	Ulrich / Burn /	Cho, Joon Yeob	Ulrich / Burn / Cho, Joon Yeob / Youn, Hyuk-Joon		Ulrich / Burn / Kang, Sung- Hyung / Youn, Hyuk-Joon
Description & Title	Email from Joon-yeob Cho to Unich / Burn / Jk7503.lee@samsung.com Cho, Joon re:DY252C	Email from Hyoungho Lee to Dennies0311.kim@samsung .com et al. re, DY252C including XRF analysis thereof	Email from Tae Young Kim to Do Hyeong Kim at al. re: Notification of Completed Distribution [Manufacture of	additive solution and request Cho, Joon for batch operation]	[POWDER Raw Materials Mixing] Control Plan & 11/18/2009 Process Standards		Character companson and proposal as to means of improvement in re 31B106KAH, competition and our company's characteristics
Data	10/17/2008	12/10/2008		4/6/2009	11/18/2009		no date
Ending Bates	SEMCO00588934	Email fr Dennies .com et includin SEMCO00577233 12/10/2008 thereof		SEMCO00722644	SEMCO00083688	,	
Baginning Bates	CX-203C SEMCO00588931	CX-204C SEMCO00577231		CX-205C SEMCO00722639	CX-206C SEMCO00083665	-	Exh. 31 to deposition of Youn, Hyuk-Joon 30(b)(6) and Exh. 1 to deposition of Kang, CX-207C Sung-Hyung
CX No.	CX-203C	CX-204C		CX-205C	CX-206C		CX-207C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/	Rejected							-	-		Withdrawn										Admitted										Admitted
	Purpose	Evidence of SEMCO's	intringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit
Sponsoring	Witness								Ulrich / Burn /	Kang, Sung-	Hyung		-						Ulrich / Burn /	Kang, Sung-	Hyung						٠		Ulrich / Burn /	Kang, Sung-	Hyung
	Description & Title									212C Selection Background	re dielectric material						Experimental Result Report:	Evaluation of dielectric	material compositions for the Ulrich / Burn /	development of LAN (Low	Acoustic Noise) dielectrics		-					Report Experiment Results	re: Analysis of Competitor's	g 150 °C	(Murata X8L, X8R)
	Date			-							4/14/2008										no date										5/16/2007
	Ending Bates							*************			SEMCO00671698			-	-		-	-			SEMCO00589041										SEMCO00467560
	Beginning Bates										SEMCO00671690										SEMCO00589027					-					CX-210C SEMCO00467553
	CX NO										CX-208C										CX-209C	*									CX-210C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	Admitted/ Withdrawn/ Rejected				-					Admitted										Withdrawn		-					***********			Admitted				Withdrawn
-	Purpose	Evidence of SEMCO's infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit		Evidence of SEMCO's	infringement of the	patents-in-suit
	Sponsoring Witness						Ulrich / Burn /	Kim, Sang	Hyuk / Lee,	Jung-Soo								Ulrich / Burn /	Kim, Sang	Hyuk								Ulrich / Burn /	Kim, Sang	Hyuk	Ulrich / Burn /	Kim, Sujin /	Youn, Hyuk-	Joon
	Description & Title	Email from Chi-Joon Choi to Kang-Hun Hur et al. Re:	Comparison and evaluation	in electrical characteristics	and accelerated life of	muRata	31A226KOH/32A226KAJ	apparatuses (PL Sun-Chul	Park, Senior Research	Engineer)				Email from Tae Young Kim	to Do Hyeong Kim, et al. Re:	Notification of Completed	Distribution [Manufacture of	additive solution and request	for batch operation]	(duplicate of CX-205C)				,	Email from Hyunwook Ho to	Jaejoon Yu et al. Re: [weekly	development meeting	agenda request] Regarding	weekly development meeting Kim, Sang	of this week				X8R lineup
	Date						, .			7/10/2008										4/6/2009										6/19/2008				6/20/2007
	Ending Bates					-	-			SEMCO01277418 7/10/2008										SEMC000722644						Par-2-1-1-1			-	SEMC001052118				SEMCO01105670 6/20/2007
	Beginning Bates									SEMC001277413		_								SEMCO00722639										SEMCO01052116				CX-214C SEMCO01105644
	GX No.									CX-211C										CX 212C										CX-213C			3	CX-Z14C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted	Admitted
Purpose	Establish witness as corporate designee of SEMCO	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	N/A	Ulrich / Burn / Kwon, Sang Hoon	Ulrich / Burn / Kwon, Sang Hoon	Burn / Kwon, Sang-Hoon	Burn / Kwon, Sang-Hoon	Ulrich / Burn / Kwon, Sang Hoon	Ulrich / Burn / Kwon, Sang Hoon	Ulrich / Burn / Kwon, Sang Hoon	Ulrich / Burn / Kwon, Sang Hoon	Ulrich / Burn / Kwon, Sang Hoon
Description & Title	COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTI-I AMERICA, INC.'S NOTICE OF 30(b)(6) DEPOSITION OF RESPONDENT SAMSUNG ELECTRO- MECHANICS CO., LTD.	Payment Specification for Product Name: SBT-03B	DELIVERY SPECIFICATION Ulrich / Burn / Product Name: HP CaC03 Kwon, Sang CF800	Payment Specification Product Name: SBT-045J	Payment Specification Product Name: SBT-03B	SUPPLY AGREEMENT Superamic M 66FUF DY OXIDE LY 10Kg	Magnesium Carbonate Material Supply Specification Document Revision History	Material Supply Specification Document re: BT-HP300	Material Supply Specification Ulrich / Burn Document re: Material name: Kwon, Sang BT-HP200S	Product Specification (2nd Ulrich / Burn Edition); Material: High Purity Kwon, Sang Perovskite; Grade BT-01 Hoon
Date	3/5/2010		6/20/2009		12/8/2006	6/20/2007	6	:		
Ending Bates		SEMCO00050975 11/15/2005	SEMCO02309231	SEMCO02309228 12/8/2006	SEMCO02309213	SEMCO02309198 6/20/2007	SEMCO02309191	SEMCO02309186 6/15/2009	SEMCO02309181	SEMCO02309168 1/30/2005
Beginning Bates		SEMCO00050964	SEMCO02309229	CX-218C SEMCO02309214	CX-219C SEMCO02309199	CX-220C SEMCO02309192	SEMCO02309187	CX-222C SEMCO02309182	SEMCO02309177	CX-224C SEMCO02309153
CX No.	CX-215C	CX-216C	CX-217C	CX-218C	CX-219C	CX-220C	CX-221C	CX-222C	CX-223C	CX-224C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Trees of the second sec				Cuannalina		Withdrawin
Beginning Bates	Ending Bates	Date	Description & Title	Witness	Purpose	Rejected
			Product Specification (2nd Edition); Material: Barium Zirconate Titanate; Grade:	Uirich / Burn / Kwon, Sang	Evidence of SEMCO's infringement of the	
SEMCO02309157	SEMCO02309160	1/30/2006		Hoon	patents-in-suit	Admitted
			Product Specification (2nd Edition); Material: High Purity	Uirich / Burn / Kwon, Sang	Evidence of SEMCO's infringement of the	
SEMCO02309161	SEMCO02309164	1/30/2008	Perovskite; Grade BT-03B	Hoon	patents-in-suit	Admitted
			Product Specification (2nd		Evidence of SEMCO's	
			Edition); Material: High Purity Burn / Kwon,	Burn / Kwon,	infringement of the	
SEMCO02309163	SEMCO02309168 1/30/2006	1/30/2006	Perovskite; Grade BT-04B	Sang-Hoon	patents-in-suit	Admitted
			1		Evidence of SEMCO's	
SEMCO02309139	SEMC002309152	No data	Payment Specification	Burn / Kwon,	infringement of the	Admitted
				Hirch / Burn /	Evidence of SEMCO's	Parille
			Payment Specification	Kwon, Sand	infringement of the	
SEMC002309125	SEMCO02309138	No date	5	Hoon	patents-in-suit	Admitted
			Delivery specification that			
			was prepared by High Purity			
			Chemical Research Center			
			and submitted to SEMCO as			
			to a product which has a			
			name of Mn3O4 which had			
			been made by this High			
			Contor and supplied to	Virgo Sona	infringement of the	
SEMC002309124	SEMCO02309124	12/4/2007	SEMCO.	Hoon	patents-in-suit	Admitted
evolutis ancietam admiderna kiniminis ki veres demoniminis altri elementellerin.			Material Supply Specification			
			Document			
			November 17, 2009 Item		Evidence of SEMCO's	
			lcium	Burn / Kwon,	infringement of the	
SEMCO02309117	SEMC002309124	11/17/2009	carbonate CS-3N-A	Sang-Hoon	patents-in-suit	Admitted
	-		Standard number N-3-1-1-	Ulrich / Burn / Kwon, Sand	Evidence of SEMCO's infringement of the	
CX-232C SEMCO02309112	SEMC002309118 1/9/2008	1/0/2008	c	Hoon Tool	100000000000000000000000000000000000000	Admittod

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	·				·		.,																		-				
Admitted/ Withdrawn/ Rejected		Admitted		Admitted			Admitted			Admitted				Admitted		A 4410000	Admitted		Admitted			Admitted		Admitted			Admitted		Admitted
Purpose	Evidence of SEMCO's infringement of the	patents-in-suit	Evidence of SEMCO's	infringement of the patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit		infringement of the	patents-in-suit		Evidence of SEMCO's	infringement of the	patents-in-suit	Evidence of SEMCO's	infringement of the	palents-in-suit	Evidence of SEMCO's	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit	Evidence of SEMCO's	natents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit	Evidence of SEMCO's	infringement of the patents-in-suit
Sponsoring Witness	Ulrich / Burn / Lee, Byoung Hwa / Cho,	Dong Soo	Ulrich / Burn /	Lee, Byoung Hwa	Ulrich / Burn /	Lee, Byoung	Hwa	Ulrich / Burn /	Lee, byoung Hwa / Cho.	Dong Soo		Ulrich / Burn /	Lee, Byoung	Hwa	Ulrich / Burn /	Lee, Byoung	Twa	Ulrich / Burn /	Hwa	Ulrich / Burn /	Lee, Byoung	Hwa	Ulrich / Burn /	Hwa	Ulrich / Burn /	Lee, Byoung	Hwa	Ulrich / Burn /	Lee, Byoung Hwa
Description & Title	N21BAM-SLIC-17 screen	and current flow	Concept design 8T HRC (High ES Capacitor & AMD SLIC 10Y105MR) shows	Screen Pattern and Current Flows	N21-BAM-SLIC-16 screen	and current flows; Same as	Cho, Dong Soo Exh. 5	N21-BAM-SLIC-17 (w/	duminy) screen and current flow: Same as Cho, Dong	Soo Exh. 8	Spreadsheet:	2012SLIC(Statschioak) and	N21-BAM-SLIC-11, 12	Screen		SLIC pattern showing lead	widin and length testing	And the second of the second o	and L and R margins		Spreadsheet showing lead	and L and R margins	and project of a food observed	and I and R margins		Spreadsheet showing lead	and margins	Spreadsheet showing	21YZZ5MR5 testing data using different screens
Date		No Date		No Date		!	No Date			No Date				No Date		8/48/200E	0/ 10/2003		No Date			No Date		No Date			No Date		No Date
Ending Bates	:	native excel file		SEMCO00313419			SEMCO00313264			SEMCO00313252				SEMC000317011		SENACO0044842E 8/48/2005	3EIMCOUU 140 123		SEMCO00152254 No Date			SEMC000152264		SEMCO00152274 No Date			SEMCO00272672 No Date		SEMCO00272539
Beginning Bates		CX-233C SEMCO00313265		CX-234C SEMCO00313419			CX-235C SEMCO00313264			SEMCO00313252				CX-237C SEMCO00317011		SEMCO00148117	3EIVICCUU 140117		CX-239C SEMCO00152233			SEMCO00152255		SFMCO00152265			CX-242C SEMCO00272651		CX-243C SEMCO00272530
ČX No.		CX-233C		CX-234C			CX-235C			CX-236C				CX-237C		OREG-XU	7007-77		CX-239C			CX-240C		CX-241C			CX-242C		CX-243C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Med/ Tawn/		70		7	nan		tted					7 (1	trea					tted						trea					tted		tted
Admitted/ Withdrawn/ Rejected	www.en-en-en-en-en-en-en-en-en-en-en-en-en-e	Admitted			nammer		Admitted					A	Aamitted	************				Admitted					•	Admitted					Admitted		Admitted
Purpose	Evidence of SEMCO's	infringement of the	Evidence of SEMCO's	infringement of the	Evidence of SEMMON's	infringement of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	opviousness, SEMCO's	copying or me	myengons of me	parents-in-suit	Evidence of Secondary Indicia of Non-	obviousness, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness, SEMCO's	copying of the	inventions of the	parents-in-suit	Evidence of Secondary Indicia of Non-	obviousness, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's infringement of the	patents-in-suit
Sponsoring Witness	Ulrich / Burn /	Lee, Byoung	Ulrich / Burn /	Lee, Byoung	Ilrich / Burn /	Lee, Byoung	Hwa			/ Holos	Umdil / burn /	Lee, byoung	nwa			Ulrich / Burn /	Lee, Byoung	Hwa				Ulrich / Burn /	Lee, Byoung	шма			Ulrich / Burn /	Lee, Byoung	Hwa	Ulrich / Burn / Lee, Byoung	Hwa
Description & Title	Spreadsheet showing lead width and margins	(withdrawn as duplicate of RX0844)	Spreadsheet outer	dimensions and delamination Lee, Byoung	Simon	Presentation showing	21B104 alignment testing.				Spreadshoot shough	Optionalists of Mirets parts	companson to murata parts			Presentation on SLIC Road	Map including competitor	patent analysis				1608 SLIC ESL (define)	presentation including	competitor patent analyses			,	1608 SLIC ESL (measure)	presentation	-	SLIC ESL lead presentation
Date		No Date		oto Civ	S C C C C C C C C C C C C C C C C C C C	2	No Date					No date	NO URIE					8/16/2004			, , ,		3000000	4/28/2000					5/26/2005		7/13/2005
Ending Bates	-	SEMCOURING BASS No Date		SEWCO00313708	001000000000000000000000000000000000000	-	SEMCO00312907					SEMCOORBE8438 No date	SCIVICOUGGO-130					SEMCO00128282					10000000	SEMICOUNDENTOL					SEMCO00019367		SEMCO00094882 7/13/2005
Beginning Bates		SEMCOUDADBA65		SEMCO00313708			CX-246C SEMCO00312907					CX-247C SEMCOON868437	SEIVIC COOODS 457	,			, ,	CX-248C SEMCO00128249					070000000000000000000000000000000000000	SEIVICOUUUZU64U					SEMCO00019332		SEMCO00094876
©X No.		CX-244C		72/c-XJ			CX-246C					CX-247C	2/+2-10					CX-248C					0076	72430					CX-250C		CX-251C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted	Withdrawn	Admitted	Admitted	Withdrawn	Withdrawn
Purpose	Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the patents-in-suit	Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the patents-in-suit	Evidence of Secondary Indicia of Non-obviousness, SEMCO's copying of the inventions of the patents-in-suit	Establish knowledge of SEMCO testifying witnesses	Evidence of SEMCO witnesses' knowledge of relevant facts and persons	Evidence of SEMCO witnesses' knowledge of relevant facts and persons	Evidence of SEMCO witnesses' knowledge of relevant facts and persons	Evidence of domestic industry; Evidence of Secondary Indicia of Ulrich / Burn / Non-obviousness, You, Dong-Gou commercial success
Sponsoring Witness	Ulrich / Burn / Lee, Byoung Hwa	Ulrich / Burn / Lee, Byoung Hwa / Youn, Hyuk-Joon	Uirich / Burn / Lee, Byoung Hwa	N/A	Evidence witnesse Ulnch / Burn / relevant You, Dong-Gou persons	Evidence witnesse Ulrich / Burn / relevant You, Dong-Gou persons	Evidence witnesse Ulrich / Burn / relevant You, Dong-Gou persons	Ulrich / Burn / You, Dong-Gou
Description & Title	1608 High ESR SLIC (define) Ulrich / Burn / presentation showing comparison to Murata MLCC Hwa	MS-X-Box 0805 (2012) 8T SLIC presentation, including competitor patent analyses	Spreadsheet tracking competitor patent filings and comparing designs to some claims	MURATA'S NOTICE OF DEPOSITION OF SEMCO	Chart - Organization of SEMCO	Chart - Organization of LCR Division	Chart - Name, start date, position, and role of SEMCO Ulrich / Burn / managers	Letter to Mr. Tsuneo Murata (Rep. Director and President, Ulrich / Burn / from Chi Jun Choi
Date	2/20/2006	1/7/2008	no date	2/9/2010	No Date	No Date	No Date	10/6/2009
Ending Bates	SEMCO00317826	SEMCO00069543	SEMCO00268474		SEMCO00000289	SEMCO00000288		SEMCO00000357 10/6/2009
Beginning Bates	SEMCO00317682	CX-253C SEMCO00069521	SEMCO00268474		SEMCO00000289	SEMCO00000288	Exh. 5 to deposition of You, Dong-Gou	CX-259C SEMCO00000356
CX No.	CX-252C	CX-253C	CX-254C	CX-255C	CX-256C	CX-257C	CX-258C	CX-259C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Admitted	Admitted	Admitted	Withdrawn	Withdrawn	Admitted	Admitted
Purpose	Evidence of domestic industry; Evidence of Secondary Indicia of Ulrich / Burn / Non-obviousness, You, Dong-Goul commercial success	Evidence of SEMCO's sales or importation into the US	Evidence of SEMCO's infringement of patents-in-suit; Evidence of Ulrich / Burn / SEMCO's sales or You, Dong-Goul importation into the US	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-sult; Evidence of SEMCO's sales or importation into the US	Ulrich / Burn / You, Dong-Gou Evidence of SEMCO's / Kim, Sang- sales or importation into the US	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of SEMCO's sales or importation into the US	Evidence of SEMCO's sales or importation into the US
Sponsoring Witness	Ulrich / Burn / You, Dong-Gou	Eviden Ulrich / Burn / sales o You, Dong-Gou the US	Ulrich / Burn / You, Dong-Gou	Evidence of SE Ulrich / Burn / infringement of You, Dong-Gou patents-in-suit	Evidenc infringe patents Evidenc Ulrich / Burn / sales or You, Dong-Gou the US	Ulrich / Burn / You, Dong-Gou / Kim, Sang- Hoon	Eviden infringe infringe patents Eviden Ulrich / Burn / sales o You, Dong-Gou the US	Eviden Ulrich / Burn / sales o You, Dong-Gou the US
Description & Title	Letter to Mr. Jun Choi from Tsuneo Murata, Representative Director	Chart of SEMCO's 2009 top 50 MLCC sales by amount and quantity	SEMCO MLCC product	Chart showing SEMCO MLCC composition rating and intended uses	SEMCO WLAN Module Naming Convention	MLCC 2008-09 Volume and Value chart by manufactured country and month	MLCC , Network and Tuner part number	List of SEMCO
Date	10/21/2009	No Date	Nov. 2009	No Date	6/2/2008	No Date	No Date	No Date
Ending Bates	SEMCO00000355				SEMCO00000197	SEMCO00000300	SEMCO00084250	SEMCO00569213 No Date
Beginning Bates	SEMCO00000355	Exh. 9 to deposition CX-261C of You, Dong-Gou	Exh. 10 to deposition of You, Dong-Gou	Exh. 12 to deposition of You, CX-263C Dong-Gou	CX-264C SEMCO0000194	CX-265C SEMCO00000290	SEMCO00084217	CX-267C SEMCO00569115
CX No.	CX-260C	CX-261C	CX-262C	CX-263C	CX-264C	CX-265C	CX-266C	CX-267C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted	Withdrawn	Admitted	Admitted	Admitted	Admitted
Purpose	Evidence of SEMCO's Ulrich / Burn / sales or importation into You, Dong-Gou the US; SEMCO's Youn, Hyuk- infringement of the Joon	Evidence of SEMCO's sales or importation into the US; SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's Sales or importation into You, Dong-Gou the US; Evidence of Youn, Hyuk-SEMCO's infringement Joon of the patents-in-suit;	EMCO's- tation into- O's- fthe-	Evidence of SEMCO's sales or importation into the US; SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's Ulrich / Burn / sales or importation into You, Dong-Gou the US; SEMCO's / Youn, Hyuk- infringement of the Joon	Evidence of SEMCO's sales or importation into the US	Evidence of SEMCO's sales or importation into the US
Sponsoring Witness	n / Burn / Ö Dong-Gou n, Hyuk-	ı / Burn / Dong-Gou	Ulrich / Burn / You, Dong-Gou / Youn, Hyuk- Joon	Evidence of St sales or import the US; SEMC Ulrich / Burn / infringement or You, Dong-Gou patents-in-suit		Ulrich / Burn / You, Dong-Gou / Youn, Hyuk- Joon	/ Burn / Jong-Gou	굿
Description & Title	Ulrich You, Chart - MLCCs identified by / You SEMCO as Multiliead models Joon	Chart - MLCCs identified by SEMCO as Multiterminal models	Chart - MLCCs identifled by SEMCO as Barlum Titanate Capacitors	Chart - MLCCs identified by SEMCO as Barium Calcium Titanium Capacitors (withdrawn as duplicate of CX-296C)	Chart - MLCCs identified by SEMCO as Sintered Ceramic Ulrich / Burn. Capacitors You, Dong-G	Chart - MLCCs identified by SEMCO as High Density Capacitors	SEMCO sales directory	SEMCO accounts handled by Ulrich / Burn / SEMAI in the US You, Dong-Go
Date	No Date	No Date	No Date	No Date	No Date	No Date	No Date	No Date
Ending Bates	SEMCO00567089	SEMCO00567090	SEMCO00567088	SEMCO00567122	SEMCO00567118	SEMCO00567121		
Beginning Bates	SEMCO00567089	SEMCO00567090	SEMC000567078	SEMCO00567126	SEMCO00567091	SEMCO00567119	Exh. 25 to deposition of You, Dong-Gou	Exh. 26 to deposition of You, Dong-Gou
CX No.	CX-268C	CX-269C	CX-270C	CX-271C	CX-272C	CX-273C (Exh. 25 to deposition CX-274C Dong-Gou	CX-275C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Relected	Admitted	Palling		Withdrawn					Mithodroman	Williamii		***************************************	Admitted		Admitted			Withdrawn				Admitted		-	A	Aumilleu		Admitted			Admitted
Purpose		Evidence of SEMCO's	sales or importation into	the US	Evidence of Secondary	Indicia of Non-	obviousness, SEMCO's	copying of the	inventions of the	חמום ווא-ווו-אחוו	You. Dong-Goul Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's sales or importation into	the US	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	sales or importation into	the US; Evidence of	You, Dong-Gou harm to Murata's DI	-	SEMCO knowledge and	Infringement of the	Date Its-Itt-Sult	sales or importation into	the US; remedy		Evidence of SEMCO's	the US
Sponsoring Witness	Evident Ulrich / Burn / sales o	non-Bina inni	Ulrich / Burn /	You, Dong-Gou the US					Ulrich / Burn / inventions of the	Hirich / Burn /	You. Dong-Gou	/ Kim, Sang-	Hoon	I Ilrich / Bum /	You, Dong-Goulthe US		Ulrich / Burn /	You, Dong-Gou the US			Ulrich / Burn /	You, Dong-Gou			Ulrich / Burn /	Tou, Doilg-God paterile-ill-suit	Ulrich / Burn /			/ doi:11	
Description & Title	SEMCO SEMAI 2009 Sales			SEMCO Distributor List		,		SEMCO ex-Murata	Employee start date and			Chart - US Purchase record	and invoice list	/ ming / doight pur net seles OO IM - pedO	Feb 2008		Business strategy for RIM,	AMD and Apple		Email string with AMD	regarding Murata patent	enssi	Chart - Index of	correspondence in Ex. 33;	Email attachment list with	outside Vellaula	Chart - SEMCO Modules	containing SEMCO MLCCs	Chart - SEMCO average	ξ	
Data	O O No			1/4/2010					No Data	O Caro			No Date		No Date			No Date				10/23/2009			old O	NO Date		No Date			No Date
Ending Bates			,		70		-						SEMCO00084786		SEMCO00084375			SEMCO00111133				-									
Beginning Bates	Exh. 27 to deposition of You,	Exh. 28 to	deposition of You,	Dong-Gou	-			Exh. 29 to	deposition of You,	POO-BIOA			CX-279C SEMCO00084376		SEMCO00084256			SEMCO00111106		Exh. 33 to	deposition of You,	Dong-Gou		Exh. 34 to	deposition of You,	Evh 35 to	deposition of You,	Dong-Gou		Exh. 36 to	Dong-Gou
CX No.				CX-277C					CX-278C	200			CX-279C		CX-280C			CX-281C				CX-282C			7880-X7	2007-400		CX-284C			CX-285C Dong-Gou

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admilted/ Withdrawn	Rejected		Admitted		·				Admitted			Withdrawn		•	Withdrawn	-		Admitted			Admitted			Admitted			Admitted					Admitted		Admitted
	Purpose	Evidence of SEMCO's	sales or importation into the US; remedy				Establish witness as	corporate designee of	SEMCO	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	sales or importation into	You, Dong-Gou the US; remedy	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	patents-in-suit:	Evidence of SEMCO's	sales or importation into	the US	Evidence of SEMCO's	patents-in-suit
Sponsoring	Witness		Ulrich / Burn / sales or importa You, Dong-Gou the US; remedy						N/A		Ulrich / Burn /	7		Ulrich / Burn /	You, Dong-Gou	-	Ulrich / Burn /	You, Dong-Goulthe US		Ulrich / Burn /	You, Dong-Goulthe US		Ulrich / Burn /	You, Dong-Goulthe US		Ulrich / Burn /	You, Dong-Goulthe US			Ulrich / Burn /	Youn, Hyuk-	Joon	/	Joon
	Description & Title		Chart - Average Usage of MLCC with various products	COMPLAINANTS	MURATA'S NOTICE OF	30(b)(6) DEPOSITION OF	RESPONDENT SAMSUNG	ELECTRO-MECHANICS	CO., LTD.	MLCC and Part number with	volume and value in Jan and	Feb 2008; See You Exh. 31		MLCC, Tuner and Network	Part number sold in the US	Sales Information of Accused	Products (Jan.2008 -	Oc1.2009)		Chart - Invoice; importation	into the US		Chart - Invoice; sales for	importation into the US		Chart - Invoice; sales after	importation into the US			Technical and production	data re SEMCO's NJN type	capacitors		ba i iO3 (basic matenais) Materials Standards
	Date		No Date						2/9/2010			No Date			No Date			No Date			No Date			No Date			No Date					No Date		10/30/2009
	Ending Bates						- 					SEMCO0084375		-	SEMCO00084255			-														SEMCO00055148		SEMCO00084216
	Beginning Bates	Exh. 37 to	deposition of You, Dong-Gou									SEMCO0084256	i.			Exh. 10 to			Exh. 11 to	deposition of You,		Exh. 12 to	deposition of You,	Dong-Gou 30(b)(6)	Exh. 13 to	deposition of You,	CX-293C Dong-Gou 30(b)(6)					SEMCO00055126	-	CX-295C SEMCO00084204
	CX No.		CX-286C						CX-287C			CX-288C			CX-289C			CX-290C			CX-291C			CX-292C			CX-293C	·				CX-294C		CX-295C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/	Rejected					Admitted				-			Admitted			-				Withdrawn				-			Withdrawn						Withdrawn
	Purpose	Evidence of SEMCO's infringement of the	patents-in-suit;	Evidence of SEMCO's	sales or importation into	the US	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the patents-in-suit
Sponsoring	Witness		Ulrich / Burn /	Youn, Hyuk-	Joon / You,	Dong-Gou					Ulrich / Burn /	Youn, Hyuk-	Joon					Ulrich / Burn /	Youn, Hyuk-	Joon					Ulrich / Burn /	Youn, Hyuk-	Joon					Ulrich / Burn /	Youn, Hyuk- Joon
	Description & Title	List of Accused Product	Model Numbers: Chart -	MLCCs identified by SEMCO		Capacitors					List of Documents Related	with the Comparative Studies Youn, Hyuk-	on Murata's MLCCs						W/S DR - technical	document re X8R lineup						SEMCO technical analysis of Youn, Hyuk-	Murata capacitors					Quality Factor (Q)	Improvement using a New Capacitor Design
	Date					No Date							No Date							11/29/2007							No Date						1/1/2008
	Ending Bates					SEMCO00567126													-	SEMCO00426247							SEMCO00486247				-		SEMCO00499100
	Beginning Bates					SEMCO00567122					Exh. 35 to	deposition of Youn,	CX-297C Hyuk-Joon							SEMCO00426246							SEMCO00486243						CX-300C SEMCO00499096
	CX No.					CX-296C							CX-297C							CX-298C							CX-299C						CX-300C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Ammonius d'Island A. Cerrol, etc. Menorembre	Withdrawn! Relected	Allegarian and the experience of the state o					Withdrawn					Withdrawn									Withdrawn										Withdrawn	Vinitalian
	SSOMIA CONTRACTOR	Evidence of Secondary	Indicia of Non-	obviousness re patents-	copying of the	inventions of the	patents-in-suit	Evidence of Secondary Indicia of Non-	obviousness re patents-	in-suit, SEMICO's	inventions of the	patents-in-suit	Evidence of Secondary	ohviousness re natents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit, long-feit	need & prior failure;	Evidence of SEMICO'S	patents-in-suit	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit, long-felt	need & prior failure;	Evidence of SEMICO'S	Intringement of the	parente ai can
	Sponsoring Witness				Ulrich / Burn /	Youn, Hyuk-	Joon			Hich / Burn /	Youn, Hyuk-	Joon	·						Heich / Ours	Voin Hylik-	Joon								7 4-1-1		Youn, Hyuk-	1000
	nascription & Title				٠		MuRata v. Semco	1				Cross-section on grains		`						Samsunds' Leading Edge	MLCCs									L The state of the	Samsungs Leading Edge Mi CCs	MECOS
	Dafe	Commence of the second					2/26/2004					no date									3/6/2007										3/22/2007	7
	Ending Bates	Shandahan dalah bandah dalah da da mengankakan dan dan salah da salah dan salah dan salah da					SEMCO00363427	-				SEMCO00429413				***			٠	ITC30B6.	SAM00001403				-				-	o COCOL	11 C30B6- SAM00001427	CONTROCT IN
	Beginning Rates	Make and the Address of the Address					CX-301C SEMCO00363422					CX-302C SEMCO00429413								ITC30B6.	SAM00001387	-									11 C30B6- CX-304C SAM00001404	101100000000000000000000000000000000000
STEPPI CONTRACTOR CONTRACTOR	OX No						CX-301C					CX-302C									CX-303C									:	CX-304C	1 2 2 12

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected				Withdrawn	Admitted			Withdrawn		Withdrawn					Withdrawn				Withdrawn
Purpose	Evidence of Secondary Indicia of Non-obviousness re patents-in-suit, SEMCO's	copying of the inventions of the patents-in-suit long-felt	reed & prior failure; Evidence of SEMCO's infringement of the	patents-in-suit	Evidence of SEMCO's infringement of the	Evidence of SEMCO's	infringement of the	patents-in-suit	Evidence of SEMCO's infringement of the	patents-in-suit	Evidence of Secondary Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	inventions of the	patents-in-suit	Evidence of Secondary Indicia of Non-	obviousness re patents-	in-suit, SEMICO'S copying of the	inventions of the patents-in-suit
Sponsoring Witness	,		Ulrich / Burn / Youn, Hyuk-	Joon	Ulrich / Burn / Youn, Hyuk- Joon	Ulrich / Burn /	Youn, Hyuk-	Joon	Ulrich / Burn / Youn, Hvuk-	Joon			/ doi: 0 / doi: 1	Youn, Hyuk-	Joon			Ulrich / Burn /	Youn, Hyuk- Joon
Description & Title		-	Samsungs' Technical	Presentation	X7R Documents		Model, Composition and	power standard chart	Model and Composition	Number Chart			Lotolo D statement of the test	with the Comparative Studies Youn, Hyuk-	on Murata's MLCCs			List of Documents Related	with the Comparative Studies Youn, Hyuk- on Murata's MLCCs
Date				2/1/2009	No Date			No Date		No Date					No Date				No Date
Ending Bates			ITC30B6-	SAM00001446	-														
Beginning Bates			TC3086-	CX-305C SAM00001428	Exh. 104 of Deposition of Youn, Hvuk-Joon	Exh. 105 of	Deposition of Youn,	Hyuk-Joon	Exh. 106 of Deposition of Youn.	-lyuk-Joon			Evh 107 of	Deposition of Youn,	Hyuk-Joon	-		Exh. 115 of	Deposition of Youn, Hyuk-Joon
CX No.				CX-305C (Exh. 104 or Deposition CX-306C Hvuk-Joon		7206 20			CX-308C Hyuk-Joon					CX-309C				Deposition Deposition CX-310C Hyuk-Joon

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Sponsoring Withdrawn/ Withess Purpose Rejected	Evidence of harm to domestic industry; SEMCO's knowledge of Ulrich / Burn / the patents-in-suit and Youn, Hyuk- alleged infringement Joon thereof	Ulrich / Burn / Evidence of SEMCO's Youn, Hyuk- infringement of the Joon patents-in-suit	Ulrich / Burn / Evidence of SEMCO's in Youn, Hyuk- infringement of the Joon patents-in-suit Admitted	Ulrich / Burn / Evidence of SEMCO's Youn, Hyuk- infringement of the Joon patents-in-suit Admitted	Ulrich / Burn / Youn, Hyuk- Joon	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of SEMCO's Ulrich / Burn / importation or sales in Youn, Hyuk- the US of accused Joon products	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of SEMCO's Ulrich / Burn / importation or sales in Youn, Hyuk- the US of accused Joon products Admitted	Ulrich / Burn / Evidence of SEMCO's
Description & Title	Email communication and attachment details re investigation	Chart showing dimensions of SEMCO low ESL capacitors	Selected print-outs of screen Youn, Hyuk-tables and design tables	SEMCO composition table	318106 Capacitor Inspection data	Chart re 318106 production data	Chart - 318106(TumbSize)	Composition Table
Ending Bates Date	No Date	native excel file No Date	No Date	No Date	No Date	No Date	No Date	
CX No. Beginning Bates	Exh. 128 of Deposition of Youn, CX-311C Hyuk-Joon	CX-312C SEMCO00109766	Exh. 6 to deposition of Youn, Hyuk-Joon CX-313C 30(b)(6)	Exh. 13 to deposition of Youn, CX-314C Hyuk-Joon 30(b)(6)	Exh. 15 to deposition of Youn, CX-315C Hyuk-Joon 30(b)(6)	Exh. 16 to deposition of Youn, CX-316C Hyuk-Joon 30(b)(6)	Exh. 17 to deposition of Youn, CX-317C Hyuk-Joon 30(b)(6)	Exh. 20 to

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted Withdrawn!	Ne arted	Admitted	Admitted													Admitted							Admitted		Withdrawn
	Purpose	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's	infringement of the	patemis-in-suit, evidence of SFMCO	persons with knowledge	re patents-in-suit or	accused products;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary	Indicia of Non-	obviousness re patents-	in-suit	Evidence of SEMCO's	infringement of the patents-in-suit
Sponsoring	Witness	Ulrich / Burn / Youn, Hyuk- Joon	Ulrich / Burn / Youn, Hyuk- Joon			***************************************								Ulrich / Burn /	Youn, Hyuk-	Joon		-			Ulrich / Burn /	Yoon, Seock-	Hyun	Ulrich / Burn /	Yoon, Seock- Hyun
	Description & Title	NB322C Dielectric Material Specification	SEMCO Composition and compounds table													Notes re deposition topics	Experiment Report:	Comparative Analysis of	properties A vs. B; SEMCO	Technical paper showing	detailed destructive analysis	of capacitors using various	techniques	Temporary Work Instruction	re X7RSBT03-Dy252C type capacitor
	Date	No Date	3/19/2010													No Date							4/4/2008		9/6/2006
	Ending Bates											-					-						SEMCO01492890 4/4/2008		SEMCO00052749 9/6/2006
	Beginning Bates	每xh. 34 to deposition of Youn, CX-319C Hyuk-Joon 30(b)(6)	Exh. 39 to deposition of Youn, CX-320C Hyuk-Joon 30(b)(6)											Exh. 42 to	deposition of Youn,	CX-321C Hyuk-Joon 30(b)(6)			-				CX-322C SEMCO01492876		CX-323C SEMCO00052717
	CX No.	CX-319C	CX-320C													CX-321C							CX-322C		CX-323C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected				Witngrawn	-			,		Admitted									Admitted
Purpose	Evidence of SEMCO's infringement of the patents-in-suit;	Indicia of Non- obviousness re patents- in-suit. SEMCO's	copying of the inventions of the	patents-in-sult	Evidence of SEMCO'S infringement of the patents-in-suit:	Evidence of Secondary	Indicia of Non-	obviousness re patents- in-suit, SEMCO's	copying of the	inventions of the patents-in-suit.	Evidence of SEMCO's	infringement of the	patents-in-suit;	Evidence of Secondary Indicia of Non-	obviousness re patents-	in-suit, SEMCO's	copying of the	inventions of the	patents-in-suit.
Sponsoring Witness		Ulrich / Burn /	Yoon, Seock- Hyun / Kwon,	Sang Hoon						Ulrich / Burn / Inventions of th Wi, Song Kwon patents-in-suit.								Ulrich / Burn /	Wi, Song Kwon patents-in-suit.
Description & Title	Effect of Sintering Atmosphere on the Properties of the X7R Products of	SBT03-Dy252C System (Explanation of the difference in the Properties	of the Products Sintered between Batch (Tokai)	Furnace and PLK Furnace)			,	-	05A105KQN - Analysis of	various capacitors and dielectric materials							05A105KQN - Analysis of	various capacitors and	[11/14/2003 dielectric materials
Date				No Date						11/10/2003								1	11/14/2003
Ending Bates				SEMCOUUS//U80						SEMCO01479720			,						SEMC001479828
Beginning Bates				CX-324C SEMCC0005/70/1					-	CX-325C SEMCO01479712									CX-326C SEMCO01479821
CX No.			9	CA-324C						CX-325C									CX-326C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Admitted	Admitted	Withdrawn	Admitted	Withdrawn	Withdrawn	Withdrawn	Withdrawn
escond.	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary Indicia of Non-obviousness re patents-	in-suit, SEMCO's copying of the inventions of the patents-in-suit.	Evidence of Secondary Indicia of Non- obviousness re patents- in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Establish witness as corporate designee of SEMCO	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit
Sponsoring		in-suit, SEMCC copying of the Ulrich / Burn / inventions of th Wi, Song Kwon patents-in-suit.	Eviden Indicia Ulrich / Burn / obviou Wi, Song Kwon in-suit	Evidence of SE Ulrich / Burn / infringement of Wi, Song Kwon patents-in-suit	N/A	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon
Description & Title	. ,	05A105KQN - Analysis of various capacitors and 12/11/2003 dielectric materials	Low Inductance Ceramic Capacitor	Chart showing technical data and images of 31B106KAHNNN capacitors	11/27/2009 Notice of 30(b)(6) Deposition N/A	Multilayer Ceramic Capacitors Manual	Multilayer Ceramic Capacitors Manual	SEMCO document showing internal dimensions of capacitor	Presentation: Inner Structure Dimension
Date		12/11/2003	2/1/2006	no date	11/27/2009	Nov. 2009	90 Jun. 09	No date	3/4/2009
Ending Bates		SEMCO01479866	SEMCO00095085	native file				SEMCO00054761	SEMCO0033462
Beginning Bates		CX-327C SEMCO01479854	SEMCO00095071	SEMCO00750617	Exh. 1 to deposition CX-330C of Kim, Sang-Hoon	Exh. 3 to deposition of Kim, Sang-Hoon	Exh. 5 to deposition of Kim, Sang-Hoon	CX-333C SEMCO00054759	CX-334C SEMCO0033454
CX No.		CX-327C	CX-328C	CK-329C	CX-330C	CX-331C	CX-332C	CX-333C	CX-334C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

pa wu	pe	uw.	· · · · · · · · · · · · · · · · · · ·	awn	UM	UME	IW.	þ.	þe
Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn		Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted	Admitted
Purpose	Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's importation or sale of	accused products	Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's importation or sale of accused products	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Ulrich / Burn / Kím, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon / You,	Dong-Gon	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Kim, Sang- Hoon	Ulrich / Burn / Lee, Jung-Soo	Ulrich / Burn / Lee, Jung-Soo	1 1
Description & Title	Meeting Agenda: Electronic Devices Sales Division	Samsung Electro-Mechanics Distributors [15 Distributors Found]	SEMCO produced sales or importation related data for SEMCO MLCCs and	Modules	Documents listing information on SEMCO competitors and their products	Spreadsheet showing applications for various models of capacitors and customers therefore	MLC09-017CGCGI: Document showing technical data for 31B106 capacitor, including shrinkage data	Email re approval and changes to SLIC pattern N10BAM-SLIC14 (Same as Chang, Dong Ik Exh. 6)	Attachment to SEMCO 312604, showing SLIC patter Ulrich / Burn / N10BAM-SLIC14
Date	9/1/2007	1/4/2010		No date	No date	5/8/2006	no date	5/2/2009	no date
Ending Bates	SEMCO00005985 9/1/2007			SEMCO00000324 No date	SEMCO00060634 No date	SEMCO00070567	native excel file	SEMCO00312605 5/2/2009	SEMCO00312606 no date
Beginning Bates:	CX-335C SEMCO00005973	Exh. 30 to deposition of Kang, CX-336C Sang-Koo		CX-337C SEMCO00000304	CX-338C SEMCO00060633	CX-339C SEMCO00070560	CX-340C SEMCO00320374	CX-341C SEMCO00312604	CX-342C SEMCO00312606
CX No.	CX-335C	CX-336C		CX-337C	CX-338C	CX-339C	CX-340C	CX-341C	CX-342C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	Account to the second s					Admitted
Beginning Bates	s Ending Bates.	Date	Description & Title	Sponsoring Witness	Purpose	Withdrawn/ Rejected
	_				Evidence of SEMCO's	
			***		infringement of the	
					patents-in-suit;	
	*******				Evidence of Secondary	
٠					Indicia of Non-	
					obviousness re patents-	
					in-suit, SEMCO's	
					copying of the	73
			Email re Sakabe-san of	Ulrich / Burn /	inventions of the	***************************************
CX-343C SEMCO000000042	2 SEMCO00000045 8/15/2008	8/15/2008	Murata	Lee, Jung-Soo	patents-in-suit	Admitted
					Evidence of SEMCO's	
	*****				infringement of the	
	****				patents-in-suit;	
					Evidence of Secondary	
			٠		Indicia of Non-	
				-	obviousness re patents-	
			Email from Kang, Byung		in-suit, SEMCO's	
			Sung to Lee, Jung Soo re:		copying of the	
			Seminar by Sakabe - May	Ulrich / Burn /	inventions of the	
SEMCO02191580) SEMCO02191580	5/28/2007	28th	Lee, Jung-Soo	patents-in-suit	Admitted
					Evidence of SEMCO's	
					infringement of the	
					patents-in-suit;	
					Evidence of Secondary	
					Indicia of Non-	
	******				obviousness re patents-	
	~~~~~		Calcium-Doped barium		in-suit, SEMCO's	A.,
	<del></del>		Titanate Ceramics For Nickel		copying of the	
			Aultilayer	Ulrich / Burn /	inventions of the	
CX-345C  SEMCO02191581	1  SEMCO02191594  5/28/2007	5/28/2007	Capacitors	Lee, Jung-Soo  patents-in-suit	patents-in-suit	Admitted

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted	Admitted
Purposa	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary Indicia of Non-obviousness re patents-in-suit, SEMCO's copying of the inventions of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary Indicia of Non-obviousness re patents-in-suit, SEMCO's copying of the inventions of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary Indicia of Non-obviousness re patents-in-suit, SEMCO's copying of the inventions of the patents-in-suit
Sponsoring Witness	Ulrich / Burn / Lee, Jung-Soo	Ulrich / Burn / Lee, Jung-Soo	1
Description & Title	Email re another Sakabe-san seminar to be held at SEMCO	Calcium-Doped barium Titanate Ceramics For Nickel Electrode Multilayer Capacitors	Email re another Sakabe-san seminar to be held at SEMCO
Date	6/4/2007	6/4/2007	6/11/2007
Ending Bates	SEMCO02283400 6/4/2007	SEMCO02283413	SEMCO02285197
Beginning Bates	CX-346C   SEMCO02283399	CX-347C SEMCO02283401	CX-348C SEMCO02285196
©X:No:	CX-346C	OX:3470	CX-348C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

tted/ ww/T/ sted		rawn	rawn	tted	tted	rawn	tted	rawn	tted	rawn	rawn
Admitted/ Withdrawn/ Rejected		Withdrawn	Withdrawn	Admitted	Admitted	Withdrawn	Admitted	Withdrawn	Admitted	Withdrawn	Withdrawn
Purpose	Evidence of SEMCO's infringement of the patents-in-suit; Evidence of Secondary indicia of Non- obviousness re patents-	in-suit, SEMCO's copying of the inventions of the patents-in-suit	Murata's final list of accused products	Admission of SEMCO's importation or sales of accused products	Admission of SEMCO's importation or sales of accused products	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, aconomic prong
Sponsoring Witness		Ulrich / Burn / Lee, Jung-Soo	N/A	Moon, Bo K	Lee, Byoung- Hwa	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder
Description & Title		Effects of Rare-Earth Oxides on the Reliability of X7R Dielectrics	2010.05.26 Murata's Final List of Accused Products	2010.05.26 Responses to Murata's 1st RFAs	Document cited in SEMCO's 2nd Supp. Resp. to ROG No. 9	McHargue Depo, Exh. 10	MENA Product Engineer job description; Kubota Depo, Exh. 11	MENA employee allocation per patent; Kubota Depo, Exh. 3	MENA Sales and Quality Assurance Group Information; Kubota Depo, Exh. 10	MENA Technical Sales Manager job description	Email from Woody Wilder to Kesuke Kotani, FW: GE Lighting - Ohio
Date		6/11/2007	5/26/2010	5/26/2010	no date	no date	6/27/2005	5/24/2010	no date	5/21/2010	10/21/2009
Ending Bates		SEMCO02285225 6/11/2007	·		SEMCO02310484		MM_002025		·	MM_307217	MM_006407
Beginning Bates		CX-349C SEMCO02285198			SEMCO02309864		CX-354C MM_002024			MM_307215	CX-358C   MM_006406
CX No.		CX-349C	CX-350C	CX-351C	CX-352C	CX-353C	CX-354C	CX-355C	CX-356C	CX-357C	CX-358C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

To the second se	Admined	Purpose		nomic	Withdrawn	domestic	Nomic Withdraw	+	nomic	Withdrawn		domestic	onomic Withdrawn		domestic	nomic	Withdrawn	domestic	***************************************	Withdrawn	domestic		Withdrawn		domestic		Withdrawn	domestic	cinco	Withdrawn	domestic	nomic	Withdrawn	domestic	Withdrawn
			Evidence of domestic	Industry, economic	prong	Evidence of domestic	industry, economic	Fyidence of domestic	Industry, economic	prong		Evidence of domestic	industry, economic prond	) 	Evidence of domestic	industry, economic	prong	Evidence of domestic	Industry, economic	prong	Evidence of domestic	Industry, economic	prong		Evidence of domestic	industry, economic	prong	Evidence of domestic	industry economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	prond
	,	Sponsoring Witness	Kubota /	McHargue /			r McHargue /	Kubota /	McHaroue /	Wilder		Kubota /	McHargue / Wilder	1	ri Kubota /	t McHargue /		Kubota /	McHargue /	_		McHargue /	Wilder		Kubota /	McHargue /	Wilder	- Kubota /			Kubota /		Wilder	Kubota /	Wilder
		Dascription & Title	Presentation by MENA re	Fluorescent Lamp	applications	Email from Woody Wilder to	Kesuke Kotani, FW; spec for	2000 0000		Murata Specification Sheet	Email from Woody Wilder to	Kesuke Kotani, FW: TTI	Power Management   Solutions - Murata Undate	Email from Woody Wilder to	Kesuke Kotani, FW: New TTI   Kubota /	Vertical Power Management	Campaign		Attachments from	MM_006460	Email from Woody Wilder to	Kesuke Kotani, FW: New	FOS test requirement	Email from Woody Wilder to	Kesuke Kotani, FW: WD	Branded Products	Presentation Material	Email from Woody Wilder to	Product Training ( upch Eah	25 at WD		Murata MLCC Capacitor	Product Updates Dec. 2008	Control of the state of the sta	Product Engineering
		Date			no date		10/21/2008	2007/13/01		no date			10/21/2009				10/21/2009			no date			10/21/2009			0000	10/2/12/08		· · · · · ·	10/21/2009			12/1/2008		no date
		Ending Bates	and the second s		MM_006426		MM ODEA36	201000 10101		MM_006441			MM 006459			-	MM_006462			MM 006464			MM 006468				MIM DODGED			MM_006473			MM 006556		MM 006587
		Beginning Bates	isoussed - Lebestonous - Somusiumestados		CX-359C MM_006408		CX-360C MM 006427			MM_006437			CX-362C MM 006458				CX-363C MM_006460			CX-364C MM 006463			CX-365C MM_006465				CX-300C MIM UU0469			CX-367C MM 006470			CX-368C MM_006474		AM 006557
		CX No.	-		CX-359C N		CX-360C			CX-361C N			CX-362C				CX-363C			CX-364C			CX-365C N			0000	7995-X7			CX-367C N			CX-368C N		CX-369C MM 006557

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	tic	stic c Withdrawn	9	stic c Withdrawn	tic	stic c Withdrawn	jj .	ţic	stic c Withdrawn	stic c Withdrawn	stic c Withdrawn	stic c Withdrawn
Purpose	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prond	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong
Sponsoring Witness	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder
Description & Title	Email from Woody Wilder to Kubota / Kesuke Kotani, FW: WD new McHargue Capacitor Wilder	Email from Woody Wilder to Kesuke Kotani, FW: Murata 10/21/2009 cap technical questions	Attachment to MM_006614	MENA Job Description - Associate Product Engineer	MENA Job Description - Capacitor Planning Analyst	MENA Job Description - Group Product Manager	MENA Job Description - Marketing Manager	MENA Job Description - Product Manager	MENA Job Description - Senior Product Engineer	MENA Job Description - Senior Product Manager	MENA employee cost center assignments	MENA Job Description - Global Account Manager
Date	10/21/2009	10/21/2009	no date	6/19/2009		6/19/2009	6/19/2009	6/19/2009	6/19/2009	6/19/2009	no date	6/27/2005
Ending Bates	MM_006604	MM_006612	MM_006614	MM 002019	MM 002020	MM 002022	MM 002023	MM 002027	MM 002029	MM_002031	MM 002033	MM_002035
Beginning Bates	CX-370C MM 006588	CX-371C  MM_006606	MM_006614	CX-373C MM 002018	CX-374C MM 002020	CX-375C MM 002021	CX-376C MM 002023	MM 002026	CX-378C MM 002028	CX-379C MM 002030	CX-380C MM 002033	CX-381C MM_002034
CX No.	CX-370C	CX-371C	CX-372C	CX-373C	CX-374C	CX-375C	CX-376C	CX-377C	CX-378C	CX-379C	CX-380C	CX-381C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

The second second			Sandan and the second s				Admitted.
					Spongoring		Mithdesum
					Simering	1	Manua
CX NO.	deginning Bates	Ending Bates	Date	Description & Title	Witness	Purpose	Rejected
					Kubota /	Evidence of domestic	
				t Manager -	McHargue /	industry, economic	
CX-382C M	MM_002036	MM_002037	8/1/2007	Distribution I	Wilder	prong	Withdrawn
				,	Kubota /	Evidence of domestic	
				Key Account Manager -	McHargue /	industry, economic	
CX-383C M	MM_002038	MM_002039	8/1/2007	Distribution II	Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
				Key Account Manager/Sales	McHargue /	industry, economic	
CX-384C   MI	MM_002040	MM 002041	4/12/2007		Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
				Key Account Manager/Sales	McHargue /	industry, economic	
385C MI	CX-385C   MM_002042	MM_002043	4/12/2007		Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
					McHargue /	industry, economic	
CX-386C MI	MM_002044	MM_002045	6/27/2005	Key Account Manager	Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
· · · · · · · · · · · · · · · · · · ·	-			MENA Job Description -	McHargue /	industry, economic	
387C MI	CX-387C MM_002046	MM_002047	6/19/2009	National Account Manager	Wilder	prong	Withdrawn
				MENA Job Description -	Kubota /	Evidence of domestic	
				e Quality Assurance	McHargue /	industry, economic	
388C MI	CX-388C MM 002048	MM 002050	10/22/2009	Manager	Wilder	prong	Admitted
·				MENA Job Description -	Kubota /	Evidence of domestic	-
<del></del>				Control Engineer -	McHargue /	Industry, economic	-
CX-389C MI	MM_002051	MM_002052	10/22/2009	MERK	Wilder	prong	Admitted
					Kubota /	Evidence of domestic	
000		7 10000 7171	100001	MENA Job Description	McHargue /	industry, economic	1
1M 2005-V2	MIM UUZUD3	MM UUZU34	0/2//2/03	Quality Systems Manager	Wilder	prong	Withdrawn
				MENIA TO COCCUPATION	Kubota /	Evidence of domestic	
CX-391C MA	MM 002055	MM 002056	10/22/2009	,	Wilder	חומתאני אי פכטוסווווכ	Withdrawn
					Kubota /	Evidence of domestic	
<u> </u>				Rockmart QC Lab	McHargue /	industry, economic	
CX-392C   MI	MM_308123	MM_308123	no date	Equipment	Wilder	prong	Admitted
		-			Kubota /	Evidence of domestic	
<del></del>				Chart re capacitor claims	McHargue /	industry, economic	
CX-393C MM	M 308124	MM 308124	no date	covered by patents	Wilder	prong	Admitted
					Kubota /	Evidence of domestic	
394C MA	CX-394C MM 307218	MM 307295	no date	MENA QC Claim Summaries for the Sekidou File	McHargue / Wilder	industry, economic	Withdrawn
	01 7 100	202 (20)				6.5.1	

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

The same					Τ			Γ			Γ	-5					<u> </u>					_				<u> </u>					_					
	Mithdrawn/	Rejected		Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn	,		Withdrawn			Withdrawn			Withdrawn			Withdrawn		Withdrawn
		Purpose	Evidence of domestic	industry, economic prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	Industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic
Company of the compan	Sponsoring	Witness	Kubota /	McHargue / Wilder	Kubota /		Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	de /			dne /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	/ ent	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue / Wilder
		Description & Title		MENA OC Claim Summaries   McHargue for the Naito File		MENA QC Claim Summaries	for the Ueno File		MENA QC Claim Summaries	for the Wada File		MENA QC Claim Summaries	for the Sekidou File		Murata 2009 Market	Summary and Outlook		Summary by Capacitor	Product Marketing		Passive Component	Magazine			MLCC for Power Electronics			Murata Hi-Cap MLCC's	Automotive Capacitors for	Powertrain/Safety	Applications	Murata's Low ESL	Capacitors for High-Speed	Applications		Murata's HF, High Q Capacitors
		Date		no dafe			no date			6/30/1905			no date			7/1/1905			6/30/1905		ep Ge	2007			no date			no date			no date			no date		no date
		Ending Bates		MM 307300			MM 307309			MM 307544			MM 308000			MM 301535			MM 301437			MM_301422			MM 301432			MM 301504			MM 301506			MM 301465		MM 301462
		Beginning Bates		MM_307296			MM 307301			CX-397C MM 307310			MM_307929			CX-399C MM 301526			CX-400C MM 301433			CX-401C MM 301379			CX-402C MM 301432			MM 301503			CX-404C MM 301505			MM 301464		CX-406C MM 301462
		CX No.		CX-395C			CX-396C			CX-397C			CX-398C			CX-389C			CX-400C			CX-401C			CX-402C			CX-403C			CX-404C			CX-405C		CX-406C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted
Purpose	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic- industry, economic- prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong
Sponsoring Witness	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota /- McHarguo /- Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder
Description & Title	Controlling DC Bias Characteristics in High Capacitance Piezoelectric/Ferroelectric Ceramics	Capacitor Promotional Tools Fall 2006-Present	Application Specific Capacitors	2009 Design Engineering Kits	2007 Design Engineering Kits	Murata's Summary and Outlook for Capacitors, Passive Component Industry (duplicate of CX-12C)	MENA Job Descriptions: Key Account Manager/Sales Engineer EMS	MENA Job Descriptions: Key Kubota / Account Manager/Sales McHargu Engineer GFE	Capacitance and Dissipation Factor Measurement of Chip MLCC's	Subject: Measure of High Capacitance Capacitors
Date	10/1/2009	no date	no date	no date	no date	Jan/Feb- 2008	4/12/2007	4/12/2007	no date	9/1/2005
Ending Bates	MM_301370	MM_026862	MM_026982	MM_027122	MM_027157	MM_027160	MM_020041	MM_020043	MM_002076	MM_002091
Beginning Bates	CX-407C  MM_301368	CX-408C MM_026862	CX-409C MM_026887	CX-410C MM_027081	CX-411C MM 027123	CX 412C   MM_027158	CX-413C MM_020040	CX-414C  MM_020042	CX-415C MM_002058	CX-416C MM 002085
OX/No	CX-407C	CX-408C	CX-409C	CX-410C	CX-411C	CX 4126	CX-413C	CX-414C	CX-415C	CX-416C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

		Γ		7				Γ			<u> </u>		_			_															1			٦			7		······································
Admitted/ Withdrawn/	Rejected			Admitted			Withdrawn			Admitted			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn			Withdrawn		Withdrawn
	Purpose	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	prong
Sponsoring	Witness	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	Wilder
	Description & Title		Technical Information: MLCC	Design Basics		Ceramic capacitor	application manual	Technical Information: MLCC	Tiger striped electrode	pattern			Cap Group Internal Training		Murata Web Information -	Design Tools		Chip Capacitor Part Number	Training			0201, 1uF Analysis report		Embedded Multilayer	Capacitor			AMD-Murata F2F Meeting		MLCC BroadBand	Decoupling Capacitor			Capacitor Array		Capacitor Engineering	Department #3 Session	Murata MLCC Capacitor Kubota /	Sep. 2008
	Date			12/30/2008			no date			12/30/2008			no date			no date			no date			6/1/2009			1/1/2009			9/19/2008		1	1/1/2009			no date			circa 2009	-	9/1/2008
	Ending Bates			MM_002104			MM_002173	-		MM_002179			MM 002220			MM_002228			MM 002287		-	MM 002416			MM_002540			MM_002649			MM 002701			MM 002724			MM_002767		MM_002820
	Beginning Bates			MM 002104			MM 002112			MM 002174			CX-420C MM 002203			MM 002221			CX-422C MM 002264			MM 002410			CX-424C MM 002521			CX-425C MM 002593			MM 002658			CX-427C MM 002702			MM_002751		CX-429C MM_002798
	CX No.			CX-41/C			CX-418C			CX419C			CX-420C			CX-421C			CX-422C			CX-423C			CX-424C			CX-425C			CX-426C			CX-427C			CX-428C		CX-429C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/	Rejected	v		Admitted	v		Admitted	U		Withdrawn	O		Withdrawn	v	-	Withdrawn	υ		Withdrawn	v		Withdrawn	U		Withdrawn	U		Admitted	0		Withdrawn	O		Withdrawn	O		Admitted	v	Admitted
	Purpose	Evidence of domestic	Industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic	prong	Evidence of domestic	industry, economic prona
Sponsoring	Witness	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue /	Wilder	Kubota /	McHargue / Wilder
	Description & Title	Technical Information: MLCC	Termination and Plating	Processes	Technical Information: IR	Failure Mechanism for	Cracked Capacitors			Market Topics: Visteon			Market Topics: KCM Series		Market Topics: Fujitsu	Networks			09F1 development Request			Hi-Cap Update		Passive Electronics: Still in	the Stone Age?		Low ESL Capacitor	Technology Road Map	Report concerning your	inquiry (Phillips Lighting	Electronics)	Report concerning your	inquiry (Phillips Lighting	Electronics)			Lab Scope		MENA Job Descriptions - Technical Sales Manager
	Date			no date			no date			2/9/2009			7/16/2009			9/17/2009			no date			12/1/2008			no date			no date		!	11/8/2007			10/16/2007			4/30/2008		5/21/2010
	Ending Bates			MM 006107			MM_006111		-	MM 006244			MM_006252			MM 006259			MM_006628			MM 009855			MM 010241			MM_011125			MM 012624			MM_012639		-	MM_012655		MM 307217
	Beginning Bates	-		MM_006097			CX-444C MM 006108			MM_006241			CX-446C MM 006248			MM_006256			CX-448C MM_006615			MM_009826			MM_010104			CX-451C MM_011120			CX-452C MM_012620			CX-453C MM_012636			CX-454C MM_012651	-	CX-455C MM 307215
	CX No.			CX-443C			CX-444C			CX-445C			CX-446C			CX-447C		********	CX-448C			CX-449C			CX-450C			CX-451C			CX-452C			CX-453C			CX-454C		CX-455C N

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Ending Bales
MM_001851 4/10/2007
MM 001866 2/13/2007
MM 001898 4/13/2009
MM 001915 9/2/2008
MM 001932   2/2/2009
MM 001949 1/4/2008
MM 001967 4/13/2009
MM_001972 10/2/2007
MM_001977 10/1/2008
MM_001987 10/9/2009
MM_002002   7/1/1905
VIM_002004 3/1/2009

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

,				·	r			,				<del></del>
	Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn
	Purpose	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong	Evidence of domestic industry, economic prong
	Sponsoring Witness	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	Kubota / McHargue / Wilder	
	Description & Title	MENA Financial Statements as of Years Ended March 31, Kubota / 2007 and 2006 and McHargu Independent Auditors' Report Wilder	MENA Financial Statements as of Years Ended March 31, Kubota / 2008 and 2007 and McHargu Independent Auditors' Report Wilder	MENA 2006 Payroll Register	MENA 2007 Payroll Register	MENA 2008 Payroll Register	2006F-2008F Actual Expenses	Email re Bose	Conference call re crack	Crack Appendix	Kubota / Email from M. Lauri of IBM to McHargue / F. Yang of MENA	Kubota / Email from A. Tung of MENA McHargue re ATI Xbox 360 update Wilder
	Date	8/31/2007	1/12/2009	11/3/2009	11/3/2009	11/3/2009	no date	12/27/2005	3/31/2008	no date	3/24/2008	11/23/2005
	Ending Bates	MM_026403	MM_026420	MM_026538	MM_026658	MM_0266776	MM_026833	MM_029088	MM_065210	MM_065215	MM 064890	MM_028543
^	Beginning Bates	CX-469C MM_026386	CX-470C MM_026404	CX-471C   MM_026421	CX-472C MM_026539	CX-473C MM_026659	CX-474C   MM_026821	CX-475C MM_029088	CX-476C MM_065210	CX-477C  MM_065211	CX-478C MM_064889	CX-479C MM_028538
	GX No.	CX-469C N	CX-470C N	CX-471C	CX-472C	CX-473C	CX-474C	CX-475C	CX-476C	CX-477C	CX-478C	CX-479C I

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

							Admitted/
					Sponsoring		Withdrawn
	Beginning Bates	Ending Bates	Date	Description & Title	Witness	Purpose	Rejected
					Kubota /	Evidence of domestic	
		1	1	Murata ATI Sept 19-20	McHargue /	industry, economic	-
CX-480C MM 028544	544	MM_028546	9/23/2005	Meeting Summary	Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
NAM 031717	717	NANA 034704	8/21/2008	Email from F. Yang re Cap	McHargue /	industry, economic	18/14
20		1711 00 117 1	0/2 1/2000		Vilhoto /	Silong Silong	MARIONAMI
				Email from F. Brock to F.	Nubola / McHarque /	industry, economic	
CX-482C   MM_027710	710	MM_027711	8/23/2005		Wilder	prong	Withdrawn
		-			Kubota /	Evidence of domestic	-
				05F Customer Objective &	McHargue /	industry, economic	-
MM 027712	712	MM 027713	6/27/1905	Action plan for IBM	Wilder	prong	Withdrawn
				Email from IBM requesting	Kubota /	Evidence of domestic	
				phone discussion re	McHargue /	industry, economic	
MM 035849	849	MM 035840	1/25/2007		Wilder	prong	Withdrawn
				Email from M. Galante of	Kubota /	Evidence of domestic	
				IBM to L. McHargue re	McHargue /	industry, economic	
CX-485C   MM_036356	356	MM 036359	2/13/2007		Wilder	prong	Admitted
				0	Kubota /	Evidence of domestic	
				F. Yang of MENA re custom	McHargue /	industry, economic	
MM 036894	894	MM_036895	2/27/2007		Wilder	prong	Withdrawn
				Email from M. Galante of	Kubota /	Evidence of domestic	-
				ng re new	McHargue /	industry, economic	
CX-487C MM 037463	463	MM 037463	3/22/2007		Wilder	prong	Withdrawn
				Email from M. Galante of	Kubota /	Evidence of domestic	
				IBM cc'ing F. Yang re Murata McHargue	McHargue /	industry, economic	
MM 062542	542	MM_062543	2/23/2008		Wilder	prong	Withdrawn
				Email from M. Lauri of IBM	Kubota /	Evidence of domestic	
				of MENA re	McHargue /	industry, economic	
MM_069193	193	MM 069194	6/13/2008	GRM product	Wilder	prong	Withdrawn
				0	Kubota /	Evidence of domestic	
		-		ang of MENA re Murata	McHargue /	industry, economic	
CX-490C MM 093088	088	MM 093090	7/28/2009	info	Wilder	prong	Withdrawn
					Kubota /	Evidence of domestic	
ì	. (		( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	rom McHargue	McHargue /	industry, economic	
MM 127252	252	MM 127256	9/27/2008	re IBM issues	Wilder	prong	Withdrawn
				MENA Control	Kubota /	Evidence of domestic	
CX-492C MM 190766	992	MM 190793	1/29/2009	Documentation - Quality Policy Manual	McHargue / Wilder	industry, economic	Admitted
						8	

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

,			***************************************	A COMMAND	Sponsoring		Admitted/ Withdrawn/
	a Bullua	3018	nate	Vescription & Title	Kihota /	Evidence of domestic	X (9) (9) (10) (1)
MM_129737   MM_129739	MM_129739		2/7/2009	Email string re Continental Component Analysis	ie /	industry, economic prong	Withdrawn
Exh 4 of deposition of Wilder or Exh. 2 of deposition of				Sasaki-san Handwritten	Kubota / McHarque /	Evidence of domestic industry, economic	
CX-494C Kubota	n/a		5/19/2009	notes		prong	Withdrawn
CX-495C MM_179408 MM_179412	MM_179412		7/29/2008	Email re troubleshooting QC issues (Wilder Depo, Exh. 9)	Kubota / McHargue / Wilder	Evidence of domestic industry, economic prong	Withdrawn
Dougherty Deposition Exhibit 13			no date	Article titled "Role of yttrium and magnesium in the formation of core-shell structure of BaTiO3 grains in MLCC	Burn	Evidence of infringement	Withdrawn
				Kishi, et al, "Base-Metai		Evidence that supports Complainants' claim	
				Electrode-Multilayer Ceramic		construction; secondary	
Report Exhibit 4			1/1/2003	and Future Perspectives	Burn	obviousness	Admitted
	-					Evidence re proper	
MM 001604 MM 001609	MM 001609		7/30/1991	U.S. Pat. No. 5,036,424	Burn	claim construction re the '254 patent	Withdrawn
						Evidence re proper	
						claim construction re the '254 patent:	
						secondary	
			,		ſ	consideration of non-	
			4/29/2003	U.S. Pat. No. 6,556,422	Burn	obviousness	Withdrawn
						Evidence re proper claim construction re	
			11/18/2003	U.S. Pat. No. 6,649,554	Burn	the '254 patent	Withdrawn
				-		Evidence re proper	
			7/12/2005	U.S. Pat. No. 6,917,513	Burn	the '254 patent	Admitted
			1				

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

							**************************************
Admitted	Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Admitted	Withdrawn	Withdrawn
	Purpose	Evidence re proper claim construction re the '229 patent	Evidence re proper claim construction re the '229 patent	Evidence re proper claim construction re the '254 patent	Evidence of harm to Murata	Verification of discovery responses	Verification of discovery responses
	Sponsoring Witness	Burn / Uírich	Burn / Ulrich	Burn / Uirich	Tahara / Yoshino / SEMCO witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
	Description & Title	OED Definition of interdigitate	OED Definition of interleave	OED Definition of about	Developing the Most Competitive Products, SEMCO Investor Relations	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO RESPONDENTS' SEC SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S SECOND SUPPLEMENTAL RESPONSES TO RESPONDENTS' FIRST SET OF INTERROGATORIES
	Date	6/11/1905	6/11/1905	7/2/1905	7/1/2001	1/5/2010	1/12/2010
	Ending Bates						
	Beginning Bates						
	CX No.	CX-502	CX-503	CX-504	CX-505	CX-506C	CX-507C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorabie E. James Gildea

١				
	Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
	Purpose	Verification of discovery responses	Verification of discovery responses	Verification of discovery responses
	Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
	Description & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S THIRD SUPPLEMENTAL RESPONDENTS SECOND SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FOURTH SUPPLEMENTAL RESPONSES TO RESPONDENTS FIRST SET Kubodera. OF INTERROGATORIES Sano	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO RESPONDENTS FOURTH SET OF INTERROGATORIES
	Date	2/1/2010	2/1/2010	2/1/2010
	Ending Bates			
	Beginning Bates			
	CX No.	<u> </u>	CX-509C	CX-510C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorabie E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Verification of discovery responses	Verification of discovery responses	Verification of discovery responses
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO RESPONDENTS FIFTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO RESPONDENTS FIFTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO RESPONDENTS' FOURTH SET OF INTERROGATORIES
Date	2/5/2010	2/16/2010	2/19/2010
Ending Bates			
Beginning Bates			
CX No.	CX-511C	CX-512C	CX-513C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawa	Witndrawn					A PIECE AND A PERSON AND A PERS	WILLIUM							Withdrawn
Purpose	Verification of discovery	responses	·				Verification of discovery	leshouses		-		-		Verification of discovery	responses
Sponsoring Witness	Tahara / Kubodera / Sano	Sano				Tahara /	Kubodera /	Oalio					Tahara /	Kubodera /	Sano
Description & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO RESPONDENTS' SIXTH SET OF SET OF	IN LERKOGALORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA	ELECTRONICS NORTH AMERICA, INC.'S FOURTH	SUPPLEMENTAL	RESPONSES TO RESPONDENTS' SECOND	SET OF	VERIFICATION FOR	COMPLAINANTS MURATA	MANUFACTORING CO., LTD., AND MURATA	ELECTRONICS NORTH	SUPPLEMENTAL	RESPONDENTS' FIRST	SET OF	INTERROGATORIES
Date	2/19/2010	01 07/61/7					0,40,0040	21 13/2010						(	2/19/2010
Ending Bates															
Beginning Bates															
CX No.	CX-514C	2+10-45			-		× 7	2010-40						1	CX-516C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

SOCIAL PROPERTY CONTRACTOR CONTRA			·
Admitted/ Withdrawni Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Verification of discovery responses	Verification of discovery responses	Verification of discovery responses
Sponsoring Witness	San San	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONDENTS' SEVENTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONDENTS' EIGHTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO COMMISSION INVESTIGATIVE STAFF'S FIRST SET OF INTERROGATORIES
Date	3/2/2010	3/17/2010	3/17/2010
Ending Bates			
Beginning Bates			
CX No.	CX-517C	CX-518C	CX-519C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected			•					-	Withdrawn			-							Withdrawn											Withdrawn
Purpose					***		-	Verification of discovery	responses									Verification of discovery	responses										Verification of discovery	responses
Sponsoring Witness							Tahara /	Kubodera /	Sano			·			****		Tahara /	Kubodera /	Sano		****							Tahara /	Kubodera /	Sano
Description & Title	VERIFICATION FOR COMPLAINANTS MURATA	LTD., AND MURATA	ELECTRONICS NORTH	AMERICA, INC.'S THIRD	SUPPLEMENTAL	RESPONSES TO	RESPONDENTS' FOURTH	SET OF	INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA	MANUFACTURING CO.,	LTD., AND MURATA	<b>ELECTRONICS NORTH</b>	AMERICA, INC.'S	OBJECTIONS AND	RESPONSES TO	RESPONDENTS' NINTH	SET OF	INTERROGATORIES	VERIFICATION FOR	COMPLAINANTS MURATA	MANUFACTURING CO.,	LTD., AND MURATA	ELECTRONICS NORTH	AMERICA, INC.'S	OBJECTIONS AND	RESPONSES TO	RESPONDENTS' TENTH	SET OF	INTERROGATORIES
Date									3/23/2010										4/20/2010											4/20/2010
Ending Bates					•							,					-													·
Beginning Bates																														
GX No.									CX-520C		************								CX-521C											CX-522C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

3 2			, C
Admitted/ Withdrawn Polested	Withdrawn	Withdrawn	Withdrawn
	Verification of discovery	Verification of discovery responses	Verification of discovery responses
Sponsoring	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Dasoripilon & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO STAFF'S FIRST SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO RESPONDENTS' THIRD SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO RESPONDENTS' NINTH SET OF INTERROGATORIES
 Nafa	5/28/2010	5/28/2010	5/28/2010
Ending Bates			
Reginging Rafes			
CX No	CX-523C	CX-524C	CX-525C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Primose	Verification of discovery	Verification of discovery responses	Verification of discovery responses
Sponsoring Withous	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Dascellotion & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES TO RESPONDENTS' TENTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S OBJECTIONS AND RESPONSES TO STAFF'S SECOND SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S SECOND SUPPLEMENTAL RESPONSES TO STAFF'S FIRST SET OF INTERROGATORIES
Date	5/28/2010	5/28/2010	5/28/2010
Ending Bates			
Beginning Bates			
CX No	CX-526C	CX-527C	CX-528C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purposa	Verification of discovery responses	Verification of discovery responses	Verification of discovery responses
Sponsoring	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S THIRD SUPPLEMENTAL RESPONSES TO RESPONDENTS' FOURTH SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA, INC.'S SEVENTH SUPPLEMENTAL RESPONSES TO RESPONDENTS' FIRST SET OF INTERROGATORIES	VERIFICATION FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., AND MURATA ELECTRONICS NORTH AMERICA. INC.'S OBJECTIONS AND RESPONDENTS' ELEVENTH SET OF INTERROGATORIES
Date	5/28/2010	5/28/2010	5/28/2010
Ending Bates			
Beginning Bates			
CX No.	CX-529C	CX-530C	CX-531C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

(Hansan Mayer and Assessment			A SACRAMA CONTRACTOR OF THE SACRAMA CONTRACT				A 11-144-11
	100						
					Sponsoring		Withdrawn
CX No.	<b>Beginning Bates</b>	Ending Bales	Date	Description & Title	Witness	Purpose	Rejected
	1	L		VERIFICATION FOR			
				COMPLAINANTS MURATA			***************************************
				MANUFACTURING CO.,			
				LTD., AND MURATA			-
				ELECTRONICS NORTH		,	
				AMERICA, INC.'S			
				OBJECTIONS AND			
				RESPONSES TO			
				RESPONDENTS' TWELFTH Tahara /	Tahara /		
				SET OF	Kubodera /	Verification of discovery	
CX-532C			5/28/2010	INTERROGATORIES	Sano	responses	Withdrawn
				VERIFICATION FOR			
				COMPLAINANTS MURATA			
				MANUFACTURING CO.,			
				LTD., AND MURATA			-
				ELECTRONICS NORTH			***************************************
				AMERICA, INC.'S			
				OBJECTIONS AND			
				RESPONSES TO	Taurdon		•
				RESPONDENTS'	Tahara /		
				THIRTEENTH SET OF	Kubodera /	Verification of discovery	
CX-533C			5/28/2010	INTERROGATORIES		responses	Withdrawn

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected			Admitted
Purpose		Verification of discovery	responses
Sponsoring Witness		Dr. Byoung	Hwa Lee
Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSE TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA AMERICA INC.'S FIRST SUPPLEMENTAL RESPONSE TO COMPLAINANTS MURATA AMENICA INC.'S FIRST SET OF INTERROGATORIES OF INTERROGATORIES	29-32, 43-45, 47, AND 55-	58)
Date	·		1/10/2010
Ending Bates			
Beginning Bates			
CX No.			CX-534C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn
Purpose	Verification of discovery responses	Verification of discovery responses
Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee
Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S SECOND SUPPLEMENTAL RESPONSE TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA AMERICA INC.'S FIRST SET OF INTERROGATORIES (NOS. 13-28)	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S THIRD SUPPLEMENTAL RESPONSE TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA AMERICA INC.'S FIRST SET OF INTERROGATORIES (NOS. 1 AND 64)
Date	1/14/2010	2/27/2010
Ending Bates		
Beginning Bates		
CX No.	CX-535C	CX-536C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

																																					_
Admitted/ Withdrawn/	Rejected																		Withdrawn																		Withdrawn
	Purpose																	Verification of discovery	responses										•							Verification of discovery	responses
Sponsoring	Witness																	Dr. Byoung	Hwa Lee									,					-			Dr. Byoung	Hwa Lee
	Description & Title	VERIFICATION OF	RESPONSES TO	INTERROGATORIES -	RESPONDENTS SAMSUNG	ELECTRO-MECHANICS CO.	LTD. & SAMSUNG	ELECTRO-MECHANICS	AMERICA, INC.'S	OBJECTIONS AND	RESPONSES TO	COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	ELECTRONIC NORTH	AMERICA INC.'S THIRD	SET OF	INTERROGATORIES (NO.	87)	VERIFICATION OF	RESPONSES TO	INTERROGATORIES -	RESPONDENTS SAMSUNG	ELECTRO-MECHANICS CO.	LTD. & SAMSUNG	ELECTRO-MECHANICS	AMERICA, INC.'S	RESPONSES AND	OBJECTIONS TO	COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	ELECTRONIC NORTH	AMERICA INC.'S SECOND	SET OF	INTERROGATORIES (NOS. Dr. Byoung	65-86)
	Date												111						2/27/2010										-								2/27/2010
	Ending Bates																													• .							
	Beginning Bates							-			-																										
	CX No.																		CX-537C														····				CX-538C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Withdrawn	Withdrawn
Purpose	-	Vernication of discovery responses	Verification of discovery
Sponsoring Witness		Dr. Byoung Hwa Lee	Dr. Byoung
Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES AND OBJECTIONS TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA ELECTRONIC NORTH AMERICA INC.'S THIRD SET OF	IN ERROGALORIES (NO. 87)	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S AMERICA, INC.'S AMERICA, INC.'S AMERICA, INC.'S AMERICA, INC.'S AMERICA INC.'S AMERICA INC.'S COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA ELECTRONIC NORTH AMERICA INC.'S FOURTH SET OF INTERROGATORIES (NOS. R8-92)
Date		3/24/2010	
Ending Bates			
Beginning Bates			
CX No.		CX-539C	

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

	Admilted/ Withdrawn/ Rejected	Withdrawn	Admitted
	Admitted Withdrawn Rejected	Withc	Adm
	Purpose	Verification of discovery	Verification of discovery
	1.40	Verifi	Verifi
THE THE PERSON AND TH	Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee
	Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S SECOND SUPPLEMENTAL RESPONSE TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA ELECTRONIC NORTH AMERICA INC.'S SECOND SET OF INTERROGATORIES (NOS. 66-88, 70, 78-79 AND 86) VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG	LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S OBJECTIONS AND RESPONSES TO COMMISSION INVESTIGATIVE STAFF'S FIRST SET OF INTERROGATORIES (NO. 87)
	Date	3/24/2010	3/24/2010
	Ending Bates		
	Beginning Bates		
	CX No.	CX-541C	CX-542C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

			Γ											 												
Admitted	Withdrawn	- Rejected											Withdrawn													Admitted
		Purpose		/		4							Verification of discovery responses												-	Verification of discovery responses
	<b>Впровнод</b>	Witness											Dr. Byoung Hwa Lee												,	Dr. Byoung Hwa Lee
		Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES -	RESPONDENTS SAMSUNG	LTD, & SAMSUNG	ELECTRO-MECHANICS	AMERICA, INC.'S RESPONSES TO	COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	AMEDICA INC. SECTION	SET OF	INTERROGATORIES (NOS. 88-92)	VERIFICATION OF RESPONSES TO	INTERROGATORIES -	RESPONDENTS SAMSUNG	ELECTRO-MECHANICS CO.	ELECTRO-MECHANICS	AMERICA, INC.'S FIFTH	SUPPLEMENTAL	KESPUNSE 10 COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	ELECTRONIC NORTH	AMERICA INC. 3 FIRS I SE I OF INTERROGATORIES	(NOS. 6, 8-9, 16-18, 20-22, AND 57-61)
		Date	~										3/24/2010	 												3/24/2010
		Ending Bates																			i.			٠		
		Beginning Bates		-		-						-						,								
		CX No.											CX-543C			-								,		CX-544C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		-	-					-			-								Admitted
Purpose	And the second property of the second propert					-	-											Verification of discovery	responses
Sponsoring Witness								*						-				Dr. Byoung	Hwa Lee
Description & Title		VERIFICATION OF	RESPONSES TO	INTERROGATORIES -	RESPONDENTS SAMSUNG	ELECTRO-MECHANICS CO.	LTD. & SAMSUNG	ELECTRO-MECHANICS	AMERICA, INC.'S FOURTH	SUPPLEMENTAL	RESPONSE TO	COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	ELECTRONIC NORTH	AMERICA INC.'S FIRST SET	OF INTERROGATORIES	(NOS. 2, 7, 11, 14, 25-27,	AND 64)
Date																			3/24/2010
Ending Bates																			
CX No.   Beginning Bates																			
CX No.			-																CX-545C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected				-									Admitted
Purpose												Verification of discovery	responses
Sponsoring Witness								-				Dr. Byoung	Hwa Lee
Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO.	LTD. & SAMSUNG ELECTRO-MECHANICS	AMERICA, INC.'S SECOND	SUPPLEMENTAL	RESPONSE TO	COMPLAINANTS MURATA	MANUFACTURING CO.	LTD. & MURATA	ELECTRONIC NORTH	AMERICA INC.'S SECOND	SET OF	INTERROGATORIES (NOS.   Dr. Byoung	66-68, 78-79, AND 86)
Date													3/24/2010
Ending Bates													
CX No.   Beginning Bates										No.		-	
CX No.										7	-		CX-546C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

NOTES CONTROL OF			
Admitted/ Withdrawn/ Rejected			Withdrawn
Purpose		Verification of discovery	responses
Sponsoring Witness		Dr. Byoung	Hwa Lee
Description & Title	VERIFICATION OF RESPONSES TO INTERROGATORIES - RESPONDENTS SAMSUNG ELECTRO-MECHANICS CO. LTD. & SAMSUNG ELECTRO-MECHANICS AMERICA, INC.'S FIRST SUPPLEMENTAL RESPONSES AND OBJECTIONS TO COMPLAINANTS MURATA MANUFACTURING CO. LTD. & MURATA ELECTRONIC NORTH AMERICA INC.'S THIRD SET OF	INTERROGATORIES (NO.	87)
Date			3/24/2010 87)
Ending Bates			
Beginning Bates			
CX No.			CX-547C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Withdrawh	Withdrawn
Pilmoke	Verification of discovery	responses	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the
Sponsoring	Dr. Byoung	Нwа Lee	Tahara / Kubodera / Sano
Description & Title		86)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s First Set Of Interrogatories (Nos. 1-49) (withdrawn as
Date		3/24/2010	
es Ending Bales			
Beolinning Bates			
OK No		CX-548C	7, 540

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit	Evidence of domestic industry, technical and economic prongs	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Second Set Of Interrogatories (withdrawn as Kubodera / duplicate of RX-0080C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0062C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Second Set Of Interrogatories (withdrawn as Kubodera / duplicate of RX-0065C)
Date	12/24/2009	1/6/2010	1/8/2010
Ending Bates			
Beginning Bates:			
CX No.	CX 550C	CX-551C	CX-552C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry, technical and economic prongs	Evidence of domestic industry, technical and economic prongs	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Second Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera / duplicate of RX-0091C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Second Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Second Set Of Interrogatories (withdrawn as Kubodera / duplicate of RX-0093C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Third Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0096C) Sano
Date	1/10/2010	1/20/2010	1/20/2010
Ending Bates			
Beginning Bates			
CX No.	CX 553C	CX-554C	CX 566C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Admitted
Purpose	Evidence of appropriate remedy and bond	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Third Set Of Interrogatories (withdrawn as duplicate of RX-0086C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Third Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Second Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0099C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Fourth Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0069C) Sano
Date	1/20/2010	1/29/2010	1/29/2010
Ending Bates			
Beginning Bates			
CX No.	CX-556C	CX-557C	CX-558C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

The second second second		F
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn
Purpose	Evidence re conception & reduction to practice of the inventions of the patents-in-suit; date of priority of the inventions of the patents-in-suit; evidence re proper claim construction; evidence of validity of patents-in-suit; evidence re prosecution, licensing or litigation related to patents-in-suit; evidence of Secondary Indicia of Non-obviousness; evidence re alleged inequitable conduct	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Mechanics America, Inc.'s Kourth Set Of Interrogatories (withdrawn as duplicate of RX-0078C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Fifth Set Of Interrogatories (withdrawn as duplicate of RX-0074C)
Date	1/29/2010	2/4/2010
Ending Bates		
Beginning Bates		
CX No.	CX-659C	CX-560C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Mithdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence re conception & reduction to practice of the inventions of the patents-in-suit	Evidence re prosecution, licensing or litigation related to patents-in-suit, evidence re validity of patents-in-suit, evidence re alleged inequitable conduct	Evidence re conception & reduction to practice of the inventions of the patents-in-suit
Sponsoring Witness	Tahara/ Kubodera/ Sano	Tahara / Kubodera / Sano	
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Sixth Set Of Interrogatories (withdrawn as duplicate of RX-0083C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Fourth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0063C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Sixth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0067C) Sano
Date	2/12/2010	2/16/2010	2/16/2010
Ending Bates		·	
Beginning Bates			
GX No.	CX-561C	CX 562C	CX-563C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorabie E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry, technical and economic prongs	Evidence of document retention policy; evidence of Murata's patenting policies	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit; Murata data custodians
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Fourth Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Second Set Of Interrogatories	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Fifth Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Seventh Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0082C) Sano
Date	2/16/2010	2/16/2010	3/1/2010
Ending Bates			
Beginning Bates			
CX No.	CX-564C	CX-565C	CX 566C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Former SEMCO employees; evidence re validity of patents-in-suit	Evidence of domestic industry, technical and economic prongs; evidence re proper claim construction of the patents-in-suit; evidence re prosecution, licensing or patents-in-suit; evidence of Secondary Indicia of Non-obviousness	Evidence of domestic industry, technical and economic prongs; evidence of SEMCO's infringement of the patents-in-suit; evidence re proper remedy and bond; expected witnesses at hearing; evidence re conception and reduction to practice of the inventions of the patents-in-suit
Sponsoring Witness	Tahara / Kubodera / Sano		_
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Eighth Set Of Interrogatories (withdrawn as duplicate of RX-0072C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Commission Investigative Staff's First Set Of Interrogatories (withdrawn as Kubodera /	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Fifth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0061C) Sano
Date	3/12/2010	3/15/2010	3/19/2010
Ending Bates			
Beginning Bates			
CX No.	CX-567C	CX-568C	CX-569C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of domestic industry, technical and economic prongs	Evidence re prosecution, licensing or litigation related to patents-in-suit	Evidence of domestic industry, technical and economic prongs
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Seventh Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0066C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Second Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Fourth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0092C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Sixth Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0095C) Sano
Date	3/19/2010	3/19/2010	3/19/2010
Ending Bates			
Beginning Bates			
CX No.	CX 570C	CX 671C	CX 572C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence re prosecution, licensing or litigation related to patents-in-suit	Evidence of domestic Industry, technical and economic prongs	Evidence of SEMCO's violation of Ground Rule 3.5, limiting parties to 175 interrogatories
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Third Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Fourth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0097C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Ninth Set Of Interrogatories (withdrawn as duplicate of RX-0079C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Tenth Set Of Interrogatories (withdrawn as duplicate of RX-0085C)
Date	3/22/2010	3/26/2010	4/16/2010
Ending Bates	· · · · · · · · · · · · · · · · · · ·		
Beginning Bates			
CX No.	5 <u>873</u>	CX 574C	CX 575C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

F				
	Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
	Furpose	Evidence of domestic industry, technical and economic prongs	Evidence of domestic industry, technical and economic prongs	Evidence of domestic industry, technical and economic prongs
	Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
THE REPORT OF THE PROPERTY OF	Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s First Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Ninth Set Of Interrogatories (withdrawn as Kubodera / duplicate of RX-0103C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Supplemental Objections And Responses To Samsung Electro- Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Tenth Set Of Interrogatories (not listed on RX list)	Complainants Murata Manufacturing Co., Ltd. And Murata Electronics North America, Inc.'s First Supplemental Responses To Commission Investigative Staff's First Set Of Interrogatories (withdrawn as Kubodera, duplicate of RX-0060C)
Kumadajasinasa (kasada Francisca Africa	Date	4/27/2010	5/3/2010	5/5/2010
	Ending Bates			
	Beginning Bates			
	CK No.	CX-576C	CX-577C	CX-578C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

ØX No.	Beginning Bates	Ending Bates	Date	Description & Title	Sponsoring Witness	Purpose	Admitted/ Withdrawn/ Rejected
				Complainants Murata			
				Manufacturing Co., Ltd., And	,		
				Murata Electronics North		-	
				America, Inc.'s First			
				Supplemental Responses To			
				Samsung Electro-Mechanics			
				Co., Ltd. And Samsung			
				Electro-Mechanics America,			
				Inc.'s Third Set Of	Tahara /		
				Interrogatories (withdrawn as Kubodera /	Kubodera /	Evidence of appropriate	
CX-579C	-	-	5/10/2010	duplicate of RX-0068C)	Sano	remedy and bond	Withdrawn
						Evidence of domestic	
		-				industry, technical and	
						economic prongs;	****
		-				evidence re proper	
				Complainants Murata		claim construction of	
				Manufacturing Co., Ltd. And		the patents-in-suit;	-
				Murata Electronics North		evidence re	
				America, Inc.'s Second		prosecution, licensing or	
				Supplemental Responses To		litigation related to	
				Commission Investigative		patents-in-suit;	<del></del>
				Staff's First Set Of	Tahara /	evidence of Secondary	
				Interrogatories (withdrawn as Kubodera	Kubodera /	Indicia of Non-	
CX-580C			5/10/2010	duplicate of RX-0090C)	Sano	obviousness	Withdrawn

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

,		
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn
Purpose	Evidence re conception & reduction to practice of the inventions of the patents-in-suit; date of the patents-in-suit; evidence re proper claim construction; evidence of validity of patents-in-suit; evidence re prosecution, licensing or litigation related to patents-in-suit; evidence of Secondary Indicia of Non-obviousness; evidence re alleged inequitable conduct	Evidence of domestic Industry, economic prong; evidence of Murata's proposed claim construction for 254 patent
Sponsoring Witness		
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Third Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s Fourth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0098C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, inc.'s Seventh Supplemental Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro-Mechanics America, Inc.'s First Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0094C) Sano
Date	5/10/2010	5/10/2010
Ending Bates		
Beginning Bates		
CX No.	CX-581C	CX 582C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

-	c		
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence of SEMCO's infringement of the patents-in-suit	Evidence of domestic industry, economic prong; evidence re SEMCO's infringement of the patents-in-suit	Evidence re identification or characteristics of accused products and downstream products and entities barred from importing or selling thereof.
Sponsoring Witness	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano	Tahara / Kubodera / Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Eleventh Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0073C) Sano	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Commission Investigative Staff's Second Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0368C)	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Twelfth Set Of Interrogatories (withdrawn as Kubodera duplicate of RX-0089C)
Date	5/20/2010	5/24/2010	5/26/2010
Ending Bates			
Beginning Bates			
CX No.	CX 583C	CX-584C	

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Withdrawn
Purpose	Evidence re identification or characteristics of accused products and downstream products and entities barred from importing or selling	thereof.
Sponsoring Witness	Tahara / Kuhodera /	Sano
Description & Title	Complainants Murata Manufacturing Co., Ltd., And Murata Electronics North America, Inc.'s Objections And Responses To Samsung Electro-Mechanics Co., Ltd. And Samsung Electro- Mechanics America, Inc.'s Thirteenth Set Of Thirteenth Set Of	5/26/2010   duplicate of RX-0088C)
Date		5/26/2010
Ending Bates		
Beginning Bates		
CX No.		CX 586C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected																											-				Admitted
Purpose	Evidence re	identification or	characteristics of	accused products;	evidence of SEMICO'S	Intringement of the	parents-in-suit;	evidence of importation	or sale of accused	products; evidence of	Secondary Indicia of	Non-obviousness,	including inter alia prior	failure, copying, long felt	need; evidence re	proper claim	construction of the	patents-in-suit;	evidence re validity or	enforceability of the	patents-in-suit;	evidence of alleged	obviousness of the	patents-in-suit;	evidence disputing	existence of domestic	industry; evidence re	proper remedy and	bonding; evidence re	former Murata	employees employed with SEMCO
Sponsoring Witness																															Sang Koo Kang
Description & Title																							Respondents Samsung	Electro-Mechanics Co. Ltd.	And Samsung Electro-	Mechanics America, Inc.'s	First Response To	Complainants Murata	Manufacturing Co. Ltd. And	Murata Electronics North	America Inc.'s First Set Of 11/16/2009 Interrogatories (1-64)
Date																															11/16/2009
Ending Bates																															
Beginning Bates								-	-			-												•							
CX No.																															CX-587C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Withdrawn/ Rejected	Admitted	Admitted
Purpose	Evidence re identification or characteristics of accused products; evidence of SEMCO's infringement of the patents-in-suit; evidence of importation or sale of accused products; evidence of Secondary Indicia of Non-obviousness, including inter alia prior failure, copying, long felt need	Evidence re identification or characteristics of accused products; evidence re document retention policy; evidence re proper remedy and bond
Sponsoring Witness	Dr. Byoung Hwa Lee	
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s First Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s First Set Of Interrogatories (Nos. 1, 2, 4- 9, 23, 24, 26, 29-32, 43-45, 47, And 55-58)	Respondents Samsung Electro-Mechanics Co. Ltd.& Samsung Electro-Mechanics America, Inc.'s Second Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s First Set Of Interrogatories (Nos. 13 And 28)
Date	1/6/2010	1/13/2010
Ending Bates	·	
Beginning Bates		
GX.No.	CX-5888	CX-589C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Withdrawn
Purpose	Evidence re identification or characteristics of accused products; evidence of SEMCO's infringement of the patents-in-suit; evidence of Secondary Indicia of Non- obviousness, including inter alia prior failure, copying, long felt need; evidence re documentation procedures and policy at SEMCO; evidence re proper claim construction of the patents-in-suit; evidence re validity or enforceability of the patents-in-suit	Evidence re identification or characteristics of accused products; evidence re document retention policy; evidence re proper remedy and bond
Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Responses And Objections To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Second Set Of Interrogatories (65-86)	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Third Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s First Set Of Interrogatories (Nos. 1 And 64)
Date	2/4/2010	2/12/2010
Ending Bates		
Beginning Bates		
CX No.	CX-590C	CX-591C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

No. of the least of the	· · · · · · · · · · · · · · · · · · ·		
Admitted/ Withdrawn/ Rejected	Withdrawn	Admitted	Admitted
Purpose	Evidence re identification or characteristics of accused products	Evidence re identification or characteristics of accused products; evidence of SEMCO's infringement of the patents-in-suit; evidence of importation or sale of accused products; evidence re former Murata employees employed with SEMCO	Evidence re identification or characteristics of accused products; evidence of SEMCO's infringement of the patents-in-suit; evidence of communications re this Investigation
Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Responses And Objections To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Third Set Of Interrogatories (No. 87)	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Fourth Supplemental Response To Complainants Murata Manufacturing Ltd. & Murata Electronics North America Inc.'s First Set Of Interrogatories (Nos. 2, 7,	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s First Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Second Set Of Interrogatories (65, 69-72, Dr. Byoung 76, 79, 80 And 86) Hwa Lee
Date	2/16/2010	3/3/2010	3/11/2010
Ending Bates			
Beginning Bates			
CX No.	CX-592C	CX-593C	CX-594C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Rejected	`	Withdrawn								Admitted									
Withdrawn Purpose Rejected	Evidence of SEMCO's infringement of the patents-in-suit; evidence re persons	nt .	Evidence re identification or characteristics of accused products;	evidence of SEMCO's infringement of the	patents-in-suit; evidence of importation	or sale of accused	products; evidence of Secondary Indicia of	Non-obviousness,	including inter alia prior	fallure, copying, long felt need							Evidence re identification or	Evidence re identification or	Evidence re identification or
Sponsoring Witness	ш.= ш ш	Dr. Byoung	ш.2 0 ч	<b>U</b> .==	ш ф		<u></u>		**********	Dr. Byoung f Hwa Lee							ш .	ш. 2	
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Response To Complainants Murata Manufacturing Co. Ltd. &	Electronics North America Inc.'s Fourth Set Of Interrogatories (88-92)		Respondents Samsung Electro-Mechanics Co. Ltd. &	Samsung Electro-Mechanics America, Inc.'s Fifth	Supplemental Response To	Complainants Murata Manufacturing Co. Ltd. &	Murata Electronics North	America Inc.'s First Set Of	Interrogatories (Nos. 6, 8-9, 16-18, 20-22 And 57-61)	Respondents Samsung	בופכון ס-ואופטוסנווסף כסי דום, מ	Samsung Electro-Mechanics	Samsung Electro-Mechanics America, Inc.'s First	Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses And Objections To	Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses And Objections To Complainants Murata	Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses And Objections To Complainants Murata Manufacturing Co. Ltd. &	Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses And Objections To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North	Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses And Objections To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North
Date.		3/12/2010								3/15/2010									
Ending Bates									-							-			
Beginning Bates							4. K	-											
CX No.		CX-595C				********				CX-596C					-	-			

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692

Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn
Purpose	Evidence of importation or sale of accused products; evidence reproper remedy and bonding; evidence reproper claim construction of the patents-in-suit; evidence reidentification or characteristics of accused products and downstream products; evidence supporting SEMCO's affirmative defenses; evidence of domestic industry; evidence reinfingement of the patents-in-suit; evidence reprosecution, licensing or littigation related to patents-in-suit; evidence reprosecution, licensing or littigation related to patents-in-suit; expected witnesses at hearing	Evidence re validity or enforceability of patents-in-suit; evidence of alleged obviousness of the patents-in-suit
Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Objections And Responses To Commission Investigative Staffs First Set Of Interrogatories To Respondents	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Fifth Set Of Interrogatories (93)
Date	3/15/2010	, 172/2010
Ending Bates		
Beginning Bates		-
©X No.	CX-598C	CX-599C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

Admitted/ Withdrawn/ Rejected		Withdrawn		-		-											Withdrawn
Purpose	Evidence re validity or enforceability of the	patents-in-suit; evidence of alleged obviousness of the patents-in-suit	Evidence of importation or sale of accused	products; evidence re proper remedy and	bonding; evidence re proper claim	construction of the patents-in-suit:	evidence re	Identification or characteristics of	accused products and	evidence supporting	SEMCO's affirmative defenses: evidence	disputing existence of	domestic industry; evidence re	infringement of the	patents-in-suit;	evidence of alleged obviousness of the	patents-in-suit
Sponsoring Witness		Dr. Byoung Hwa Lee														Dr. Byoung	Hwa Lee
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s First Supplemental Responses To Complainants Murata	Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Fifth Set Of Interrogatories (No. 93)									Respondents Samsung	Electro-Mechanics Co. Ltd. &	Samsung Electro-Mechanics America, Inc.'s First	Supplemental Responses To	Staff's First Set Of	interrogatories To Respondents (Nos. 1.6-15	
Date		5/10/2010												-			5/10/2010
Ending Bales																	
- Beginning Bates								-				:		-			
CX No.		CX-600C							*****								CX-601C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	÷		Admitted	Withdrawn
Purpose	evidence re identification or characteristics of accused products; evidence of SEMCO's	infringement of the patents-in-suit; evidence of importation or sale of accused products; evidence re proper claim construction of the patents-in-suit;	evidence re validity or enforceability of the patents-in-suit; evidence of alleged obviousness of the patents-in-suit; evidence disputing existence of domestic industry; evidence re proper remedy and	Evidence re proper claim construction of the patents-in-suit; evidence re validity or enforceability of the patents-in-suit
Sponsoring Witness			Dr. Byoung Hwa I ee	Bt
Description & Title			Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Sixth Supplemental Responses To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s First Set Of Interrogatories (Nos. 33-39, 41-47, 50-54)	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Third Supplemental Responses To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Second Set Of Interrogatories (Nos. 84-85)
Date			5/10/2010	5/10/2010
Ending Bates				
Beginning Bates				
CX No.			CX-602C	CX-603C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

Admitted/ Withdrawn/ Rajected					Admitted								Withdrawn									Withdrawn
Purpose		Evidence re identification or	characteristics of accused products;	evidence of importation	or sale of accused products					Evidence of SEMCO's	intringement of the	parents-in-sun, evidence of SEMCO's	design-around activities								Evidence of SEMCO's	infringement of the patents-in-suit
Sponsoring: Witness				á	Hwa Lee							Dr. Byoung	Hwa Lee								!	Dr. Byoung Hwa Lee
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Seventh	Supplemental Response To Complainants Murata	Manufacturing Co. Ltd. & Murata Electronics North	America Inc.'s First Set Of	interrogatories (140s. 1 And 9)	Respondents Samsung Electro-Mechanics Co, Ltd. &	Samsung Electro-Mechanics	America, Inc.'s Kesponses And Objections To	Complainants Murata	Manufacturing Co. Ltd. &	Murata Electronics North	Interrogatories (Nos. 94 And	, , , , , , , , , , , ,	Respondents Samsung	Electro-Mechanics Co. Ltd. &	Samsung Electro-Mechanics	America, Inc. s Responses	Complainants Murata	Manufacturing Co. Ltd. &	Murata Electronics North	America Inc.'s Seventh Set	Of Interrogatories (Nos. 96 And 97)
Date					5/12/2010								5/13/2010									5/17/2010
Ending Bates	-																					
Beginning Bates		-																-				
CX No.	•				CX-604C								CX-605C		-				-	•		CX-606C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

				l		·
Admitted/ Withdrawn/ Rejected	Withdrawn	Admitted	Withdrawn	Admitted	Withdrawn	Withdrawn
Pumose	Evidence of importation or sale of accused products	Evidence of importation or sale of accused products; evidence re validity or enforceability of the patents-in-suit; evidence re proper remedy and bonding; evidence re identification or identification or accused products and downstream products; evidence of SEMCO's infringement of the patents-in-suit	Evidence of domestic Kubota / Wilder industry, economic / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue prong
Sponsoring Witness	Dr. Byoung Hwa Lee	Dr. Byoung Hwa Lee	Kubota / Wilder / McHargue	Kubota / Wilder / McHargue	Kubota / Wilder / McHargue	Kubota / Wilder / McHargue
Description & Title	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Eighth Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s First Set Of	Respondents Samsung Electro-Mechanics Co. Ltd. & Samsung Electro-Mechanics America, Inc.'s Responses Amolojections To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Eighth Set Of Interrogatories (Nos. 98-133)	Capacitor Group Statistics; Kubota Dep. Exh. 9	Design Responsibilities for Kubota / Wil Cap Marketing (EDP Market) / McHargue	Design FMEA	IBM Discussion
Date	5/26/2010		5/25/2010	no date	1/8/2009	no date
Ending Bates.		,		MM_002017	MM 002084	MM 002422
Beginning Bates				MM 002005	MM 002079	CX-612C MM 002417
CX No.	CX-607C	CX-608C	CX-609C	CX-610C	CX-611C	CX-612C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Ending Bates. D	٩	Dale	Description & Title	Sponsoring Witness	Purpose	Admitted/ Withdrawn/ Rejected
MM_002890 Aug. 2008 A	· · · · · · · · · · · · · · · · · · ·	U 4	Ceramic Capacitors for Automotive Market	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue prong	Withdrawn
MM 003040		0 <	Ceramic Capacitors for	Kubota / Wilder	Evidence of domestic Kubota / Wilder Industry, economic	Mish
4/16/2008		( < 0	April 16, 2008 Meeting with Skyworks	Kubota / Wilder / McHarque	Kubota / Wilder industry, economic / McHarque prong	Withdrawn
MM 006920 no date		(1	2007F MENA Cap Group	Kubota / Wilder / McHarque	Evidence of domestic Kubota / Wilder Industry, economic / McHarque	Withdrawn
6/1/2005	<u></u>	□∢	£	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder Industry, economic / McHargue prong	Withdrawn
D D D D D D D D D D D D D D D D D D D			Distribution Agreement with Avnet Electronics	Kubota / Wilder / McHarque	Evidence of domestic Kubota / Wilder industry, economic / McHarque	Withdrawn
AM 009530 10/14/2004 C	<b>!</b>	18 8 O	Appendix 1 to Distribution Agreement with Digi-Key Corp.	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue prong	Withdrawn
D 12/15/2004 D			oution Agreement with ey Corp.	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue prong	Withdrawn
AF AG MM_009544 12/22/2004 EI	<del> </del>	医兔虫	Appendix 1 to Distribution Agreement with Future Electronics	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder Industry, economic / McHargue prong	Withdrawn
D D D D D D D D D D D D D D D D D D D			Distribution Agreement with Future Electronics	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder industry, economic / McHargue prong	Withdrawn
MM_010708 April 2005 C		≥0	Murata Multilayer Ceramic Capacitors	Kubota / Wilder / McHargue	Evidence of domestic Kubota / Wilder Industry, economic / McHargue prong	Withdrawn
MM_012521 1/19/2008	1/19/2008		Expense Report for Lanney McHargue	Kubota / McHargue	Evidence of domestic industry, economic prong	Withdrawn

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

AMERICAN L. BERNE A. HOUR CO. AND ADDRESS OF THE PROPERTY OF T	Admitted Withdrawn/ Rejected	Admitted	Withdrawn	Admitted						
	Purpose	Evidence of infringement; validity; enforceability; claim construction	Evidence of infringement, validity, enforceability, claim construction							
	Sponsoring Witness	Dong Ik Chang		Joon Yeob Cho	Evidence of infringement enforceability Joon Yeob Cho construction	Sung-Hyung Kang	Hyuk Kim	Evidence of infringement enforceability Sang Hyuk Kim construction	Sujin Kim	Sang Hoon Kwon
	Description & Title	Deposition transcript for Dong Ik Chang, 4/23/2010	Deposition transcript for Dong Soo Cho, 4/22/2010	Deposition transcript for Joon Yeob Cho, 4/19/2010	Deposition transcript for Joon Yeob Cho, 4/20/2010	Deposition transcript for Sung-Hyung Kang, 4/27/2010	Deposition transcript for Sang Hyuk Kim, 4/21/2010	Deposition transcript for Sang Hyuk Kim, 4/22/2010	Deposition transcript for Sujin Kim 4/19/2010	script for on, 3/15/2010
	Date	4/23/2010	4/22/2010	4/19/2010	4/20/2010	4/27/2010	4/21/2010	4/22/2010	4/19/2010	3/15/2010
	Ending Bates									·
	Beginning Bates									
	CX No.	CX-625C	CX-626C	CX-627C	CX-628C	CX-629C	CX-630C	CX-631C	CX-632C	CX-633C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/	Withdrawn/ Rejected	Admitted	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted	Admitted
Adn	With	Adn	With	With	With	With	With	With	Adr	Adr
A CONTRACTOR OF THE CONTRACTOR	Purose	Evidence of infringement, validity, enforceability, claim construction	Evidence of infringement; validity; enforceability; claim construction	Evidence of infingement; validity; enforceability; claim construction	Evidence of infringement; validity; enforceability; claim construction	Evidence of infringement; validity; enforceability; claim construction	Evidence of infringement; validity; enforceability; claim construction	Evidence of infingement, validity, enforceability, claim construction	Evidence of infringement, validity; enforceability; claim construction	Evidence of infringement; validity; enforceability; claim construction
	Sponsoring Wilness	Sang Hoon Kwon	Byoung Hwa Lee	Byoung Hwa Lee	Jong Min Lee			Sang Kyun Lee	Sang Hoon Kim	Sang Koo Kang
	Description & Title	Deposition transcript for Sang Sang Hoon Kwon, 3/16/2010 Kwon	Deposition transcript for Byoung Hwa Lee, 4/19/2010	Deposition transcript for Byoung Hwa Lee, 4/20/2010	Deposition transcript for Jong Min Lee, 4/22/2010	Deposition transcript for Jung Soo Lee, 4/28/2010	Deposition transcript for Jung Soo Lee, 4/29/2010	Deposition transcript for Sang Kyun Lee, 4/21/2010	Deposition transcript for Sang Hoon Kim, 1/7/2010	Deposition transcript for Sang Koo Kang, 1/7/2010
	Date	3/16/2010	4/19/2010	4/20/2010	4/22/2010	4/28/2010	4/29/2010	4/21/2010	1/7/2010	1/7/2010
	Ending Bates									
A STATE OF THE STA	Becinning Bates									
	CX No.	CX-634C	CX-635C	CX-636C	CX-637C	CX-638C	CX-639C	CX-640C	CX-641C	CX-642C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected	Admitted	Admitted							
Purpose	Evidence of infringement; validity; enforceability; claim construction	Evidence of infringement; validity; enforceability; claim construction							
Sponsoring Witness	Song Kwon Wi	Seock-Hyun Yoon	Seock-Hyun Yoon	Donggou You	Donggou You	Donggou You	Donggou You	Evidence of infringement infringement enforceability Hyukjoon Youn construction	Evidence of infringement enforceabilit enforceabilit Hyukjoon Youn construction
Description & Title	Deposition transcript for Song Kwon Wi, 4/26/2010	Deposition transcript for Seocl Seock-Hyun Yoon, 4/22/2010 Yoon	Deposition transcript for Seocl Seock-Hyun Yoon, 4/23/2010 Yoon	Deposition transcript for Donggou You, 2/23/2010	Deposition transcript for Donggou You, 2/24/2010	Deposition transcript for Donggou You, 2/25/2010	Deposition transcript for Donggou You, 3/15/2010	Deposition transcript for Hyukjoon Youn, 2/23/2010	Deposition transcript for Hyukjoon Youn, 2/24/2010
Date	4/26/2010	4/22/2010	4/23/2010	2/23/2010	2/24/2010	2/25/2010	3/15/2010	2/23/2010	2/24/2010
Ending Bates								, .	
Beginning Bates					-				
CX:No.	CX-643C	CX-644C	CX-845C	CX-646C	CX-647C	CX-648C	CX-649C	CX-650C	CX-651C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

CX-No.         Beginning Bates         Ending Bates           CX-652C         CX-653C         CX-654C           CX-655C         CX-655C         CX-655C			<b>G</b> IIII-Minda		Withurawn
		Vescription & IIIe	MITTERS	Evidence of	Nellecied
				infringement; validity;	
	2/25/2010	Deposition transcript for Hyukjoon Youn, 2/25/2010	enforceabilit Hyukjoon Youn construction	enforceability; claim construction	Admitted
				Evidence of	
		To the second section of the second section of the second second section secti		infringement; validity;	
	2/26/2010	Deposition transcript for Hyukjoon Youn, 2/26/2010	enforceability Hyukjoon Youn construction	enrorceability; ciaim construction	Admitted
				Evidence of	
				infringement; validity;	
		Deposition transcript for		enforceability; claim	
	3/16/2010	Hyukjoon Youn, 3/16/2010	Hyukjoon Youn construction	construction	Admitted
				Evidence of	-
				infringement; validity;	
		Deposition transcript for	:	enforceability, claim	
	3/11/2010	Hyukjaon Yaun, 3/17/2010	Hyukjoon Youn construction	construction	Admitted
				Evidence of	
		Deposition transcript for		Infingement; validity; enforceability: claim	
	3/18/2010	Hyukjoon Youn, 3/18/2010	Hyukjoon Youn construction	construction	Admitted
				Evidence of	
				infringement; validity;	
		Deposition transcript for		enforceability; claim	
	3/19/2010	Hyukjoon Youn, 3/19/2010	Hyukjoon Youn construction	construction	Admitted
				Evidence that supports	
				Complainants' claim	
				construction; secondary	
		Deposition Transcript of		consideration of non-	
-	0,000	Joseph Dougherty, 5-28-	Burn / Ulrich /	obviousness; evidence	

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Glidea

	***************************************			·	Γ	T
Admitted/ Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn
Purpose	Evidence that supports Complainants' claim construction; secondary consideration of non-obviousness; evidence of infringement	Evidence that supports Complainants' claim construction; secondary consideration of non- obviousness; evidence of infringement	Evidence that supports Complainants' claim construction; secondary consideration of non-obviousness; evidence of infringement	Evidence that supports Complainants' claim construction; secondary consideration of non- obviousness; evidence of infringement	Infringement	Infringement
Sponsoring Witness	Burn / Ulrich / Dougherty / Randall / Skamser	Burn / Ulrich / Randall	Burn / Ulrich / Randall	Burn / Ulrich / Randall	Burn / Ulrich / Randall / Dougherty	Burn / Ulrich / Randall / Dougherty
Description & Title	Deposition Transcript of 4/5/2010 Daniel Skamser, 4-5-2010	Deposition Transcript of 4/2/2010 Michael Randall, 4-2-2010	Deposition Transcript of Michael Randall, 5-31-2010	Deposition Transcript of 6/1/2010 Michael Randall, 6-1-2010	E-mail from J. Kappos to S. Routh and S. Jensen Re. 5/4/2010 Burn Report	Letter from J. Kappos to S. 5/4/2010 Routh Re. Burn Report
Date	4/5/2010	4/2/2010	5/31/2010	6/1/2010	5/4/2010	5/4/2010
Ending Bates						
Beginning Bates						
CX No.	2.4-659C	CX-660C	CX-661C	CX-662C	CX-663	CX-664

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/	Withdrawn/ Rejected	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Admitted	Withdrawn	Admitted
	Purpose	Infringement; validity	Infringement; validity	Infringement: validity	Infringement; validity	Infringement; claim construction; validity; enforceability; remedy	Infringement; validity	Infringement; validity
	Sponsoring Witness	Burn / Ulrich / Randall / Dougherty	Burn / Ulrich / Randall / Dougherty	Burn / Ulrich / Randall / Dougherty	Burn / Ulrich / Randall / Dougherty	Dr. Byoung Hwa Lee	Burn / SEMCO witness	Burn
	Description & Title	E-mail from J. Kappos to Murata's counsel Re. documents regarding new composition and electrode pattern	Compositions 1-14 identified in 4/20/2010 e-mail from J. 4/20/2010 Kappos to Murata's counsel	Compositions 15-28 identified in 4/20/2010 e-mail from J. Kappos to Murata's counsel	E-mail from M. Myers to S. Routh and S. Jensen Re. Burn Report and attaching SEMCO02791023 (RX- 1253C)	Respondents Samsung Electro-Mechanics Co. Ltd.& Samsung Electro-Mechanics America, Inc.'s Second Supplemental Response To Complainants Murata Manufacturing Co. Ltd. & Murata Electronics North America Inc.'s Second Set of Interrogatories (66-68, 70, 78-79 and 86)	Specification for HQBT-15 barium titanate powder	Exhibit 9 to the Declaration of Dr. Ian Burn (Complaint Exhibit 15), data on SEMCO capacitor CL05B104KP5NNNC
	Date	E-mail : Murata docume compos	4/20/2010	Compos identifie from J. I 4/20/2010 counsel	E-mail Routh 6 Burn R SEMCC 5/13/2010 (1253C)	3/14/2010	5/31/2007	10/1/2010
	Ending Bates		SEMCO02788418	SEMCO02788437			SEMCC00398924 5/31/2007	
	Beginning Bates		CX-666C SEMCO02788406	CX-667C SEMCO02788419			SEMCO00398918	
	CX No.	CX-665	CX-666C	CX-667C	CX-668	OK-669-XO	CX-670C	CX-671C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

Admitted/ Withdrawn/ Rejected		Admitted	Rejected	3000	Panalau		Rejected	Rejected	Rejected	Rejected		Admitted	Admitted
Purpose		mingement, valuity	Infringement; validity	and the second s	mingelien, validity		Infringement; validity	Infringement; validity	Infringement; validity	Infringement; validity		Infringement; validity	Infringement; validity
Sponsoring Witness	į		Burn	g.			Burn	Burn	Burn	Burn		Youn	Youn
Description & Title Exhibit 11 to the Declaration	of Dr. Ian Burn (Complaint Exhibit 15), data on Murata capacitor	Results of Evans Analytical	Group EDS arialysis of sample GRM155B30J105KE18D	Results of Evans Analytical Group EDS analysis of	מיוויים סבטסט וחיווים	Results of Evans Analytical Group EDS analysis of sample CL21B106KQQNFNB (first	set)	Results of Evans Analytical Group EDS analysis of sample CL21B106KQQNFNB (second set)	Results of Evans Analytical Group EDS analysis of sample CL21J106KOFN3NB	Results of Evans Analytical Group EDS analysis of sample CL43B334KBFNNNB Burn	W/S DR Project for Development of Composition for High-Capacity X7R Line-	Up [MLC05-038TECBZ]	Work Report: Material Development Group/ Composition
Date	, , , , , , , , , , , , , , , , , , ,		6/23/2010	B/23/20110	T		6/23/2010	6/23/2010	6/23/2010	6/23/2010		no date	
Ending Bates	-	Markey und mit make in a des de de de mary est est de des de										SEMCO00022012	SEMCO00001871
Beginning Bates							~					SEMCO00021979	CX-680C   SEMCO00001856
CX No.	) (243)	07/04/0	CX-673C	CX-6740			CX-675C	CX-676C	CX-677C	CX-678C		CX-679C	CX-680C

In the Matter of Certain Ceramic Capacitors And Products Containing Same, Inv. No. 337-TA-692 Before The Honorable E. James Gildea

I		1								_		Т											
	Admitted Withdrawn/ Rejected								Admitted		Admitted											ž	Admitted
	Pirnòse	ANALYSI ON THE							Infringement; validity		Infringement; validity									^			
	Sponsoring						4		Youn		,		-					-					
	Description & Title		Zhibin Tian, "Formation of	Core-Shell Structure in	Ultrafine-Grained Barium	Titanate-Based Ceramics	Through Nanodopant	Method," 93 J. Am. Ceramics	Society 171-175 (2010)	Deposition of Joseph	Dougherty, May 28, 2010		T. Wang, et al	Microstructures and	Note of the Characteristics of	Dielectric Characteristics of	Ultrafine-Grained Barium	Titanate-Based Ceramics for	Base-Metal-Electrode	Multilayer Ceramic Capacitor	Applications, Jpn. J. Appl.	Phys., Vol. 46, No. 10A	(2007) pp. 6751-6754
	Date												- · · ·										
	Ending Bates																				-		
	Beginning Bates							-								-					-		
	CX No.								CX-681		CX-682C						-						CX-683

Dated: September 27, 2010

Respectfully submitted,

/s/ Steven J. Routh

Steven J. Routh
Sten A. Jensen
Steven E. Adkins
T. Vann Pearce
Jordan Coyle
Orrick, Herrington & Sutcliffe LLP
1152 15th Street, NW
Washington, DC 20005
Telephone: 202-339-8400
Facsimile: 202-339-8500

William H. Wright Christopher A. Hivick Michael D. Owens Orrick, Herrington & Sutcliffe LLP 777 South Figueroa Street Suite 3200 Los Angeles, CA 90017 Telephone: 213-629-2020 Facsimile: 213-612-2499

Alan M. Chen Orrick, Herrington & Sutcliffe LLP 1000 Marsh Road Menlo Park, CA 94025-1015 Telephone: 650-614-7370 Facsimile: 650-614-7401

John R. Inge
Orrick, Herrington & Sutcliffe LLP
Izumi Garden Tower, 28th Floor
6-1 Roppongi 1-chome
Minato-ku
Tokyo 106-6028
Japan
Telephone: +81 3 3224 2923

Telephone: +81 3 3224 2923 Facsimile: +81 3 3224 2901

Counsel for Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.

### IN THE MATTER OF CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

### **PUBLIC CERTIFICATE OF SERVICE**

	. Abbott, hereby certinal Investigative Attorn	•			•	4 ′
on		11.	., 15 <b>4</b> ., an	d the follow	ing parties a	·

Marilyn R. Abbott, Secretary U.S. International Trade Commission 500 E Street, SW, Room 112A Washington, D.C. 20436

# FOR COMPLAINANTS MURATA MANUFACTURING CO., LTD., MURATA ELECTRONICS NORTH AMERICA, INC.

Steven J. Routh, Esq.	( ) Via Hand Delivery
ORRICK, HERRINGTON &	( ) Via Overnight Mail
SUTCLIFFE, LLP	( ) Via First Class Mail
1152 15 th Street, NW	( ) Other:
Washington, DC 20005	
P· 202_339_8400	

## FOR RESPONDENT SAMSUNG ELECTRO-MECHANICS CO., LTD.,; SAMSUNG ELECTRO-MECHANICS AMERICA, INC.

V. James Adduci II, Esq.	( ) Via Hand Delivery
ADDUCI, MASTRIANI &	( ) Via Overnight Mail
SCHAUMBERG, LLP	( ) Via First Class Mail
1200 Seventeenth Street, NW 5 th Floor	( ) Other:
Washington, DC 20036	
P: 202-467-6300	

### 337-TA-692

# IN THE MATTER OF CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME

### PUBLIC CERTIFICATE OF SERVICE – PAGE TWO

### **PUBLIC MAILING LIST**

Heather Hall	( ) Via Hand Delivery
LEXIS - NEXIS	( ) Via Overnight Mail
9443 Springboro Pike	( ) Via First Class Mail
Miamisburg, OH 45342	( ) Other:
Kenneth Clair	( ) Via Hand Delivery
THOMSON WEST	( ) Via Overnight Mail
1100 13th Street, NW, Suite 200	( ) Via First Class Mail
Washington, D.C. 20005	( ) Other:

# UNITED STATES INTERNATIONAL TRADE COMMISSION Washington, DC

Before The Honorable E. James Gildea Administrative Law Judge

IN THE MATTER OF

AND PRODUCTS CONTAINING SAME

Inv. No. 337-TA-692

RESPONDENTS' CORRECTED FINAL EXHIBIT LIST

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0022	RX-0021	RX-0020	RX-0019	RX-0018	ICX-0017	RX-0016	RX-0015	RX-0014	RX-0013	RX-0012	RX-0011	RX-0010	RX-0009	RX-0008	RX-0007	XX-0006	RX-0005	RX-0004	RX-0003	RX-0002	1000-XH	
C	ဂ				C	G	n	೧	င	C	ਨ 	ດ										
Deposition Transcript for John Galvagni, April 13, 2010					Deposition Transcript for Hacunobu Sano, May 13, 2010	Deposition Transcript for Harunobu Sano, April 2 2010	Deposition Transcript for Harunobu Sano, April 1 2010															
n/a					n/a	n/a	n/a															
n/a					n/a	D/8.	n/a												٠			
invalidity, claim construction		,		-	invalidity, olaim construction, non-infringement, unenforceability	invalidity, claim construction, non- infringement, unenforceability	invalidity, olaim construction, non- infringement, unenforceability															
																-						
Rejected	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/27/2010	0וסבורמוד	7/27/2010	WITHDRAWN	WITHDRAWN	WARDRAWN	WITHDRAWN											

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Cantaining the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

435/(1930)) 144-000 MINOR OF THE PROPERTY OF T	RX-0033 C Kubode		RX-0032 C	A. (2000)	RX-0031 C Deposit			7	Deposit		RX-0029 C	RX-0028 C Deposit	RX-0027 G Deposit			RX-0026 C Deposit		Pastachen		Sugges	RX-0025 C Loppus	n	n	ი	0 00
	Subodera, April 1, 2010			and Danbard, Francisco at 1 2000	Deposition Transcript for March 17 2010 n/a			Masamitau Shibata, March 16, 2010 ""	Deposition Transcript for			Deposition Transcript for Lenney McHargue, May 26, 2010	Deposition Transcript for Lanney McHargue, May 18, 2010		Kubota, May 25, 2010	Deposition Transcript for Kazuyuki			ARTHUR THE THE PARTY OF THE PAR	, may et, activ	Kubota, May 24, 2010	Deposition Transcript for Kaznyuki Kubota, May 24, 2010	tion Transcript for Kaznyuki "May 24, 2010	ùon Transcript for Kaznyuki , May 24, 2010	ùon Transcript for Kaznyuki , May 24, 2010
	n/a				DV2							n/a	n/a			n/m					n/a	n/a	7VB.	n/a	n/a
	7/2				n/a			P				n/a	n/a			n/a					n/a	n/a	n/a	n/a	n/a
I Company of the second	infringement,	invalidity, claim		unenforceability	construction, pon-	invalidity, claim	unenforcesbillty	infringement,	construction, non-	invalidity, claim		domestic industry	domestic industry	domestic industry	unenforceability,	infringement	construction non-	invalidity, claim	domestic industry	donustic industry	infringement, unenforceability, domestic industry invalidity, claim	construction, non- infringement, unenforceability, domestic industry invalidity, claim	invalidity, claim construction, non- infringement, unenforceability, domestic industry invalidity, claim	invalidity, claim construction, non-infringement, unenforceability, domestic industry invalidity, claim	invalidity, claim construction, non-infringement, unenforcestility, domestic industry invalidity, claim
1	(SSE) (Sillen mayora na kay				· ·				ментерия																
	7/27/2010		WITHDRAWN		7/27/2010			1141140	7/27/2010		WITHDRAWN	7/27/2010	7/27/2010			7272010					7/27/2010	7/27/2010	7/27/2010	WITHDRAWN 7/21/2010	WITHDRAWN WITHDRAWN 7/21/2010

Respondents Pins) Exhibit List Certain Ceramic Capacitors and Products Centaining the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-6041	RX-0040	RX-0039		RX-0037	RX-9035	KX-0034	
n	G	ဂ	C		C	G	
Deposition Transcript for Satoshi Tahara, March 24, 2010	Deposition Transcript for Satoshi Tahara, March 23, 2010	Deposition Transcript for Satoshi Tahara, April 27, 2010	Deposition Transcript for Satoshi Tahara, April 26, 2010		Deposition Transcript for Noriyuki Kuboders, May 12, 2010	Deposition Transcript for Nortyuki Kuboders, March 31, 2010	
IV/a	ນ/ຂ	n/a	n/a		ED.	n/a	
n/a.	ก/ฉ	<b>π∕</b> ង	p/a		n/a	n/a	
domestic industry, invalidity, non- infringement, claim construction, menforceability	domestic industry, invalidity, nm- infringement, claim construction, unenforceability	domestic industry, invalidity, non- invalidity, non- infringement, claim  construction,  unenforceability	domestic industry, invalidity, non-infringement, claim construction, unenforceability		invalidity, olaim construction, non- infringement, unemforceability	invalidity, claim construction, non- infringement, unenforecability	
			-				
7/27/2010	7/27/2010	772772010	7/27/2010	WITHDRAWN	7/27/2010	7/27/2010	

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-IA-692 DIRECT EXHIBITS LIST

	RX-0049	RX-0048	RX-0047	RX-0046	RX-0045	RX-0044	RX-0043	RX-0042	
	C.	C	C	C	C	೧	C	C	
	Deposition Transcript for Yasushi Ueno, February 22, 2010	Deposition Transcript for Yasushi Ueno, February 19, 2010	Deposition Transcript for Yasayuki Naito, March 24, 2010	Deposition Transcript for Yasayuki Naito, March 23, 2010	Deposition Transcript for Woody Wilder, May 19, 2010		Deposition Transcript for Stove Shipman, May 20, 2010	Deposition Transcript for Satoshi Tahara, March 25, 2010	
	D/B	t)/4	n/a	n/a	n/a		n/a	n/a	
	Ę,	wa	π/a	n/a	n/a		n/a	מ'מ	
International Line	construction, non- infringement,	invalidity, claim construction, non- infringement, unenforceability	invalidity, claim construction, non- infringement, unenforceability	invalidity, claim construction, non- infringement, menforceability	domestic industry, invalidity, non-infringement, claim construction, unenforceability		invalidity, claim construction, non- infringement, unenforceability	domestic industry, invalidity, non- infringement, claim construction, unenforceability	
	7/27/2010	7/27/2010	7/27/2010	7/27/2010	7/27/2010	WITHDRAWN	Rejected	1027/2010	

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0059	RX-0058	RX-0057	RX-0056	RX-0055	RX-0054		- 1	RX-005	RX-0050	
n	C	C	C	ი	C	G	0	C	C	
	Murata's Objections and Responses to Commission Investigative Staff's First Set of Interrogatories, dated March 15, 2010	Deposition Transcript for Takashi Hiramatsu, March 19, 2010	Deposition Transcript for Takashi Hiramatsu, March 18, 2010	Deposition Transcript for Yoshitaka Tanino, March 30, 2010	Deposition Transcript for Yoshio Kawaguchi, May 11, 2010	Deposition Transcript for Yoshio Kawaguchi, April 2, 2010			Deposition Transcript for Yasushi Ueno, February 23, 2010	
	¤/a	n/a	n/a	n/a	n/a	<b>₽/</b> II			ила	
	II/a	n/a	ша	n/a	n/a	17/8a		-	n/a	
	domestic industry, invalidity, non- infringement, claim construction, technical background	invalidity, claim construction, non- infingement, unenfurceability	invalidity, claim construction, non-infringement, unenforceability	invalidity, claim construction, non- infringement, unenforceability	invalidity, claim construction, non- infringement, unenforceability	invalidity, claim construction, non- infringement, unenforecability			invalidity, claim construction, non- infringement, unenforceability	
	Wlider, Kunotsubo, Tsuyoshi; Murata witness									
WITHDRAWN	7/27/2010	7/27/2010	102712010	7/27/2010	7/27/2010	7/27/2010	WITHDRAWN	WITHDRAWN	7/27/2010	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	<u> </u>					opposite a service and a servi	and the quantum control of the
	or memory so	domestic industry			ior Admission, used Match 1, 2010	<del>.</del>	
	December	Hilling			>		
7/6/2010	Corporate	infringement,	n/a	n/a	to SEMCO's First Set of Requests	n	RX-0076
	Murata	construction, non-			Murata's Objections and Responses		•••••
		invalidity, claim					
WITHDRAWN				THE CONTRACT OF THE CONTRACT O		C	RX-0075
WITHDRAWN						_	RX-0074
WITHDRAWN						n	RX-0073
WITHDRAWN							RX-0072
	aAfhunescanfava	domestic industry			MBy 44, 2010	*	
	Danmarantation	unapiorceshility,			TOTAL TOTAL STREET, ST		
7/30/2010	Cornorate	infringement,	m/a	m/a		n	RX-0071
	Tenyoshi: Muzita	construction, non-			to Commission investigation Staffs	-	
	Kunokubo	invalidity, claim			Minaria Chiarrives and Pageonego		
WITHDRAWN						G	RX-0070
WITHDRAWN							RX-0069
WITHDRAWN						C	300-XX
WITHDRAWN						C	RX-0067
		domestic industry			0102		
	Representative	unenforceability,			or interrogatories, carea tratea 17,	******	
7/27/2010	Corporate	linfringament,	n/a	n/a	Mayouses we start of the local min	ਨ	RX-0066
	Murata	construction, non-	***************************************		Contract to the conference of the contract of the conference of th		
		invalidity, claim		The state of the s	Marie Supplemental		
WITHDRAWN			The state of the s			C	RX-0065
WITHDRAWN					10000	റ	RX-0064
WITHDRAWN						C	RX-0063
WITHDRAWN						೧	RX-0062
WITHDRAWN						c	RX-0061
WITHDRAWN							RX-0060

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

KA-0043	.ŧ	1	RX-0090	RX-0089	RX-0088		RX-0087		RX-0086	RX-0085	RX-0084	RX-0083	RX-0082	,	RX-0081		RX-0080		RX-0078			RX-0077		The second secon	
3	10	C	C	C	C		n		C	C	C	C	ဂ		O		C	ဂ	n			೧	******		
						for Admission, dated May 3, 2010		Murals's Objections and Responses						March 15, 2010	Remests for Admission, dated	Murata's Objections and Responses			And the second s	4	for Admission, dated May 26, 2010	to SEMCO's Fourth Set of Requests In/a	Murata's Objections and Responses		
							71/#					-			m/a							D/a			
							д/в.								n/a							n/a			
						domestic industry	infringement,	invalidity, claim construction, non-						domestic industry	infringement,	construction, non-	A STATE OF THE PROPERTY OF THE			domestic industry	unenforceability,	infringement,	construction, non-	invalidity, claim	
						Representative	Corporate	Murata						Kopresentative	Corporate	Murala		The state of the s			Representative	Corporate	Muzata	e verifica	
THE PROPERTY OF	NW VSCHITTA	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN		7/6/2010		WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	A CONTRACTOR OF THE CONTRACTOR	7/6/2010	Garage and American	WITHDRAWN	WITHDRAWN	WITHDRAWN			7/6/2010		-	

Respondents Finst Exhibit List Certain Caranic Capacitors and Products Constituing the Same, Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

WITHDRAWN						n	RX-0109
	Randall	construction			certified translation		
7/28/2010	Dougherty, Sang Hyuk Kim;	intringement, claim	SEMCO00566254	SEMCQ00566232	Japanese Patent Application Publication No. HB-31232 with		8010-XX
WITHDRAWN						C	RX-0107
7/27/2010		invalidity, slaim construction, non-infringement, unenforceability	11/45	n/a	Deposition Transcript for Nobuyuki Wada, March 16, 2010	ი ,	RX-0106
7/27/2010		invalidity, claim construction, non- infringement, technical background	SEMCOO	SEMCO0	Deposition Transcript for Yukio Hamaji, April 2, 2010	ი	8010-XX
WITHDRAWN						n	RX-0104
WITHDRAWN						C	RX-0103
WITHDRAWN						C	RX-0102
WITHDRAWN						ন	RX-0101
WITHDRAWN						റ	RX-0100
WANDELLA						റ	RX-0099
WITHDRAWN						Ω	RX-0098
7/27/2010	Kunotsubo, Tsuyoshi; Murata Corporate Representative	invalidity, claim construction, non-infringement, unenforceability, domestic industry	n/a	r/a	Murata's Third Supplemental Responses to SEMCO's Fourth Set of Interrogatories, dated March 22, 2010	C	RX-0097
WITHDRAWN						a	RX-0096
WITHDRAWN		-				೧	RX-0095
7/30/2010	Kunotsubo, Tsuyoshi; Murata Corporate Representative	invalidity, claim construction, non- infilingement, unenforceability, domestic industry	īva	¥/III	Musta's Seventh Supplemental Responses to SEMCO's First Set of 1n/s Interrogatories, dated May 10, 2010	C ,	RX-0094

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN					
WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN					RX-0133
WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN					RX-0132
WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN					RX-0131
WITHDRAWN WITHDRAWN WITHDRAWN WITHDRAWN					RX-0130
WITHDRAWN WITHDRAWN WITHDRAWN	-				RX-0129
WITHDRAWN WITHDRAWN					RX-0128
WITHDRAWN					RX-0127
					RX-0126
A A A A A A A A A A A A A A A A A A A					RX-0125
WITHDRAWN					RX-0124
WITHDRAWN					RX-0123
WITHDRAWN				,	RX-0122
Randall 7/30/2010*	invalidity	SEMC000079808	SEMC000079767	Japanese Application No. H06- 342736 ("Nakano Application") with a certified English translation	RX-0121
WITHDRAWN					RX-0120
it, in, Dougherty, Hurn 7/28/2010	non-infringement, claim construction, technical background invalidity	π/a	II/a	Bin et al. 2008, "Effect of Mn2+ Doping on the Temperature Coefficient of Capacitance of TiO2/Siox-Doped BaTiO3 Ceramics," Inorganic Materials, Vol. 44, pp. 669-672	RX-0119
WWANDHITW					RX-0118
WITHDRAWN					RX-0117
WITHDRAWN					RX-0116
WITHDRAWN					RX-0115
WITHDRAWN					RX-0114
Randall, 7/30/2010*	invalidity	SEMCOC0263035	SEMC000263024	U.S. Patent No. 5,880,925	RX-0113
WITHDRAWN					
WITHDRAWN					KX-0111 C
WITHDRAWN			The state of the s		RX-0110 C

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0152	RX-0151	RX-0150	RX-0149	RX-0148	RX-0147	7XX-0146	RX-0145	RX-0144		RX-0142	RX-0141	RX-0140	RX-0139	RX-0138	RX-0137	RX-0136	RX-0135	
O									C	the (see)			,					
Declaration of Harunobu Sano submitted in opposition to SEMCO's motion for summary determination of invalidity of U.S. Patent No. 6,243,254		Declaration of Andreas Glacser in Support of Complainants' Opposition To Respondents' Motion For Summary Determination Of Invalidity Of U.S. Patent No. 6,243,254						Complaint Under Section 337 Of The Tajiff Act of 1930, As Amended								Exhibit 1 to Dougherty Opening  Expert Report - Curriculum vitae		
n/a		p/a				-		n/a										
n/a		17/8s						n/a										
invalidity, claim construction, non- infilingement, rechaical background		invalidity, claim construction, non-infilngement, technical background						claim construction, invalidity, non- infringement, unenforceability								background		
Dougherty and Sano		Dougherty						Daugherty								Dougherty		
7/27/2010	WITHDRAWN	7/27/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/29/2010	WITHDRAWN	7/30/2010	NWANDELIW							

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0176	RX-0175	RX-0174	RX-0173	RX-0172	RX-0171	RX-0170	RX-0169	RX-0168	RX-0167	RX-0166	RX-0165	FX-0164	RX-0163	EX-0162	RX-0161	BX-0160	RX-0159	RX-0158	RX-0157	RX-0156	RX-0155	RX-0154		
							intentic																C	
Retenberg et al., Electrical and Radiospectroscopic Investigations of Barium Tianate With Admixtures of Oxides of Trivalent Elements, Soviet Physics-Solid State, Vol. 7, No. 10 (April 1966)							intentionally left blank [duplicate of RX-0385]		,					A THE STATE OF THE									Declaration of Ian Burn submitted with Complaint	
SEMCO02790762							5]																រា/ធ	
SEMCO02790766													-										n/a	
invalidity, claim construction, non-infringement, technical background												-											invalidity, claim construction, non- infringement, lechnical background	
Dougherty																							Dougherty	
7/30/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN		WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/28/2010							

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0208	RX-0207	RX-0206	EX-6865	RX-0204	RX-0203	RX-0202	1020-XX	RX-0200	8X-0199	RX-0198	RX-0197	RX-0196	RX-0195	RX-0194	RX-0193	EX-0192	1610-XX	RX-0190	KX-0189	RX-0188	PX-0187	RX-0186	RX-0185	RX-018	EX-0183	RX-0182	1810-XX	RX-0180	RX-0179	RX-0178	RX-0177	
								_						-																		
										()					-																	
																														×		
																													01111			
					_		_				-						_															
								į																								
THILM	THITIW	HILIM	HILLIA	THILM	THITIM	HELLAN	DILLA	TITIEN	HILLAN	WITH	HILLA	THILL	DHILLAN	HELLA	HILLIA	HELIM	HILLW	HITTW	HELLEN	HILLM	HILLM	HITTW	HILIM	WITH	HILLW	HITTW	HIIW	HELLA	HILIM	HILLAN	HILLA	
WITHDRAWN	WLIHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITIDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHURAWN	WITHDRAWN	ORA WAY	WITHDRAWN																	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN				,		RX-0225
WITHDRAWN						RX-0224
WITHDRAWN						KX-0223
7/28/2010	Dougherty, Burn, and Sang Hyuk Kim	invalidity, claim construction, non- infringement, technical background			Exhibit 10 to Dougherty Opening Expert Report - Ferro Corporation specification	RX-0222
7/30/2010	Dougherty	invalidity			Exhibit 9 to Dougherty Opening  Expert Report - Excel Spreadsheer  containing calculations	RX-0221
WITHDRAWN						RX-0220
WITHDRAWN						RX-0219
WITHDRAWN						RX-0218
WITHDRAWN						RX-0217
7/30/2010	Dougherty	invalidity			Exhibit 3 to Dougherty Opening Expert Report - Claim chart regarding '232 publication	RX-0216
7/30/2010	Daugharty	invalidity, claim construction, non-infringement, technical background	SEMC002790736	SEMCO02790728	Y. Wu and S. Wang, Dielectric Behavior and Second Phases in X7R-Formulated BaTIO3 Sintered in Low-Oxygen Partial Pressures, J. Am. Soc. 90[9] 2926-2934 (2007)	RX-0215
7/28/2010	Dougherty and Randall	invalidity, claim construction, non- infringement, technical background	SEMC080566374	SEMCO00566359	WO 97/47567	RX-0214
WITHDRAWN						RX-0213
WITHDRAWN						RX-0212
WITHDRAWN			-			RX-0211
WITHDRA						8X-0210
ATA SAMETTA						RX-0209

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0248	RX-0247	RX-0246	RX-0245	RX-0244	RX-0243	RX-0242	RX-0241	RX-0240	RX-0239	RX-0238	RX-0237	RX-0236	RX-0235	RX-0234	RX-0233	RX-0232	RX-0231	RX-0230	ICX-0229	RX-0228	RX-0227	RX-0226	
	C													100									
										Exhibit 3 to Dougherty Rebuttal Expert Report - U.S. Patent No. 3,987,347				ADDRESS AND ADDRES				Article, Ian Burn, Mn-doped polycrystalline BaTiO3, Journal of Materials Science 14 (1979) 2453-2438					
										SEMC002790720								SEMCO002212987					
		-								SEMC002790727								SEMC0002Z1Z992					
										invalidity, claim construction, non-infringement, technical background								invalidity, claim construction, non- infringement, technical background					
										Dougherty, Sang Hyuk Kim								Dougherty					
WITHDRAWN	7/28/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/28/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN										

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

WITHDIKAWN					The state of the s		RX-0274
WITHDRAWN	THE PROPERTY OF THE PROPERTY O					C	RX-0273
WITHDRAWN						3	RX-0272
WITHDRAWN						ဂ	RX-0271
WITHDRAWN							RX-0270
WITHDRAWN						_	RX-0269
WITHDRAWN							RX-0268
7/30/2010	Dougherty	non-infringement, technical background	n/a	n/a	Exhibit 35 to Dougherty Rebuttal Expert Report ~ EDS Analyses, Dougherty Rebuttal Ex. 35	त	RX-0267
WITHDRAWN							RX-0266
WITHDRAWN						C	RX-0265
WITHDRAWN							RX-0264
WITHDRAWN					AUTHOR STREET	1	RX-0263
WITHDRAWN						n	EX-0362
WITHDRAWN							RX-0261
WITHDRAWN				7,000			RX-0260
WITHDRAWN							RX-0259
WITHDRAWN							RX-0258
WITHDRAWN							RX-0257
WITHDRAWN						C	RX-025
WITHDRAWN							RX-025
WITHDRAWN							RX-0254
WITHDRAWN							RX-0253
WITHDRAWN						1	RX-0252
WITHDRAWN						1	RX-025
WITHDRAWN						ត	FX-0250
		technical background			Harunobu Sano		,
7/30/2010	Dougherty	claim			Exhibit 17 to Dougherty Rebuttal Expert Repri - Declaration of	n	RX-0249
		impalidity non-					

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN						RX-0290 C
WITHDRAWN						KX-0289 C
WITHDRAWN						RX-0288 C
WITHDRAWN						RX-0287
WITHDRAWN						RX-0286
Rejected	Toshiba Corporate Representative, Robert Van Eok	invalidity	SEMCO2792299	SEMCO02792297	Toshiba Declaration	RX-0285
WITHDRAWN						RX-0284
7/28/2010	Dougherty	invalidity, claim construction, non- infringement, technical background	·		Z.Q. Zhuang, Effect of Octahedrally coordinated Calcium on the coordinated Calcium on the Ferroelectric Transition of BaTi03, Mat. Res. Bull., Vol. 22, pp. 1329-11335 (1987)	RX-0283
7/28/2010	Dougherty	invalidity, claim construction, non- infringement, technical background	SEMCO002213878	SEMCO902213873	Y.H. Han et al., Calcium As An Acceptor Impurity in BaT103, J. Am. Caram. Soc., 70, 96-100 (1987)	RX-0282
WITHDRAWN						RX-0281
WITHDRAWN						FX-0280 C
WITHDRAWN						RX-0279
WITHDRAWN						RX-0278
7/28/2010	Doughesty	invalidity, claim construction, non- infringement, technical background	SEMCC00319259	SEMCO0319254	D.F.K., Heunings, Ca-acceptors in Dielectric Ceramics Sintered in Reducive Atmospheres, J. Eur. Cer. Soc. 15 (1995) 795-800	RX-0277
NWANDELIM					THE PARTY OF THE P	RX-0276
7/30/2010	Dougherty	invalidity, claim construction, non- infringement, technical background			C.A. Randall et al., Structure property relationships in core-shell BaTi03-LH? ceramics, J. Mater, Res., Vol. 8, No. 4, Apr. 1993	RX-0275

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

MWN	WITHDRAWN							RX-0300
		representative	To the state of th					
Ē	Nejocica	corporate	Каптивани			drawn by witness		KX-0299
	3	Randall, AVX				Drawing of DCAP/LICA Structure	•	
		Galvarni.					1	
		representative						
-	) Aleja Coma	corporate	Kermingania	かったいいいいかん	74/500000 4 50	Figure: 1207 Metholiming releases	•	WY-0729
<b>E</b>		Randall, AVX		* VZCOOOOAA	A STYPOOPONIA S	D 1007 14 1007	)	
-		Galvagni,						The state of the s
		representative						
	,	corporate	The secondary	***************************************	1 4 VIOCODO - V	between IBM and AVX	(	1.C.n0.72
<b>E</b> .	Rejected	Randall, AVX	inualiditu	20500000XVX	UBSOUDURANA	IBM New Procurement Agreement	``	7707
		Galvagni,	-					
		representative				Chinaya from A 4 A		
	j	corporate	The state of the s	***************************************	The state of the s	American ATT	(	W.V.
red -	Rejected	Rundall, AVX	invalidity	CECUMMONAN	AUXMMM779	Charles December (1977)	3	אפרה
Market State of State		Galvagni,			!	AVX Publication: DCAP Low		
		representative						
	200	corporate	Madrimary	CT CANDOOUT A CA	CONTINUE CON		7	KA-0233
Š	Deignan	Randall, AVX		A 1,72000000314	OSCUPIOS VILLA	AVX Publication: Catalog for AVX	)	3
		Chalvagni,						A NAME OF TAXABLE PARTY.
		representative						
À	, and the same	corporate	Agammay A	VOCUULA V	reconnouva	DCAP/LICA 1997-8 Price Proposal	Ċ	KA-UZ94
	3 .i.	Randail, AVX		***********	A TOPONOMICE OF	AVX Memorandum re AVX	>	
	***************************************	Galvagni,	-		2			
		representative						
	***************************************	corporate	THE PROPERTY OF	T TANADAMAN	CT A WANDAMA A W	Agreement - OEM	(	KV-0-121
<u></u>	2 minuted	Randall, AVX		A CUMONONANO	ATTORONOMERA	AVX Memorandum re DCAP	)	3
		Galvagni,				And the second s		2
KAWN N	WITHDRAWN						റ	RX-0292
N.W.Y.	WITHDRAWN						C	RX-0291
The second secon		The second secon						

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	In the second second					-	CHESTON CONTRACTOR OF THE PROPERTY OF THE PROP
Rejected	Galvagni, Randall, AVX corporate	invalidity	AVX00000219	AVX00000201	Engineering Specification Issue	O	RX-0308
Rejected	Galvagni, Rendall, AVX corporate representative	invalidity	AVX00000113	AVX00000112	Intel Purchase Order	a	RX-0307
Rejected	Calvagni, Randall, AVX corporate representative	invalidity	AVX00000117	AVX00000114	Letter from Phil Troup to John Galvagni, regarding Proposed LICA AVX00000114 Design For Intel, February 1994	C	RX-0306
Rejected	Galvagni, Randall, AVX corporate representative	havalidity	AVX00000065	59000000XAV	AVX Corporation Drawing, 32 Position Screen	C.	RX-0305
Rejected	Gaivagni, Ramiall, AVX corporate representative	iavalidity	AVX00000111	AVX00000071	Letter re: Term Extension and Provision Amendment dated November 1, 1984	a	RX-0304
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	AVX00000199	19100000XAV	Letter re: Term Extension to Agreement dated March 29, 1984	C _i	EXX-0303
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	09100000XAV	AVX00000137	Letter re: Development Agreement dated August 5, 1983	C	RX-0302
Rejected	Galvagni, Randall, AVX corporate representative	invalidity, claim construction	A VX000000064	09000000XAV	Excerpt from Lab Notebook No. 193.	C	RX-0301

'Subject of an Unopposed Motion to Reopen the Evidentiary Record Sted on August 4, 2010

18 of 86

Respondents Final Exhibit List
Certain Ceramic Capacitars and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

		Cananogs	
invalidity	citor Arrays AVX00000263 AVX00000268	Low Inductance Capacitor Arrays	D 9160-XX
invalidity	for Digital AVX00000233 AVX00000240	Technical Information, Low Inductance Capacitors for Digital Circuits	RX-0315 C
invalidity	ve for AVX 200 AVX 00000200 AVX 00000200	AVX Drawing, Positive for Metronome Electrode, AVX 200	RX-0314 C
invalidity	AVX Drawing, Towns Labs Screen AVX00000069 AVX00000069	AVX Drawing, Towns	RX-0313 C
hvalidity	P 32 Position AVX000000068 AVX00000068	AVX Drawing, DCAP 32 Position Screen	RX-0312 C
invalidity	ed 32 position AVX000000066 AVX00000066	AVX Drawing, Entitled 32 position screen LICA 3T324M7-1	RX-0311 C
invalidity	sition Screen AVX00000067 AVX00000067	AVX Drawing, 32 Position Screen	xx-0310 c
invalidity	AVX00000221 AVX00000228	Power Point Re Document Reference A4	RX-0309 C

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

WITHDRAWN					The second of th	Ě	RX-0325
WITHDRAWN						C	RX-0324
Rejected	Galvagni, Randall, Shipman, AVX corporate representative	invalidity	AVX00000676	AVX00000676	Spreadsheet concerning internal dimensions and construction for AVX IDC products	C	RX-0323
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	AVX00000674	AVX00000672	W3L1 Configuration	n n	RX-0322
Rejected	Galvagui, Randall, AVX corporate representative	invalidity	AVX00000465	AVX00000427	Owner's manuel for the AVX Multilayer Ceramic Chip Capacitor	C	RX-0321
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	AVX00000336	AVX00000327	Description of A.YX Low Inductance Capacitors depicting the AVX00000327 physical attributes and functions	C	RX-0320
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	AVX00000318	AVX00000316	Preliminary Specifications Bulletin, DCAP	C	RX-0319
Rejected	Galvagni, Randall, AVX corporate representative	invalidity	AVX00000326	AVX00000319	AVX Low inductance Capacitors Catalog	C	RX-0318
Rejected	Galvagni, Randali, AVX corporate representative	invalidity	AVX00000136	81100000XAV	AVX Standard Operating Procedure Comparator Inspection. Document describes how to measure the D-CAP unit using Kion V-12 profile Projector	7 C	RX-0317

Subject of an Unopposed Motion to Reopen the Exidentiary Record stad on August 4, 2010

20 of 86

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 137-TA-692
DIRECT EXHIBITS LIST

Respondents Final Exhibit List
Certain Ceramic Capacitors and Froducts Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

65EQ-XX	RX-0358	RX-0357		RX-0355	RX-0354			RX-0351	RX-0350	RX-0349	RX-0348	RX-0347		RX-0346	RX-0345	RX-0344	RX-0343	
			C	C		C	C							O			C .	
Document written in Japanese explaining the way Murata considers its model names			WITH THE PARTY OF				The state of the s						certified translation	to the LLA ad Product with	U.S. Patent No. 5,430,605		Design Review Concerning a Change in the Materials for the External Electrodes with octified translation	
17/4														MM_021763	SBMCC000567540		MM_300100	
n/a														MM_0Z1774	SEMCO003567553		MM_300180	
invalidity, non- infringement, claim construction, technical background													technical background	invalidity, non- infringement, olaim construction,	invalidity, non- infringement, claim construction, technical background		Invalidity, non- infringement, claim construction, technical background	
Kubodera														Kawaguchi	Kawaguchi		Kawaguchi	
7/27/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN		7/27/2010	7/30/2010	WITHDRAWN	7/27/2010	

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Contabing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

7/27/2010	Kubota	domestic industry	MM_002004	MM_002003	Capacitor Marketing organizational chart of the planning group as it existed on March 1, 2009	C	RX-0369
WITHDRAWN						C	RX-0368
WITHDRAWN						7	RX-0367
7/27/2010	Kubota	domestic industry	MM_307217	MM_307215	Job Description for Technical Sales Manager	C C	RX-0366
7/2/72010	Kubota	domestic industry	n/a	n/a	Various tables, "Cap Group Member List," "Product Customization," "Technical Support Examples, "Capacitor Group Statistics," and "Technical Support Estimates"	o O	RX-0365
7/27/2010	Kubota	domestic industry	n/a	n/a	Handwritten document showing percentage of hours invested by the technical support of each of the patents by members of the marketing group and hours invested in product customization	Ĉ.	RX-0364
010217217	Kubodera	invalidity, non- infringement, claim construction, technical background	MM_297032	288967 MM	Design inspections for the GRM42-6X5R475K10U530	೧	RX-0363
7/27/2010	Киводега	invalidity, non- infringement, claim construction, technical background	SEMCO02788005	SEMCC002788005	Data Sheet, Monolithic Ceramic Capacitors	2	RX-0362
WITHDRAWN							RX-0361
7/27/2010	Kubodera	invalidity, non- infringement, claim construction, technical background	n/a	es/n.	Minnai's Second Supplemental Responses and SEMCO's First Set of Interrogatories, dated January 10, 2010	C	RX-0360

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

				ate of JX-21)	INTENTIONALLY LEFT BLANK (Duplicate of IX-21)	RX-0389 D
				ate of JX-22)	INTENTIONALLY LEFT BLANK (Duplicate of JX-22)	RX-0388 I
7/27/2010	Dougherty; Kim, S.H.; Randall	invalidity, claim construction, non-infringement, technical background	SEMCO00566231	SEMCO00566211	Published Japanese Patent Application No. 10-172857	RX-0387
WITHDRAWN					C	RX-0386 C
WITHDRAWN						RX-0385
WITHDRAWN						RX-0384
WITHDRAWN						RX-0383
7/27/2010	McHargue	domestic industry	MM 308124	MM 308124	C Table, Total Capacitor Claims	RX-0382 (
7/27/2010	MoHargue	domestic industry	MM 308123	MM 308123	C Rockmart QC Lab Equipment	RX-0381
WITHDRAWN					C	RX-0380 (
7/27/2010	McHargue	domestic industry	n/a	n/a	C Table of Total capacitor claims	RX-0379 (
7/27/2010	MoHargue	domestic industry	n/a	n/a	Notice of Deposition of Lanney McHargue	RX-0378
7/27/2010	MoHargue	domiestic industry	Ω/A	n/a	SEMCO's Second Notics of Deposition of Murata	RX-0377
WITHDRAWN					C	RX-0376
010277271	Kubota	dontestic industry	n/a.	n/a	C Complaint - Declaration of Lanney McHargue	RX-0375
					Confldential Bahibit 16 to	
WITHDRAWN						RX-0374 K
7/27/2010	Kubota	donucatic industry	MM_002043	MM_002042	C Job Description for Key Account Manager/Sales Engineer GFB	RX-0373
WITHDRAWN					C	RX-0372 (
7/27/2010	Kubota	domestic industry	n/a	n/a	Table, "Sales and Quality C Assurance Group Biographical Information"	RX-0371
7/27/2010	Kubota	domestic industry	n/a	n/a	C Table, "Capacitor Group Statistics"	EX-0370

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0412	RX-0411	RX-0410		RX-0408	RX-0407	RX-0406	RX-0405	RX-0404	RX-0403	RX-0402	RX-0401	RX-0400	RX-0399	RX-0398	RX-0397	RX-0396	RX-0395	RX-0394	RX-0393	RX-0392	RX-0391	RX-0390	
		Q	C							1012111													
		Murata Tochnical Report, Low ESL Capacitor Chouit Models>Equivalent Circuit Modeling of LL & LLA Types for AMD, September 17, 1999 [Tabara Exhibit 28] with certified translation																				U.S. Patent No. 5,742,473	
		MM_022285																				SEKCO00566333	
		мм_022288	-																			SEMCO00566345	
		domestic industry, invalidity, non-infringement, claim construction, technical background																				invalidity, claim construction, non- infringement, technical background	
And the second s		Randali, Murata witness																				Dougherty; Kim, S.H.; Randall	
WITHDRAWN	WITHDRAWN	7/27/2010	WITHDRAWN	WANDHILL	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/27/2010														

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN						XX-0434
WITHDRAWN						RX-0433
WITHDRAWN						RX-0432
					INTENTIONALLY LEFT BLANK	RX-0431 INT
WITHDRAWN						RX-0430
WITHDRAWN						RX-0429
WITHDRAWN						RX-0428
7/28/2010	Randall, Byounghwa Lcc, Burn, Dougherty	invalidity	SEMCO00318959	SEMCO00318954	Burn 1994, CARTS, "Dielectric and Electrode Systems for Multilayer Ceramic Capacitors with Layer Thickness Below 10 µm", 130-131	KX-0427
WITHDRAWN						RX-0426
WITHDRAWN						RX-0425
WITHDRAWN						RX-0424
WITHDRAWN		•				RX-0423
WITHDRAWN				_		RX-0422
WITHDRAWN						RX-0421
WITHDRAWN						RX-0420
WITHDRAWN						RX-0419
WITHDRAWN						RX-0418
7/28/2010	Randall, Dougherty, Byounghwa Lee, Sang Hyuk Kim, Youn	invalidity	MM_298803	MM_298799	Sakabe 2002, Jpn. I. Appl. Phys.   "Nonreducible Mechanism of {(Bal-   NCax)O}m Ti02 (m > 1) Ceramics,"   MM_298799   Vol. 41, Part I, No. 11A, pp. 6461-   6465	KX-0417
WITHDRAWN						RX-0416
WITHDRAWN				٠		RX-0415
WITHDRAWN						RX-0414
7/30/2010*	Randali, Byounghwa Lee	invalidity	SEMCO00081165	SEMCO00081159	Nagakari H11-214249 (H10- 017058), translation and certification	RX-0413

Respondents Final Exhibit List
Certain Ceramic Capactors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	RX-0452			TC#U#J1	2 N.		RX-0450	RX-0449	RX-0443	RX-0447	RX-0446	RX-0445	RX-0444	RX-0443	RX-0442	RX-0441	RX-0440	RX-0439	RX-0438	KX-0437	RX-0436	RX-0435	
тістожач	developm	Handwrit Naito dep	microway	internal o	Naito dep	Handwrit											U.S. Pate		Sano Japanese P Application H7- and certification				
microwave-supporting capacitor	electrodes designed as part of the development work on the	Handwritten document made by Naito depicting the shapes of	microwave-supporting capacitor	internal electrode designed for the	Naito depicting the shape of the	Handwritten document made by											U.S. Patent No. 6,160,472		Sano Japanese Published Patent Application H7-074047, translation and certification				
	D/A			Ş	3	-											SEMCO00567875		SEMCO00079878 SEMCO00079885				
	n/a			£													SEMCO00567883		SEMCO00079884 SEMCO00079905				
recunical packground	construction,	invalidity, non-	technical background	construction,	infringement, daim	invalidity, non-											invalidity		invalidity				
	Munta witness	Naifo, Randall		Murah winess	Naito, Randall,												Randall, Byounghwa Lee		Rendall, Byounghwa Lee, Dougherty, Sang Hyuk Kim				
	7/27/2010				7/27/2010		WITHDRAWN	7/30/2010*	WITHDRAWN	7/30/2010*	WITHDRAWN	WITHDRAWN	WITHDRAWN										

Respondents Final Exhibit List
Certain Caramic Capacitors and Products Containing the Same, Liv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0453	Handwritten document made by Naito representing the LLA internal electrode design as it existed when he was transferred to Fukul Murata the second time	n/a	n/a	invalidity, non- infringement, claim construction, technical background	Naito, Randall, Murata witness	10בודביוד
RX-0454	cument made by ng the LLA design ntly	n/a	n/a	invalidity, non- infringement, claim construction, technical background	Naito, Randall, Murata witness	7/27/2010
RX-0455	Handwritten document made by Naito representing the LLM design	n/a	r./a	invalidity, non- infringement, claim construction, technical background	Naito, Kendall, Murata witness	7/27/2010
RX-4456	Naito JP H9-306717 (H11-144996), (1999-144996), translation and certification	SEMCO00262752 SEMCO02213143	SEMCO002627644 SEMCO002213189	invalidity, non- infringement, claim construction, technical background	Naito, Keating, Murata witness, and Randall	7/27/2010
RX-0457						WITHDRAWN
RX-0458 C	Murata document; "Low ESL Capacitor Tachnology Road Map"	MM_011120	MM_011125	invalidity, non- infringement, claim construction, technical background	Naito, Keating. Murata witness, and Randall	7/27/2010
RX-0459	Yoneda et al. 1996, CARTS- EUROPE '96: 10th European Passive Components Symposium, "Relationship Between Microstructure and Characteristics of Multilayer Capacitors Having 'Core-Shell' Structure", 11-16	SEMCO00319048	SEMCCO00319054	1	Omori, Murata witness, and Randali	7/30/2010*
RX-0460	Exhibit 1 to Randall '229 Opuning Expert Report - Curriculum vitae and articles and presentations			invalidity	Randall	7/30/2010*

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	RX-0472	RX-0471	RX-0470	RX-0469	RX-0468	RX-0467	RX-0466	Exb Exp #16: "229	Exh Exp RX-0464 #15, '229	Exh RX-0463 Exp #14: '229	Exp Exp #13: "229	RX-0461
Exhibit 17 to Randall '229 Opening Expert Report - Claim Chart comparing deNeuf to claims 51, 52 and 55 of the '229 patent!								Exhibit 9 to Randall '229 Opening Expert Report - DPA Mount Sample #16: AVX IDC MLCC Analysis for '229 (W2L14Z225MATIS)	Exhibit 8 to Randall 229 Opening Expert Report - DPA Mount Sample #15: AVX IDC MLCC Analysis for 229 (W2L16D105MATIA)	Exhibit 7 to Randall '229 Opening Expert Report - DPA Mouni Sample #14: AVX IDC MLCC Analysis for '229 (W3L1YC105MAT1A)	Exhibit 6 to Randall '229 Opening Expert Report - DPA Mount Sample #13: AVX IDC MLCC Analysis for '229 (W3L1ZC224MAT1A)	
invalidity								invalidity	invalidity	invalidity	invalidity	
Rendell								Randall	Esandall	Randali	Randall	
7/30/2010	WITHDRAWN	Rejected	Rejected	Rejected	Rejected	WITHDRAWN						

Respondents Final Exhibit List Certain Ceramio Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0496	RX-0495	RX-0494	RX-0493	RX-0492	RX-0491	RX-0490	RX-0489	RX-0488	RX-0487	RX-0486	RX-0485		RX-0484	- MARIEN			RX-0483			RX-0482	RX-0481	RX-0480	RX-0479	RX-0478	RX-0477	RX-0476	RX-0475	RX-0474	
														7								C		C .	C	C			
											THE SECOND SECON	capacitor from an Apple PowerBook 1400C	destructive analysis of 1206 2.2 µF	Exhibit 4 to Randall '309 Opening	Laptop Computers	660CDT	Capacitors from Toshiba Portege	destructive analysis of 1206 2.2 µF	Exhibit 3 to Randall '309 Opening   Bornert Report - Reports on			(MATERIAL PROPERTY OF THE PROP							
				TOTAL										المناد والمناورة			ichlann in ei		**************************************							A VENEZIA PROPERTY.			
							None,																						المقارفات كأرفان فيارين ويروي والمتارك والمتارك والمتارك والمتارك والمتارك والمتارك والمتارك والمتارك
													invalidity				myalkury												
													Zandall				Nandam		CONT										
WITHDRAWN		Rejected				Walenger			WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN												

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

PCX-0528	RX-0527	RX-0526	RX-0525	RX-0524	FCX-0523	RX-0522	RX-0521	RX-0520	RX-0519	RX-0518	RX-0517	RX-0516	RX-0515	RX-0514	RX-0513	RX-0512	RX-0511	RX-0510	RX-0509	RX-0508	RX-0507	RX-0506	RX-0505	RX-0504	RX-0503	RX-0502	RX-0501	FCX-0500	RX-0499	RX-0498	RX-0497	
																					_											
									, manning																							
HILM	HIIM	HITH	HLIM	HIIW	HLIM	HILIW	HUM	HLLIM	HIIM	HIIM	HILLIAM	ELLIM	HILLA	HILIW	HILL	HIIW	HILM	HILLA	HILIM	HIIW	HIKW	HILLAN	HIIW	HIIW	HILW	HIIM	HIIM	HILLA	HILM	HILL	HILM	
WITHDRAWN	WITHURAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITEDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WATHDRAWN	WIJHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	NWANCHILL	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN										

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0550	RX-0549	RX-0548	RX-0547	RX-0546	RX-0545	RX-0544	RX-0543	RX-0542	RX-0541	RX-0540	RX-0539	RX-0538	RX-0537	RX-0536	RX-0535	PX-0534	RX-0533	RX-0532	KX-0531	RX-0530	RX-0529	
												6 H 3 K	~ = J =									
										- Annie de la composition della composition dell		AVX Technical Bulletin— Technical Information: Parasitic Inductance of Multilayer Ceramic Capacitors (1997; Cain, pp. 1-4)	AVX Technical Bulletin— Technical Information: Low Inductance Capacitors for Digital Circuits (1992; Galvagni, pp. 1-8)					AVX Technical Bulletin— Technical Information: Advanced Decoupling Using Ceramic MLC Capacitors (3/1994; Prymak, pp. 1- 12)				
												8EMC000263014	SEMC000263036					SEMCO00263238				
										TO THE PARTY OF TH		SEMCO90263017	SEMCO00263043					SEMCO00263249	THE PERSON NAMED IN CONTRACTOR OF THE PE			
												invalidity	invalidity					invalidity				
												Randall	Randall					Randall				
WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	NAL VAICHELLIAN.	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/30/2010*	7/30/2010	WITHDRAWN	WITEDRAWN	NW ASIGNATION	WITHDRAWN	7/30/2010*	WITHDRAWN	WITHDRAWN	WITHDRAWN	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0575	RX-0574	RX-0573	RX-0572	RX-0571	RX-0570	RX-0569	RX-0568	RX-0567	RX-0566	RX-0565	RX-0564	<b>RX-0563</b>	RX-0562	RX-0561	8X-0560	RX-0559	RX-0558	RX-0557	RX-0556	RX-0555	RX-0554	RX-0553	RX-0552	RX-0551	
						ਮਿਵਟਵਜ਼ਤਨ																			
						CARTS-Europe '99: 13th European Passive Components Symposium.—Electrical Characteristics and Physical Structure of MLCC with Ultra-high Capacitance (1999; Yoneda, et al., pp. 187-192 and Table of Contents)							TO THE TAX A STATE OF THE TAX A												
	The state of the s					SEMCO00568534 SEMCO00565966												NAME OF TAXABLE PARTY.							
			A COLUMN TO THE			SEMCO00568536 SEMCO00565971																			
		A THE CONTRACTOR OF THE CONTRA				invalidity																			
						Randall																			
WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/28/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Cantaining the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

NY-05056   NY-050576   NY-050577   NY-050577   NY-050577   NY-050577   NY-050577   NY-050577   NY-050577   NY-050577   NY-05057   NY-050577   NY-050	WITHDRAWN					RX-0607
	WITHDRAWN					RX-0606
	WITHDRAWN					RX-0605
	WITTIDRAWN					RX-0604
	WITHDRAWN					RX-0603
	WITHDRAWN					IKX-0602
	WITHDRAWN					1090-XX
	WITHDRAWN					RX-0600
	WITHDRAWN					RX-0599
	WITHDRAWN					RX-0598
	WINHURAWN					RX-0597
	WITHDRAWN					RX-0596
	WITHDRAWN					RX-0595
	WITHDRAWN					RX-0594
	WITHDRAWN					RX-0593
	WANDHILL					RX-0592
	WITHDRAWN					RX-0591
	WITHDRAWN		The state of the s		S S S S S S S S S S S S S S S S S S S	RX-0590
	WITHDRAWN					RX-0589
	WITHDRAWN					RX-0588
	WITHDRAWN					RX-0587
	WATHDRAWA					RX-0586
	WANCHILM		·			RX-0585
	WITHDRAWN					RX-0584
	WITHDRAWA					RX-0583
	WITHDRAWN			AND THE RESERVE THE PROPERTY OF THE PROPERTY O		RX-0582
	WITHDRAWA					RX-0581
	WITHDRAWN					RX-0580
	WITHDRAWA				A CONTRACTOR OF THE CONTRACTOR	RX-0579
	WITHDRAWN		Control of the Contro			RX-0578
	WITHDRAWN					RX-0577
是一个时间,这个时间,我们也不是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	WITHDRAWN	·				FX-0576

## Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0635	RX-063#	RX-0633	RX-0632	FX-0631	RX-0630	RX-0629	RX-0628	RX-0627	RX-0626	RX-0625	RX-0624	RX-0623	RX-0622	RX-0621	RX-0620	RX-0619	RX-0618	RX-0617	RX-0616	RX-0615	RX-0614	RX-0613	RX-0612	RX-0611	RX-0610	RX-0609	RX-0608	2
				ACCUPATION OF THE PROPERTY OF									000		IEEE 44th Electronic Components and Technology Conference — So Many Electrons, So Little Time  (Galvagni, pp. 234-238)								HITTONIAN AND AND AND AND AND AND AND AND AND A					
				A COLUMN TO THE				. The control of the							SEMCOODZ63044											,		
															SEMCO00263051				TO THE STATE OF TH									
															invalidity													
						,									Randali													
WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/30/2010	WITHDRAWN	NWANDERIW	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	NAN MCHILM	

## Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

invalidity
dipijevuj

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN						
W.CALLY W.	-					RX-0696
CITY WALLEST IN						RX-0695
WITHDRAWN						RX-0694
WITHDRAWN						RX-0693
WITHDRAWN		-				RX-0692
WITHDRAWN		-				RX-0691
WITHDRAWN						RX-0690
WITHDRAWN						RX-0689
WITHDRAWN						RX-0688
WITHDRAWN						RX-0687
WITHDRAWN						RX-0686
WITHDRAWN						PX-0685
WITHDRAWN				-		RX-0684
WITHDRAWN						RX-0683
WITHDRAWN						RX-0682
WITHDRAWN						1890-XX
WITHDRAWN						RX-0680
WITHDRAWN						KX-0679
WITHDRAWN						RX-0678
WITHDRAWN						RX-0677
WITHDRAWN						RX-0676
WITHDRAWN						KX-0675
WITHDRAWN					, months and many many many many many many many many	RX-0674
WITHDRAWN						RX-0673
WITHDRAWN						RX-0672
WITHDRAWN						RX-0671
WITHDRAWN						RX-0670
WITHDRAWN						RX-0669
7/27/2010	Randall	invalidity	SEMCO00567313	SBMC000567305	Japanese Patent No. 2001-185441	RX-0668
WITHDRAWN						_
				ate of JX-21)	INTENTIONALLY LEFT BLANK [duplicate of JX-21]	RX-0666 INT

Respondents Final Exhibit List Certain Ceramia Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0698 RX-0700 RX-0701 RX-0702 RX-0703 RX-0703 RX-0704 RX-0705 RX-0706 RX-0707 RX-0707 RX-0707 RX-0701 RX-0701 RX-0711 RX-0711 RX-0711 RX-0711 RX-0711 RX-0712 RX-0712 RX-0712 RX-0712 RX-0713 RX-0713 RX-0713 RX-0713 RX-0714 RX-0715 RX-0715 RX-0716 RX-0716 RX-0717 RX-0717 RX-0717 RX-0718 RX-0717 RX-0717 RX-0718 RX-0718 RX-0717 RX-0718 RX-0717 RX-0718 RX-0717 RX-0718 RX-0717 RX-0718 RX-0718 RX-0717 RX-0718 RX-0718 RX-0718 RX-0718 RX-0718 RX-0718 RX-0718 RX-0719	RX-0728 RX-0729
	RX-0726
RX-0699 RX-0700 RX-0701 RX-0701 RX-0703 RX-0703 RX-0704 RX-0705 RX-0707 RX-0707 RX-0707 RX-0707 RX-0710 RX-0711 RX-0712 RX-0712 RX-0712	_
RX-0698 RX-0700 RX-0701 RX-0703 RX-0704 RX-0705 RX-0706 RX-0707 RX-0707 RX-0707 RX-0707 RX-0707 RX-0710 RX-0711 RX-0711 RX-0711 RX-0711 RX-0711 RX-0711 RX-0713 RX-0713 RX-0713 RX-0716 RX-0718 RX-0717 RX-0718 RX-0718 RX-0719 RX-0710 RX-0710 RX-0710 RX-0711 RX-0711 RX-0711 RX-0711 RX-0711 RX-0712 RX-0713 RX-0713	RX-0724
RX-0698 RX-0790 RX-0790 RX-0701 RX-0702 RX-0703 RX-0703 RX-0705 RX-0707 RX-0707 RX-0709 RX-0710 RX-0710 RX-0711 RX-0711 RX-0711 RX-0713 RX-0714 RX-0715 RX-0716 RX-0717	RX-0723
RX-0699 RX-0700 RX-0701 RX-0701 RX-0703 RX-0703 RX-0705 RX-0705 RX-0707 RX-0707 RX-0707 RX-0707 RX-0710 RX-0711 RX-0711 RX-0711 RX-0712 RX-0714 RX-0717 RX-0717 RX-0718 RX-0717 RX-0718 RX-0717 RX-0719 RX-0719 RX-0720 RX-0721	RX-0722
RX-0698  RX-0700  RX-0701  RX-0702  RX-0703  RX-0704  RX-0705  RX-0706  RX-0707  RX-0707  RX-0707  RX-0710  RX-0710  RX-0711	RX-0721
RX-0698  RX-0700  RX-0701  RX-0703  RX-0703  RX-0705  RX-0707  RX-0707  RX-0707  RX-0708  RX-0708  RX-0708  RX-0710  RX-0710  RX-0710  RX-0711	RX-0720
RX-0698   RX-0700   RX-0701   RX-0702   RX-0703   RX-0705   RX-0705   RX-0706   RX-0707   RX-0708   RX-0708   RX-0708   RX-0709   RX-0709   RX-0701   RX-0711   RX-0711   RX-0711   RX-0714   RX-0714   RX-0714   RX-0714   RX-0715   RX-0716   RX-0716   RX-0716   RX-0716   RX-0717   RX-0	RX-0719
RX-0698 RX-0700 RX-0700 RX-0701 RX-0702 RX-0703 RX-0706 RX-0706 RX-0707 RX-0707 RX-0708 RX-0708 RX-0709 RX-0710 RX-0711	RX-0718
RX-0699 RX-0700 RX-0701 RX-0702 RX-0703 RX-0705 RX-0706 RX-070706 RX-070707 RX-0707 RX-070	RX-0717
RX-0698  RX-0700  RX-0701  RX-0702  RX-0702  RX-0703  RX-0705  RX-0705  RX-0706  RX-0707  RX-0707  RX-0707  RX-0707  RX-0707  RX-0710  RX-0711  RX-0711  RX-0711  RX-0711  RX-0711	RX-0716
RX-0698  RX-0700  RX-0701  RX-0703  RX-0703  RX-0705  RX-0706  RX-0707  RX-0707  RX-0707  RX-0708  RX-0708  RX-0708  RX-0710  RX-0710  RX-0711  RX-0711	RX-0715
RX-0698  RX-0701  RX-0702  RX-0703  RX-0704  RX-0705  RX-0706  RX-0707  RX-0708  RX-0709  RX-0709  RX-0710  RX-0711  RX-0711	RX-0714
RX-0698 RX-0700 RX-0701 RX-0702 RX-0703 RX-0703 RX-0704 RX-0705 RX-0705 RX-0707 RX-0707 RX-0708 RX-0708 RX-0709 RX-0710	RX-0713
RX-0698 RX-0700 RX-0700 RX-0701 RX-0702 RX-0703 RX-0703 RX-0704 RX-0705 RX-0706 RX-0706 RX-0707 RX-0707 RX-0709 RX-0709	RX-0712
RX-0698	RX-0711
RX-0698	RX-0710
RX-0698  RX-0700  RX-0701  RX-0702  RX-0703  RX-0704  RX-0705  RX-0706  RX-0707  RX-0707	RX-0709
RX-0698	RX-0708
RX-0698	RX-0707
RX-0698	RX-0706
RX-0698	XX-0705
RX-0698 RX-0700 RX-0701 RX-0702 RX-0703	RX-0704
RX-0698 RX-0699 RX-0700 RX-0701	RX-0703
RX-0698 RX-0699 RX-0790	RX-0702
RX-0698 RX-0699 RX-0790	RX-0701
RX-0698   RX-0699	RX-0700
XX-0698	RX-0699
	8690-XX

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0730   RX-0731   RX-0732   RX-0732   RX-0733   RX-0734   RX-0735   RX-0736   RX-0737   RX-0737   RX-0737   RX-0740   RX-0740   RX-0744   RX-0744   RX-0744   RX-0745   RX-0746   RX-0747   Intentionally left blank [duplicate of RX-0182]   RX-0748   RX-0749   U.S. Patent No. 2,991,175   RX-0750   RX-0751   RX-0751   RX-0751   RX-0753   RX-0755   RX-0755	
Intentionally left blank [duplicate of R.X0182]  U.S. Patent No. 2,991,175  SEMCO00567292  SEMCO00567305  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentionally left blank [duplicate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO00567292  SEMCO00567304  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentionally left blank [duplloate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO00567292  SEMCO00567304  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentimally left blank [dupllogie of RX-0182]  U.S. Patent No. 2,991,175  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentionally left blank [duplicate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO00567292  SEMCO00567304  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentionally left blank [duplicate of R.X0182]  U.S. Patent No. 2,991,175  SEMCO00567292  SEMCO00567304  U.S. Patent No. 3,514,195  SEMCO00567305  SEMCO00567313	
Intentionally left blank [duplicate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO00567304	invalidity
Intentionally left blank [duplicate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO00567304	
intentionally loft blank [duplicate of RX-0182]  U.S. Patent No. 2,991,175  SEMCO0567304	
	invalidity
XX-0730 XX-0732 XX-0733 XX-0734 XX-0736 XX-0738 XX-0739 XX-0740 XX-0741 XX-0742 XX-0743 XX-0743 XX-0745 XX-0746	
RX-0730  RX-0731  RX-0732  RX-0733  RX-0734  RX-0735  RX-0736  RX-0737  RX-0738  RX-0739  RX-0740  RX-0741  RX-0741  RX-0743  RX-0744  RX-0745	
RX-0730  RX-0731  RX-0732  RX-0734  RX-0735  RX-0736  RX-0737  RX-0737  RX-0738  RX-0740  RX-0741  RX-0741  RX-0743  RX-0744	
RX-0730  RX-0731  RX-0732  RX-0734  RX-0735  RX-0736  RX-0737  RX-0738  RX-0738  RX-0741  RX-0743	
RX-0730 RX-0731 RX-0733 RX-0734 RX-0736 RX-0737 RX-0738 RX-0739 RX-0741 RX-0742	
RX-0730 RX-0732 RX-0733 RX-0734 RX-0735 RX-0736 RX-0737 RX-0737 RX-0738 RX-0738 RX-0738 RX-0739 RX-0740	
RX-0730 RX-0732 RX-0733 RX-0734 RX-0735 RX-0736 RX-0736 RX-0737 RX-0737 RX-0738 RX-0738 RX-0739 RX-0740	
RX-0/30 RX-0/32 RX-0733 RX-0734 RX-0735 RX-0736 RX-0737 RX-0738 RX-0738	
XX-0730 XX-0732 XX-0733 XX-0734 XX-0736 XX-0736 XX-0737 XX-0738	
RX-0730 RX-0732 RX-0733 RX-0734 RX-0735 RX-0736	
RX-0730 RX-0731 RX-0732 RX-0733 RX-0734 RX-0736	
RX-0731 RX-0732 RX-0734 RX-0735	
RX-0730 RX-0731 RX-0732 RX-0733	
RX-0730 RX-0731 RX-0732	
RX-0730 RX-0731 RX-0732	
RX-0730   RX-0731   RX-073	
RX-0730	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

7,000,000,000,000,000,000,000,000,000,0

Respondents Final Exhibit List

Certain Ceramic Capacitors and Products Captaining the Same, Inv. No. 337-TA-692

DIRECT EXHIBITS LIST

RX-0822	RX-0821	RX-0820	RX-0819	RX-0818	HX-0817	RX-0816	X-0815	180-X	8X-0813	RX-0812	RX-0811	RX-0810	12X-0809	RX-0808	RX-0807	RX-0806	RX-0805	RX-0804	RX-0803	RX-0802	EX-0801	7X-0800	RX-0799	EX-0798	RX-0797	RX-0796	RX-0795	RX-0794	RX-0793	RX-0792	
U.S. Patent No. 6,072,687				The Later Anna																											
SEMCO00567842											•																Albertania de la constitución de				
SEMCO00567860												CHOCK																			
invalidity																															
Randall, Byounghwa Lee																															
7/29/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	NWANICHTIW	WITHDRAWN	WITHDRAWN	WITHDRAWN	MANAGRETIM													

Respondents Final Exhibit List Certain Caramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

	WITHDRAWN						51 C	RX-0851
	WITHDRAWN						50 C	RX-0850
	7/29/2010	Randall, Byoungitwa Lee, Youn, Sang Hyuk Kim	Non-Infringement	SEMCO02787860	SEMCO02787860	Screen Fattern Standard (native file) SEMCO02787860	(49 C	RX-0849
<u> </u>	WITHDRAWN						48 C	EX0848
	WITHDRAWN						147 C	RX-0847
_	WITHDRAWN							RX-0846
					de of RX-1002]	INTENTIONALLY LEFT BLANK [duplicate of RX-1002]	L.,	RX-0845
	WITHDRAWN	`					74 C)	RX-0844
Ž	WITHURAWN						43	RX-0843
	WITHDRAWN						42	RX-0842
Ž	WITHDRAWN						¥1	RX-0841
	WITHDRAWN						8	RX-0840
	WITHDRAWN						39	80.XX
Ľ	WITHDRAWN						38	RX-0838
	WITHDRAWN						37	RX-0837
Z	WATHDRAWN						36	RX-0836
Ľ	WITHDRAWN						35	RX-0835
Ľ	WITHDRAWN						<u> </u>	RX-0834
	WITHDRAWN						23	XX-0833
Z	WITHDRAWN				The state of the s		32	RX-0832
Z	WITHDRAWN						31	RX-0831
Z.	WITHDRAWN						130	RX-0830
2	WITHDRAWN						29	RX-0829
Z	WITHDRAWN						128	RX-0828
2.	WITHDRAWN						27	RX-08
Z	WITHDRAWN						126	RX-0826
Z	WITHDRAWN			A DESCRIPTION OF THE PROPERTY			25	RX-0825
Z	WITHDRAWN						24	RX-0824
	WITHDRAWN						23	RX-0823

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Centaining the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

7/27/2010	Sano, Murata witness, Dougherty	invalidity, non- infringement, claim construction, technical background	MM_022367	MM_022367	Wada, "Development Section IV development Dept. I Developmen Group IV" (abstract)	RX-0863 C
				[6]	intentionally left blank [duplicate of RX-0329]	RX-0862 h
7/27/2010	Sano, Murata witness, Dougherty	invalidity, non- infringement, claim construction, technical background	n/a	n/a	Japanese Patent No. 2993425	RX-0861
WITHDRAWN						RX-0860 C
7/27/2010	Sano, Murata witness, Dougherty	invalidity, non- infringement, cialm construction, technical background	MM_302424	MM_302424	Data that indicates the ratio of the elements that are used in the material that uses a composition that is in Exhibit 1	RX-0859 C
WITHDRAWN						RX-0858 C
7/27/2010	Sano, Muraiz witness, Dougherty	0	мм_273964	MM_273930	Laminated Material Internal Control MM, 273930 Standard	RX-0857 C
7/27/2010	Sano, Murata witness, Dougherty	invalidity, non- infringement, claim construction, technical background	MM_302400	MM_302395	List of products that use the dielectric materials that correspond MM 302395 to Exhibit 1	RX-0856 C
7/27/2010	Sano, Murata witness, Dougherty	invalidity, non- infringement, claim construction, technical background	n/a.	л/а	Murata's Preliminary List of Murata Ceramic Capacitor Products that Practice One or More Claims of the '254 Patent	D S580-XA
WITHDRAWN						RX-0854
				281	intentionally left blank [duplicate of RX-0828]	
				25]	intentionally left blank [duplicate of RX-0425]	RX-0852 1
						4

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0874	RX-0873	RX-0872	RX-0871	RX-0870	RX-0869	RX-0868	RX-0867	RX-0866	RX-0865	RX-0864	
C	င				C	-		intenti	C	С	
IBM Declaration (Frank Barrese)		Galvagni et al. 1994, IEEE, 44th Electronic Components & Technology Conference, "So Many Electrons, So Little Time			Document written in Japanese relating to lithium scattering	Japanese Patent No. 3450903 (Application No. 8-31232) and translation	Hand-drawing representing the Perovskite structure	intentionally left blank [duplicate of RX-0390]	Spreadsheet produced by Murata, listing Bates numbers identifying mixing specifications	Document written in Japanese, mixing and inspection standard	
n/a		SEMCO00263044			MM_024722	n/a	¤⁄a	9	n/a	MM_274067	
n/a		SEMCO00263051			MM_024723	п/а	n/a		n/a	MM_274092	
invalidity		invalidity			invalidity, non- infringement, claim construction, technical background	invalidity, non- infringement, claim construction, technical background	invalidity, non- infringement, claim construction, technical background		invalidity, non- infringement, claim construction, technical background	invalidity, non- infringement, claim construction, technical background	
Barrese, Randall, IBM corporate representative		Galvagni, Randali, Byounghwa Lee			Sano, Murata witness, Dougherty	Dougherty, Kim, Youn	Sano, Mursta witness, Dougherty		Sano, Murata witness, Dougherty	Sano, Murata witness, Dougherty	
Rejected	WITHDRAWN	7/30/2010*	WITHDRAWN	WITTIDRAWN	7/27/2010	7/27/2010	7/27/2010		7/27/2010	7/27/2010	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN						F	RX-0887
WITHDRAWN						5	RX-0886
WITHDRAWN						C	EX-0885
				3]	Intentionally left blank [duplicate of RX-0153]		1880-XX
WITHDRAWN					The state of the s	C	CR80-XX
WITHORAWN							RX-0882
WITHDRAWN						С	1830-XH
WITHDRAWN						)	KX-0880
Rejectod	Randall, AVX Corporate	invalidity	AVX00000646	1090000XAV	X	0	RX-0879
The state of the s	Shirman	OPERATOR INTERPRETATION (APPEAR			Two Signature copies of subject	1	
	Corporate						
Rejected	Randall, AVX	invalidity	AVX00000248	AVX00000241	AVX Low inductance Capacitors	೧	RX-0878
	Shipman						
	representativo				Capacitor Array) for 229		
	AVX corporate		-		DCa		
Rejected	representativo,	invalidity	IV/a	n/a	:07#8	~	RX-0877
	IBM corporate				Randall '229 Opening Expert Report		
	Barrese, Randall,					1	
	representative				Capacitor Aliny) for .429		
	AVX corporate				#OC#		
Rejected	representative,	invalidity	n/a	g/g	£0#:	<u> </u>	RX-0876
	IBM corporate		-		Kandan 749 Opening axpen Kepen		
	Barrese, Randall,					1	
	ropresentative				Capacitor Array) for 229		
-	AVX corporate				4504	<del>en aud f</del>	
Rejected	representative,	invalidity	TV.	n/a	#/0:	~~	RX-0875
	IBM corporate		-		Raudall '229 Opening Expert Report	i	
	Barresc, Randall,					-	

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0897	RX-0896	RX-0895	RCX-0894	ICX-0893	PX-0891	RX-0889	RX-0888	
Ω	C	C	O.				C	
Document written in Japanese pertaining the the group called "First Ceramic Manufacturing Department"	Document written in Japanese pertaining to types of records, time limits, storage methods and storage department	Document written in Japanese, "Retention Standard for Quality   1 Records"	Document written in Ispanese, "The Maintenance Standard for Quality Related Documents and Quality Record"		Term sheet for '439, '254, '229, and '309 patents		Development history of the eight- terminal type low ESL capacitor [with certified translation]	
MM_001819	MM_001826	MM_001750	MM_001740		n/a		мм_300036	
MM_001821	MM_001828	MM_001757	MM_001749		n/a		MM 30038	
	domestic industry, invalidity, non-infringement, claim construction, technical background	domestic industry, invalidity, non-invalidity, non-infringement, claim construction, technical background	domestic industry, invalidity, non- infringement, claim construction, technical background		invalidity, non- inflingement, claim construction, technical background		invalidity	
Tehera, Murata witness	Tahara, Murata witness	Tahara, Murata wimess	Tahura, Murata witness		Shibata, Randall, Dougherty, Murata witness		Randall, Murata witness	
7/27/2010	7/27/2010	7/27/2010	7/2/2010	WITHDRAWN	7/27/2010	WITHDRAWN	7/27/2010	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDKAWN						c	RX-0912
WITHDRAWN							RX-0911
7/29/2010	Tabara, Murata witness	domestic industry, invalidity, non- infringement, claim construction, technical background	MM_011837	WM_011618	Chip Monolithic Ceramic Capacitors Catalog		RX-0910
WITHDRAWN						C	RX-0909
WITHDRAWN						n	RX-0908
WITHDRAWN							RX-0907
WITHDRAWN						ก	₹X-096
WANDHITW WN						1	RX-0905
WITHDRAWN							RX-0904
WITHDRAWN							RX-0903
WITHDRAWN		The state of the s					RX-0902
		technical background					
	Randall	construction,					
7/27/2010	witness, suid	infringement, claim	D/a	n/a	Muram's Privilege Log List (2)	Ω	1060-XX
	I CLIMAN, ATTENDAME	minute of the state of the stat					
	Tohara Marsta	domestic industry,					
7/27/2010	Tahara, Kubota, Murata witness, and Randall	invalidity, non- infringement, claim construction, technical background	MM_001779	MM_001778	Document written in Japaneso pertaining to a plan to reduce the paper consumption at the intellectual property department	a	RX-0900
WITHURAWN						T	RX-0899
7/27/2010	Tahare, Mursta witness	domestic industry, invalidity, non-infringement, claim construction, technical background	MM_001798	MM_001794	Document written in Japanese, heading of first column "INO 9001 Number"	n	HX-0898

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0916 C	1 1 1	
Document written in Japanese, "The Summary of Business Review of the MM_027550 05FQ1 Large Accounts."  Table summarizing the response to questions (from last deposition) regarding products with certain part numbers	rata's Confidential Business formation. Action Report and tice of Decision. Document then in Japanese with stamps ventors Naito, Kondo, Murata) ventors Review of the Namary of Business Review of the Namary of Busines	Murata technical report. cument written in Japanese, punter Measurement of LLA fface Uneveness*  ratis's Confidential Business formation. Action Report and tice of Decision. Document titen in Japanese with stamps ventors Nalto, Kondo, Murata)  ventors Nalto, Kondo, Murata  ventors Nalto, Kondo, Murata  ventors Nalto, Kondo, Murata  rations of Business Review of the h anary of Business Review of the h  QI Large Accounts.*  QI Large Accounts.*  le summarizing the response to stions (from last deposition) arding products with certain part nbers
he MM_027550	MM_273385	MM_021763  MM_273385  he MM_027550
MM_027584	MM_273389	MM_021763 MM_273389 MM_027584
domestic industry, invalidity, non- infringement, claim construction, technical background domestic industry.	domestic industry, invalidity, non- infringement, claim construction, technical background domestic industry, invalidity, non- infringement, claim construction, technical background domestic industry.	
Tahara, Murata witness		
7/27/20	7/27/20	- 7/27/2010 7/27/2010
	Murata's Confidential Business Information. Action Report and Notice of Decision. Document written in Japanese with stamps (Ynventors Naito, Kondo, Murata)  MM_273389  MM_273389  MM_273389  MM_273389  construction, teothnical background	A Murata tochnical report.  C Pocument written in Japanese, "Counter Measurement of LLA Surface Uneveness"  Murata's Confidential Business Information. Action Report and Notice of Decision. Document with stamps (Inventors Nato, Kondo, Murata)  C (Inventors Nato, Kondo, Murata)  A Murata tochnical paperse, invalidity, non-technical background domestic industry, non-technical background technical background witness

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

		Decument Dackground				_	
7/27/2010	Taiuera, Mureta witness		n/a	n/a	Corresponds to the boxes from the minth of the twenty-second of the fourth column of Exhibit 34	n O	RX-0924
7/27/2010	Tahara, Munta witness	domestic industry, invalidity, non-infringement, claim construction, technical background	ת/ם	n/a	Corresponds to eight boxes of the fourth column, TDD, of Exhibit 34 in the sixteen boxes from the bottom of the same column of the same column of Exhibit 34	<u> </u>	RX-0923
7/27/2010	Tahara, Murata witness	1	n/a	n/a	Set of documents corresponding to the seventeenth row from the bottom under the fourth column designated as TDD in Exhibit 34	C	RX-0922
7/27/2010	Tahara, Murata witness	demestic industry, invalidity, non- infringement, claim construction, technical background	n/a	n/a	Set of documents belonging to the fourth box under the DR column shown in Exhibit 34	C	RX-0921
7/2/12010	Tahara, Murata witness	domestic industry, invalidity, non- infringement, claim construction, technical background	ī/a	מיתו	Set of documents belonging to the first box under the DR column designated as 232 in Exhibit 34	С	RX-0920
712172010	Tahara, Murata witness	domestic inclustry, invalidity, non- infringement, claim construction, technical background	n/a	n/a	Set of documents belonging to the last box under the DR column shown in Exhibit 36	9 C	RX-0919

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	The state of the s	**************************************				The second second	The state of the s
7/27/2010	Tahura, Murata witness	domestic industry, invalidity, non- infringement, elaim construction, technical background	MM_091048	MM_091047	Murata e-mails regarding IBM technical requirements for MLCCs	o o	RX-0930
2010סודמוד	Tahara, Murata witness	domestic industry, invalidity, non-infringement, claim construction, technical background	MM_080163	MM_080162	Murata e-mails from S. Kang to S. Kou regarding Amkor lowering prices, Dec. 3, 2008	Ċ	RX-0929
7/27/ <b>2</b> 010	Tahara, Murala winces	domestic industry, invalidity, non-infringement, claim construction, technical background	мм_035772	MM_035767	E-mails regarding sales to Go Maruyama, ka. 16, 2007	n n	RX-0928
7/27/2010	Tahara, Murata witness	doncestic Industry, invalidity, non- infringement, claim construction, technical background	MM_035027	MM_035024	E-mails to make a conference call to MM_035024 discuss sales and travel. 12/21/2006	C	RX-0927
7/27/2010	Tahara, Murata witness	domestic industry, invalidity, non- infringement, claim construction, technical background	MM_034565	MM_034561	E-mails between people at Murata and John Fullam, Dec. 11, 2006		XX-0926
7/27/2010	Tahara, Mucata witness	domestle industry, invalidity, non- infringement, claim construction, technical background	ММ_027717	MM_027714	Murata's Confidential Business information. Customer Status Marketing action plan	C S	RX-0925

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Juv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0936	RX-0935	RX-0934	RX-0933	RX-0932	RX-0931	
28	235	234 C	933 C	932 C	231	
					·	
from letter sed.	Internal Murata intellectual property document indicating that Murata had taken a license from IBM for at least one basic patent rolating to low ESL capacitor technology	Murata emails dated 1999 re Hitachi/negotiation widt AVX	Internal Murata e-mails pertaining to TDK's technical information, specifically relating to TDK low ESL MLCC	Document relating to the development and first commercialization history of Munta's LLM1206 product	Murata e-mail regarding standard lead time for X8	
*050000XAV	MW_273518	мм_291562	MM_290767	MM_300216	MM_038534	
A0200000XV	MM_273538	мм_291563	MM_290767	ММ_300218	MM_038540	
domestic industry, invalidity, non- infingement, claim construction, technical background	domestic industry, invalidity, non- infringement, claim construction, technical background	domestic industry, invalidity, nor- infringement, claim construction, technical background	domestic industry, invalidity, non- infringement, claim construction, teclinical background	domestic industry, invalidity, non-infringement, claim construction, technical background	domestic industry, invalidity, non-infringement, claim construction, rechnical background	
Tahara, Murata witness	Tahara, Murata witness	Tahara, Murata witness	Taliara, Murafa witness	Tabara, Musta witness	Tahara, Murata witness	
7/27/2010	7/27/2010	7/27/2010	7/27/2010	7/27/2010	7/27/2010	

Respondents Final Exhibit List
Certain Ceranic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

	Representative						A CONTRACTOR DESCRIPTION OF THE PERSON OF TH
	Corporate	teclinical background			related to U.S. Patent No. 5,880,925		
7/27/2010	Galvagui, AVX	1 	AVX00000509	AVX00000509	re filing of foreign applications	n	RX-0942
	Witness,	invalidity, claim			Joseph R. Kenting, dated 2/24/2000		
	Tahara, Murata				Letter from Julian W. Darity to		
	Representative				A STATE AND CALABO		
	Corporate	technical background			Batharit No. 4 880 824		
7/27/2010	Galvagni, AVX	construction,	AVX00000541	AVX00000304	Letter sent to Mr. Highi on II S.	n	RX-0941
	Witness,	invalidity, claim	•		Carl Recording, dated 6/18/1999 re		•
-	Tabara, Murata		er en		Letter from Julian W. Dority to Dr.	-	
	Representative				TO THE PERSON NAMED IN COLUMN		
	Corporate	technical background			Executed License Appearent		
7/27/2010	Galvagni, AVX		AVX00000530	AVX00000522	6/5/2000 To Enclosing AVX	n	RX-0940
	Wilmess,	invalidity, claim		-	Michibian Marata Ph.D. dated		
	Tahara, Murata				I after from The Carl I. Rosending to		
	Representative				7 - 4 D		
	Corporate	technical background			Nanctistion		
7/27/2010	Galvagni, AVX	construction,	AVX00000532	AVX00000531	5/26/2000 to AVX/Mirrato License	C	RX-0939
	Witness,	invalidity, claim			Michibia Mineta Dh Di Jated		
-	Tahara, Murata				Tatter from Dr. Carl I Boomedian to		
	Representative				TATORISTON		
	Corporate	tochnical background			The state of the s		
7/27/2010	Galvagni, AVX	construction,	AVX00000517	AVX00000515	SAADOO TA SAADOO I SHAT FIRM	n	KX-0938
	Witness,	invalidity, claim			Dr Carl I. Boowling dated		
	Tahara, Murata		-		Ray/I after from Indian W Toutty to		
	Representativo				A 1071797		
	Corporate	technical background			K/10/1000		
7/27/2010	Galvagni, AVX	construction,	AYX00000508	AVX00000506	6/21/1999 to Tester cent to Mr. Tichi	೧	RX-0937
	Witness,	invalidity, claim			The Oral Representation of the Advance of		
	Tahara, Murata	-			Ray I ofter from Indian W Thether to		

Respondents Final Exhibit List Certain Ceramic Capacitors and Froducts Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

THE CASE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I		<u> </u>					
	Remedentative	Remesent			negotiations		
1/2//2010	Calvagni, AYA	construction,	SICOUNNYAW	&I COODOOX A W	dated 5/15/2000 re license	ж С	KX-0948
	Witness,	Б			Ph.D. to Dr. Carl L. Eggerding.		
	Tahera, Murata				Letter from Michibico Murata		
	Representative			e*	педоцинон		
	Corporate	technical background	eer et teeffel		D/0/2000 to cross-documen		
7/27/2010	Gulvagni, AVX	construction,	AVX00000514	AVX00000513	THE TOTAL CONTRACTOR CONTRACTOR	<u>0</u>	RX-0947
	Wimess,	invalidity, claim			The Dr Carl Reporting dated		
	Tahura, Murata				Tather from Michibing Marrata		
	Representative				11の他の日本のなからなっているのでは、からしてものものから	_	
	Corporate	technical background		-	Minariation Mostler of 400/000		
7/27/2010	Galvagni, AVX	construction,	AVX00000521	AVX00000519	ANAMON TO Patent License	<u>ਨ</u>	RX-0946
	Witness,	invalidity, olaim			Die Die Der Der Beggerdies Jatel		
	Tabara, Murata			-	Tadder from Michibina Murata		
	Representative						
	Corporate	technical background	<del></del>		U.S. Patent No. 5,880,925		
7/27/2010	Galvagni, AVX	construction,	AVX00000505	AVX00000505	Takeshi lishi, dated 6/18/1999 re	<u>7</u>	RX-0945
	Witness,	invalidity, claim			Letter from Julian W. Dority to		
	Tahara, Murata						
	Representative				344	_	
-	Corporate	teclinical background   Corporate			TO THE PARTY OF TAXABLE STATE		A1,700,700
7/27/2010	Galvagni, AVX	construction,	AVX00000512	AVX00000511	Jeseph re searing, union 1/2/2000	<u>a</u>	RX-0944
	Witness,	invalidity, claim			Transh & Westing Associated and The Color		
-	Tahara, Murata				Tatter from Tulian W Touter to		
	Representative				RIE 723 banam		
	Corporate	technical background  Corporate			TO WHE BOY TO THOUSE THE TANK	<del> </del>	
7/27/2010	Galvagni, AVX	construction,	AVX00000510	AVX00000510	Soseph A. Academy dates of the 2000	<u>ದ</u> ೧	FX-0943
	Wimess,	invalidity, claim		-	Lenent D Vention defend the Common		
	Tahara, Murata				Talled the fallow W. Thereto, to	-	•
							. I.

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-0960	6560-XX	RX-0958	RX-0957	RX-0956	RX-0955	RX-0954	RX-0953	RX-0952	RX-0951	NX-0950	RX-0949	
С		C				G		C	C	C	C	
Document written in Japanese, "PSR" (Patent Strategic Review)	U.S. Patent No. 4,831,494							Emails from Murata to John Fullem and/or Toshiya Kumada regarding LLA industry, Nov. 2008	Murata e-mails regarding claim construction of LLM	reta intellectual property sluting to the AVX	Letter from Michilino Murata, Ph.D. to Julian W. Dority, dated 6/7/2000 re Enclosing Excouted License Agreement between AVX and Murata	
MM_273385	SEMCO00318888							MM_080179	MM_290758	MM_273506	EE500000XAV	
MM_273452	SEMCO00318900							MM_080185	мм_290761	MM_273517	AVX00000541	
r, claim	invalidity, non- infringement, claim construction							damestic ladustry, invalidity, non- infringement, olsim construction, technical background	domestic industry, invalidity, non- infringament, claim construction, technical background	domestic industry, invalidity, non- infringement, claim construction, rechnical background	invalidity, claim construction, technical background	
Tanino, Musta witness	Taniguchi, Murata witness and Randali							Tahara, Murata witness	Tahara, Murata witness	Tahara, Murata wituess	Tahara, Muraba Witness, Galvagni, AVX Corporate Representative	
7/27/2010	7/2/12010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/27/2010	7/27/2010	7/27/2010	7/27/2010	

"Subject of an Unopposed Motion to Reopen the Edderstary Record find on August 4, 2010

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-0979	RX-0978	KX-0977	RX-0976	RX-0975	R.X-0974	RX-0973	RX-0972	RX-0971	RX-0970	RX-0969	RX-0968	RX-0967	RX-0966	RX-0965	RX-0964	RX-0963	RX-0962	RX-0961	
									-			C	N THE				C.	·	
Certified English translation of the notice of rejection for Application No. 14 09-135823					Japanese Published Patent Application No. 53-24600				Wada, Unidentified article regarding the Development of Laminated Ceramic Condensor, 97- n/a 105			Translation of Claim, I. of the 754 patent	INTENTIONALLY LEFT BLANK (Duplicate of JX-21)					Diagram drawng by Ueno-san at the deposition depicting electrodes	
n/a.					ra/a.				n/a				ite of JX-21)					ην	
n/a					18/AI				n/a									II/a	
invalidity, non- infringement, claim construction					invalidity, non- infringement, claim construction				invalidity, non- inftingement, claim construction			invalidity, non- infringement, claim construction			-			invalidity, non- infringement, claim construction	
Randall, Weisburd					Wade, Hiramatsu, Shibata, Hamaji, Dougherty				Wada, Hiramatsu, Shibata, Hamaji, Dougherty			Wada, Hiramatsu, Shibata, Hamaji, Dougherty						Ueno, Murata witness	
7/30/2010*	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/27/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/2/72010	WITHDRAWN	WITHDRAWN	7/27/2019		WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/27/2010	

Respondents Final Exhibit List
Certain Ceramia Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

Rejected	witness, Randali	invalidity.	IBM 000133	IBM 000102	Substrate Requirements	2	RX-0994
N. A. WYSTEY I'M	Romes IRM				127.5 X 127.5 Glass Ceramic	1_	100.00
NAVELITIM						ផ	RX-0993
NWANCHTIW						2	RX-0992
NWANCHIIW						<b>=</b>	RX-0991
WITHDRAWN						ĕ	RX-0990
WITHDRAWN						\$	RX-0989
WITHDRAWN						8	RX-0988
		technical background			browner		
7/27/2010	witness	mingenent claim	WIM_1/941%	ROPE/1_INTK	complaints about us capacitor	- C	1860-XX
	Wilder, Murata	invalidity, non-			Murata chain of v-mails regarding		2
		domestic industry,	-				
		technical background				_	
	SCALLIAM	construction,			AND A PRINCIPLE TO THE PARTY OF	······································	
7/27/2010	Wilder, Miliana	infringement, claim	MM_190793	MM_190766	Documentation	<u>2</u>	RX-0986
	The Market	invalidity, non-			Mineta MENA Control	<b></b>	
		domestic industry.					
	-	tochnical background					
	SCOUNTA	construction,			Wilder		
7/27/2010	WITCH, INTUINIBLE	infringement, claim	n/a	n/a	Complaint - Declaration of Woody	S C	RX-0985
	William Manage	invalidity, non-			Confidential Exhibit 16 to		
		domestic industry,					
WITHDRAWN						28 C	RX-0984
WITHDRAWN						83	RX-0983
		technical background					
	Wathire	construction,			Tables to the society		
7/27/2010	WHITTHAY SYCHEM	infringement, claim	n/a	II/a	STEASON SCOOL MANAGE OF	S	RX-0982
	William Manager	invalidity, non-	-		COMO Como Nation of		<del>,</del>
		domestic industry,					
WITHDRAWN					11940	81	RX-0981
WITHDRAWN						80	RX-0980

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-1020	RX-1019	RX-1018	RX-1017	BX-1016	RX-1015	RX-1014	RX-1013	RX-1012	EX-1011	XX-1010	KX-1009	RX-1008	RX-1007	RX-1006	RX-1005	RX-1004	RX-1003	RX-1002	RX-1001	RX-1000	RX-0999	RX-0998	RX-0997	RX-0996	RX-0995	
C	n	C	n	C	C	C	C	C	C	C	C	C	ດ	C	C	С	C	C	n	С	o.	റ	n			
																		Design Table, with Certified Translation (Native File)							Burn, "The Role of Anion Impurities in Barium Tibuate, "	
																		SEMCO00154903							па	
																		SEMCO00155203							ก/ล	
																		Teohnical background; non- infringement							non-infringement, claim construction, technical background, invalidity	
																		Youn; Lee, B.H.; Kim, S.H.; Randall; Dougherty							Dougherty and Burn	
WITHURAWN	WITHORAWN	WITHDRAWN	WITHDRAWN	NWANDELIN	WITHDRAWN	NWANGELLIM	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WARDHITM	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/29/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	7/28/2010	

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

*Subject of an Unopposed Motion to Reopen the Evidentiary Record sted on August 4, 2019

Respondents Final Exhibit List
Certain Ceranio Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1116	EX-1115	RX-1114	RX-1113	RX-1112	RX-1111	RX-1110	RX-1109	RX-1108	RX1107	EX-1198	RX-1105	RX-1104	EX-1103	X-1102	RX-1101	EX-1100	RX-1099	RX-1098	XX-1097	XX-1096	RX-1095	RX-1094	RX-1093	RX-1092	EX-1991	EX-1090	RX-1089	RX-1088	RX-1087	RX-1086	RX-1085	
10	C			ဂ		ក		C								C		n				C		C	_	ក				C		
				2																						2						
																111111111111111111111111111111111111111																
																													, ,			
					-									_																		
***************************************																																
																_			_					_								
		_	_	_	_		_	_							_	_			_	_						-	_					
WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	MUHUR	MANAGERIAM	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN									
WY	N N	E E	N. W.	N. S.	S.	N.W.	N. S.	N. S.	N. C.	3	N. S.	N N	NAN	NN	NAN	No.	N. N.	NW	N. N.	N. W.	NWA	N.W.	N. W.	N. S.	Ž	NAN	NEW	N N	S S	SEN CONTRACTOR	NE	

Respondents Final Bubibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

WWWACHILL				RX-1148 C
WITHDRAWN				RX-1147 C
WITHDRAWN				
WITHDRAWN				
WITHDRAWN				RX-1144
WITHDRAWN				RX-1143 C
WITHDRAWN				8X-1142 C
WITHDRAWN				
WITHDRAWN				RX-1140 C
WITHDRAWN				RX-1139 C
WITHURAWN			unio.	_
WITHDRAWN				
WARCHTIW				
WITHDRAWN				
WITHDRAWN				RX-1134 C
WITHDRAWN				RX-1133
WITHDRAWN				RX-1132
WITHDRAWN				EX-1131
WITHDRAWN				EX-1130
WITHDRAWN				EX-1129
WITHDRAWN				
NAWWICHILIA				RX-1127 C
WITHDRAWN				
WITHDRAWN				KX-1125 C
WITHDRAWN				XX-1124 C
WITHIDRAWN				
WITHDRAWN			N. W.	2X-1122 C
WITHDRAWN			A STATE OF THE STA	
WITHDRAWN				RX-1120 C
WITHDRAWN		:		
WITHDRAWN				
WITHDRAWN				RX-1117 C

Respondents Final Exhibit List
Ceruin Ceramio Capacitors and Products Cantaining the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1180			RX-1177		RX-1175						RX-1169	RX-1168		1	1	RX-1164						RX-1158	RX-1157				1	`	RX-1151		RX-[149	
C	C	C		C		C	C	С	C	C			C		C			C	C	၁	C			C		C	C	C		C	<b>D</b>	
																						•							The state of the s			
-																																
										1																						
-				į																												
IN	IN	TW.	J.W.	TW.	IN.	IW	IW	IN IN	W	144	*	IW.	**	1W	IW	×	N.	¥.	IAN I	<b>S</b>	S	*	¥:	*	83	184	181	**	IW.	W	£	
WITHDRAWN	THDRAW	WITHDRAWN	WITTIDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN																										
2	E	Ž	Z	2	Ž	Z	Ž	Ž	Z	Z	Ž	Ž	12	2	2	Z	2	Ž	Ž	Ž	Ž	Ž	Ž	Ž	2	Ź	Ž	Ž	Ž	Ž	Z	

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN					RX-1212  C
WITHDRAWN					RX-1211
WITHDRAWN	172				RX-1210 C
WITHDRAWN					RX-1209
WITHDRAWN					X-1208
WITHDRAWN					X-1207
WITHDRAWN					RX-1206
WITHDRAWN					X-1205 C
WITHDRAWN					3
WITHDRAWN					
WITHDRAWN					X-1202 C
WITHDRAWN					
WITHDRAWN					RX-1200 C
WITHDRAWN			THE PARTY OF THE P		RX-1199
WITHDRAWN					RX-1198
WITHDRAWN					RX-1197
WITHDRAWN					X-1196 C
WITHDRAWN					1
WITHDRAWN					RX-1194 C
WITHDRAWN					
WITHDRAWN					
WITHDRAWN					RX-1191 C
WITHDRAWN					
WITHDRAWN					
WITHDRAWN				A CONTRACTOR OF THE CONTRACTOR	
WITHDRAWN					RX-1187 C
WITHDRAWN					- 4
WITHDRAWN					- 1
WITHDRAWN					• ;
WITHDRAWN					
WITHDRAWN					1
WITHDRAWN					XX-1181 C
		and the second s			

"Subject of an Unopposed Mater to Ruspert the Evidentiary Record filed on August 4, 2010

63 of 86

Respondents Final Exhibit Llat
Cartain Ceranic Capacitors and Products Cantabing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1236	RX-1235 C	RX-1234 C	RX-1233	RX-1232	RX-1231 C	RX-1230 C	RX-1229 C	RX-1228 C	1	RX-1226 C	RX-1225 C	_	RX-1223 C	RX-1222	RX-1221  C	RX-1220	RX-1219	RX-1218	RX-1217 C	RX-1216	RX-1215 C	RX-1214	RX-1213	
					FN8001								-											
	IBM Low Inductance Tab Capacitor Vendor Development Program, February 1981														To the state of th									
	100000 WRI				MM_301722																			
THE RESERVE OF THE PERSON OF T	IBM 000026				MN4_301722																			
	invalidity, claim construction, non- infringement, unenforceability				Claim construction, non-infringement, invalidity																			
	Barrose, Randali, IBM representative				Sano, Dougherty, Murata witness																			
WIJHDRAWN	Rejected	WITHDRAWN	WITHDRAWN	WITHIDRA WN	7/28/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN										

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1253 C	RX-1252 C	RX-1251	RX-1250	RX-1249 IN	L	L	_	RX-1246 IN	RX-1245 IN	RX-1244 IN	RX-1243 C	RX-1242 C		EX-1241 C			RX-1240 C	· · · · · · · · · · · · · · · · · · ·		XX-1239 C				RX-1238 C			RX-1237 C			
				INTENTIONALLY LEFT BLANK	INTENTIONALLY LEFT BLANK	CALLED THE STATE OF THE STATE O	INTENTIONALLY LHET BLANK	INTENTIONALLY LEFT BLANK	INTENTIONALLY LEFT BLANK	INTENTIONALLY LEFT BLANK			Cutodo o min e obecutomen	Multilayer Ceramic Capacitor		Requirements		Multilayer Ceramic (MLC)			MLC Capacitor Shipped Product.	Assemoly	MICA CAPACITOR		Manufacturing Electrical Test	1981			The state of the s	
							The same of the second							IBM 000027			IBM 000045	P-185_20.4040		THOUSE WELL				IBM 000075			arch 4, LHM COULD?			
							COLUMN TO THE RESIDENCE OF THE PROPERTY OF THE						# E	1BM 000040	) E	E	11BM 000066		E	ווייניו שיייטיים איים וויי		***		101000 WEI		E	IBM 000074			
													unenforceability re	non-	<del></del>	N.		invalidity, claim			¥ 	mentorecaptly		100		₹ V		7	invalidity claim	
													representative	IBM	Barrese, Randall,	representative	ME	Barrese, Randall,	representation	TAIGI	Barresc, Randall,		representative	BM	Barrese, Randall,	akinempearda.	HM	Barrese, Randall,	100	
WITHIDRAWN	WITHIDRAWN	WITHDRAWN	WITHDRAWN								WITHDIKAWN	WITHDRAWN		Rejected			Rejected			vellener				Rejected		And the second s	Rejected	1		

Respondents Final Exhibit List Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692 DIRECT EXHIBITS LIST

RX-1285	RX-1284	RX-1283	RX-1282	RX-1281	RX-1280	RX-1279	RX-1278	RX-1277	RX-1276	RX-1275	RX-1274	RX-1273	RX-1272	RX-1271	RX-1270	RX-1269	FX-1268	RX-1267	RX-1266	RX-1265	RX-1264	PX-1263	RX-1262	EX-1261	RX-1260	RX-1259	RX-1258	RX-1257	RX-1256	RX-125	JRX-1254	and the second
0	1		C		೧	1	C		n	1	೧			1	C			Ω	1			ਨ		0				ດ		C		
																										ATTANOLI						
																										LEFT BLA						
								,																		INTENTIONALLY LEFT BLANK (Duplicate of JX-18)						
																							***************************************			te of JX-18)			ļ			
																						,						-				
	1																			-												
WITHDRAWN	CHILIM	CHELLA	CHILIM	WITHD	MITHE	WITHDRAWN	MITTE	WITHD	WITH	WITHE	THILM	THLIM	THITW	THILLY	THILL	WITH	HILLIAM	HILLIA	THITW	TELLIM	THEFT	TELLIA	THILLY	THELIM	THILIM		THIEM	THITW	TELLIM	THILLY	THE LEGAL	
RAWN	WITHDRAWN	RAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	RAWN	WITHDRAWN	RAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN		WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN															

Respondents Final Exhibit List
Certain Ceremic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1306	XX-1305	RX-1304	RX-1303	RX-1302	RX-1301	RX-1300	RX-1299	RX-1298	RX-1297	RX-1296	RX-1295	RX-1294	RX-1293	RX-1292	RX-1291	RX-1290	RX-1289	RX-1288	RX-1287	RX-1286	max see
C	C	C	ဂ	C	C	C	C	С	С	Ö	C	C	C	ព	ဂ	n	С	C	೧	C	
XVA formula standard	XMA inspection report	XMA formula standard	XIA inspection report	XIA formula standard																	
MM_301610	MM_301590	MM_301599	MM_301580	MM_301588				4													
MM_301610	MM_301590	MM_301599	MM_301580	MM_301588																COMMENTER	
Invalidity, claim construction, non-infringement	Invalidity, cisim construction, non-infringement									•											
Sano, Dougherty, Murata witness																117					
7/28/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	WITHDRAWN	WITHDRAWN	WITHDRAWN	WITTIDRAWN	WITHDRAWN												

Respondents Fiscal Exhibit List
Certain Ceramic Capacitors and Products Containing the Same , Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

WITHDRAWN						RX-1331 C
WITHDRAWN						LI
WITHDRAWN						RX-1329 C
WITHDRAWN						RX-1328 C
WITHDRAWN						RX-1327 C
WITHDRAWN						
WITHDRAWN						
WITTHDRAWN						
WITHDRAWN						
WITHDRAWN						
WITHDRAWN						RX-1321 C
WITHDRAWN						
WITHDRAWN						3
WITHDRAWN						
WITHDRAW						RX-1317 C
WITIDRAWN						
WITHDRAWN						
WITHDRAWN						
WITHDRAW						RX-1313 C
WITHDRAWN						
WITHDRAWN						
WITHDRAWN					AND THE PROPERTY OF THE PROPER	1
WITHDRAWN						RX-1309 C
7/27/2010		invalidity, claim construction, non-infringement, unenforceability	12/w	n/a	Deposition Transcript for Masaaki Taniguchi, March 26, 2010	RX-1308 C
7/28/2010	Sano, Dougherty, Murata witness	Invalidity, cisim construction, non-infringement	MM_301601	MW_301601	XVA inspection report	RX-1307 C
Communication of the last of t						

Respondents Final Exhibit List
Certain Ceramic Capacitors and Products Containing the Same, Inv. No. 337-TA-692
DIRECT EXHIBITS LIST

RX-1339	RX-1338	RX-1337	RX-1336	RX-1335	RX-1334	RX-1333	RX-1332	
C	C						C	
Ex. 4, Youn Dep. 3-16-2010	Exhibit 2 to Vol. II of Deposition of Yoshio Kawaguchi (May 11, 2010 Deposition)	Technical Specification ISO/TS 16949, Third Edition 2009-06-15	EAG Web Print-out, Transmission Electron Microscopy and Scanning Transmission Electron Microscopy	Interview with Mr. Yasutaka Murata, President, Murata Manufacturing Company, Ltd., "Will Secure Production in Japan through Integration of Technologies," in Japanese and with certified translation	U.S. Patent Application Publication, Pub. No. US 2009/0237859 A1 (Sept. 24, 2009)	Murata Semiannual Report For the Six Months Ended September 30, 2004	Deposition Transcript of Andreas Glaeser, taken July 12, 2010	Bet of pitons
		-					n/a	Belling No
							n/a	DEGIBATA, NO. 148
							invalidity; non- infringement; claim construction; unenforceability	Dispose
Youn	Kawaguchi	McHargue	Burn	Yoshino	Yoshino	Yoshino	Dougherty	Sport walnis
7/30/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	7/27/2010	Status of treesily.

Respondents' Final Exhibit List
Certain Ceramic Capacitors, Inv. No. 337-TA-692
REBUTTAL EXHIBITS LIST

Withdrawn					RRX-031
Withdrawn					X-030
Withdrawn					X-029
Withdrawn					RIRX-024
Withdrawn					X-027
Withdrawn					X-026
Withdrawn					RRX-025
Withdrawn					X-024
Withdrawn			J. Harriston		X-023
Withdrawn				į	X-022
Withdrawn					RRX-021
Withdrawa					RRX-020
Withdrawn				The second secon	610-X
Withdrawn					RRX-018
Withdrawn					RRX-017
Withdrawn					RRX-016
Withdrawn					RRX-015
Withdrawn					X-034
Withdrawn					X-013
Withdrawn					RRX-012
nwanburw					X-011
Willidrawn					RRX-010
mwerpini/A.					X-009
Withdrawn					RRX-008
Withdrawn					X-007
Withdrawn					28 S
Withdrawn					X-005
TARTHHA.					RRX-004
Withdrawn					X-083
Withdrawn					RRX-002
Withdrawn					X-001 C

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 REBUTTAL EXHIBITS LIST

KRX-039 JC	1				RRX-054 C		RRX-052 C		RRX-050 C	RRX-049 C			RRX-046 C	1		BURX-043		_ [	1	1		RRX-037 C	RRX-036 C		RRX-034 C	RRX-033		RIKX-032
												CONTINUENT												All and a second	and the second s		with CaO - paper authored by Sakabe (JIAP, vol.41 No.11B (2002) pp.6922-6925)	Dielsonic Properties of Fine-
															THE PERSON NAMED IN COLUMN 1													SEMCO02283414
																						_						SEMCO02283414 SEMCO02283417 Burn, Dougherty,
-																											Development; Invalidity	Obvionations;
		A STATE OF THE PROPERTY OF THE					and the state of t																					CX-26C
TANDETT A	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Washing	Withdrawn	Withdrawn	Withdrawn	Withdrawn	nwarhdily	Withdrawa	WarpathiA	Withdrawn	Whidrawa	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	Withdrawn	7/30/2010	

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 REBUTTAL EXHIBITS LIST

Withdrawn			091 IC	KRX-091
Withdrawn				RRX
Withdrawn				R X
Withdrawn	THE RESERVE THE PROPERTY OF TH		08#	R.X
Withdrawn			087	Ę
Withdrawn	THE PROPERTY OF THE PROPERTY O		986	RRX.
Withdrawn			085	Z X
Withdrawn			1	Ž
Withdrawn				RHX
Withdrawn			082 C	R X
Withdrawn	The state of the s			Z X
Withdrawn				Ž
Withdrawn		d	079	ZE X
Withdrawn			078	E S
Withdrawn			\$777	Ž Ž
Withdrawn			_1	R
Withdrawa		,		R X
Withdrawn			074 C	Z Ž
Withdrawn			_1	RRX.
Withdrawn				Ž
Withdrawn				Ž,
Withdrawn			J	Ž.
Withdrawn			1	E X
Withdrawn			S C	RRX-068
Withdrawn			1	Ž.
Withdrawn			1	P X
Withdrawn			- 1	Ę Ž
Withdrawn				Ž
Withdrawn				Z X
Withdrawn			82 C	E X
Withdrawn			J	Ž.
mwerpsth/M				Σ X

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 REBUTTAL EXHIBITS LIST

שיים כיציים שניים שניים שניים שניים
- in
Invalidity
Obviouspess:
Industry practice;
development:
Independent

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 REBUTTAL EXHIBITS LIST

A bear a property of the second	The second secon			ļ	
Withdraw				_	Ř
Withdraw			A PRINCE OF THE	43	XX.
Withdraw				1	Ž
Withdraw			A CONTRACTOR OF THE PROPERTY O	1	X
Withdraw				1	ξ.
Wilhdran				39	2
Withdray				38	XX
Withdraw				37	RRX-137
Withdraw				1	Ž.
7/30/201					E
Withdraw					EX.
Withdraw					XX.
Withdraw				32	2
Withdraw				31	X
Windraw				30	Š
Withdray			A THE PROPERTY OF THE PROPERTY	29	X
Withdraw				28	Š
Withdraw			THE PROPERTY OF THE PROPERTY O	27	EX.
Withdraw				28	EX.
Withdraw				25	Š
Withday				2	Ž
Withdray				23	
Withdray				22	Ž.
ARIDITA ARIDITA				2].	E
Withdray				8	2
Wilhdrap				19	EX.
Withdraw			THE RESERVE THE PROPERTY OF TH	15	S.
Withdray				17	Ž.
Withdraw				9	EX-
Withday.				15	₩X-115
Withdraw				14	RRX-114

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 REBUTTAL EXHIBITS LIST

基本	RRX-150	RRX-149	RRX-148	RRX-147	RRX-146	
Ç	C			С	C	
	_					
			_	_	_	
L		L			_	
18	8	¥	QV:	¥.	¥	
Withdraw	Vithdraw	Withdraw	Vitadraw	Withdrawn	Withdrawn	

# Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 PHYSICAL EXHIBITS LIST

Withdrawn						Ö	RPX-05
Withdrawn						೧	RPX-04
Rejected	Randall; Dougherty; Kim, S.H.; Lee, B.H.; Youn	Invalidity	wa	n/a	Physical equipment and components thereof contained in AVX IDCs that are the subject of Randall '229 Opening Expert Report Exhibit 7 DPA Mount Sample #14: AVX IDC MLCC Analysis for '229 (W3L1YC105MAT1A)	n	RPX-03
Rejected	Randall; Dougherty; Kim, S.H.; Lee, B.H.; Youn	Invalidity	IV4	n/a	Physical equipment and components thereof comfained in AVX IDCs that are the subject of Randall '229 Opening Expert Report Exhibit 6 DPA Mount Sample #13: AVX IDC MLCC Analysis for '229 (W3L12C224MAT1A)	a	RFX-02
Rejected	Randall; Dougherty; Kim, Rejected S.H.; Lee, B.H.; Youn	Invalidity	п/в	n/a	Physical equipment and components thereof contained in AVX IDCs that are the subject of Randall '229 Opening Expert Report Exhibit 9 DPA Mount Sample #16: AVX IDC MLCC Analysis for '229 (WZL14Z225MAT1S)	С	RPX-01
	The state of the s						

# Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 PHYSICAL EXHIBITS LIST

Withdrawn						C	KPX-09
Rejected	Randall; Dougherty; Kim, Rejected S.H.; Lee, B.H.; Youn	Invalidity	n/a	π/a	Physical equipment and components thereof contained in IBM AS 400 Server that is the subject of Randall '229 Opening Expert Report Exhibit 5 DPA Mount Sample #20: AVX LICA (Low Inductance Capacitor Array) for '229	C	RPX-08
Rejected	Randali; Dougherty; Kim, S.H.; Lee, B.H.; Youn	Invalidity	11/8	11/4	Physical equipment and components thereof contained in IBM AS 400 Server that is the subject of Randall "229 Opening Expert Report Exhibit 4 DPA Mount Sample #69: AVX LICA (Low Inductance Capacitor Array) for '229	С	RPX-07
Rejected	Randall; Dougherty; Kim, S.H.; Lee, B.H.; Youn	Invalidity	n/a	п/в	Physical equipment and components thereof contained in IBM AS 400 Server that is the subject of Randall "229 Opening Expert Report Exhibit 3 DPA Mount Sample #70: AVX LICA (Low Inductance Capacitor Array) for "229	c	RPX-06
	A Parties of the Control of the Cont						

# Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 PHYSICAL EXHIBITS LIST

RPX-15	RPX-14	RPX-13	RPX-12	RPX-11	RPX-10	
C	C	. C	C	C	C	
Physical samples of the Murata deNeuf parts analyzed by Dr. Randall		Physical equipment and components thereof contained in Toshiba Portege computer that is the subject of Randall '309 Opening Expert Report Exhibit 3 DPA Mount Sample # 168: 1206 2.2 uF Capacitors from Toshiba Portege 660CDT #4 and Sample #173: 1206 2.2 uF Capacitors from Toshiba Portege 660CDT #9 for '309		THE COLUMN TO TH	Physical equipment and components thereof contained in MacIntosh PowerBook computer that is the subject of Randall '309 Opening Expert Report Exhibit 4 DPA Mount Sample # 162: 1206 2.2 uF Capacitor from Apple PowerBook 1400C And Sample #163: 1206 2.2 uF Capacitor from Apple PowerBook 1400C for '309	
n/a		u/a			<b>บ</b> ∕ล	
b/a		n/sa			n/a	THE PROPERTY OF
Invalidity		Invalidity			invalidity, claim construction, non- infringement, unenforceability	
Randall; Dougherty; Kim, 7/30/2010 S.H.; Lee, B.H.; Youn		Randali; Dougherty; Kim, S.H.; Lee, B.H.; Youn			Randall; Dougherty; Kim, S.H.; Lee, B.H.; Youn	
7/30/2010	Withdrawn	Rejected	Withdrawn	Withdrawn	Rejected	

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 PHYSICAL EXHIBITS LIST

RPX-23	RPX-22	RPX-21	RPX-20	RPX-19	RPX-18	RPX-17	RPX-16	
c	C	C	С	C	C	C	n	
								*
						-		
	1	¥	4	4	Ų	يه.	ايد	
Withdrawn								

### Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 DEMONSTRATIVE EXHIBITS LIST

81 of 86

RDX-037	RDX-036	RDX-036	FDX-034	RDX-083	FDX-032	PDX-831	RDX-030	RDX-029	RDX-028	RDX-027	RDX-026	RDX-023	RDX-022	RDX-021	RDX-020	RDX-018	RDX-017	RDX-0/6	RDX-015	RDX-014	RDX-013	RDX-012	RDX-010	RDX-009	RDX-008	RDX-D06	RDX-232	RDX-184	RDX-181	RDX-180	RDX-179	RTX-178	RDX-177	RDX-178	BDX-178	
				100 miles																																
																																			The second distance of	
																																		-		
																													-							
																																			-	
							_																													
													٠		'																					
Randall	Randall	Randall	Randall	Rendall	Randall	Randell	Randal	Randall	Randall	Randall	Randa	Randal	Randal	Randal	Randel	Randal	Randal	Randell	Rendal	Randal	Randall	Randali	Randel	Randali	Randal	Youn	Randell		Sind	Ulrich	Union Thick			LE CO	UKG.	
7/2	7/2	7/2	7/2	7%	7/2	775	77	777	7%	77.	7%	775	7/2	77	7%	776	7%	76	775	7%	775	77.	77%	7%	7/2	7%	77.	77	7/4	7%	7%	77.	77.	7%	7/2	
7/29/2010	7/29/2010	9/2010	7/28/2010	7/29/2010	7/28/2010	7/28/2010	8/2010	7/28/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	29/2010	7/28/2010	7/29/2010	7/29/2010	29/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	7/28/2010	7728/2010	7/28/2010	7/28/2010	7/28/2010	

### Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 DEMONSTRATIVE EXHIBITS LIST

Respondents' Final Exhibit List
Certain Ceramic Capacitors, Inv. No. 337-TA-692
DEMONSTRATIVE EXHIBITS LIST

ı	RDX-071	RDX-070	RDX-068	RDX-067	RDX-088	X-085	X	X-063	RDX-062	X-061	OSC-XCIE	X-069	RDX-058	X-087	7UX-058	X-065	NDX-O64	X 063	X.752	RDX-061	X OBO	X-CAB	RDX-048	RDX-047	X DAG	X JAK	ADY DAA	RDX-DA3	RDX-042	RDX-041	RDX-040	RDX-039	HDX-038	
																											1							
					,																													
																															_			
Randall	Randal	Randall	Randall	Randal	Randal	Randali	Randall	Randal	Randal	Randati	Randali	Randall	Randall	Randall	Rendall	Randell	Randall	Randall	不能ない	Randal	Rendail	Randail	Randal	Randali	Randal	Randal	Randat	不明る業	Randal	Randa	Randal	Render	Kencel	
																							_											
7/28/2010	7/28/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/28/2010	7/28/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	0102/82//	1/28/2010	O CONTROLL	

Respondents' Final Exhibit List
Certain Celamic Capacitors, Inv. No. 337-TA-692
DEMONSTRATIVE EXHIBITS LIST

Í

RDX-130	RDX-129	RDX-128	RDX-127	RDX-124	RDX-123	FDX-122	RDX-116	RDX-116	FDX-1:4	RDX-109	RDX-108	RDX-105	70X-2	R0X-102	RDX-101	RDX-100	70×086	RDX-087	RDX-D96	RDX-095	RDX-DQ	RDX-083	RDX-092	RDX-091	RDX-D80	RDX-089	RDX-088	RDX-087	RDX-086	RDX-086	RDX-084	RDX-D83	RDX-082	RDX-080	RDX-079	
																			1													-				
	THE PROPERTY OF THE PROPERTY O	The state of the s							A STATE OF THE STA																							THE PROPERTY OF THE PROPERTY O				
													100000	,																						
Rendel	Randal	Rendel	Randal	RPACE!	Randali	Rendel	Randali	Rendal	Randall	Randall	Randail	Randal	Randal	Randal	Zende.	Randal	Randall	Randali	Randali	Randal	Randal	Randal	Randal	Randali	Randall	Randal	Randal	Partie	Randall	Randal	Randal	Randall	Rendel	Randa	Rendal	
7/29/2010	7/29/2010	7/28/2010	7/28/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	7/29/2010	7/20/2010	7/28/2010	7/29/2010	7729/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/28/2010	7/28/2010	7/28/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/29/2010	7/28/2010	7/29/2010	7/29/2010	0.020201	0.02/82//	7/29/2010	01029/2//	7/29/2010	

Respondents' Final Exhibit List Certain Ceramic Capacitors, Inv. No. 337-TA-692 DEMONSTRATIVE EXHIBITS LIST

	Dougherty			3 T C C C C C C C C C C C C C C C C C C
7/30/2010	Dougherty			RDX-203
7/30/2010	Dougherty			202
7/30/2010	Dougherty			RDX-201
7/30/2010	Dougherty	ALTER DECEMBER STATES OF THE S		200
7/30/2010	Dougherty			RDX-189
7/30/2010	Dougherty			RDX-198
7/30/2010	Dougherty			#
7/30/2010	Dougherty			RDX-183
7/30/2010	Dougherty			DX-192
7/30/2010	Dougherty			2DX-191
7/30/2010	Dougharty			RDX-190
7/29/2010	Randali			RDX-167
7/29/2010	Randal			ADX-166
7/29/2010	Randai			RDX-165
7/29/2010	Randall			104
7/29/2010	Randal			10X-163
7/29/2010	Randal			DX-182
7/29/2010	Randal			OX-181
7/29/2010	Rendall			RDX-160
7/29/2010	Randall			158
7/29/2010	Randal			DX-158
7/29/2010	Randa			DX-157
7/282010	Randal			DX-156
7/28/2010	Randali			DX-166
7/28/2010	RENCE			<u> </u>
7/29/2010	Randal			FOX-163
7/29/2010	Randall			152
7/29/2010	Rendel			3DX-161
7/29/2010	Randal			3DX-150
7/29/2010	Randail			149
7/29/2010	Rendel			148
7/29/2010	Randali			RDX-135
OLONZ/RZZ//	Randal			0X-134
O LOZIBEZU	RANCAI			0X-132
0.02/62/	Randall			3DX-131

Respondents' Fund Exhibit List
Certain Ceramic Capacitors, Inv. No. 337-TA-692
DEMONSTRATIVE EXHIBITS LIST

Withdrawan	•			EDX-13#
Withdrawn				RDX-137
Withdrawn				RDX-138
Withdrawn				DX-133
LWR.PUTIN				DX-126
Withdrawn				DX-126
Withdrawn				DX-121
Wilhdrawn				DX-120
Wilhdrawn				₹DX-118
Withdrawn				70X-118
Wilkdrawn				DX-117
Whitdrawn				RDX-113
Wilhdrawn				ROX-112
Windnawn				RDX-111
Withdrawn				RDX-110
Wilhdrawn				RDX-109
Withdrawn				DX-108
Withdrawn				DX-107
Withdrawn				RDX-103
Wathdrawn				OX-081
Withdrawn				DX-076
Withdrawn				BBC-XC
LANDARY				RDX-025
Windrawn	•			DX-024
7/30/2010	Dougherty			RDX-216
7/30/2010	Dougherty			DX-215
7/30/2010	Dougherty			30X-214
7/30/2010	Dougherty			RDX-213
7/30/2010	Dougherty			RDX-212
7/30/2010	Dougherty			RDX 221
7/30/2010	Dougherty			RDX-210
7/30/2010	Dougherty			RDX-209
7/30/2010	Dougherty			EX-28
7/30/2010	Dougherty			X-39
7/30/2010	Dougherty		· · · · · · · · · · · · · · · · · · ·	DX -205

1

Respondents' Final Exhibit List
Certain Ceramic Capacitors, Inv. No. 337-TA-692
DEMONSTRATIVE EXHIBITS LIST

	198		490
			DDX-23F
			RDX-236
			235
			234
			-233
			231
			230
Withdrawn			229
			228
			227
Withdrawn			218
			218
			217
			-189
			-183
			FDX-182
			-374
			RDX-147
			146
			RDX-145
			RDX-144
Withdrawn			RDX-143
			RDX-142
			RDX-141
			RDX-140
	-		RDX-139

### UNITED STATES INTERNATIONAL TRADE COMMISSION WASHINGTON, D.C.

### Before the Honorable E. James Gildea Administrative Law Judge

IN THE MATTER OF

CERTAIN CERAMIC CAPACITORS AND PRODUCTS CONTAINING SAME Investigation No. 337-TA-692

### **CORRECTED FINAL JOINT EXHIBIT LIST**

In accordance with Order No. 55, Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc. (collectively, "Murata") and Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc. (collectively, "SEMCO") hereby submit the following Corrected Final Joint Exhibit List.

Contains Murata and SEMCO Confidential Busines Information, Subject to Protective Order 337-TA-692

-					Profestional and a second seco		
							Admitted
					SPONSORING		Withdrawn
JX No.	BEGINNING BATES	ENDING BATES	DATE	DESCRIPTION	WITNESS	PURFORE	Rejacted
				Certified copy of the U.S. Patent			
JX-1	Exh. 1 to Complaint		8/5/2009	No. 6,266,229 (Naito)	Tahara, Randall Patent-in-suit	Patent-in-suit	Admitted
				Certified copy of the U.S. Patent	: - 1	3	
JX-2	Exh. 2 to Complaint		8/5/2009	No. 6,014,309 (Ueno)	Tahara, Randall Patent-in-suit	Patent-in-suit	Admitted
				treated Oll adt to vide builting			
ξ.Χ <u>.</u> 3	Exh. 3 to Complaint		8/5/2009	No. 6.377.439 (Sekidon)	Tahara Bandall Patent-in-suit	Patent-in-suit	Withdrawn
				Certified copy of the U.S. Patent			
4×5	Exh. 4 to Complaint		8/5/2009	No. 6,243,254 (Wada)		Patent-in-suit	Admitted
						Establishes	
						Complainant's	
				Certified copy of the Assignment		ownership of patent-in-	
JX-5	Exh. 5 to Complaint		8/20/2009	of App. No. 09-501084 ('229)	Tahara	suit	Admitted
						Establishes	
				Certified copy of the		Complainant's	
				Assignment of App. No. 09-		ownership of patent-in-	
9-XC	Exh. 6 to Complaint		8/20/2009	075668 ('309)	Tahara	suit	Admitted
				-	-	Establishes	
						Complainant's	
				ent		ownership of patent-in-	
JX-7	Exh. 7 to Complaint		8/20/2009	of App. No. 09-615551 ('439)	Tahara	suit	Withdrawn
				·		Establishes	
						Complainant's	
				ent		ownership of patent-in-	
JX-8	Exh. 8 to Complaint		8/20/2009	of App. No. 09-369988 ('254)	Tahara	suit	Admitted
	-			Certified copy of the File History		Intrinsic evidence re	
6-XC	MM_000001	MM_000555	8/24/2009	of the '229 Patent	Tahara, Randall	claim construction	Admitted
				Certified copy of the File History		Intrinsic evidence re	
JX-10	MM_000556	MM_000719	8/11/2009	of the '309 Patent	Tahara, Randall	Tahara, Randall claim construction	Admitted
				Certified copy of the File History		Intrinsic evidence re	
JX-11	MM_000720	MM_000844	8/11/2009	of the '439 Patent	Tahara, Randall	Tahara, Randall claim construction	Withdrawn
				Certified copy of the File History	Tahara,	Intrinsic evidence re	
JX-12	MM_000845	MM_001244	8/15/2009	of the '254 Patent	Dougherty	claim construction	Admitted

Contains Murata and SEMCO Confidential Busines Information, Subject to Protective Order 337-TA-692

Admitted/ Withdrawn/ Rejected			Withdrawn					Witngrawn					Withdrawn						Withdrawn						Withdrawn
M.R. R.R.	د ئ ھ		×	r.	<del></del>			+				ą.		E					Wif	u					W
PURPOSE	Validity/invalidity; claim construction; Infringement/infringement; Enforceability/unenforce	ability; Evidence of priority date as stated on face of patents-in-	suit	Validity/invalidity; claim	Murata witness,  construction; Hamaii, Shibata, Infringement/non-	infringement;	Enforceability/unenforce	ability	Validity/invalidity, claim	construction;		IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	ability	Validity/invalidity; claim	construction;	Infringement/non-	infringement;	Enforceability/unenforce	ability	Validity/invalidity; claim			infringement;	Enforceability/unenforce	apility
SPONSORING			Ulrich, Randall		Murata witness, Hamaii. Shibata.	Wada,	Hiramatsu,	Dougnerry		Murata witness,	narilaji, oliibata, Moda	Wada, Hiramatsu	Dougherty		Murata witness,	Hamaji, Shibata,	Wada,	Hiramatsu,	Dougherty		Murata witness,	Hamaji, Shibata,	Wada,	Hiramatsu,	Dougnerry
DESCRIPTION		JP H9-135823 (priority application for '309 patent) Prosecution History, translation	and certification			Murata's Response to 2/8/2002	Notification of Reasons for	Rejection for JP 10-22/202			Mulata S Response to 44/40/2002 Notification of	Reasons for Rejection for JP 10- Hiramats	227203					Notification of Reasons for	Rejection for JP 10-227202					Notification of Reasons for	Rejection for JP 10-22/203
DATE		:.	5/9/1997					2/8/2002					11/19/2002						2/8/2002					000000000000000000000000000000000000000	11/19/2002
ENDINGBATES		SEMCO00568663	SEMCO00080049					SEMCCO00566471					SEMCO00566487					-	SEMCO00566451						SEMCO00566476 11719/2002
BEGINNING BATES		SEMCO000568646	SEMCO00080017					SEMCOUUS66457					SEMCO00566477						SEMCO00566447						SEMCO005664 /2
JX No.			JX-13				3	JX-14					JX-15						JX-16				-		JX-1/

Contains Murata and SEMCO Confidential Busines Information, Subject to Protective Order 337-TA-692

Admitted/ Withdrawn/ Rejected		Withdrawn		Withdrawn				Withdrawn	·		Admitted	Admitted
Admi With Rale											Adm	Adm
PURPOSE	Validity/invalidity; claim Murata witness, construction; Hamaji, Shibata, Infringement/non-infringement; Wada, Enforceability/unenforce	ability Validity/invalidity; claim	Murata wintess, Construction, Hamaji, Shibata, Infringement'non- Wada, infringement; Enforceability/unenforce	ability	Validity/invalidity; claim construction;	Hamaji, Shibata, Infringement/non-	Inningernent; Enforceability/unenforce	ability	Validity/invalidity; claim Murata witness, construction; Hamaii, Shibata, Infringement/non-	infringement; Enforceability/unenforce	ability	Validity/invalidity; claim construction; Infringement/non-infringement; Technical background
SPONSORING	Murata witness, Hamaji, Shibata, Wada, Hiramatsu,	Dougherty	Mulata williess, Hamaji, Shibata, Wada, Hiramatsu,	Dougherty	Murata witness,	Hamaji, Shibata,	wada, Hiramatsu,	Dougherty	Murata witness, Hamaji, Shibata,	Wada, Hiramatsu,	Dougherty	Murata witness, Hamaji, Shibata, Wada, Hiramatsu, Douqherty
DESCRIPTION	The Japanese Patent Office's Rejection Decision regarding Japanese Patent Application	H10-227203	Munata's Response to 8/10/2003 Wada, Rejection Decision for 10-	2272023			Murata's Response to 6/29/2003 (Wada, Rejection Decision for 10-	227023		Japanese Patent No. 3709914	with certified translation	Japanese Patent No. 3336967, with certified translation
DATE		8/29/2003		2/10/2004				5/16/2005				
ENDING BATES		SEMCO00566490		SEMCO00566501 2/10/2004		)		SEMCO00566524			SEMCO00566446	SEMCO00566422
BEGINNING BATES		SEMCO00566488	·	SEMCO00566491				SEMCO00566502			SEMCO00566423	SEMCO00566408
JX No.		JX-18		JX-19				JX-20			JX-21	JX-22

Contains Murata and SEMCO Confidential Busines Information, Subject to Protective Order 337-TA-692

			,			<del>,</del>	
Admitted/ Withdrawn/ Rejected		Withdrawn	Withdrawn	Admitted	Admitted	Withdrawn	Admitted
PURPOSE	Validity/invalidity; claim construction; Infringement/non-infringement; Technical background; Evidence	of priority date as stated on face of patents-in- suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Evidence of priority date as stated on face of patents-in-suit	Claim construction, Infringement / Non- infringement, Validity / Invalidity, Enforceability / Un-Enforceability, Domestic Industry Technical prong
SPONSORING		Ulrich, Randall	Ulrich, Randall	Evidence of pri as stated on fa Burn, Dougherty patents-in-suit	Evidence of pri as stated on fa Burn, Dougherty patents-in-suit	Ulrich, Randall	N/A
DESCRIPTION		Certified translation of JP 11- 370803; priority application for '229 patent (JX-23)	Certified translation of JP 9- 306717; priority application for '229 patent (JX-24)	Certified translation of JP 10- 227202; priority application for '254 patent (JX-25)	Certified translation of JP 10- 227203; priority application for '254 patent (JX-26)	Certified translation of JP 11- 202039; priority application for 439 patent (JX-27)	Joint Technology Stipulation
DATE		12/27/1999	11/10/1997	8/11/1998	8/11/1998	7/15/1999	6/1/2010
ENDING BATES							
BEGINNING BATES ENDING B		Exh. 4 to '229 Ulrich Rebuttal Expert Report				Exh. 4 to '439 Ulrich Rebuttal Expert Report	
JX.No.		JX-23	JX-24	JX-25	JX-26	JX-27	JX-28

Contains Murata and SEMCO Confidential Busines Information, Subject to Protective Order 337-TA-692

Admitted/ Withdrawn/ Rejected	***************************************	Admitted
X X	ity /	- -
PURPOSE	Claim construction, Infringement / Non- infringement, Validity / Invalidity, Enforceability / Un-Enforceability,	l prong
	Claim co Infringen infringen Invalidity / Un-Enf	Technical prong
SPONSORING		
SPO		A/N
ION	ala tino to	Representative Products.pdf
DESCRIPTION	Inint Submission Relating to	itative Proc
		Represer
DATE		6/1/2010
BATES		<u> </u>
ENDING		
G BATTES		
SEGINNIN		
JX:No:	9, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	X-29C

Dated: September 27, 2010

### Respectfully submitted,

/s/ Steven J. Routh

Steven J. Routh
Sten A. Jensen
Steven E. Adkins
T. Vann Pearce
Jordan Coyle
Orrick, Herrington & Sutcliffe LLP
1152 15th Street, NW
Washington, DC 20005
Telephone: 202-339-8400
Facsimile: 202-339-8500

William H. Wright Christopher A. Hivick Michael D. Owens Orrick, Herrington & Sutcliffe LLP 777 South Figueroa Street Suite 3200 Los Angeles, CA 90017 Telephone: 213-629-2020 Facsimile: 213-612-2499

Alan M. Chen Orrick, Herrington & Sutcliffe LLP 1000 Marsh Road Menlo Park, CA 94025-1015 Telephone: 650-614-7370 Facsimile: 650-614-7401

John R. Inge
Orrick, Herrington & Sutcliffe LLP
Izumi Garden Tower, 28th Floor
6-1 Roppongi 1-chome
Minato-ku
Tokyo 106-6028
Japan
Telephone: +81 3 3224 2923

Telephone: +81 3 3224 2923 Facsimile: +81 3 3224 2901

Counsel for Complainants Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.

### /s/ David Hollander

V. James Adduci II David H. Hollander, Jr. Adduci, Mastriani, & Schaumberg, L.L.P. 1200 Seventeenth Street, N.W., Fifth Floor Washington, DC 20036 Telephone: (202) 467-6300

George Riley Anne Huffsmith O'Melveny & Myers LLP Two Embarcadero Center, 28th Floor San Francisco, California 94111-3823 Telephone: (415) 984-8700

Steve Akerley O'Melveny & Myers LLP 2765 Sand Hill Road Menlo Park, California 94025-7019 Telephone: (650) 473-2600

David Murphy
John Kappos
Kristopher M. Dawes
O'Melveny & Myers LLP
610 Newport Center Drive, 17th Floor
Newport Beach, California 92660
Telephone: (949) 760-9600

Counsel for Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc.

### **CERTIFICATE OF SERVICE**

I, Stephen C. Cruzado, hereby certify that on September 27, 2010, copies of the LETTER TO THE HONORABLE E. JAMES GILDEA ENCLOSING COMPLAINANTS' FINAL CORRECTED EXHIBIT LIST, COMPLAINANTS' EXHIBITS, CX-679C, CX-680C, CX-681, CX-682C, CX-683 and COMPLAINANTS' and RESPONDENTS' FINAL CORRECTED JOINT EXHIBIT LIST and JOINT EXHIBITS, JX-21, JX-22, AND JX-26 were provided to counsel in the manner indicated below:

The Honorable E. James Gildea ADMINISTRATIVE LAW JUDGE	☐ Via First Class Mail ☑ Via Hand Delivery
U.S. INTERNATIONAL TRADE COMMISSION	☐ Via Overnight Courier
500 E. Street, S.W. Room 317-A	☐ Via Facsimile
Washington, DC 20436	☐ Via Electronic Mail
(Via Hand Delivery - 2 copies)	
Aarti Shah, Esq.	☐ Via First Class Mail
Office of Unfair Import Investigations	☐ Via Hand Delivery
U.S. INTERNATIONAL TRADE COMMISSION	☐ Via Overnight Courier
500 E Street, S.W., Suite 401	☐ Via Facsimile
Washington, D.C. 20436	
Aarti.shah@usitc.gov	Name of the state
Counsel for Respondents	
George Riley, Esq.	☐ Via First Class Mail
Anne Huffsmith, Esq.	☐ Via Hand Delivery
O'MELVENY & MYERS LLP	☐ Via Overnight Courier
Two Embarcadero Center, 28th Floor	☐ Via Facsimile
San Francisco, California 94111-3823	
semco-omm@omm.com	
Stephen J. Akerley, Esq.	☐ Via First Class Mail
O'MELVENY & MYERS LLP	☐ Via Hand Delivery
2765 Sand Hill Road	☐ Via Overnight Courier
Menlo Park, California 94025-7019	☐ Via Facsimile
semco-omm@omm.com	
David Murphy, Esq.	☐ Via First Class Mail
John Kappos, Esq.	☐ Via Hand Delivery
Kristopher M. Dawes, Esq.	☐ Via Overnight Courier
O'MELVENY & MYERS LLP	☐ Via Facsimile
610 Newport Center Drive, 17th Floor	
Newport Beach, California 92660	
semco-omm@omm.com	

V. James Adduci II, Esq.	☐ Via First Class Mail
David H. Hollander, Jr., Esq.	Via Hand Delivery
ADDUCI, MASTRIANI & SCHAUMBERG, L.L.P.	☐ Via Overnight Courier
1200 Seventeenth Street, NW, Fifth Floor	☐ Via Facsimile
Washington, DC 20036	
semco@adduci.com	

Stephen C. Cruzado
Paralegal
Orrick, Herrington & Sutcliffe LLP
11525 15th Street, NW
Washington, DC 20005

### **PUBLIC CERTIFICATE OF SERVICE**

I, Marilyn R. Abbott, hereby certify that the attached INITIAL DETERMINATION has been served by hand upon, the Commission Investigative Attorney, Aarti Shah, Esq., and the following parties as indicated on January 28, 2011.

U.S. International Trade Commission 500 E Street, SW, Room 112A Washington, DC 20436 On Behalf of Complaints Murata Manufacturing Co., Ltd. and Murata Electronics North America, Inc.: Steven J. Routh, Esq. ( ) Via Hand Delivery ORRICK, HERRINGTON & SUTCLIFFE LLP (X) Via Overnight Mail 1152 15TH Street, NW ( ) Via First Class Mail ) Other: _____ Washington, DC 20005 On Behalf of Respondents Samsung Electro-Mechanics Co., Ltd. and Samsung Electro-Mechanics America, Inc.: V. James Adduci, II ( ) Via Hand Delivery ADDUCI MASTRIANI & SCHAUMBERG, LLP (X) Via Overnight Mail 1200 Seventeenth Street, NW, 5th Floor ( ) Via First Class Mail Washington, DC 20036 ) Other: