Harmonized Tariff Schedule of the United States (2003)

Annotated for Statistical Reporting Purposes

CHAPTER 70

GLASS AND GLASSWARE

XIII 70-1

Notes

- 1. This chapter does not cover:
 - (a) Goods of heading 3207 (for example, vitrifiable enamels and glazes, glass frit, other glass in the form of powder, granules or flakes);
 - (b) Articles of chapter 71 (for example, imitation jewelry);
 - (c) Optical fiber cables of heading 8544, electrical insulators (heading 8546) or fittings of insulating material of heading 8547;
 - (d) Optical fibers, optically worked optical elements, hypodermic syringes, artificial eyes, thermometers, barometers, hydrometers or other articles of chapter 90;
 - (e) Lamps or lighting fittings, illuminated signs, illuminated name-plates or the like, having a permanently fixed light source, or parts thereof of heading 9405;
 - (f) Toys, games, sports equipment, Christmas tree ornaments or other articles of chapter 95 (excluding glass eyes without mechanisms for dolls or for other articles of chapter 95); or
 - (g) Buttons, fitted vacuum flasks, scent or similar sprays or other articles of chapter 96.
- 2. For the purposes of headings 7003, 7004 and 7005:
 - (a) Glass is not regarded as "worked" by reason of any process it has undergone before annealing;
 - (b) Cutting to shape does not affect the classification of glass in sheets;
 - (c) The expression "absorbent, reflecting or non-reflecting layer" means a microscopically thin coating of metal or of a chemical compound (for example, metal oxide) which absorbs, for example, infrared light; or which improves the reflecting qualities of the glass while still allowing it to retain a degree of transparency or translucency; or which prevents light from being reflected on the surface of the glass.
- 3. The products referred to in heading 7006 remain classified in that heading whether or not they have the character of articles.
- 4. For the purposes of heading 7019, the expression "glass wool" means:
 - (a) Mineral wools with a silica (SiO₂) content not less than 60 percent by weight;
 - (b) Mineral wools with a silica (SiO₂) content less than 60 percent but with an alkaline oxide (K₂O or Na₂O) content exceeding 5 percent by weight or a boric oxide (B₂O₃) content exceeding 2 percent by weight.

Mineral wools which do not comply with the above specifications fall in heading 6806.

Throughout the tariff schedule, the expression "glass" includes fused quartz and other fused silica.

Subheading Note

1. For the purposes of subheadings 7013.21, 7013.31 and 7013.91, the expression "<u>lead crystal</u>" means only glass having a minimum lead monoxide (PbO) content by weight of 24 percent.

Harmonized Tariff Schedule of the United States (2003)

Annotated for Statistical Reporting Purposes

XIII 70-2

Additional U.S. Notes

- 1. For the purposes of this chapter, the term "fused quartz or other fused silica" means glass containing more than 95 percent silica by weight.
- 2. For the purposes of headings 7003 through 7005, the expression "colored throughout the mass" refers to glass that has a transmittance of normally incident light of less than 66 percent at one or more wavelengths from 400 to 700 millimicrons, inclusive, or a transmittance of less than 80 percent at one or more wavelengths from 525 to 575 millimicrons, inclusive, for glass 6 mm in thickness, or of the equivalent transmittances for any other thickness, provided that, in determining such light transmittances, the effect of surface irregularities or configurations, or of other surface treatment (except flashing applied prior to solidification) and the effect of wire netting within the glass, shall be eliminated.
- 3. For the purposes of headings 7003 and 7004, glass of the same size and thickness imported in any shipment in quantities over 4.6 m² shall be denied entry unless it is--
 - (a) Packed in units containing, as nearly as the particular size permits, 4.6 m², or multiples thereof; or
 - (b) Packed in units containing multiples of the number of sheets of the same size and thickness which would be contained in a unit if packed to contain, as nearly as such size permits, 4.6 or 9.3 m²; or
 - (c) Otherwise packed in a manner which conforms to the packing practices of the domestic glass industry as determined and published from time to time by the Secretary of the Treasury.
- 4. For the purposes of heading 7005, the expression "polished," as used with reference to glass, refers to glass one or both of the surfaces of which have been made smooth and glossy, in whole or in part, by abrasive or chemical means or by floating the glass over molten metal.
- 5. For the purposes of subheading 7018.10.20, the term "<u>imitation precious or semiprecious stones</u>" means glass made into shapes suitable for use in jewelry or for other ornamental purposes in a manner similar to natural gemstones, whether or not in imitation thereof, but does not include natural gemstones, synthetic gemstones, reconstructed natural gemstones or imitation pearls.

Statistical Note

1. For the purposes of headings 7003 and 7004, in determining the surface area of cast or rolled glass having irregular surfaces (such as corrugated glass), superficial area shall be used.

Heading/	Stat.		Unit		Rates of Duty	70-3
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7001.00		Cullet and other waste and scrap of glass; glass in the mass:				
7001.00.10	00	Glass in the mass: Of fused quartz or other fused silica	kg	Free		30%
7001.00.20	00	Other	_		Free (A,CA,E,IL,J, JO,MX)	50%
7001.00.50	00	Other	kg	Free	,	10%
7002 7002.10		Glass in balls (other than microspheres of heading 7018), rods or tubes, unworked: Balls:				
7002.10.10	00	Not over 6 mm in diameter	kg	3.9%	Free (A+,CA,D,E, IL,J,JO,MX)	60%
7002.10.20 7002.20	00	Other Rods:	kg	Free	,0,00,,,	55%
7002.20.10 7002.20.50		Of fused quartz or other fused silica Other	kg kg	Free 6%	Free (A,CA,E,IL,J, MX) 1.5% (JO)	40% 65%
7002.31.00 7002.32.00		Tubes: Of fused quartz or other fused silica Of other glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within	kg	Free	1.5% (30)	40%
		a temperature range of 0°C to 300°C	kg	6%	Free (A,CA,E,IL,J, MX)	65%
7002.39.00		Other		6%	1.5% (JO) Free (A,CA,E,IL,J, MX)	65%
	10 90	Of a length not exceeding 200 mm Other			1.5% (JO)	
7003 7003.12.00	00	Cast glass and rolled glass, in sheets or profiles, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked: Nonwired sheets: Colored throughout the mass (body tinted), opacified, flashed or having an absorbent,				
		reflecting or non-reflecting layer		_	Free (A,B,CA,E,IL, J,JO,MX)	
7003.19.00		Other			Free (A,B,CA,E,IL, J,JO,MX)	
7003.20.00					Free (A,B,CA,E,IL, J,JO,MX)	
7003.30.00	00	Profiles	m	6.3%	Free (A,B,CA,E,IL, J,MX) 1.5% (JO)	60%
		00027002				

70-4						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7004	TIX	Drawn glass and blown glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but	Quantity	General	Special	
7004.20		not otherwise worked: Glass, colored throughout the mass (body tinted),				
		opacified, flashed or having an absorbent, reflecting or non-reflecting layer:				
7004.20.10	00	Having an absorbent, reflecting or non-reflecting layer	m²	Free		60%
7004.20.20		Other: In rectangular shape		1¢/kg + 1.6%	Free (A,CA,E,IL,J, JO,MX)	6.2¢/kg + 5%
	10	Measuring less than 5 mm in thickness	m² ka	11070	00,	0,0
	20	Measuring 5 mm and over in thickness	kg m² kg			
7004.20.50	00	Other	m ²	7.2%	J,MX)	60%
7004.90		Other glass: In rectangular shape:			1.8% (JO)	
7004.90.05	00	Measuring not over 1.5 mm in thickness: Measuring not over 0.26 m² in area		Free		3.3¢/kg
7004.90.10	00	Measuring over 0.26 m ² in area	kg m² kg	Free		4.2¢/kg
		Measuring over 1.5 but not over 2 mm in thickness:				
7004.90.15		Measuring not over 0.26 m ² in area	kg	Free		4.6¢/kg
7004.90.20	00	Measuring over 0.26 m ² in area	m² kg	Free		5.5¢/kg
7004.90.25		Measuring over 2 but not over 3.5 mm in thickness		0.7¢/kg	Free (A,CA,E,IL,J, JO,MX)	5.3¢/kg
	10	Measuring not over 0.26 m² in area	m² kg		00,W/V)	
	20	Measuring over 0.26 but not over 0.58 m ² in area	m ²			
	50	Measuring over 0.58 m ² in area	kg m² kg			
7004.90.30		Measuring over 3.5 mm in thickness: Measuring not over 0.65 m² in area		Free		3.3¢/kg
	10	Measuring not over 0.26 m ² in area: Measuring over 3.5 but not over 5 mm in thickness	m^2			
	20	Measuring over 5 mm in	kg m²			
	50	thickness	m² kg			
		0.65 m² in area	m² kg			
7004.90.40		Measuring over 0.65 m ² in area	m² kg	Free		5.3¢/kg
7004.90.50	00	Other	m ²	5%	Free (A,B,CA,E,IL, J,JO,MX)	60%

XII	Į
70 F	

Heading/	Stat.		Unit		Rates of Duty	70-5
•	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7005		Float glass and surface ground or polished glass, in sheets, whether or not having an absorbent, reflecting or non-reflecting layer, but not otherwise worked:				
7005.10		Nonwired glass, having an absorbent, reflecting or non-reflecting layer:				
7005.10.40	00	Suitable for use in liquid crystal displays, measuring not over 1.2 mm in thickness and not over 0.8 m² in area	m²	Free		60%
7005.10.80	00	Other	m²	4.4%	Free (A,B,CA,E,IL, J,JO,MX)	60%
7005.21		Other nonwired glass: Colored throughout the mass (body tinted), opacified, flashed or merely surface ground:			, , ,	
7005.21.10		Measuring less than 10 mm in thickness		14.5¢/m² + 0.4%	Free (A+,B,CA,D, E,IL,J,JO, MX)	\$2.13/m ² + 5%
	10 30	Measuring less than 5 mm in thickness Measuring 5 mm or more but less than 10 mm in thickness	m^2 m^2		Wild	
7005.21.20	00	Measuring 10 mm or more in thickness	m ²	5.6%	Free (A+,CA,D,E, IL,J,MX)	55%
7005.29		Other: Measuring less than 10 mm in thickness:			1.4% (JÓ)	
7005.29.04		Measuring not over 0.65 m² in area: Suitable for use in liquid crystal displays		Free		\$1.35/m ²
	10	Measuring not over 0.26 m ² in area	m ²	1166		ψ1.55/111
7005.29.08	50	Measuring over 0.26 m² but not over 0.65 m² in area	m²	18.7¢/m²	Fron (A L B CA D	\$1.35/m ²
7005.29.06		Other		16.7 <i>φ</i> /111	Free (A+,B,CA,D, E,IL,J,JO, MX)	φ1.35/III
	10	Measuring not over 0.26 m ² in area	m²			
	50	Measuring over 0.26 m ² but not over 0.65 m ² in area	m²			
7005.29.14		Suitable for use in liquid crystal displays, measuring not over 0.8 m² in area		Free		\$2.13/m ²
	10	Measuring less than 5 mm in thickness	m²			
7005.29.18	50	Measuring 5 mm or more but less than 10 mm in thickness	m²	14.5¢/m²	Free (A+,B,CA,D,	\$2.13/m ²
7 003.23.10	40			1 7 .υψ/ΠΙ	E,IL,J,MX) 3.6¢/m² (JO)	ψ2.13/111
	10	Measuring less than 5 mm in thickness	m²			
7005.29.25	50 00	Measuring 5 mm or more but less than 10 mm in thickness	m² m²	4.9%	Free (A,CA,E,IL,J,	50%
7005.29.23		Wired glass	m ²		JO,MX) Free (A,B,CA,E,IL, J,JO,MX)	\$2.48/m ²

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
7000.00	fix	Olean of handing 7000 7004 or 7005 have also	Quantity	General	Special	
7006.00 7006.00.10	00	Glass of heading 7003, 7004 or 7005, bent, edge-worked, engraved, drilled, enameled or otherwise worked, but not framed or fitted with other materials: Strips not over 15.2 cm in width, measuring over 2 mm in thickness, and having all longitudinal edges ground or otherwise smoothed or processed	m²	8.8%	Free (A,CA,E,IL,J,	53%
7006.00.20	00	Other: Glass, drawn or blown and not containing wire netting and not surface ground or polished	m²	6.4%	2.2% (JO) Free (A,B,CA,E,IL, J,MX)	60%
7006.00.40		Other		4.9% <u>1</u> /	1.6% (JO) Free (A,B,CA,E,IL, J,JO,MX)	60%
	10 50	Having an absorbent or reflecting layer Other			3,30,101/()	
7007		Safety glass, consisting of toughened (tempered) or laminated glass:				
7007.11.00		Toughened (tempered) safety glass: Of size and shape suitable for incorporation in vehicles, aircraft, spacecraft or vessels		5.5%	Free (A*,B,CA,E, IL,J,MX) 1.3% (JO)	50%
7007.19.00	10 90 00	For motor vehicles of chapter 87 Other Other	m ²	5%	Free (A,CA,E,IL,J,	50%
7007.21		Laminated safety glass: Of size and shape suitable for incorporation in			JO,MX)	
7007.21.10		vehicles, aircraft, spacecraft or vessels: Windshields		4.9%	Free (A,B,C,CA,E, IL,J,JO,MX)	60%
7007.21.50	10 90	For motor vehicles of chapter 87 Other	m ²	4.9%	Free (A,B,CA,E,IL,	60%
7007.29.00		Other			J,JO,MX) Free (A,CA,E,IL,J, JO,MX)	60%
7008.00.00	00	Multiple-walled insulating units of glass	No	3.9%	Free (A,CA,E,IL,J, JO,MX)	50%
7009		Glass mirrors, whether or not framed, including rear-view mirrors:			30,,winy	
7009.10.00	00	Rear-view mirrors for vehicles	No	3.9%	Free (A,B,CA,E,IL, J,JO,MX)	50%
7009.91 7009.91.10	00	Other: Unframed: Not over 929 cm² in reflecting area	cm² No.	7.8%	Free (A,B,CA,E,IL, J,MX) 1.9% (JO)	50%
7009.91.50	00	Over 929 cm² in reflecting area	cm² No.	6.5%	Free (A,B,CA,E,IL, J,MX)	45%
7009.92 7009.92.10	00	Framed: Not over 929 cm ² in reflecting area	cm² No.	7.8%	1.6% (JO) Free (A,B,CA,E,IL, J,MX) 1.9% (JO)	50%
7009.92.50	00	Over 929 cm ² in reflecting area	cm² No.	6.5%	Free (A,B,CA,E,IL, J,MX) 1.6% (JO)	45%

<u>1</u>/ See heading 9902.70.06.

XIII	
70.7	

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Quantity	Constal	1 Special	2
7010	fix	Carboys, bottles, flasks, jars, pots, vials, ampoules and	Quantity	General	Special	
7010		other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass:				
7010.10.00 7010.20	00	Ampoules	gross	Free		50¢/gross
7010.20.20	00	Produced by automatic machine	ľ		Free (A,CA,E,IL,J, JO,MX)	25%
7010.20.30	00	Other	gross	5.2%	Free (A,CA,E,IL,J, MX) 1.3% (JO)	75%
7010.90 7010.90.05		Other: Serum bottles, vials and other pharmaceutical				
7010.90.05		containers		Free		50¢/gross
	10 20	Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not	gross			
		exceeding 1 liter	gross			
	30	Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross			
	40	Of a capacity not exceeding 0.15 liter	gross			
7010.90.20		Produced by automatic machine		2.5%	Free (A,CA,E,IL,J, JO,MX)	25%
	10 20	Of a capacity exceeding 1 liter Of a capacity exceeding 0.33 liter but not exceeding 1 liter	gross gross		3O,IVIA)	
	30	Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross			
	40	Of a capacity not exceeding 0.15 liter	gross			
7010.90.30		Other		5.2%	Free (A,CA,E,IL,J, MX)	75%
	10	Of a capacity exceeding 1 liter	gross		1.3% (JO)	
	20	Of a capacity exceeding 0.33 liter but not exceeding 1 liter	gross			
	30	Of a capacity exceeding 0.15 liter but not exceeding 0.33 liter	gross			
	40	Of a capacity not exceeding 0.15 liter	gross			

70-8						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7010 (con.)		Carboys, bottles, flasks, jars, pots, vials, ampoules and other containers, of glass, of a kind used for the conveyance or packing of goods; preserving jars of glass; stoppers, lids and other closures, of glass (con.): Other (con.):				
(con.)		Other and a factor of a filter and the affine factor of		-		4.00/
7010.90.50	05	Other containers (with or without their closures) Of a capacity exceeding 1 liter: Having a mouth with an outer diameter of 38 mm or more		Free		4.9%
		30 11111 01 111016	gioss			
	09	Other	gross			
	15	Having a mouth with an outer diameter of 38 mm or more	gross			
	19	Other	gross			
	25	Having a mouth with an outer diameter of 38 mm or more	gross			
	29	OtherOf a capacity exceeding 0.15 liter but not	gross			
		exceeding 0.33 liter	gross			
	35	Having a mouth with an outer diameter of 38 mm or more	gross			
	39	Other	gross			
	45	Having a mouth with an outer diameter of 38 mm or more	gross			
	49 55	Other				
		, , ,	3			
i				I	İ	

XIII	
70 Q	

•	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7011	IIX	Glass envelopes (including bulbs and tubes), open, and glass parts thereof, without fittings, for electric lamps, cathode-ray tubes or the like:	Quantity	General	Ореста	
7011.10 7011.10.10 7011.10.50		For electric lighting: Bulbs for incandescent lamps			Free (A,CA,E,IL,J, JO,MX)	20% 55%
7011.20 7011.20.10	00	For cathode-ray tubes: Cones	hundreds	5.2%	Free (A,CA,E,IL,J, MX) 1.3% (JO)	55%
7011.20.40	00	Other: Monochrome glass envelopes with both (1) gray, tinted, skirted face-plates and (2) either a video display diagonal of not more than 35.6 cm or a transmission level of 37 percent or less, all of said envelopes certified by the importer as being for actual use in computer data and graphic display cathode ray tubes	hundreds	Free		55%
7011.20.80		Other		5.2%	Free (A,CA,E,IL,J,	55%
7011.20.00		Front panels for cathode-ray television picture tubes, including video monitor tubes, color, non-projection:		J.2 /0	1.3% (JO)	3376
	10	With greatest diagonal measurement not exceeding 50 cm	hundreds			
	20	With greatest diagonal measurement exceeding 50 cm but not exceeding 67 cm	hundreds			
	30 40 00	Other Other Other	hundreds	6.6%	Free (A,CA,E,IL,J, MX) 1.6% (JO)	55%
7012.00.00	00	Glass inners for vacuum flasks or for other vacuum vessels	No	6.6%	Free (A*,CA,E,IL, J,MX) 1.6% (JO)	37.5¢ each + 45%
7013 7013.10 7013.10.10	00	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018): Of glass-ceramics: Kitchenware, non-glazed, greater than 75 percent by volume crystalline, of lithium aluminosilicate, having a linear coefficient of expansion not exceeding 10 x 10 ⁻⁷ per Kelvin within a temperature				
7013.10.50	00	range of $\bar{0}$ °C to 300 °C, transparent, haze-free, exhibiting transmittances of infrared radiations in excess of 75 percent at a wavelength of 2.5 microns when measured on a sample 3 mm in thickness, and containing β -quartz solid solution as the predominant crystal phase	No		Free (A,CA,E,IL,J, MX) 1.7% (JO) Free (A+,CA,D,E, IL,J)	75% 75%
					8.6% (MX) 18.2% (JO)	

Stat.	And to Be a second	Unit		Rates of Duty	
	Article Description	_	Gonoral	7 Special	2
IIX	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Drinking glasses, other than of glass-ceramics:	Quantity	General	Special	
00	Of lead crystal:	No	15.5%	Free (A+,CA,D,E, IL,J) 6.6% (MX)	60%
00	Valued over \$1 but not over \$3 each	No	14%	Free (A+,CA,D,E, IL,J) 4.6% (MX)	60%
00	Valued over \$3 but not over \$5 each	No	7.3%	Free (A+,CA,D,E, IL,J) 1.8% (JO)	60%
00	·	No	3%	Free (A,CA,E,IL,J, JO,MX)	60%
00	Pressed and toughened (specially tempered) .	No	12.5%	Free (A+,CA,D,E, IL,J) 4.1% (MX) 5% (JO)	50%
00		No	29.4%	Free (A+,CA,D,E, IL,J) 12.6% (MX) <u>1</u> /	60%
00	Valued over \$0.30 but not over \$3 each	No	23.2%	Free (A+,CA,D,E, IL,J) 10% (MX) <u>1</u> /	60%
00	Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each	No	11.3%	Free (A+,CA,D,E,	60%
00	Valued over \$5 each	No	5%	4.5% (JO) 5% (MX) Free (A+,CA,D,E,	60%
00	Other: Valued over \$3 but not over \$5 each	No	8.2%	Free (A+,CA,D,E,	60%
00	Valued over 05 and	No	E0/	IL,J) 4.2% (JO) 5% (MX)	60%
3				IL,J,JO,MX)	
	000 000 000 000	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Drinking glasses, other than of glass-ceramics: Of lead crystal: Valued not over \$1 each Valued over \$1 but not over \$3 each Valued over \$5 each Other: Pressed and toughened (specially tempered) Other: Valued over \$0.30 each Valued over \$3 each Cut or engraved: Valued over \$3 but not over \$3 but not over \$5 each Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$3 but not over \$5 each Other: Valued over \$3 each: Cut or engraved: Valued over \$3 but not over \$5 each Other: Valued over \$3 but not over \$3 but not over \$5 each Valued over \$3 but not over \$5 each Valued over \$5 each Valued over \$5 but not over \$5 each Other: Valued over \$5 each	fix Quantity Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.):	fix Quantity General Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.):	Glassware of a kind used for table, kitchen, toilet, office, indoor decoration or similar purposes (other than that of heading 7010 or 7018) (con.): Drinking glasses, other than of glass-ceramics: Of lead crystal: Valued not over \$1 each

^{1/} See subheadings 9906.70.01 and 9906.70.02.

	XΙ	II
70	4	1

	Stat.		Unit		Rates of Duty	
Subheading		Article Description	of		1	2
	fix		Quantity	General	Special	
013 (con.)		Glassware of a kind used for table, kitchen, toilet, office,				
		indoor decoration or similar purposes (other than that of				
		heading 7010 or 7018) (con.):				
		Glassware of a kind used for table (other than drinking				
		glasses) or kitchen purposes other than that of glass-				
013.31		ceramics: Of lead crystal:				
013.31.10	00		No	15 50/	Free (A+,CA,D,E,	60%
013.31.10	00	valued not over \$1 each	140	13.376	IL,J)	00 /6
					6.6% (MX)	
					6.8% (JO)	
013.31.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+,CA,D,E,	60%
010.01.20	00	valded over \$1 but not over \$5 cach	140	1 7 70	IL,J)	0070
					4.6% (MX)	
					5.6% (JO)	
013.31.30	00	Valued over \$3 but not over \$5 each	No	10.5%		60%
010.01.00	00	valded ever to but her ever to each	110	10.070	3.5% (MX)	0070
					4.2% (JO)	
013.31.50	00	Valued over \$5 each	No	6%	Free (A,CA,E,IL,J,	60%
		***************************************			MX)	
					1.5% (JO)	
013.32		Of glass having a linear coefficient of expansion			, ,	
		not exceeding 5 x 10 ⁻⁶ per Kelvin within a				
		temperature range of 0°C to 300°C:				
013.32.10	00	Pressed and toughened (specially tempered) .	No	12.5%	Free (A+,CA,D,E,	50%
					IL,J)	
					4.1% (MX)	
					5% (JO)	
		Other:				
7013.32.20	00	Valued not over \$3 each	No	23.2%	Free (A+,CA,D,E,	60%
					IL,J)	
					10% (MX)	
040 00 00	00	Valuad avan 60 hut aat avan 65 aaab	NI-	44.70/	17.8% (JO)	000/
013.32.30	00	Valued over \$3 but not over \$5 each	No	11.7%	Free (A+,CA,D,E,	60%
					IL,J) 5% (MX)	
013.32.40	00	Valued over \$5 each	No	7 20/	5.1% (JO) Free (A+,CA,D,E,	60%
013.32.40	00	valued over \$5 each	110	1.270	IL,J)	00%
					1.8% (JO)	
					2.4% (MX)	
					2.470 (14174)	
ļ						
ļ						
ļ						
ļ						
ļ						
			ĺ			
			I	I	I	I

U	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Quantity	Canaral	1	2
013 (con.)	fix	Glassware of a kind used for table, kitchen, toilet, office,	Quantity	General	Special	
013 (0011.)		indoor decoration or similar purposes (other than that of				
		heading 7010 or 7018) (con.):				
		Glassware of a kind used for table (other than drinking glasses) or kitchen purposes other than that of glass-				
		ceramics (con.):				
013.39		Other:				
013.39.10	00	Pressed and toughened (specially tempered) .	No	12.5%	Free (A+,CA,D,E,	50%
					IL,J) 4.1% (MX)	
					5% (JO)	
		Other:	l		` '	
013.39.20	00	Valued not over \$3 each	No	23.2%	Free (A+,CA,D,E, IL,J)	60%
					10% (MX)	
					17.8% (JÓ)	
		Valued over \$3 each: Cut or engraved:				
013.39.30	00	Valued over \$3 but not over				
		\$5 each	No	11.7%	Free (A+,CA,D,E,	60%
					IL,J) 5% (MX)	
					5.1% (JO)	
013.39.40	00	Valued over \$5 each	No	7.2%	Free (A+,CA,D,E,	60%
					IL,J)	
					1.8% (JO) 2.4% (MX)	
		Other:			2.470 (1004)	
013.39.50	00		l.,	450/	- /4 04 5 5	000/
		\$5 each	No	15%	Free (A+,CA,D,E, IL,J)	60%
					5% (MX)	
			l		6% (JO)	
013.39.60	00	Valued over \$5 each	No	7.2%	Free (A+,CA,D,E, IL,J)	60%
					1.8% (JO)	
					2.4% (MX) <u>1</u> /	
013.91		Other glassware: Of lead crystal:				
013.91.10	00		No	20%	Free (A+,CA,D,E,	60%
					IL,J)	
					6.6% (MX) 8% (JO)	
013.91.20	00	Valued over \$1 but not over \$3 each	No	14%	Free (A+,CA,D,E,	60%
					IL,J)	
					4.6% (MX) 5.6% (JO)	
013.91.30	00	Valued over \$3 but not over \$5 each	No	10.5%	Free (A+,CA,D,E,	60%
					IL,J)	
					3.5% (MX) 4.2% (JO)	
013.91.50	00	Valued over \$5 each	No	6%	Free (A,CA,E,IL,J,	60%
					MX)	
					1.5% (JO)	
	1					

<u>1</u>/ See subheading 9906.70.03.

Article Description				
= 223p	of Quantity	General	1 Special	2
a kind used for table, kitchen, toilet, office, tion or similar purposes (other than that of or 7018) (con.):	Quantity	General	Special	
sware (con.): assware decorated with metal flecking, glass				
torial scenes or glass thread- or ribbon-like ects, any of the foregoing embedded or roduced into the body of the glassware prior its solidification; millefiori glassware; assware colored prior to solidification, and aracterized by random distribution of merous bubbles, seeds or stones,	No	15.5%	Free (A+,CA,D,E,	60%
			IL,J) 6.6% (MX) 6.8% (JO)	
essed and toughened (specially tempered) .	No	12.5%	Free (A+,CA,D,E, IL,J) 4.1% (MX) 5% (JO)	50%
her: Smokers' articles; perfume bottles fitted			3 % (30)	
with ground glass stoppers	No	9%	Free (A,CA,E,IL,J, MX)	60%
Votive-candle holders	No	6.6%	2.2% (JO) Free (A,CA,E,IL,J, MX) 1.6% (JO)	55%
Other: Valued not over \$0.30 each	No	38%	Free (A+,CA,D,E, IL,J) 12.6% (MX) <u>1</u> /	60%
Valued over \$0.30 but not over \$3 each	No	30%	26.6% (JO) Free (A+,CA,D,E, IL,J)	60%
Valued over \$3 each: Cut or engraved: Valued over \$3 but not over			10% (MX) 1/ 21% (JO)	
\$5 each	No	15%	Free (A+,CA,D,E, IL,J) 5% (MX) <u>1</u> /	60%
Valued over \$5 each	No	7.2%	6% (JO) Free (A+,CA,D,E, IL,J)	60%
Other:			2.4% (MX) <u>1</u> /	
Valued over \$3 but not over \$5 each	No	11.7%	Free (A+,CA,D,E, IL,J) 5% (MX) 1/	60%
Valued over \$5 each	No	7.2%	5.1% (JO) Free (A+,CA,D,E, IL,J) 1.8% (JO)	60%
	Valued over \$3 but not over \$5 each	Valued over \$3 but not over \$5 each	Valued over \$3 but not over \$5 each	Other: Valued over \$3 but not over \$5 each

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	Sut- fix	Article Description	of Quantity	General	1 Special	2
014.00		Signaling glassware and optical elements of glass (other than those of heading 7015), not optically worked:			(
		Optical elements:				
014.00.10	00	Lens blanks (other than for spectacles)	No	4.1%	Free (A,CA,E,IL,J, JO,MX)	40%
014.00.20	00	Other Other:	No	5%	Free (A,B,CA,E,IL, J,JO,MX)	50%
'014.00.30	00	Lenses and filters, and parts thereof	No	3.4%	Free (A,B,CA,E,IL, J,JO,MX)	60%
'014.00.50	00	Other	No	3.3%	Free (A,B,CA,E,IL, J,JO,MX)	60%
'015		Clock or watch glasses and similar glasses, glasses for noncorrective or corrective spectacles, curved, bent, hollowed or the like, not optically worked; hollow glass spheres and their segments, for the manufacture of such glasses:				
'015.10.00 '015.90	00	Glasses for corrective spectacles	No	Free		40%
015.90.10		Round		Free		60%
7015.90.20 7015.90.50		Other		Free Free		60% 60%
	JU		^	1166		JU /0
7016 7016.10.00	00	Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or molded glass, whether or not wired, of a kind used for building or construction purposes; glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative purposes; leaded glass windows and the like; multicellular or foam glass in blocks, panels, plates, shells or similar forms: Glass cubes and other glass smallwares, whether or not on a backing, for mosaics or similar decorative				
		purposes	X	2.7%	Free (A,CA,E,IL,J,	60%
016.90		Other:			JO,MX)	
016.90.10		Paving blocks, slabs, bricks, squares, tiles and other articles of pressed or molded glass		8%	Free (A,CA,E,IL,J,	60%
		other attacks of proceed of modes glace		070	MX) 2% (JO)	0070
	10	Bricks and blocks	No.		,	
016.90.50	50 00	OtherOther	X X	5%	Free (A,CA,E,IL,J,	60%
					JO,MX)	
017		Laboratory, hygienic or pharmaceutical glassware, whether or not graduated or calibrated:				
017.10 017.10.30	00	Of fused quartz or other fused silica: Quartz reactor tubes and holders designed for				
		insertion into diffusion and oxidation furnaces for production of semiconductor wafers	~	Eroo		50%
	0.0					
017.10.60		Other	X	4.6%	Free (A,CA,E,IL,J, JO,MX)	50%
017.20.00	00	Of other glass having a linear coefficient of expansion not exceeding 5 x 10 ⁻⁶ per Kelvin within a temperature range of 0°C to 300°C	X	6.7%	Free (A,CA,E,IL,J,	85%
		gs 5. 5 5 6 500 5 111111111111111111111111111],	MX) 1.6% (JO)	10,0
017.90	00	Other:	v	Eroo	, ,	85%
017.90.10 017.90.50		Microscope slides and micro cover glasses Other	x	6.7%	Free (A,CA,E,IL,J, MX) 1.6% (JO)	85% 85%

	Stat.	Antido Don 1111	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
018		Glass beads, imitation pearls, imitation precious or semiprecious stones and similar glass smallwares and articles thereof other than imitation jewelry; glass eyes other than prosthetic articles; statuettes and other ornaments of lamp-worked glass, other than imitation jewelry; glass microspheres not exceeding 1 mm in diameter:	Quantity	Conordi	Option	
018.10		Glass beads, imitation pearls, imitation precious or semiprecious stones and similar glass smallwares:				
018.10.10	00	Imitation pearls and imitation pearl beads of all shapes and colors, drilled or not drilled, but not strung (except temporarily) and not set	x	4%	Free (A,CA,E,IL,J,	60%
018.10.20	00	Imitation precious or semiprecious stones (except imitation beads thereof)	x	Free	JO,MX)	20%
018.10.50 018.20.00		Other	X kg	Free 5%	Free (A+,CA,D,E, IL,J,JO,MX)	40% 60%
018.90 018.90.10	00	Other: Glass eyes, except prosthetic articles	X	3.2%	Free (A,CA,E,IL,J,	70%
018.90.50	00	Other			JO,MX) Free (A,CA,E,IL,J,	60%
					MX) 1.6% (JO)	
019		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics): Slivers, rovings, yarn and chopped strands:				
019.11.00	00	Chopped strands, of a length of not more than 50 mm	kg	4.9%	Free (A,CA,E,IL,J,	50%
019.12.00		Rovings		4.8%	JO,MX) Free (A,CA,E,IL,J, JO,MX)	50%
	40	Of a kind used in industry as packing or lubricating materials	kg		33 ,y	
7019.19	80	Other Other: Yarns:	kg			
7019.19.05	00	Not colored: Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds.		Free		50%
019.19.15		Other		6.6%	Free (CA,IL,MX) 1.7% (JO)	50%
	40	Of a kind used in industry as packing or lubricating materials (201)	kg		1.770 (00)	
	80	Other (201)	kg			
019.19.24	00	Colored: Fiberglass rubber reinforcing yarn, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds.	kg	Free		60%

	11.11		D	
Article Description	Unit		Rates of Duty	0
Article Description	of Quantity	General	Special	2
ibers (including glass wool) and articles thereof ample, yarn, woven fabrics) (con.): ers, rovings, yarn and chopped strands (con.):	Quantity	Contra	Openia	
Other (con.):				
Chopped strands, of a length more than 50 mm	kg	4.9%	Free (A,CA,E,IL,J, JO,MX)	50%
Fiberglass rubber reinforcing cord, made from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds	ka	Free	30,101%)	50%
Other	_		Free (A+,CA,D,E*,	50%
n sheets (voiles), webs, mats, mattresses, boards I similar nonwoven products:			IL,J*,JO,MX)	
Mats	kg	4.3%	Free (A,B,CA,E,IL, J,JO,MX)	50%
Thin sheets (voiles)	kg	4.3%		50%
Other: Insulation products		4.9%	Free (A,B,CA,E,IL, J,JO,MX)	50%
Batts	X		3,3O,IVIX)	
Other	х	4.9%	Free (A,B,CA,E,IL,	50%
ven fabrics of rovings: Of a width not exceeding 30 cm:			J,JO,MX)	
Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		50%
,	kg m² kg	6%	Free (CA,IL,MX) 1.5% (JO)	50%
Other: Not colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric	2	F		50%
, , ,	kg		Francisco (CA II AAV)	50%
Silica filament fabric of filaments with a silica content greater than 93 percent		· · · · · · · · · · · · · · · · · · ·	1.9% (JO)	50%
(622)	kg m²			
	with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)

s wool) and articles woven fabrics) (con.): gs (con.): ire cord fabric woven from nonconductive continuous aments 9 microns in diameter as in meter and impregnated nol formaldehyde latex or adhesion to polymeric (622)	kg	General	Special	2
woven fabrics) (con.): gs (con.): ire cord fabric woven from nonconductive continuous aments 9 microns in diameter ns in meter and impregnated nol formaldehyde latex or adhesion to polymeric (622)	. m² kg	Free		
woven fabrics) (con.): gs (con.): ire cord fabric woven from nonconductive continuous aments 9 microns in diameter ns in meter and impregnated nol formaldehyde latex or adhesion to polymeric (622)	kg	Free		
gs (con.): ire cord fabric woven from nonconductive continuous aments 9 microns in diameter and impregnated nol formaldehyde latex or adhesion to polymeric (622)	kg	Free		
ire cord fabric woven from nonconductive continuous aments 9 microns in diameter as in meter and impregnated nol formaldehyde latex or adhesion to polymeric (622)	kg	Free		
nonconductive continuous aments 9 microns in diameter as in meter and impregnated not formaldehyde latex or adhesion to polymeric (622)	kg	Free		
nonconductive continuous aments 9 microns in diameter as in meter and impregnated not formaldehyde latex or adhesion to polymeric (622)	kg	Free		
aments 9 microns in diameter and impregnated not formaldehyde latex or adhesion to polymeric (622)	kg	Free		
ns in meter and impregnated not formaldehyde latex or adhesion to polymeric (622)	kg	Free		
nol formaldehyde latex or adhesion to polymeric (622)	kg	Free		
ament fabric of filaments with a ntent greater than 93 percent	kg	Free		
ament fabric of filaments with a ntent greater than 93 percent	kg	riee		600/
ament fabric of filaments with a ntent greater than 93 percent				60%
ntent greater than 93 percent		7.4%	Free (CA,IL,MX)	60%
ntent greater than 93 percent	1		2.1% (JO)	
	m ²			
	kg			
322)	. m²			
	kg			
eding 30 cm:				
cord woven from electrically				
continuous fiberglass filaments				
meter to 11 microns in pregnated with resorcinol				
atex treatment for adhesion to				
oounds (622)	m ²	Free		50%
	kg	C0/	Francisco (CA II MAY)	500/
		6%	Free (CA,IL,MX) 1.5% (JO)	50%
35 grams or less per square			1.070 (00)	
	kg m²			
	kg			
ıg 30 cm, plain weave,	''9			
250g/m ² , of filaments				
le yarn not more than				
ire cord fabric woven from				
nonconductive continuous				
aments 9 microns in diameter				
(622)		Free		50%
		7 /0/	Eroo (CA II MV)	500/
		1.470	1.9% (JO)	50%
g 185 grams or less per			· - /	
neter (622)				
	кд			
g more than 205 grams per				
neter with a filament diameter				
3 microns (622)	кд			
	m^2			
3 microns (622)	Line			
3 microns (622)	кд		Ī	
3 microns (622)	кд			1
ייייייייייייייייייייייייייייייייייייי	ns in diameter and impregnated not formaldehyde latex or adhesion to polymeric (622)	ns in diameter and impregnated hol formaldehyde latex or adhesion to polymeric (622)	ns in diameter and impregnated hol formaldehyde latex or adhesion to polymeric (622)	ns in diameter and impregnated nol formaldehyde latex or adhesion to polymeric (622)

•	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7019 (con.)		Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.):				
7019.52 (con.):		Other woven fabrics (con.): Of a width exceeding 30 cm, plain weave, weighing less than 250 g/cm², of filaments measuring per single yarn not more than 136 tex (con.): Colored:				
7019.52.70	00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m² kg	Free		60%
7019.52.90		Other		7.4%	Free (CA,IL,MX) 2.1% (JO)	60%
	10	Weighing 185 grams or less per square meter (622)	m² kg		2.170 (30)	
	20	Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	95	Other (622)				
7019.59		Other:	kg			
7019.59.30	00	Not colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		50%
7019.59.40		Other	kg 	7.4%	Free (CA,IL,MX)	50%
	10	Weighing 185 grams or less per square meter (622)	m² kg		1.9% (JO)	
	20	Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
	95	Other (622)	m² kg			

	Χ	Ш
70	_1	a

Stat.		Unit		Rates of Duty	
	Article Description	_	General	1 Special	2
IIX.	Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.):	Quantity	Gonoral	ороска	
	Other (con.): Colored:				
00	Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622)	m²	Free		60%
	Other		7.4%	Free (CA,IL,MX)	60%
10	Weighing 185 grams or less per square meter (622)	m² kg		2.1% (JO)	
20	Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622)	m² kg			
95	` ,	m² kg			
00	Other: Woven	x	4.8%	Free (A+,CA,D,E,	60%
	Other		4.3%	Free (A,B,CA,E,IL,	50%
20 40 50	Glass fiber filters	X		J,JO,MX)	
00	Other articles of glass: Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor wafers	×	Free		55%
00				Free (A,CA,E,IL,J, JO,MX)	55%
	Suf- fix 00 10 20 95 00 20 40 50 00	Suf- fix Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.): Other (con.): Colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622) Other Weighing 185 grams or less per square meter (622) Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622) Other: Woven Other Other Other Other Other Other Other Other Other articles of glass: Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor wafers	Suffix	Suffix Article Description of Quantity Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.): Other (con.): Colored: Fiberglass tire cord fabric woven from electrically nonconductive continuous fiberglass filaments 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622) m² kg Other 7.4% Weighing 185 grams or less per square meter (622) m² kg Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622) m² kg Other: 4.8% Other: 4.8% Other: 4.3% Other: 4.3% Other: 4.3% Other: X Other X Other articles of glass: Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor wafers X Free	Suf- fix Glass fibers (including glass wool) and articles thereof (for example, yarn, woven fabrics) (con.): Other woven fabrics (con.): Other woven fabrics (con.): Colored: Fiberglass filements 9 microns in diameter to 11 microns in diameter and impregnated with resorcinol formaldehyde latex treatment for adhesion to polymeric compounds (622) Other Weighing 185 grams or less per square meter (622) Weighing more than 205 grams per square meter, with a filament diameter of 7 to 13 microns (622) Woven Other: Woven Other: Glass fibers in bulk Glass fibers in bulk Glass fibers in bulk Other X Other articles of glass: Quartz reactor tubes and holders designed for insertion into diffusion and oxidation furnaces for production of semiconductor wafers Variables Articles of glass: General Special General Special Special Special Special Special A Seperial Special Special Special A Seperial Special Special Special A Seperial Special Special Special Special Special A Seperial Special Special Special Special A Seperial Special Special Special Special Special A Seperial Special Free A, 4, 48 Special Special Special Free A, 4, 48 Special Special Free