CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:					
7301.10.00	00	Sheet piling	kg	0.8%	Free	(E,IL,J) (CA)	2%
7301.20 7301.20.10	00	Angles, shapes and sections: Of iron or nonalloy steel	kg	2.8%	Free	(E,IL,J)	20%
7301.20.50	00	Of alloy steel	kg	3.9%		(E, IL, J)	28%
7302		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails:					
7302.10.10		Of iron or nonalloy steel		0.3%	Free 0.1%	(E,IL,J) (CA)	1%
	10	New: Not heat treated: Standard tee rails over 30 kg per meter	kg				
	15	Other: Over 30 kg per meter	kg				
	25	Other Heat treated:	kg				
	35	Standard tee rails over 30 kg per meter	kg				
		Other:					
	45	Over 30 kg per meter	kg				
	55	Other Used:	kg				
7302.10.50	65 75	Railway rails for rerolling Other Of alloy steel	kg	3.5%	Free	(E,IL,J)	9%
	20	New Used:	kg		1.70	(011)	
	40 60	Railway rails for rerolling Other					
7302.20.00	00	Sleepers (cross-ties)	kg	0.9%	Free	(E,IL,J) (CA)	2%
7302.30.00	00	Switch blades, crossing frogs, point rods and other crossing pieces	kg	5.7%		(A,CA,E,IL,J)	45%
7302.40.00	00	Fish-plates and sole plates	kg	0.9%	Free	(E,IL,J)	2%
7302.90.00	00	Other	kg	5.7%		(A,CA,E,IL,J)	45%

7303.00.00		Tubes, pipes and hollow profiles, of cast iron		6.5%	Free (A,E,IL,J) 3.2% (CA)	33%
	3 0 6 0	Soil pipe Pressure pipe with an inside diameter of less			J.2. (CA)	
	00	than 356 mm				
	90	Other	. kg			
7304		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:				
7304.10		Line pipe of a kind used for oil or gas pipelines:				
7304.10.10		Of iron or nonalloy steel		8%	Free (E,IL,J) 4% (CA)	25%
	20	Having an outside diameter not exceeding 114.3 mm	. kg			
	30	Having an outside diameter exceedin 114.3 mm but less than 215.9 mm				
		Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm:				
	45	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more	kg			
	80	Having an outside diameter exceedin 406.4 mm				
7304.10.50		Of alloy steel		7.5%	Free (E,IL,J) 3.7% (CA)	35%
	20	Having an outside diameter not exceeding 114.3 mm	. kg		3.7% (CA)	
	50	Having an outside diameter exceedin 114.3 mm but not exceeding 406.4 mm				
	80	Having an outside diameter exceedin 406.4 mm				

7304 (con 7304.20)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: Casing:				
7304.20.1	0	Of iron or nonalloy steel: Threaded or coupled		6%	Free (E,IL,J) 3% (CA)	20%
	10	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		3 (CI)	
	20	Having a wall thick- ness of 12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30	Having a wall thick- ness less than 12.7 mm	kg			
	40	Having a wall thick- ness of 12.7 mm or more	kg			
	50	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thick- ness less than 12.7 mm	kg			
	60	Having a wall thick- ness of 12.7 mm or				
5 204 00 0	80	more Having an outside diameter exceeding 406.4 mm	kg	0.58	T (T. T. T.)	7.0
7304.20.2	10	Other Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm		0.5%	Free (E,IL,J) 0.2% (CA)	1%
	20	Having a wall thick- ness of 12.7 mm or more	kg			
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thick- ness of 12.7 mm or more Having an outside diameter exceeding 285.8 mm but not	kg			
	50	exceeding 406.4 mm: Having a wall thick- ness less than 12.7 mm	kg			
	60	Having a wall thick- ness of 12.7 mm or				
	80	more Having an outside diameter exceeding 406.4 mm				

7304 (con.) 7304.20 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
7304.20.30	Casing (con): Of alloy steel: Threaded or coupled		6.2%	Free (E,IL,J)	28%
	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		3.1% (CA)	
	Having a wall thickness of 12.7 mm or more Having an outside diameter of 215.9 mm or more but	kg			
	not exceeding 285.8 mm: Having a wall thick- ness less than 12.7 mm	kg			
	Having a wall thickness of 12.7 mm or more	kg			
	exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg			
	Having a wall thickness of 12.7 mm or more	kq			
7304.20.40	80 Having an outside diameter exceeding 406.4 mm	kg	3.3%	Free (E,IL,J)	8.5%
	Having an outside diameter less than 215.9 mm: Having a wall thickness less than 12.7 mm			1.6% (CA)	
	Having a wall thickness of 12.7 mm or more	ka			
	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm				
	Having a wall thickness of 12.7 mm or more	kg			
	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm				
	Having a wall thickness of 12.7 mm or more	kg			
	Having an outside diameter exceeding 406.4 mm	_			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
7304.20 (con.)	Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
7304.20.50	Tubing: Of iron or nonalloy steel		8%	Free (E,IL,J) 4% (CA)	25%
15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kq		,	
30	Having a wall thickness				
45	exceeding 9.5 mm Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
75 7304.20.60	Having an outside diameter exceeding 406.4 mm Of alloy steel		7.5%	Free (E,IL,J) 3.7% (CA)	35%
15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg			
30	Having a wall thickness exceeding 9.5 mm	ka			
45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
75	Having an outside diameter exceeding 406.4 mm	kg			
7304.20.70 00	Drill pipe: Of iron or nonalloy steel	kg	8%	Free (E,IL,J) 4% (CA)	25%
7304.20.80	Of alloy steel		7.5%	Free (E,IL,J) 3.7% (CA)	35%
30	Having an outside diameter not exceeding 168.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		,	
45	Having a wall thickness exceeding 9.5 mm	kg			
60	Having an outside diameter exceeding 168.3 mm				

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or			
7304.31		<pre>nonalloy steel: Cold-drawn or cold-rolled (cold- reduced):</pre>			
7304.31.30	00	Hollow bars	kg	6.2%	Free (E,IL,J) 22% 3.1% (CA)
7304.31.60		Other		8%	Free (C <u>1</u> /,E,IL,J) 25% 4% (CA)
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg		
7304.39.00	50	Other		0 %	Eman (C 1 / E II I) 25%
7304.39.00		Other		8%	Free (C <u>1</u> /,E,IL,J) 25% 4% (CA)
		Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters:			
	02	Having an outside diameter less than 38.1 mm	kg		
	04	Having an outside diameter of 38.1 mm or more but less than 190.5 mm	kg		
	06	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm	kg		
	08	Having an outside diameter exceeding 285.8 mm	kg		
	16	Other: Galvanized, having an outside diameter not exceeding 114.3 mm	kg		
		Other:			
	20	Having an outside diameter less than 38.1 mm	kg		
	24	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thick-			
		ness less than 6.4 mm	kg		
	28	Having a wall thick- ness of 6.4 mm or more but not exceed-	la se		
		ing 12.7 mm	ĸg		
	32	Having a wall thick- ness exceeding 12.7 mm	kg		

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or	
7304.39.00 (con.)	nonalloy steel (con.): Other (con.): Other (con.): Other (con.):	
36	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thick-	
	ness less than 12.7 mm	kg
40	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
44	Having a wall thick- ness of 19 mm or more Having an outside diameter of 190.5 mm or more but	kg
48	not exceeding 285.8 mm: Having a wall thick- ness less than 12.7 mm	kg
52	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
56	Having a wall thick- ness of 19 mm or more Having an outside diameter	kg
62	exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm	kg
68	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
72	Having a wall thick- ness of 19 mm or more Having an outside diameter	kg
76	exceeding 406.4 mm: Having a wall thick- ness less than 19 mm	kg
80	Having a wall thick- ness of 19 mm or more	kg

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
		Other, of circular cross section, of stain- less steel:				
7304.41.00		Cold-drawn or cold-rolled (cold-				
		reduced)		7.6%		(C <u>1</u> /,E,IL,J) 36% (CA)
	05	Of high-nickel alloy steel Other:	kg			
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg			
	45	Other	ka			
7304.49.00		Other		7.6%	Free 3.8%	(C <u>1</u> /,E,IL,J) 36% (CA)
	05	Of high-nickel alloy steel	kg			
	15	Hollow bars	kg			
	45	Suitable for use in boilers, superheaters, heat exchangers, con- densers, refining furnaces	1			
		and feedwater heaters	kg			
	60	Other Other, of circular cross section, of other alloy steel:	kg			
7304.51		Cold-drawn or cold-rolled (cold- reduced):				
7304.51.10	00	Suitable for use in the manu-				
		facture of ball or roller bearings	kg	6.8%	Free 3.4%	(E,IL,J) 34% (CA)
7304.51.50		Other		7.5%		(C <u>1</u> /,E,IL,J) 35% (CA)
	05	Of high-nickel alloy steel Other:	kg			
		Suitable for use in boilers, superheaters, heat exchangers, con- densers, refining furnaces and feedwater heaters:				
	15	Of heat resisting steel	kg			
	45 60	Other	kg kg			

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.):					
7304.59 7304.59.10	00	Other: Suitable for use in the manufacture of ball or roller bearings	kg	6.8%		(E,IL,J) (CA)	34%
7304.59.20		Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters		7.5%	Free	(C 1/,E,IL,J)	1 35%
				7.50		(CA)	, 550
	30	Of heat resisting steel Other:	kg				
	40	Having an outside diameter less than 38.1 mm	ka				
	45	Having an outside	5				
	43	diameter of 38.1 mm or more but not ex- ceeding 114.3 mm	kg				
	55	Having an outside diameter exceeding 114.3 mm but less	,				
		than 190.5 mm	kg				
	60	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm	kg				
	70	Having an outside diameter exceeding 285.8 mm but not ex- ceeding 406.4 mm	kg				
	80	Having an outside diameter exceeding 406.4 mm	kg				

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.):			
7304.59 (con.)	Other (con.): Other (con.): Other:			
7304.59.60 00	Of heat-resisting steel	kg	7.6%	Free (C <u>1</u> /,E,IL,J) 36% 3.8% (CA)
7304.59.80	Other		7.5%	Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)
10	Having an outside diameter less than 38.1 mm	ka		
	Having an outside diameter of 38.1 mm			
	or more but not exceeding 114.3 mm:			
15	Having a wall thickness less than 6.4 mm	kq		
20	Having a wall thickness of			
	6.4 mm or more but not exceeding 12.7 mm	kg		
25	Having a wall thickness exceeding			
	12.7 mm Having an outside diameter exceeding	kg		
30	114.3 mm but less than 190.5 mm: Having a wall thickness less			
	than 12.7 mm	kg		
35	Having a wall thickness of 12.7 mm or more but less than			
	19 mm	kg		
40	Having a wall thickness of 19 mm or more	ka		
		2		

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of			
, , , , , ,		iron (other than cast iron) or steel (con.):			
		Other, of circular cross section, of other alloy steel (con.):			
7304.59		Other (con.):			
(con.)		Other (con.): Other (con.):			
7304.59.80		Other (con.)			
(con.)		Having an outside			
		diameter of 190.5 mm			
		or more but not ex- ceeding 285.8 mm:			
	45	Having a wall			
		thickness less			
		than 12.7 mm	kg		
	50	Having a wall			
		thickness of			
		12.7 mm or more but less than			
		19 mm	kg		
	55	Having a wall			
	33	thickness of			
		19 mm or more	kg		
		Having an outside diameter exceeding			
		285.8 mm but not ex-			
		ceeding 406.4 mm:			
	60	Having a wall			
		thickness less than 12.7 mm	ka		
			1.9		
	65	Having a wall			
		thickness of 12.7 mm or more			
		but less than			
		19 mm	kg		
	70	Having a wall			
		thickness of			
	80	19 mm or more Having an outside	kg		
	00	diameter exceeding			
		406.4 mm	kg		
7304.90		Other:			
7304.90.10	00	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kq	0.5%	Free (C 1/,E,IL,J) 1%
			_		0.2% (CA)
7304.90.30	00	Of alloy steel	kg	3.3%	Free (C <u>1</u> /,E,IL,J) 8.5% 1.6% (CA)
		Having a wall thickness of less than 4 mm:			• • • • •
7304.90.50	00	Of iron or nonalloy steel	kg	8%	Free (C <u>1</u> /,E,IL,J) 25%
7304.90.70	00	Of alloy steel	kg	7.5%	4% (CA) Free (C <u>1</u> /,E,IL,J) 35%
					3.7% (CA)

7305		Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas					
7305.11 7305.11.10		<pre>pipelines: Longitudinally submerged arc welded:</pre>		1.9%	Free	(E,IL,J) (CA)	5.5%
	30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.58	(CA)	
	60	With an external diameter exceeding 609.6 mm	ka				
7305.11.50	00	Of alloy steel	kg	4.9%		(E,IL,J) (CA)	10%
7305.12 7305.12.10		Other, longitudinally welded: Of iron or nonalloy steel		1.9%	Free	(E,IL,J) (CA)	5.5%
	30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.5%	(CA)	
	60	With an external diameter ex-	le or				
7305.12.50	00	ceeding 609.6 mm		4.9%	Free 2.4%	(E,IL,J) (CA)	10%
7305.19 7305.19.10		Other: Of iron or nonalloy steel		1.9%		(E,IL,J) (CA)	5.5%
	30	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm	kg		0.50	(011)	
	60	With an external diameter ex-	le or				
7305.19.50	00	ceeding 609.6 mm		4.9%		(E,IL,J) (CA)	10%
7305.20		Casing of a kind used in drilling for oil or gas:					
7305.20.20	00	Of iron or nonalloy steel: Threaded or coupled	kg	6%		(E,IL,J)	20%
7305.20.40	00	Other	kg	0.5%		(E,IL,J) (CA)	1%
7305.20.60	00	Of alloy steel: Threaded or coupled	kg	6.2%		(E,IL,J) (CA)	28%
7305.20.80	00	Other	kg	3.3%	Free	(E,IL,J) (CA)	8.5%
7305.31 7305.31.20	00	Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of il-					
		<pre>luminating articles Other:</pre>	kg	7.6%		(A,E,IL,J) (CA)	45%
7305.31.40	00	Of iron or nonalloy steel	kg	1.9%		(E,IL,J) (CA)	5.5%
7305.31.60	00	Of alloy steel	kg	4.9%	Free	(E,IL,J) (CA)	10%
7305.39 7305.39.10	00	Of iron or nonalloy steel	kg	1.9%		(E,IL,J) (CA)	5.5%
7305.39.50	00	Of alloy steel	kg	4.9%	Free	(E,IL,J) (CA)	10%
7305.90 7305.90.10	0.0	Other: Of iron or nonalloy steel	ka	1.9%		(E, IL, J)	5.5%
7305.90.10	0.0	Of alloy steel		4.9%	0.9%	(CA) (E,IL,J)	10%
,505.50.50	0.0	or arrow section		1.00		(CA)	100

7306	exa	mple, open seame	and hollow profied or welded, right of iron or steel	veted or					
7306.10	DI.II.		kind used for d						
7306.10.10				L		1.9%	Free	(E,IL,J) (CA)	5.5%
	10			meter not exceed-	kg				
7306.10.50	50	114.		meter exceeding		4.9%	Free 2.4%	(E,IL,J) (CA)	10%
	10			meter not exceed-	kg				
7306.20	50	114.	ing of a kind us		kg				
7306.20.10			ron or nonalloy Threaded or cou	steel: pled		6%	Free 3% (C	(E,IL,J) (A)	20%
	30 90			ith coupling					
7306.20.20	00				kg	0.5%	Free	(E,IL,J) (CA)	1%
7306.20.30	00	Of a	lloy steel: Threaded or cou	pled	kg	6.2%		(E,IL,J)	28%
7306.20.40	00		Other		kg	3.3%	3.1% Free 1.6%	(E,IL,J)	8.5%
7306.20.60		Tubing: Of i	ron or nonalloy	steel		1.9%	Free	(E,IL,J)	5.5%
7306.20.80	10 50	Of a	Other	oupling	kg	4.9%		(E,IL,J)	10%
.333.20.00	10 50	01 a	Imported with c	oupling	kg	1.30	2.4%		200
	50		orner		va				

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):			
7306.30		Other, welded, of circular cross section, of iron or nonalloy steel:			
7306.30.10	00	Having a wall thickness of less than			
		1.65 mm	кд	8%	Free (C <u>1</u> /,E,IL,J) 25% 4% (CA)
		Having a wall thickness of 1.65 mm or more:			
7306.30.30	00	Tapered steel pipes and tubes prin- cipally used as parts of illuminat-			
		ing articles	kg	7.6%	Free (A,E,IL,J) 45% 3.8% (CA)
7306.30.50		Other		1.9%	Free (C <u>1</u> /,E,IL,J) 5.5% 0.9% (CA)
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces			0.5° (CA)
		and feedwater heaters, whether or not cold drawn	kq		
	15	Other, cold-drawn			
	20	Other, cold-rolled (cold-re-	1-9		
	20	duced) with a wall thickness not exceeding 2.54 mm	kg		
		Other:			
		With an outside diameter not exceeding 114.3 mm: Galvanized:			
	25	Imported with coupling	kg		
	28	Internally coated or lined with			
		a non-electri- cally insulating			
		material, suit- able for use as			
		electrical con-	le or		
		duit	kg		
	32	Other:	kg		
	35	Tube and pipe hollows for re-			
		drawing	kg		
	40	Other, imported with coupling	kg		
	55	Other With an outside diameter exceeding 114.3 mm but not	kg		
	0.5	exceeding 406.4 mm:	1		
	85 90	Galvanized Other			

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):			
7306.40		Other, welded, of circular cross section, of stainless steel:			
7306.40.10	00	Having a wall thickness of less than 1.65 mm	kg	7.6%	Free (C <u>1</u> /,E,IL,J) 36% 3.8% (CA)
7306.40.50		Having a wall thickness of 1.65 mm or			
		more		5%	Free (C $\frac{1}{2}$ /,E,IL,J) 11% 2.5% (CA)
	05	Of high-nickel alloy steel Other:	kg		
	15	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		
	45	Other, cold-drawn or cold-rolled (cold-reduced)	kg		
		Other:			
	60	With an outside diameter not exceeding 114.3 mm	kg		
	75	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg		
7306.50		Other, welded, of circular cross section, of other alloy steel:			
7306.50.10	00	Having a wall thickness of less than 1.65 mm	kg	7.5%	Free (C <u>1</u> /,E,IL,J) 35% 3.7% (CA)
		Having a wall thickness of 1.65 mm or more:			
7306.50.30	00	Tapered pipes and tubes of steel principally used as parts of illu-			
		minating articles	kg	7.6%	Free (A,E,IL,J) 45% 3.8% (CA)
7306.50.50		Other		4.9%	Free (C <u>1</u> /,E,IL,J) 10% 2.4% (CA)
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		2.10 (CA)
	30	Other, cold-drawn or cold-rolled (cold-reduced)	kg		
	50	Other: With an outside diameter not exceeding 114.3 mm	kg		
	70	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg		

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):					
7306.60		Other, welded, of noncircular cross section: Having a wall thickness of 4 mm or more:					
7306.60.10	00	Of iron or nonalloy steel	kg	0.5%		(C <u>1</u> /,E,IL,J)) 1%
7306.60.30	00	Of alloy steel	kg	4.5%	Free	(C 1/,E,IL,J) (CA)	28%
		Having a wall thickness of less than 4 mm:				(/	
7306.60.50	00	Of iron or nonalloy steel	kg	8%	Free 4% ((C <u>1</u> /,E,IL,J)	25%
7306.60.70	00	Of alloy steel	kg	7.5%	Free	(C <u>1</u> /,E,IL,J) (CA)	35%
7306.90	0.0	Other:	1	1 00			г го.
7306.90.10	00	Of iron or nonalloy steel	кд	1.9%	0.9%	(E,IL,J) (CA)	5.5%
7306.90.50	00	Of alloy steel	kg	4.9%		(E,IL,J) (CA)	10%
7307		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: Cast fittings:					
7307.11.00		Of nonmalleable cast iron		4.8%	Free 2.4%	(A,E,IL,J) (CA)	25%
	30	For threaded pipeOther:	kg			(/	
	45 60	For cast-iron soil pipe Other					
7307.19 7307.19.30	0.0	Other: Ductile fittings	ka	6.2%	Free	(A,E,IL,J)	45%
	0.0	· ·			3.1%	(CA)	
7307.19.90		Other		6.2%	Free 3.1%	(E,IL,J) (CA)	45%
	30 90	UnionsOther					
7207 21	90	Other, of stainless steel:	kg				
7307.21 7307.21.10	00	Flanges: Not machined, not tooled and not					
		otherwise processed after forging	kg	4.1%	Free 2% ((A,E,IL,J) CA)	34%
7307.21.50	00	Other	kg	6.2%	Free 3.1%	(A*,B,E,IL,J)	45%
7307.22		Threaded elbows, bends and sleeves:					
7307.22.10	00	Sleeves (couplings)	kg	6.2%	Free 3.1%	(A,B,E,IL,J) (CA)	45%
7307.22.50	00	Other	kg	6.2%		(A,B,E,IL,J)	45%
7307.23.00	00	Butt welding fittings	kg	6.2%		(A,B,E,IL,J)	45%
7307.29.00	00	Other	kg	6.2%		(A,B,E,IL,J)	45%

 $[\]underline{1}/$ See additional U.S. note 1.

7307 (con.)		Tube or pipe fittings (for example couplings, elbows, sleeves), of iron or steel (con.): Other:			
7307.91		Flanges: Not machined, not tooled and not otherwise processed after forging:			
7307.91.10	00	Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL,J) 25% 2.1% (CA) <u>1</u> /
7307.91.30	00	Of alloy steel (except stain- less steel)	kg	4%	Free (A,E,IL,J) 33% 2% (CA) 1/
7307.91.50		Other		6.2%	Free (A*,B,E,IL,J) 45% 3.1% (CA) 1/
	10	With an inside diameter of less than 360 mm: Of iron or nonalloy steel	kg		-
	30	Of alloy steel (except stainless steel) With an inside diameter of	kg		
	50	360 mm or more: Of iron or nonalloy steel	kg		
7307.92	70	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves:	kg		
7307.92.30		Sleeves (couplings)		6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA) 1/
	10 30	Of iron or nonalloy steel Of alloy steel (except stain- less)			_
7307.92.90	00	Other	kg	6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA) <u>1</u> /
7307.93		Butt welding fittings: With an inside diameter of less than 360 mm:			
7307.93.30	00	Of iron or nonalloy steel	kg	6.2%	Free (B,E,IL,J) 45% 3.1% (CA)
7307.93.60	00	Of alloy steel (except stain- less steel)	kg	6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA)
7307.93.90		With an inside diameter of 360 mm or more		6.2%	Free (A,B,E,IL,J) 45% 3.1% (CA)
	30 60	Of iron or nonalloy steel Of alloy steel (except stain- less steel)			
7307.99		Other: Not machined, not tooled and not			
7307.99.10	00	otherwise processed after forging: Of iron or nonalloy steel	kg	4.2%	Free (A,E,IL,J) 25% 2.1% (CA) 1/
7307.99.30	00	Of alloy steel (except stain-less steel)	kg	4%	Free (A,E,IL,J) 33%
7307.99.50		Other		6.2%	2% (CA) <u>1</u> / Free (A,B,E,IL,J) 45%
	3 0 6 0	Of iron or nonalloy steel Of alloy steel (except stain-	kg		3.1% (CA) <u>1</u> /
	0.0	less steel)	kg		

7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:			
7308.10.00	00	Bridges and bridge sections	kg	. 5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7308.20.00	00	Towers and lattice masts	kg	. 5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7308.30		Doors, windows and their frames and thresholds for doors:			2.00 (CA)
7308.30.10	00	Of stainless steel	kg	. 3.4%	Free (A,E,IL,J) 35% 1.7% (CA)
7308.30.50		Other		. 2.4%	Free (A,E,IL,J) 25% 1.2% (CA)
	15 25 50	Windows and their frames Thresholds for doors Other	kg		
7308.40.00	00	Props and similar equipment for scaffolding, shuttering or pit-propping	kg	. 5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
7308.90		Other:			
		Columns, pillars, posts, beams, girders and similar structural units:			
7308.90.30	00	Not in part of alloy steel			Free (E,IL,J) 20% 1.4% (CA)
7308.90.60	00	Other	kg	. 3.9%	Free (E,IL,J) 30% 1.9% (CA)
7308.90.90		Other		. 5.7%	Free (A,E,IL,J) 45% 2.8% (CA)
	30	Sheet-metal roofing, siding, floor-ing and roof drainage equipment	kg		
	60	Other: Architectural and ornamental work	kq		
	90	Other	kg		
7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or			
		thermal equipment		. 2.6%	Free (A,E,IL,J) 45% 1.3% (CA)
	30	Tanks	kq	V	
	90	Other	No. kg	V	

7310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not				
7310.10.00	10	fitted with mechanical or thermal equipment: Of a capacity of 50 liters or more Empty steel drums and barrels		Free	2	25%
7310.21.00	50	Other Of a capacity of less than 50 liters: Cans which are to be closed by solder-		Froo	3	25%
	25	ing or crimping Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		riee	2	,,,
	50	Other	No.			
7310.29.00	25	Other Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		Free	2	25%
	50	Other	No.			
7311.00.00		Containers for compressed or liquefied gas, of				
		iron or steel		5%	Free (A,E,IL,J) 2 2.5% (CA)	25%
	30	Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements: Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX,				
		3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number	No. v			
	60	Other	kg No. v			
	90	Other	kg No. v			
			kg			
7312		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:				
7312.10		Stranded wire, ropes and cables: Stranded wire: Of stainless steel:				
7312.10.05	00	Fitted with fittings or made up into articles	ka	5.7% 1/	Free (A,B,C,E,IL, 4	15%
		11100 4201020011111111111111111111111111	119	3.70 <u>2</u> /	J) 2.8% (CA)	
7212 10 10		Oblinani		F 0% 1/		
7312.10.10		Other		5.0% <u>1</u> /	Free (A,E,IL,J) 4 2.9% (CA)	15%
	30 50	Tire cord				
	70	Other	kg			
7312.10.20	00	Other: Fitted with fittings or made up		,		
		into articles	kg	5.7% <u>1</u> /	Free (A,B,C,E,IL, 4 J)	15%
					2.8% (CA)	

 $[\]underline{1}$ / See heading 9902.73.12.

7312 (con.)		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated (con.):			
7312.10 (con.)		Stranded wire, ropes and cables (con.): Stranded wire (con.): Other (con):			
7312.10.30		Other		4.9% <u>1</u> /	Free (E,IL,J) 35% 2.4% (CA)
	05 10	Tire cord For prestressing concrete: Covered with textile or other nonmetallic			2.40 (CA)
		material	kg		
	12 20	Other Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5			
		Other:			
	45	Of brass plated wire	kg		
		Other: Galvanized:			
	65	ACSR core strand	kg		
	70	Other: Cover- ed			
		with tex- tile or other nonme- tallic mate-	l.co		
		rial	kg		
	74 80	Other. Other Ropes, cables and cordage other than stranded wire:	kg kg		
7312.10.50	00	Of stainless steel: Fitted with fittings or made up			
		into articles	kg	5.7% <u>2</u> / <u>3</u> /	Free (B,C,E,IL,J) 45% 2.8% (CA)
7312.10.60	00	Other:	kg	4.4% <u>2/3</u> /	Free (E,IL,J) 45% 2.2% (CA)
7312.10.70	00	Fitted with fittings or made up into articles	kg	5.7% <u>2/3</u> /	Free (B,C,E,IL,J) 45% 2.8% (CA)
E210 10 00	0.0	Other:	1	4.0	P (2 P TT T) 250
7312.10.80 7312.10.90	00	Of brass plated wire	_		Free (A,E,IL,J) 35% 2% (CA) Free (E,IL,J) 35%
	30	Galvanized: With a diameter not exceeding 9.5 mm	kg		2% (CA)
	60	With a diameter exceeding	,		
7312.90.00	90 00	9.5 mm Other	kg kg kg	5.7%	Free (A,B,C,CA,E, 45% IL,J)

 $[\]frac{1}{2}$ / See heading 9902.73.12. $\frac{2}{3}$ / See heading 9902.73.12. $\frac{3}{2}$ / See heading 9902.87.14.

7313.00.00	00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	kg	Free		Free
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: Woven products:				
7314.11 7314.11.10	00	Of stainless steel: With meshes not finer than 12				
		wires to the lineal centimeter in warp or filling		4.9%	Free (A,B,E,IL,J)	35%
7314.11.20	00	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or	kg		2.4% (CA)	
		filling	m²v kq	4.9%	Free (A,B,E,IL,J) 2.4% (CA)	50%
		With meshes finer than 36 wires to the lineal centimeter in warp or filling:	J			
		Fourdrinier wires, seamed or not seamed, suitable for use				
7314.11.30	00	in papermaking machines: With 94 or more wires to				
		the lineal centimeter	m²v ka	Free		75%
7314.11.60	00	Other	m²v kq	10%	Free (A,E,IL,J) 5% (CA)	75%
7314.11.90	00	Other		7.2%	Free (A,B,E,IL,J) 3.6% (CA)	60%
7314.19.00	00	Other		4.9%	Free (A*,B,E,IL,C	1) 60%
7314.20.00	00	Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and	1.9		2.10 (01)	
		having a mesh size of 100 cm ² or more	kg	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
7314.30		Other grill, netting and fencing, welded at the intersection:				
7314.30.10	00	Wire fencing coated or plated with zinc, whether or not covered with plastic				
		material	kg	0.2¢/kg	Free (E,IL,J) 0.1¢/kg (CA)	1.1¢/kg
7314.30.50	00	Other	kg	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
7314.41.00		Other grill, netting and fencing: Plated or coated with zinc		0.2¢/kg	Free (E,IL,J) 0.1¢/kg (CA)	1.1¢/kg
	30	Chain link fencing			0.14/kg (CA)	
7314.42.00	60	OtherCoated with plastics		0.2¢/kg	Free (E,IL,J) 0.1¢/kg (CA)	1.1¢/kg
	30	Chain link fencing			0.14/kg (CA)	
7314.49	60	Other:	kg			
7314.49.30	00	Not cut to shape	kg	5.7%	Free (A,E,IL,J) 2.8% (CA)	45%
7314.49.60	00	Cut to shape	kg	4.7%	Free (A,B,E,IL,J) 2.3% (CA)	35%
7314.50.00	00	Expanded metal	$m^2 \dots v$ kg	3.8%	Free (A,CA,E,IL,	7) 45%

7315		Chain and parts thereof, of iron or steel: Articulated link chain and parts thereof:					
7315.11.00		Roller chain		4.2% <u>1</u> /	Free	(A,B,CA,E,IL	, 40%
7315.12.00	10 20 50	Of not over 50 mm pitch and containing more than 3 parts per pitch: Bicycle chains	kg kg	4.2%		(A,B,E,IL,J)	40%
	20 40 60	Of not over 50 mm pitch and containing more than 3 parts per pitch Other: Welded steel chain	kg		2.1%	(CA)	
7315.19.00	80	OtherParts	kg	1 28	Fron	(A,B,CA,E,IL	108
	00		ку	4.23	riee	J)	, 40%
7315.20 7315.20.10	00	Skid chain: Not over 8 mm in diameter	kg	1.5%		(A,B,E,IL,J) (CA)	10%
7315.20.50	00	Over 8 mm in diameterOther chain:	kg	Free			2.5¢/kg
7315.81.00 7315.82	00	Stud link Other, welded link:	kg	Free			4.4¢/kg
7315.82.10	00	Of alloy steel: Not over 10 mm in diameter	kg	1.5%		(A,B,E,IL,J) (CA)	10%
7315.82.30	00	Over 10 mm in diameter Of iron or nonalloy steel:	kg	Free	0.7%	(CA)	10%
7315.82.50	00	Not over 10 mm in diameter	kg	1.5%		(A,B,E,IL,J) (CA)	10%
7315.82.70 7315.89	00	Over 10 mm in diameter Other: With links of essentially round cross sections:	kg	Free	0.70	(CII)	10%
7315.89.10	00	Not over 8 mm in diameter	kg	1.5%		(A,B,E,IL,J) (CA)	10%
7315.89.30	00	Over 8 mm in diameter					4.7¢/kg
7315.89.50	00	Other	kg	5.7%		(A,B,E,IL,J) (CA)	45%
7315.90.00	00	Other parts	kg	5.7%	Free	(A,B,E,IL,J) (CA)	45%
7316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel	X	4.2%		(A,E,IL,J) (CA)	25%
7317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:					
7317.00.10	00	Thumb tacks	kg	1.4%		(A,E,IL,J) (CA)	4%
		Other, suitable for use in powder-actuated handtools:					
7317.00.20 7317.00.30	00	Not threaded Threaded				(A,E,IL,J) (CA)	1.5¢/kg 45%

 $[\]underline{1}$ / See heading 9902.73.15.

7317.00 Nails, tacks, drawing pins, corrugated nails, (con.) staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper (con.): Other:		
Of one piece construction:	. , , . ,	3.5%
05 Collated nails kg Other:	(CA)	
With a length of less than 25.4 mm and a with a dia- meter of less than 1.65 mmkg		
Other:		
Smooth shank: 20 Not coated, plated or paint-		
ed kg		
Coated, plated or painted: 30 Galvan-		
ized kg		
Vinyl, resin or cement		
coated kg		
50 Other kg Other:		
60 Not coated, plated or painted kg		
Coated, plated or painted: 70 Galvan-		
70 Galvan- ized kg		
80 Vinyl, resin or cement coated kg		
90 Other kg		
7317.00.65 Other	(A,E,IL,J) (CA) 1/	5.5%
30 Cutkg 60 Otherkg	(A,E,IL,J)	8%

7318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:					
7318.11.00	00	Threaded articles: Coach screws	kg	12.5%		(B,E,IL,J) (CA) 1/	25%
7318.12.00	00	Other wood screws	kg	12.5%	Free	(A,B,\overline{E},IL,J)	25%
7318.13.00		Screw hooks and screw rings		5.7%	Free 2.8%	(CA) <u>1</u> / (A,B,E,IL,J)	45%
	30	Having shanks or threads with a diameter of less than 6 mm	kg		2.00	(CA)	
7318.14	60	Having shanks or threads with a di- meter of 6 mm or more Self-tapping screws:	kg				
7318.14.10	00	Having shanks or threads with a di- ameter of less than 6 mm	kg	6.2%		(B,E,IL,J) (CA) <u>1</u> /	45%
7318.14.50	00	Having shanks or threads with a diameter of 6 mm or more	kg	9.5%		(B,E,IL,J) (CA) 1/	45%
7318.15		Other screws and bolts, whether or not with their nuts or washers:				· · · · <u>-</u> /	
7318.15.20		Bolts and bolts and their nuts or washers entered or exported in the same shipment		0.7%		(A,B,E,IL,J)	3.5%
	10	Having shanks or threads with a diameter of less than 6 mm	kg		0.3%	(CA) <u>1</u> /	
		Having shanks or threads with a diameter of 6 mm or more:					
	20 30	Track bolts Structural bolts					
	40	Bent bolts Other:					
	50 60	With round heads With hexagonal	kg				
		heads	kg				
7318.15.40	90 00	Other Machine screws 9.5 mm or more in length and 3.2 mm or more in di-	kg				
		ameter (not including cap screws)	kg	1¢/kg		(A,B,E,IL,J) kg (CA) <u>1</u> /	2.2¢/kg
7318.15.50	00	Studs Other:	kg	4.7%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7318.15.60	00	Having shanks or threads with a diameter of less than 6 mm	ka	6 28	Free	(A,B,E,IL,J)	152
		a diameter of less than o mm	кд	0.20		(CA) <u>1</u> /	430
7318.15.80		Having shanks or threads with a diameter of 6 mm or more		9.5%		(A,B,E,IL,J) (CA) 1/	45%
	20	Set screws Other:	kg			_	
	40	Socket screws Other:	kg				
	60	With hexagonal heads	kg				
7318.16.00	80	Other		0.2%	Free	(A,B,E,IL,J)	0.5%
	10	Chrome-plated luqnuts				(CA) <u>1</u> /	
7318.19.00	90	OtherOther	kg	5.7%		(A,B,E,IL,J) (CA) <u>1</u> /	45%

 $[\]underline{1}$ / See subheading 9905.00.00.

7318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel (con.):				
7318.21.00	00	Non-threaded articles: Spring washers and other lock washers	kg	5.8%	Free (A,B,E,IL,J) 2.9% (CA) 1/	35%
7318.22.00 7318.23.00	00	Other washers		Free 0.4¢/kg	Free (A,B,E,IL,J) 0.2¢/kg (CA) <u>1</u> /	1.3¢/kg 2.2¢/kg
7318.24.00	00	Cotters and cotter pins	kg	5.7%	Free (A,B,E,IL,J) 2.8% (CA) 1/	45%
7318.29.00	00	Other	kg	5.7%	Free (A,B,E,IL,J) 2.8% (CA) $\underline{1}$ /	45%
7319	0.0	Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included:	T	Post		P
7319.10.00 7319.20.00	00	Sewing, darning or embroidery needles Safety pins		Free 9%	Free (A,E,IL,J) 4.5% (CA)	Free 35%
7319.30	10 50	On cardsOther	Gross			
7319.30.10	00	Dressmakers' or common pins	kg	8.2%	Free (A,E,IL,J) 4.1% (CA)	35%
7319.30.50		Other		3.4%	Free (A,E,IL,J) 1.7% (CA)	35%
7319.90.00	10 50 00	Push pinsOther	kg	5.8%	Free (A,E,IL,J) 2.9% (CA)	45%
7320 7320.10		Springs and leaves for springs, of iron or steel: Leaf springs and leaves therefor: Suitable for motor vehicle suspension:				
7320.10.30	00	To be used in motor vehicles having a G.V.W. not execeeding 4 metric tons	ka	4%	Free (A,B,E,IL,J)	25%
7220 10 60				4%	2% (CA) <u>1</u> /	
7320.10.60	15	Other Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor		4.6	Free (B,E,IL,J) 2% (CA) <u>1</u> /	25%
	60	Other				
7320.10.90	15	Other Leaf springs having individual leaves with a thickness of 1.6 mm or		4%	Free (A,B,E,IL,J) 2% (CA) <u>1</u> /	25%
		more and leaves therefor	kg			
7320.20	60	Other Helical springs:	kg			
7320.20.10	00	Suitable for motor-vehicle suspension	kg	4%	Free (A,B,E,IL,J) 2% (CA) <u>1</u> /	25%
7320.20.50		Other		5.7%	Free $(A, \overline{B}, E, IL, J)$ 2.8% (CA) 1/	45%
	15	Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm	kg			
	45	Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than 12.7 mm	kg			
7320.90	60	Other:	kg			
7320.90.10	00	Hairsprings	kg	3.7%	Free (A,B,E,IL,J) 1.8% (CA) <u>1</u> /	65%
7320.90.50		Other		5.7%	Free (A,B,E,IL,J) 2.8% (CA) <u>1</u> /	45%
	30 60	Of wire				

 $[\]underline{1}/$ See subheading 9905.00.00.

7321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel:					
7321.11		Cooking appliances and plate warmers: For gas fuel or for both gas and other fuels:					
7321.11.10	00	Portable	No	5.7%	Free 2.8%	(A,E,IL,J) (CA)	45%
7321.11.30	00	Other: Stoves or ranges	No	4.2%	Free	(A*,CA,E,IL,	45%
7321.11.60	00	Other	No	4.2%		J) (A,E,IL,J) (CA) 1/	45%
7321.12.00	00	For liquid fuel	No	4.2%	Free	(A,E,IL,J) (CA)	45%
7321.13.00		For solid fuel		4.2%		(A,E,IL,J)	45%
	20 40	Portable: Hibachis	No.				
	60 80	Of cast ironOther					
7321.81		Other appliances: For gas fuel or for both gas and other fuels:					
7321.81.10	00	Portable	No	5.7%	Free 2.8%	(A,E,IL,J)	45%
7321.81.50	00	Other	No	4.2%		(A,E,IL,J)	45%
7321.82 7321.82.10	00	For liquid fuel: Portable	No	5.7%	Free	(A,E,IL,J)	45%
7321.82.50	00	Other	No	4.2%	2.8% Free 2.1%	(A,E,IL,J)	45%
7321.83.00		For solid fuel		4.2%		(A,E,IL,J)	45%
7321.90	10 50	Fireplace grates of cast iron				(/	
7321.90 7321.90.30 7321.90.60	00	Parts: Of articles in subheading 7321.11.30 Other			Free	(A,CA,E,IL,J) (A,E,IL,J)	45% 45%
	30	Of cooking appliances and plate warmers	x		2.1%	(CA) <u>1</u> /	
	90	Other					
7322		Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel:					
7322.11.00	00	Radiators and parts thereof: Of cast iron	x	4.2%		(A,E,IL,J)	45%
7322.19.00	00	Other	x	4.2%	2.1% Free	(A,E,IL,J)	45%
7322.90.00		Other, including parts		4.2%		(CA) (A*,C,E,IL,J) (CA) 2/	45%
	15	Air heaters, not electrically heated, incorporating a motor-driven fan or blower	х		2.10	(CA) <u>Z</u> /	
	30	Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower	х				
	45	Parts of air heaters and hot air distributors	X				

 $[\]underline{1}$ / See subheading 9905.73.03. $\underline{2}$ / See subheading 9905.73.05.

7323		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel:						
7323.10.00	00	Iron or steel wool; pot scourers and scouring or polishing pads, gloves and						
		the like	kg		2.2¢/kg + 2.5%	1.1¢/	(A,E,IL,J) 'kg + s (CA)	22¢/kg + 30%
		Other:				1.2	(CA)	
7323.91	0.0	Of cast iron, not enameled:						
7323.91.10	00	Coated or plated with precious metal	х		Free			20%
7323.91.50 7323.92.00	00	Other Of cast iron, enameled			5.3% 2.7%		(A,CA,E,IL,J) (A,E,IL,J)	40% 35.5%
7323.32.00	00				2.70	1.3%		33.30
7323.93.00		Of stainless steel			3.4%	Free 1.7%	(A,E,IL,J)	40%
		Cooking and kitchen ware:				1./6	(CA)	
	15	Teakettles		v				
		Other:	kg					
	30	Cooking ware	No.	v				
	CO	With all and a constant	kg					
	60	Kitchen ware	ka	V				
	80	Other		v				
7323.94.00		Of iron (other than cast iron) or steel,	kg					
		enameled			2.7%	Free	(A*,CA,E,IL,	35.5%
		Cooking and kitchen ware: Of steel:					J)	
	10	Teakettles	No. kg	V				
	2.0	Other: Cooking ware	No	v				
	20	·	kg	٠				
	30	Kitchen ware		V				
	40	Other	kg No.	v				
			kg					
	80	Other	No. ka	V				
7323.99		Other:	3					
		Coated or plated with precious metal:						
7323.99.10	00	Coated or plated with silver	х		4%		(A,E,IL,J)	50%
7323.99.30	0.0	Other	Y		8.2%	2% (C	CA) (A,E,IL,J)	65%
7323.33.30	00	ounci	21	•	0.20	4.1%		050
		Not coated or plated with precious						
7323.99.50	00	metal: Of tinplate	X		3.1%	Free 1.5%	(A,E,IL,J)	40%
		Other:						
7323.99.70	00	Cookingware	No ka	.v	5.3%	Free 2.6%	(A, E, IL, J)	40%
7323.99.90	00	Other			3.4%		(A,E,IL,J)	40%
						1./0	(011)	

7324 7324.10.00	00	Sanitary ware and parts therof, of iron or steel: Sinks and wash basins, of stainless steel	No	3.4%	Free	(A,C,E,IL,J) (CA)	40%
7324.21 7324.21.10	00	Baths: Of cast iron, whether or not enamelled: Coated or plated with precious				(/	
		metal	No	Free			20%
7324.21.50	00	Other	No	3.1%	Free 1.5%	(A,E,IL,J)	40%
7324.29.00	00	Other	No	3.4%		(A,E,IL,J)	40%
7324.90.00	00	Other, including parts	X	3.4%		(C, E, IL, J)	40%
7325 7325.10.00	10 50	Other cast articles of iron or steel: Of nonmalleable cast iron Manhole covers, rings and frames Other	kg	Free			10%
7325.91.00	00	Grinding balls and similar articles for mills	kg	5.7%	Free	(A,CA,E,IL,J)	45%
7325.99 7325.99.10	00	Other: Of cast iron	kg	3.1%		(A,B,E,IL,J) (CA) 1/	20%
7325.99.50	00	Other	kg	5.7%	Free	(A,B,E,IL,J) (CA) <u>1</u> /	45%
7326	0.0	Other articles of iron or steel: Forged or stamped, but not further worked:					
7326.11.00	00	Grinding balls and similar articles for mills	kg	4.2%	Free	(A,CA,E,IL,J)	27.5%
7326.19.00	00	Other	3	5.7%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7326.20.00		Articles of iron or steel wire	• • • • • • • •	5.7%		(A,B,C,E,IL, J)	45%
7326.90	10 50	Belts and belting Other Other:			2.8%	(CA) <u>2</u> /	
7326.90.10	00	Of tinplate	X	2.4%		(A,B,E,IL,J) (CA) <u>1</u> /	45%
7326.90.30	00	Containers of a kind normally carried on the person, in the	,		_	(= == =)	
		pocket or in the handbag	doz	7.8%	3.9%	(E,IL,J) (CA)	110%
7326.90.45	00	Horse and mule shoesOther:	kg	Free			10%
7326.90.60	00	Coated or plated with precious metal	X	8.6%		(A,E,IL,J) (CA) <u>1</u> /	65%
7326.90.90		Other		5.7% <u>3</u> /		(A,B,E,IL,J) (CA) <u>1/4/5</u> /	45%
	30	Hangers and similar supports for tubes and pipes	kg		2.00	(0.2) <u>2</u> / <u>2</u> /	
	45 60 75 90	Barbed tape Ladders Paint roller frames Other	No. No.				

 $[\]frac{1}{2}$ / See subheading 9905.00.00. $\frac{2}{2}$ / See subheading 9905.73.10. $\frac{3}{4}$ / See heading 9902.73.12. $\frac{4}{5}$ / See subheading 9905.73.30.