




**MAGNUM
PRO®**

**MAGNUM
FASTENERS®**

**MAGNUM
PRO SPEQ®**
NAIL IDENTIFICATION LINE

Mid Continent Nail Corporation

2700 Central Ave.
Poplar Bluff, Missouri 63901

1-800-TOP-NAIL (867-6245)

website: www.magnumfasteners.com

e-mail: nails@magnumfasteners.com

WE ARE... MAGNUM®

Poplar Bluff, Missouri



Mid Continent Nail Corporation, a division of Libla Industries Inc., began business in 1987 under the direction of owners David and Doug Libla. Initially, Mid Continent Nail focused on manufacturing machine quality bulk pallet nails, Magnum® Fasteners. Mid Continent Nail is the only bulk pallet nail manufacturer in the United States and is the largest supplier of nails to the wooden pallet and crating industry with customers throughout the U.S. and Canada.


As the company grew, it diversified its product line to include Magnum Pro® construction fasteners and Magnum® pneumatic tools. Mid Continent Nail is now a full service manufacturing and distribution company. By providing high performance, industrial grade nailers, as well as the precision collated fasteners to use in them, customers can rest assured they have the best products and customer service available to get the job done.

In its commitment to provide the highest quality products and exceptional service each and every day, Mid Continent has, over the past several years, expanded its bulk nail manufacturing capacity through the addition of

50,000 sq. ft. of production space. The company also added a 315,000 sq. ft building located in the Poplar Bluff Industrial Park across from the Bulk Nail Plant to expand its collated nail production, the wire drawing processes, trucking and dispatch center, and the company's offices.

Mid Continent Nail Corporation continuously reviews and makes appropriate updates to ensure that our fasteners meet the requirements of our industry and our customers. We are proud of our commitment to provide a broad range of fasteners that meet today's stringent building code compliance through the ICC™ ESR-3132 report. The allowable loads for our nails, as stated in the report, meet or exceed requirements according to the National Design Specification (NDS) as referenced by the Uniform Building Code™ (UBC), International Building Code® and International Residential Code® (IRC).

Mid Continent Nail's commitment to you, our customer, is quite simple. . . "Don't just meet, but EXCEED your expectations."




NAIL IDENTIFICATION LINE



DRIVE MAGNUM®

fasteners TODAY!



**TOOLS, FASTENERS AND SERVICE
YOU CAN DEPEND ON!**



MID CONTINENT NAIL CORPORATION

800-867-6245

e-mail: nails@magnumfasteners.com

web: www.magnumfasteners.com

2700 Central Ave.
Poplar Bluff, MO 63901

Magnum Pro® Nails meet or exceed ASTM F-1667, See ICC Report ESR-3132

MAGNUM® NAILERS



COIL NAILERS

COIL NAILERS

WCP-57 Wire Coil Nailer

- Drives 1" - 2 1/4" length, .083 - .090" diameter nails approx 5.9 lbs.



WCP-70 Wire Coil Nailer

- Drives 1 3/4" - 2 3/4" length, .083 - .113" diameter nails approx 7.8 lbs.



WCP-90PN Wire Coil Nailer

- Drives 1 3/4" - 3 1/2" length, .113 - .148" diameter nails approx 6.7 lbs.



WCS-565 Wire Coil Nailer

- Drives 1 1/4" - 2 1/2" length, .083 - .113" diameter nails approx 4.4 lbs.



WCD-665 Wire Coil Nailer

- Drives 1 1/4" - 2 1/2" length, .090 - .131" diameter nails approx 5.4 lbs.





MAGNUM® NAILERS

STRIP NAILERS

PS-21 Plastic Strip Framing Nailer

- Drives 2" - 3 1/2" length, .113 - .148" diameter nails, approx 7.9 lbs.

PT-34 Paper Tape Framing Nailer

- Drives 2" - 3 1/2" length, .113 - .131" diameter nails, approx 7.9 lbs.

PTW-28 Paper Tape or Wire Framing Nailer

- Drives 2" - 3 1/2" length, .113 - .131" diameter nails, approx 7.9 lbs.

BRAD / FINISH

DA15-A 15 Ga Angle Finish Nailer

- Drives 1" - 2 1/2" length, .072" diameter nails, approx 4.2 lbs.

F16-S 16 Ga Straight Finish Nailer

- Drives 3/4" - 2 1/2" length, .063" diameter nails, approx 3.7 lbs.

AX18-S 18 Ga Straight Brad Nailer

- Drives 5/8" - 2 1/8" length, .0475" diameter nails, approx 2.6 lbs.

STAPLERS

STM16-716 16 Ga 7/16" Crown Stapler

- Drives 3/4" - 2" length, .063" diameter staples, approx 5.5 lbs.

STW16-100 16 Ga 1" Crown Stapler

- Drives 3/4" - 1 1/2" length, .063" diameter staples, approx 6.7 lbs.

STN18-25 18 Ga 1/4" Crown Stapler

- Drives 1/2" - 1 9/16" length, .0475" diameter staples, approx 3.7 lbs.


STRIP
BRAD
STAPLERS

**DO YOU
NEED HAND
OR**


**AUTOMATION
TOOLS?**

MAGNUM® FASTENERS

**Has Solutions for
Your Applications,
from Rapid Hand
Nailing to Mounted
Nailers and Staplers
for Pallet, Crating,
and Wall Panel
Equipment!**



MAGNUM® TOOLS BUILT FOR INDUSTRY



Pallet Nails

Standard Bulk Pallet Nails



Nail Length	Nail Diameter	Mean Head Diameter	Thread Diameter	Shank Style	Points	Lbs/ Carton	Ctns/ Skid
1 1/2	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
1 5/8	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
1 3/4	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
2	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
2 1/4	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
2 1/2	.113 .120	.280 .280	.128 .135	Screw Screw	NP/BDP NP/BDP	50 50	48 48
3	.120	.280	.135	Screw	NP/BDP	50	48

Other specialty sizes available as well as smooth and ring shank.

* Tempered (Heat Treated) and Galvanized available as well.

Wire Coil Pallet Nails


15° Wire Large Coil Pallet Nails

Item Code	Description	Point	Shank	Finish	Nails/ Coil	Coils/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Carton
9910	1 1/4 x .086	BDP	Ring	BRT	4,500	4	18,000	2084	45
9927	1 1/2 x .086	BDP	Ring	BRT	4,500	4	18,000	2401	45
6658	1 3/4 x .086	BDP	Screw	BRT	4,500	3	13,500	2075	45
17355	1 1/2 x .099	BCP	Screw	BRT	3,500	3	14,000	2356	45
6614	1 3/4 x .099	BDP	Screw	BRT	3,000	3	9,000	1818	45
7097	1 3/4 x .099	BCP	Screw	BRT	3,000	3	9,000	1818	45
6459	2 x .099	BDP	Screw	BRT	3,000	3	9,000	2024	45
17029	2 x .099	BDP	Ring	BRT	3,000	3	9,000	2024	45
6541	2 x .099	BCP	Screw	BRT	3,000	3	9,000	2024	45
6461	2 1/4 x .099	BDP	Screw	BRT	3,000	3	9,000	2178	45
6997	2 1/4 x .099	BCP	Screw	BRT	3,000	3	9,000	2178	45
8032	2 1/2 x .099	BDP	Screw	BRT	3,000	3	9,000	2436	45
11619	2 x .113	BCP	Screw	BRT	3,000	3	9,000	2649	45
6996	2 1/4 x .113	BCP	Screw	BRT	3,000	3	9,000	2928	45
16721	2 1/4 x .113	BCP	Ring	BRT	3,000	3	9,000	2928	45
8666	2 1/2 x .113	DP	Screw	BRT	3,000	3	9,000	3180	45
13340	3 x .120	DP	Screw	BRT	2,250	2	4,500	2169	45
13339	3 x .131	DP	Smooth	BRT	2,250	2	4,500	2476	45

Designed to fit 15° wire coil tools. (Check tool specifications for nail length and shank diameter operating range.)

Other nail sizes, point and shank configurations are available upon request.


Wire Coil Pallet Nails



15° Wire Coil Pallet Nails




Item Code	Description	Point	Shank	Finish	Nails/Coil	Coils/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Carton
9264	1 1/4 x .086	BDP	Screw	BRT	300	60	18,000	2060	45
9262	1 1/4 x .086	BDP	Ring	BRT	300	60	18,000	2060	45
10697	1 1/4 x .086	MDP	Ring	BRT	300	60	18,000	2060	45
9272	1 1/2 x .086	BDP	Screw	BRT	300	50	15,000	1965	45
9911	1 1/2 x .086	BCP	Screw	BRT	300	50	15,000	1965	45
9269	1 1/2 x .086	BDP	Ring	BRT	300	50	15,000	1965	45
17575	1 5/8 x .086	BDP	Screw	BRT	300	45	13,500	1900	45
9283	1 3/4 x .086	BDP	Screw	BRT	300	45	13,500	2045	45
9281	1 3/4 x .086	BDP	Ring	BRT	300	45	13,500	2045	45
9280	1 3/4 x .086	BCP	Screw	BRT	300	45	13,500	2045	45
6483	2 x .086	BDP	Screw	BRT	300	36	10,800	1920	45
10033	2 x .086	BDP	Ring	BRT	300	36	10,800	1920	45
7131	2 x .086	BCP	Screw	BRT	300	36	10,800	1920	45
9994	2 x .086	MDP	Screw	BRT	300	36	10,800	1920	45
10096	2 1/4 x .086	BDP	Screw	BRT	300	27	8,100	1560	45
16878	1 1/2 x .099	BDP	Screw	BRT	300	45	13,500	1711	45
9279	1 3/4 x .099	BDP	Screw	BRT	300	45	13,500	2460	45
16838	1 3/4 x .099	BDP	Ring	BRT	300	45	13,500	2460	45
9278	1 3/4 x .099	BCP	Screw	BRT	300	45	13,500	2460	45
9289	2 x .099	BDP	Screw	BRT	300	36	10,800	2415	45
9287	2 x .099	BDP	Ring	BRT	300	36	10,800	2415	45
9286	2 x .099	BCP	Screw	BRT	300	36	10,800	2415	45
9302	2 1/4 x .099	BDP	Screw	BRT	300	27	8,100	2010	45
9300	2 1/4 x .099	BCP	Screw	BRT	300	27	8,100	2010	45
13091	2 1/4 x .099	BDP	Ring	BRT	300	27	8,100	2010	45
9316	2 1/2 x .099	BDP	Screw	BRT	300	27	8,100	2190	45
9313	2 1/2 x .099	BCP	Screw	BRT	300	27	8,100	2190	45
9314	2 1/2 x .099	BDP	Ring	BRT	300	27	8,100	2190	45
9315	2 1/2 x .099	BDP	Smooth	BRT	300	27	8,100	2190	45
14036	2 3/4 x .099	BDP	Screw	BRT	250	20	5,000	1275	36



Wire Coil Pallet Nails

15° Wire Coil Pallet Nails



Item Code	Description	Point	Shank	Finish	Nails/Coil	Coils/Carton	Nails/Carton	Weight/Skid	Cartons/Carton
17389	1 5/8 x .113	Clinch	Smooth	BRT	250	36	9,000	2145	45
9297	2 x .113	DP	Screw	BRT	250	36	9,000	2505	45
9295	2 x .113	BCP	Screw	BRT	250	36	9,000	2505	45
14845	2 x .113	BCP	Ring	BRT	250	36	9,000	2505	45
9310	2 1/4 x .113	DP	Screw	BRT	250	27	6,750	2145	45
9308	2 1/4 x .113	BCP	Screw	BRT	250	27	6,750	2145	45
16818	2 1/4 x .113	BCP	Ring	BRT	250	27	6,750	2145	45
9317	2 1/2 x .113	BCP	Screw	BRT	250	27	6,750	2460	45
9319	2 1/2 x .113	DP	Screw	BRT	250	27	6,750	2460	45
10187	2 1/2 x .113	DP	Ring	BRT	250	27	6,750	2460	45
9321	2 3/4 x .113	DP	Screw	BRT	250	27	6,750	2680	45
13326	2 3/4 x .113	DP	Ring	BRT	250	27	6,750	2680	45
10034	3 x .113	BCP	Screw	BRT	208	12	2,500	1462	60
9079	3 x .113	DP	Screw	BRT	208	12	2,500	1462	60
17388	2 1/4 x .120	BCP	Ring	BRT	208	12	2,500	1395	60
10510	2 1/2 x .120	BCP	Screw	BRT	208	12	2,500	1462	60
10216	2 1/2 x .120	DP	Screw	BRT	208	12	2,500	1462	60
10095	2 3/4 x .120	DP	Ring	BRT	208	12	2,500	1575	60
8543	3 x .120	DP	Screw	BRT	208	12	2,500	1575	60
16897	3 x .120	BCP	Screw	BRT	208	12	2,500	1575	60
9620	3 x .120	DP	Ring	BRT	208	12	2,500	1575	60
8645	3 1/4 x .120	DP	Screw	BRT	208	12	2,500	1650	60
17034	3 1/4 x .120	DP	Ring	BRT	208	12	2,500	1650	60
16754	3 1/2 x .131	DP	Screw	BRT	208	12	2,500	2100	60
16746	4 x .131	DP	Screw	BRT	208	12	2,500	2283	56
6558	4 x .135	DP	Ring	BRT	225	20	4,500	2606	48

MAGNUM®

PRO SPEQ®

NAIL IDENTIFICATION LINE

IDENTIFIER DIAMETER LENGTH NAME

A	0.113"	2"	6d Common
B		2 3/8"	8d Cooler
C		2 1/2"	8d Box
D	0.120"	2 1/4"	
E		2 1/2"	
F		3"	
G		3 1/4"	
H	0.131"	1 1/2"	Joist Hanger
I		2 1/2"	8d Common
J		3"	Framing Nail
K		3 1/4"	16d Short
L	0.135"	2 1/8"	
M		2 1/4"	
N		2 3/8"	
O		2 1/2"	
P		3 1/2"	16d Box
Q	0.148"	1 1/2"	Joist Hanger
R		2 1/8"	2 1/8" Plywood Nail
S		2 1/4"	2 1/4" Plywood Nail
T		2 3/8"	2 3/8" Plywood Nail
U		2 1/2"	2 1/2" Plywood Nail
V		3"	10d Common
W		3 1/4"	12d Common (16d Sinker)
X	0.162"	2 1/2"	Joist Hanger
Y		3 1/4"	16d Short Common
Z		3 1/2"	16d Common

**MAGNUM®
PRO SPEQ®**
NAIL IDENTIFICATION LINE

PRO SPEQ®: Defend the construction of your American made home by using
MAGNUM® PRO SPEQ® Nail Identifier Line.



15° Wire Coil

- MAGNUM®, MAX, BOSTITCH, HITACHI
and other tool brands

21° Plastic Strip

- MAGNUM®, MAX, DUO-FAST, HITACHI
and other tool brands

33 1/2° Paper Tape Collated

- MAGNUM®, MAX, PASLODE, SENCO
and other tool brands

COLLATED NAIL ANGLES

Magnum Pro® Nails meet or exceed ASTM
F-1667, See ICC Report ESR-3132

Wire Coil Collated

12 & 13


Plastic Strip Collated

14 - 16

Paper Tape Collated & Hardware Nails 17

16 GA 7/16" Medium Crown Staple "N" 18

16 GA 1" Wide Crown Staple "P" 18



Other types of nails available upon request

All piece counts are approximate numbers.



WIRE COIL

15° ROUND HEAD WIRE COIL NAILS

Engineered to Fit: Max, Bostitch, Hitachi, Magnum® and other 15° Wire Coil Tools



Bright

Item Code	Description	Point	Shank	Finish	Nails/Coil	Coils/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Carton
14677	1 1/2 x .099	DP	Smooth	Hardened Hi Tensile	250	18	4,500	1072	60
10273	1 3/4 x .099	BDP	Screw	BRT	300	30	9,000	2163	56
10117	1 3/4 x .099	BCP	Screw	BRT	300	30	9,000	2163	56
10019	2 x .099	BDP	Screw	BRT	300	30	9,000	2389	56
6363	2 x .099	BCP	Screw	BRT	300	30	9,000	2389	56
8641	2 x .099	BDP	Smooth	BRT	300	10	3,000	933	60
8642	2 x .099	BDP	Ring	BRT	300	10	3,000	933	60
10016	2 1/4 x .099	BDP	Screw	BRT	300	30	9,000	2670	48
6408	2 1/4 x .099	BCP	Screw	BRT	300	30	9,000	2670	48
17054	2 1/4 x .099	DP	Smooth	Hardened Hi Tensile	250	18	4,500	1468	60
8653	2 3/8 x .099	DP	Ring	BRT	250	10	3,000	1071	60
11645	2 1/2 x .099	BDP	Screw	BRT	300	30	9,000	2486	48
10063	2 1/2 x .099	BCP	Screw	BRT	300	30	9,000	2486	48
15369	1 1/2 x .113	DP	Smooth	Hardened Hi Tensile	250	18	4,500	1374	60
8644	2 x .113	DP	Smooth	BRT	250	12	3,000	1172	60
8643	2 x .113	DP	Ring	BRT	250	12	3,000	1172	60
15300	2 1/4 x .113	DP	Smooth	Hardened Hi Tensile	250	18	4,500	1920	60
8007	2 3/8 x .113	DP	Smooth	BRT	250	12	3,000	1367	60
15422	2 3/8 x .113	DP	Smooth	BRT	250	18	4,500	1903	56
8129	2 3/8 x .113	DP	Ring	BRT	250	12	3,000	1367	60
15423	2 3/8 x .113	DP	Ring	BRT	250	18	4,500	1903	56
8646	3 x .120	DP	Smooth	BRT	208	12	2,500	1575	60
15421	3 x .120	DP	Smooth	BRT	225	20	4,500	2252	48
8008	3 1/4 x .120	DP	Smooth	BRT	208	12	2,500	1695	60
9922	3 1/4 x .120	DP	Smooth	BRT	225	20	4,500	2459	48
15359	2 1/2 x .131	DP	Smooth	BRT	225	20	4,500	2352	48
15350	2 1/2 x .131	DP	Ring	BRT	225	20	4,500	2352	48
8648	3 x .131	DP	Smooth	BRT	208	12	2,500	1810	60
15358	3 x .131	DP	Smooth	BRT	225	20	4,500	2579	48
8676	3 1/4 x .131	DP	Smooth	BRT	208	12	2,500	1978	60
10275	3 1/4 x .131	DP	Smooth	BRT	225	20	4,500	2773	48



WIRE COIL

15° ROUND HEAD WIRE COIL NAILS

Engineered to Fit: Max, Bostitch, Hitachi, Magnum® and other 15° Wire Coil Tools

Hot-Dipped Galvanized									
Item Code	Description	Point	Shank	Finish	Nails/Coil	Coils/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Carton
16768	1 1/4 x .090	DP	Ring	HDG	300	18	5,400	977	60
15744	1 1/2 x .090	DP	Ring	HDG	300	12	3,600	778	60
14685	1 3/4 x .090	DP	Ring	HDG	300	12	3,600	883	60
16445	2 x .090	DP	Smooth	HDG	300	12	3,600	765	60
15596	2 x .090	DP	Ring	HDG	300	12	3,600	765	60
16447	2 1/4 x .090	DP	Smooth	HDG	300	12	3,600	1061	60
15743	2 1/4 x .090	DP	Ring	HDG	300	12	3,600	1061	60
16747	2 1/2 x .090	DP	Ring	HDG	300	12	3,600	1156	60
17395	2 x .099	BCP	Screw	HDG	300	12	3,600	1067	60
16910	2 x .099	DP	Smooth	HDG	300	12	3,600	1067	60
17245	2 1/4 x .099	DP	Ring	HDG	300	12	3,600	1060	60
17056	2 3/8 x .099	DP	Ring	HDG	250	10	3,000	1122	60
17394	2 1/2 x .099	BCP	Screw	HDG	300	12	3,600	1114	60
16909	2 1/2 x .099	DP	Smooth	HDG	300	12	3,600	1114	60
15408	1 3/4 x .113	DP	Ring	HDG	250	12	3,000	1179	60
14271	2 x .113	DP	Ring	HDG	250	12	3,000	1179	60
17030	2 1/4 x .113	BCP	Screw	HDG	250	12	3,000	1336	60
16908	2 3/8 x .113	DP	Smooth	HDG	250	12	3,000	1367	60
14272	2 3/8 x .113	DP	Ring	HDG	250	12	3,000	1367	60
15040	3 x .120	DP	Smooth	HDG	208	12	2,500	1575	60
14274	3 x .120	DP	Screw	HDG	208	12	2,500	1575	60
14273	3 x .120	DP	Ring	HDG	208	12	2,500	1575	60
10384	3 1/4 x .120	DP	Smooth	HDG	208	12	2,500	1736	60
14787	2 1/2 x .131	DP	Ring	HDG	208	12	2,500	1634	60
14275	3 x .131	DP	Smooth	HDG	208	12	2,500	1810	60
14788	3 x .131	DP	Screw	HDG	208	12	2,500	1810	60
14276	3 1/4 x .131	DP	Smooth	HDG	208	12	2,500	1987	60

15° ROUND HEAD WIRE COIL FENCING NAILS

Large Coils Galvanized 15 Microns									
Item Code	Description	Point	Shank	Finish	Nails/Coil	Coils/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Carton
9268	1 1/2 x .086	DP	Ring	EG	4,500	4	18,000	2401	45
6640	1 3/4 x .086	DP	Ring	EG	4,500	3	13,500	2100	45
16874	2 x .090	DP	Ring	HDG	3,500	3	10,500	2001	45

Other types of nails available upon request

All piece counts are approximate numbers.

W
I
R
E

C
O
I
L

N
A
I
L
S

PLASTIC STRIP

21° ROUND HEAD PLASTIC STRIP NAILS

Engineered to Fit: Max, Duo-Fast, Hitachi, Magnum® and other 21° Plastic Strip Tools



Bright

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Nails/Strip	Strip/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Skid
10227		2 x .113	DP	Smooth	BRT	28	214	6,000	1785	48
6646		2 x .113	DP	Ring	BRT	28	214	6,000	1785	48
6540	B	2 3/8 x .113	DP	Smooth	BRT	28	178	5,000	1852	48
6496		2 3/8 x .113	DP	Screw	BRT	28	175	5,000	1852	48
6497	B	2 3/8 x .113	DP	Ring	BRT	28	175	5,000	1852	48
13913		2 3/4 x .120	DP	Smooth	BRT	28	142	4,000	1945	48
10211		2 3/4 x .120	DP	Screw	BRT	28	142	4,000	1945	48
6122		3 x .120	DP	Smooth	BRT	28	142	4,000	1991	48
6503		3 x .120	DP	Screw	BRT	28	142	4,000	1991	48
89361		3 x .120	DP	Ring	BRT	28	142	4,000	1991	48
7135		3 1/4 x .120	DP	Smooth	BRT	28	142	4,000	2091	48
6980		3 1/4 x .120	DP	Screw	BRT	28	142	4,000	2091	48
10206	I	2 1/2 x .131	DP	Smooth	BRT	28	175	5,000	2328	48
16669		2 1/2 x .131	DP	Ring	BRT	28	175	5,000	2328	48
6539	J	3 x .131	DP	Smooth	BRT	28	142	4,000	2254	48
14908		3 x .131	DP	Screw	BRT	28	142	4,000	2254	48
89267		3 x .131	DP	Ring	BRT	28	142	4,000	2254	48
6547	K	3 1/4 x .131	DP	Smooth	BRT	28	142	4,000	2470	48
15360		3 1/4 x .131	DP	Screw	BRT	28	142	4,000	2470	48
10097		3 1/2 x .131	DP	Smooth	BRT	28	142	4,000	2772	48
16680		3 3/4 x .131	DP	Smooth	BRT	28	53	1,500	2400	100
15018	P	3 1/2 x .135	DP	Smooth	BRT	28	142	4,000	2805	48
89961		1 1/2 x .148	DP	Smooth	BRT	28	178	5,000	1907	48
14861	R	2 1/8 x .148	DP	Smooth	BRT	28	142	4,000	2138	48
15087		2 1/8 x .148	DP	Ring	BRT	28	142	4,000	2138	48
14862	S	2 1/4 x .148	DP	Smooth	BRT	28	142	4,000	2256	48
14864	S	2 1/4 x .148	DP	ScREW	BRT	28	142	4,000	2256	48
89383	T	2 3/8 x .148	DP	Smooth	BRT	28	142	4,000	2379	48
14865	T	2 3/8 x .148	DP	Ring	BRT	28	142	4,000	2379	48
15036	T	2 3/8 x .148	DP	Screw	BRT	28	142	4,000	2379	48
16981		2 1/2 x .148	DP	Smooth	BRT	28	142	4,000	2548	48
14866	V	3 x .148	DP	Smooth	BRT	28	142	4,000	2952	48
17220		3 x .148	DP	Ring	BRT	28	142	4,000	2952	48
15262	W	3 1/4 x .148	DP	Smooth	BRT	28	107	3,000	2281	48
17217		3 1/4 x .148	DP	Screw	BRT	28	107	3,000	2281	48
89925	Y	3 1/4 x .162	DP	Smooth	BRT	28	107	3,000	2780	48
89814	Z	3 1/2 x .162	DP	Smooth	BRT	28	107	3,000	2940	48
17058		4 x .148	DP	Smooth	BRT	28	53	1,500	1546	48
17057		5 x .148	DP	Smooth	BRT	28	53	1,500	1886	48



PLASTIC STRIP

21° ROUND HEAD PLASTIC STRIP NAILS

Engineered to Fit: Max, Duo-Fast, Hitachi, Magnum® and other 21° Plastic Strip Tools

Hot-Dipped Galvanized

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Nails/Strip	Strip/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Skid
6491		2 x .113	DP	Smooth	HDG	28	214	6,000	1785	48
14600		2 x .113	DP	Ring	HDG	28	89	2,500	1625	100
14112		2 x .113	DP	Ring	HDG	28	214	6,000	1785	48
16473	B	2 3/8 x .113	DP	Smooth	HDG	28	175	5,000	1852	48
14601		2 3/8 x .113	DP	Ring	HDG	28	89	2,500	1923	100
10278	B	2 3/8 x .113	DP	Ring	HDG	28	175	5,000	1852	48
14695		3 x .120	DP	Smooth	HDG	28	71	2,000	2010	100
14631		3 x .120	DP	Smooth	HDG	28	142	4,000	1991	48
14602		3 x .120	DP	Screw	HDG	28	71	2,000	2220	100
10277		3 x .120	DP	Screw	HDG	28	142	4,000	1991	48
14603		3 x .120	DP	Ring	HDG	28	71	2,000	2220	100
14064		3 x .120	DP	Ring	HDG	28	142	4,000	1991	48
16895		3 1/4 x .120	DP	Smooth	HDG	28	142	4,000	2094	48
14715		3 1/4 x .120	DP	Screw	HDG	28	71	2,000	2178	100
10283		3 1/4 x .120	DP	Screw	HDG	28	142	4,000	2094	48
17260		3 1/4 x .120	DP	Ring	HDG	28	142	4,000	2091	48
14901		2 1/2 x .131	DP	Smooth	HDG	28	71	2,000	1845	100
16474	I	2 1/2 x .131	DP	Smooth	HDG	28	175	5,000	2328	48
17016		2 1/2 x .131	DP	Ring	HDG	28	175	5,000	2214	48
14604		3 x .131	DP	Smooth	HDG	28	71	2,000	2400	100
10280	J	3 x .131	DP	Smooth	HDG	28	142	4,000	2254	48
NEW		3 x .131	DP	Screw	HDG	28	71	2,000	2254	100
17279		3 x .131	DP	Ring	HDG	28	71	2,000	2254	100
14605		3 1/4 x .131	DP	Smooth	HDG	28	71	2,000	2600	100
14111	K	3 1/4 x .131	DP	Smooth	HDG	28	142	4,000	2470	48
14313		3 1/4 x .131	DP	Screw	HDG	28	142	4,000	2470	48
16896		3 1/2 x .131	DP	Smooth	HDG	28	142	4,000	2772	48
15269		2 1/8 x .148	DP	Smooth	HDG	28	142	4,000	2138	48
16840	S	2 1/4 x .148	DP	Smooth	HDG	28	142	4,000	2256	48
16482	S	2 1/4 x .148	DP	Screw	HDG	28	142	4,000	2256	48
16932		2 3/8 x .148	DP	Smooth	HDG	28	142	4,000	1792	48
17207		2 3/8 x .148	DP	Screw	HDG	28	142	4,000	1792	48
17223		2 3/8 x .148	DP	Ring	HDG	28	142	4,000	1792	48
17359		2 1/2 x .148	DP	Smooth	HDG	28	142	4,000	2548	48
16890		3 x .148	DP	Smooth	HDG	28	142	4,000	2897	48
16839	W	3 1/4 x .148	DP	Smooth	HDG	28	107	3,000	2316	48
16675		3 1/4 x .148	DP	Screw	HDG	28	107	3,000	2316	48
15940		3 1/4 x .162	DP	Smooth	HDG	28	107	3,000	2940	48
15362	Z	3 1/2 x .162	DP	Smooth	HDG	28	107	3,000	2940	48
17488		4 1/2 x .162	DP	Smooth	HDG	28	53	1,500	1988	48

P
L
A
S
T
I
C

S
T
R
I
P

N
A
I
L
S

Other types of nails available upon request

***MAGNUM
PRO SPEQ®**
NAIL IDENTIFICATION LINE

All piece counts are approximate numbers.

PLASTIC STRIP



21° ROUND HEAD PLASTIC STRIP NAILS - Tile Roofing Nails (Sermagard Coating)

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Nails/Strip	Strip/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Skid
16586		2 3/8 x .113	DP	Ring	Sermagard	28	175	5,000	1852	48

21° ROUND HEAD PLASTIC STRIP NAILS - Hi Tensile/Tempered/Heat Treated

Bright

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Nails/Strip	Strip/ Carton	Nails/ Carton	Weight/ Skid	Cartons/ Skid
17139		2 1/4 x .120	DP	Smooth	HT	28	178	5,000	1947	48
10321		2 1/4 x .120	DP	Screw	HT	28	178	5,000	1947	48

VISIT OUR WEBSITE

Pneumatic Tools


Magnum Pro®
Construction Fasteners

Magnum® Pro Spec®
Nail Identification Line

Magnum® Fasteners
Industrial Fasteners

Order Online!

www.magnumfasteners.com



**MAGNUM
PRO SPEC®**
NAIL IDENTIFICATION LINE





PAPER TAPE

33 1/2° ROUND HEAD PAPER TAPE STRIP NAILS

Engineered to Fit: Max, Paslode,
Senco, **Magnum®** PT-34 and
other 33 1/2° Paper Tape Strip Tools

Bright

Item Code	Description	Point	Shank	Finish	M's/ Carton	Nails/ Strip	Weight/ Skid	Cartons/ Skid
10343	2 3/8 x .113	DP	Smooth	BRT	5,000	35	2232	60
10344	2 3/8 x .113	DP	Ring	BRT	5,000	35	2232	60
16455	3 x .120	DP	Smooth	BRT	2,500	35	2587	100
coming	3 x .120	DP	Ring	BRT	2,500	35	2587	100
16670	3 1/4 x .120	DP	Smooth	BRT	2,500	35	2782	100
16553	3 x .131	DP	Smooth	BRT	2,500	35	2980	100
16454	3 1/4 x .131	DP	Smooth	BRT	2,500	35	3205	100

Hot-Dipped Galvanized

Item Code	Description	Point	Shank	Finish	M's/ Carton	Nails/ Strip	Weight/ Skid	Cartons/ Skid
coming	2 3/8 x .113	DP	Ring	HDG	5,000	35	2232	60
coming	3 x .120	DP	Ring	HDG	2,500	35	2587	100

33 1/2° ROUND HEAD PAPER TAPE HARDWARE NAILS (Joist Hanger)

Bright/Heat Treated

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Finish	M's/ Carton	Nails/ Strip	Weight/ Skid	Cartons/ Skid
JH112131HTSPEQ	H	1 1/2 x .131	DP	Smooth	BRT	HT	4,000	25	1714	60
JH112148HTSPEQ	Q	1 1/2 x .148	DP	Smooth	BRT	HT	3,000	25	1586	60
JH212131HTSPEQ	I	2 1/2 x .131	DP	Smooth	BRT	HT	2,500	25	1778	60
JH212148HTSPEQ	U	2 1/2 x .148	DP	Smooth	BRT	HT	2,500	25	2098	60
JH212162HTSPEQ	X	2 1/2 x .162	DP	Smooth	BRT	HT	2,000	25	1970	60

Hot-Dipped Galvanized

Item Code	* Nail Identifier	Description	Point	Shank	Finish	Finish	M's/ Carton	Nails/ Strip	Weight/ Skid	Cartons/ Skid
JH112131HDGSPEQ	H	1 1/2 x .131	DP	Smooth	Non-HT	HDG	4,000	25	1714	60
JH112148HDGSPEQ	Q	1 1/2 x .148	DP	Smooth	Non-HT	HDG	3,000	25	1586	60
JH212131HDGSPEQ	I	2 1/2 x .131	DP	Smooth	Non-HT	HDG	2,500	25	1778	60
JH212148HDGSPEQ	U	2 1/2 x .148	DP	Smooth	Non-HT	HDG	2,500	25	2098	60
JH212162HDGSPEQ	X	2 1/2 x .162	DP	Smooth	Non-HT	HDG	2,000	25	1970	60

Other types of nails available upon request

All piece counts are approximate numbers.

P
A
P
E
R
T
A
P
E

STAPLES

MEDIUM CROWN STAPLES

16 GAUGE, 7/16" CROWN

Similar to Senco "N" and Prebena Type "L"

Engineered to Fit: Senco & **Magnum**® STM16-716



Electro-Galvanized


Item Code	Crown	Length	Gauge	Finish	Staples/ Box	Boxes/ Carton	Staples/ Carton	Weight/ Skid	Cartons/ Skid
16929	7/16"	3/4"	16	EG	20	1	20	1612	60
10405	7/16"	1"	16	EG	20	1	10	1113	60
10406	7/16"	1 1/4"	16	EG	20	1	10	1353	60
10408	7/16"	1 1/2"	16	EG	20	1	10	1568	60
10409	7/16"	1 3/4"	16	EG	20	1	10	1793	60
10410	7/16"	2"	16	EG	20	1	10	2004	60

WIDE CROWN STAPLES

16 GAUGE, 1" CROWN

Similar to Senco "P" and Prebena Type "WS"


Engineered to Fit: Senco & **Magnum**® STW16-100



Electro-Galvanized

Item Code	Crown	Length	Gauge	Finish	Staples/ Box	Boxes/ Carton	Staples/ Carton	Weight/ Skid	Cartons/ Skid
17059	1"	1/2"	16	EG	10	1	10	1284	60
13280	1"	7/8"	16	EG	10	1	10	1284	60
10487	1"	1"	16	EG	10	1	10	1404	60
10424	1"	1 1/4"	16	EG	10	1	10	1674	60
10425	1"	1 1/2"	16	EG	10	1	10	1920	60

**STRATEGICALLY LOCATED
IN THE HEARTLAND**



MAGNUM[®] DRIVEN



2700 Central Ave. POPLAR BLUFF Missouri 63901

I-800-TOP-NAIL (867-6245)

WEBSITE: <http://www.magnumfasteners.com>

E-MAIL: nails@magnumfasteners.com



Mid Continent Nail Corporation

2700 Central Ave.
Poplar Bluff, Missouri 63901

1-800-TOP-NAIL (867-6245)

website: www.magnumfasteners.com

e-mail: nails@magnumfasteners.com



