Annotated for Statistical Reporting Purposes

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

XV-1

Notes

- 1. This section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
 - (b) Ferrocerium or other pyrophoric alloys (heading 3606);
 - (c) Headgear or parts thereof of heading 6506 or 6507;
 - (d) Umbrella frames or other articles of heading 6603;
 - (e) Goods of chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewelry);
 - (f) Articles of section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 8608) or other articles of section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 9306) or other articles of section XIX (arms and ammunition);
 - (k) Articles of chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - Articles of chapter 95 (for example, toys, games, sports equipment);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of chapter 97 (for example, works of art).
- Throughout the tariff schedule, the expression "parts of general use" means:
 - (a) Articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metals;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
 - (c) Articles of heading 8301, 8302, 8308 or 8310 and frames and mirrors, of base metal, of heading 8306.

In chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to note 1 to chapter 83, the articles of chapter 82 or 83 are excluded from chapters 72 to 76 and 78 to 81.

- 3. Throughout the schedule, the expression "base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the schedule, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferroalloys and master alloys as defined in chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals.
 - (b) An alloy composed of base metals of this section and of elements not falling within this section is to be treated as an alloy of base metals of this section if the total weight of such metals equals or exceeds the total weight of the other elements present.
 - (c) In this section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.

Annotated for Statistical Reporting Purposes

XV-2

- 6. Unless the context otherwise requires, any reference in the tariff schedule to a base metal includes a reference to alloys which, by virtue of note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Rules of Interpretation) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of note 5, it is classified; and
- (c) A cermet of heading 8113 is regarded as a single base metal.
- 8. In this section, the following expressions have the meanings hereby assigned to them:
 - (a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 percent or more by weight passes through a sieve having a mesh aperture of 1 mm.

Additional U.S. Note

1. For the purposes of this section, the term "unwrought" refers to metal, whether or not refined, in the form of ingots, blocks, lumps, billets, cakes, slabs, pigs, cathodes, anodes, briquettes, cubes, sticks, grains, sponge, pellets, flattened pellets, rounds, rondelles, shot and similar manufactured primary forms, but does not cover rolled, forged, drawn or extruded products, tubular products or cast or sintered forms which have been machined or processed otherwise than by simple trimming, scalping or descaling.

Annotated for Statistical Reporting Purposes

CHAPTER 72

IRON AND STEEL

XV 72-1

Notes

 In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

(c) Ferroalloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

Annotated for Statistical Reporting Purposes

XV 72-2

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium
- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

(h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

Annotated for Statistical Reporting Purposes

XV 72-3

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Annotated for Statistical Reporting Purposes

XV 72-4

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Nonalloy free-cutting steel

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur
- 0.1 percent or more of lead
- more than 0.05 percent of selenium
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

(c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High-speed steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 percent of carbon,
- 0.5 percent or more but not more than 1.9 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note 1(c) must each exceed 10 percent by weight.

Annotated for Statistical Reporting Purposes

XV 72-5

Additional U.S. Notes

1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:

(a) High-strength steel

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

(b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

(c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

(d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

(e) <u>Tool steel</u>

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

(f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

(g) Heat-resisting steel

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

Annotated for Statistical Reporting Purposes

XV 72-6

(h) Ball-bearing steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;
- (v) not less than 0.18 nor more than 0.37 percent of silicon;
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
- (ix) none, or not more than 0.09 percent of molybdenum.
- For the purposes of this chapter, unless the context provides otherwise, the term "further worked" refers to products subjected to any
 of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing,
 oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting,
 coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

Statistical Notes

- 1. For the purposes of the tariff schedule, the expression <u>high-nickel alloy steel</u> refers to alloy steel containing by weight 24 percent or more of nickel, with or without other elements.
- 2. For the purposes of subheading 7204.10, <u>waste and scrap of cast iron</u> includes but is not necessarily limited to: cupola cast (ISRI number 252); charging box cast (ISRI number 253); heavy breakable cast (ISRI number 254); hammer blocks or bases (ISRI number 255); burnt iron (ISRI number 256); mixed cast (ISRI number 257); stove plate, clean cast iron stove (ISRI number 258); clean auto cast (ISRI numbers 259, 262 and 263); motor blocks (ISRI number 260); drop broken machinery cast (ISRI number 261); malleable (ISRI number 264); ingot molds and stools (ISRI numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No.3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 3. For the purposes of subheading 7204.41 or 7204.49 the expression:
 - (a) No. 1 heavy melting includes, but is not necessarily limited to:
 - No. 1 heavy melting steel (ISRI numbers 200, 201 and 202); bundled No. 1 steel (ISRI number 217); cast steel (ISRI number 233); springs and crankshafts (ISRI number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No.1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);
 - (b) No. 2 heavy melting includes, but is not necessarily limited to:
 - No. 2 heavy melting steel (ISRI numbers 203, 204, 205 and 206); bundled No. 2 steel (ISRI number 218); foundry steel (ISRI numbers 242 and 243); and hard steel cut 76 cm and under (ISRI number 248);
 - (c) No. 1 bundles includes, but is not necessarily limited to:
 - No. 1 busheling (ISRI number 207); new black sheet clippings (ISRI number 207A); No. 1 bundles (ISRI number 208); electric furnace bundles (ISRI number 235); silicon-bearing steel busheling, clippings, and bundles (ISRI numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;
 - (d) No. 2 bundles includes, but is not necessarily limited to:
 - No. 2 bundles (ISRI number 209); No. 3 bundles (ISRI number 214); incinerator bundles (ISRI number 215); terne plate bundles (ISRI number 216); and auto slabs (ISRI numbers 224 and 225);

Annotated for Statistical Reporting Purposes

XV 72-7

(e) Borings, shovelings and turnings includes, but it not necessarily limited to:

Machine shop turnings, shoveling turnings and iron borings (ISRI numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISRI number 226); briquetted steel turnings (ISRI number 227); alloy free turnings (ISRI numbers 245, 246 and 247); heavy turnings (ISRI number 251); chemical borings, No. 1 and No. 2 (ISRI numbers 267 and 271); malleable borings (ISRI number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;

(f) Shredded scrap includes, but is not necessarily limited to:

Shredded clippings (ISRI number 212); and shredded automobile scrap (ISRI numbers 210 and 211);

(g) Cut plate and structural includes but is not necessarily limited to:

Billet, bloom and forge crops (ISRI number 229); bar crops, punchings and plate scrap (ISRI numbers 230 and 234); plate and structural (ISRI numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISRI number 241); and chargeable slab crops (ISRI number 249).

72-8						
•	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of			2
	fix	I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR	Quantity	General	Special	
7201		OR POWDER FORM Pig iron and spiegeleisen in pigs, blocks or other primary				
	00	forms:				
7201.10.00	00	Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus	t	Free		\$1.11/t
7201.20.00	00	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus	t	Free		\$1.11/t
7201.50 7201.50.30 7201.50.60		Alloy pig iron; spiegeleisen: Alloy pig iron Spiegeleisen				\$1.11/t 0.5%
7202		Ferroalloys: Ferromanganese:				
7202.11		Containing by weight more than 2 percent of carbon:				
7202.11.10	00	Containing by weight more than 2 percent but not more than 4 percent of carbon	kg Mn kg	1.4%	Free (A,CA,E,IL,J, JO,MX)	6.5%
7202.11.50	00	Containing by weight more than 4 percent of carbon	kg Mn kg	1.5%	Free (A+,CA,D,E, IL,J,JO,MX)	10.5%
7202.19 7202.19.10	00	Other: Containing by weight not more than 1 percent of carbon	kg Mn kg	2.3%	Free (A,CA,E,IL,J, JO,MX)	22%
7202.19.50	00	Containing by weight more than 1 percent but not more than 2 percent of carbon	kg Mn kg	1.4%	Free (A,CA,E,IL,J, JO,MX)	6.5%
7202.21		Ferrosilicon: Containing by weight more than 55 percent of silicon:	Willing		30,,w/X	
7202.21.10	00	Containing by weight more than 55 percent but not more than 80 percent of silicon: Containing by weight more than 3 percent of calcium	kg Si kg	1.1%	Free (A*,CA,E,IL, J,JO,MX)	11.5%
7202.21.50	00	Other	kg Si ka	1.5%	Free (A*,CA,E,IL, J,JO,MX)	11.5%
7202.21.75	00	Containing by weight more than 80 percent but not more than 90 percent of silicon	J	1.9%	Free (A+,CA,D,E, IL,J,JO,MX)	9%
7202.21.90	00	Containing by weight more than 90 percent of silicon	kg Si kg	5.8%	Free (A+,CA,D,E, IL,J,MX) 1.4% (JO)	40%
7202.29.00		Other		Free	1.470 (00)	4.4¢/kg on silicon
	10	Containing by weight over 2 percent of magnesium	kg Si kg			content
	50	Other	kg Si kg			
			•		•	•

Heading/	Stat.		Unit		Rates of Duty	72
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7202 (con.) 7202.30.00	00	Ferroalloys (con.):	ka	3.9%	From (A* CA F II	23%
7202.30.00	00	Ferrosilicon manganese	kg Mn kg	3.9%	Free (A*,CA,E,IL, J,JO,MX)	23%
		Ferrochromium:	iviii kg		0,00,00,0	
7202.41.00	00	Containing by weight more than 4 percent of	l.		_	
		carbon	kg Cr kg	1.9%	Free (A,CA,E,IL,J, JO,MX)	7.5%
7202.49		Other:	Ci kg		JO,IVIA)	
7202.49.10	00	Containing by weight more than 3 percent of				
		carbon	kg	1.9%	Free (A+,CA,D,E,	7.5%
			Cr kg		IL,J,JO,MX)	
7202.49.50		Other		3.1%	Free (A,CA,E,IL,J,	30%
					JO,MX)	
	10	Containing by weight more than 0.5 percent of carbon	kg			
		0.5 percent of carbon	Cr kg			
	90	Other	kg			
			Cr kg			
7202.50.00	00	Ferrosilicon chromium	ka	10%	Free (A,CA,E,IL,	25%
202.00.00		Tonocinoci cincinani	Cr kg	1070	J,MX)	2070
					2.5% (JO)	
7202.60.00	00	Ferronickel	kg	Free		6.6¢/kg
7202.00.00	00	T GITOTIICKGI	Ni ka	1 166		0.0¢/kg
			J			
7202.70.00	00	Ferromolybdenum	kg	4.5%	Free (A+,CA,D,E,	31.5%
			Mo kg		IL,J,JO,MX)	
7202.80.00	00	Ferrotungsten and ferrosilicon tungsten	kg	5.6%	Free (A,CA,E,IL,J,	35%
			W kg		MX)	
		Other:			1.4% (JO)	
7202.91.00	00	Ferrotitanium and ferrosilicon titanium	ka	3.7%	Free (A+,CA,D,E,	25%
					IL,J,JO,MX)	
7000 00 00	00	Farmer and disease	1	4.00/		050/
7202.92.00	00	Ferrovanadium	kg V kg	4.2%	Free (A+,CA,E,IL, J,JO,MX)	25%
			v kg		0,00,1017()	
7202.93.00		Ferroniobium		5%	Free (A+,CA,D,E,	25%
	10	Vacuum grade	ka		IL,J,JO,MX)	
	90	Other	ka			
7202.99		Other:				
7202.99.10	00	Ferrozirconium	kg	4.2%	Free (A,CA,E,IL,	25%
					J,JO,MX)	
7202.99.50		Other		5% <u>1</u> /	Free (A+,CA,D,E,	25%
	00	Famoula collage			IL,J,JO,MX)	
	20 40	FerrophosphorusOther	. •			
	70	Other	Kg			
7203		Ferrous products obtained by direct reduction of iron ore				
		and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of				
		99.94 percent, in lumps, pellets or similar forms:				
7203.10.00	00	Ferrous products obtained by direct reduction of iron				1.
		ore	t	Free		\$2.21/t
7203.90.00	იი	Other	t	Free		\$2.21/t
00.00.00	50			100		Ψ2.21/1
					1	I

					<u> </u>	
•	Stat.	Anti-la Dana 1 M	Unit		Rates of Duty	^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7204	IIX	Ferrous waste and scrap; remelting scrap ingots of iron or	Quantity	General	Special	
7204.10.00	00	steel: Waste and scrap of cast iron Waste and scrap of alloy steel:	t	Free		74¢/t
7204.21.00	00	Of stainless steel	t	Free		74¢/t
7204.29.00	00	Other	t	Free		74¢/t
7204.30.00	00	Waste and scrap of tinned iron or steel	t	Free		Free
7204.41.00		Other waste and scrap: Turnings, shavings, chips, milling waste, sawdust, fillings, trimmings and stampings, whether or not in bundles		Free		74¢/t
	20 40 60 80	No. 1 bundles	t t t			
7204.49.00	20 40	Other	t t	Free		74¢/t
7204.50.00	60 70 80	Cut plate and structural	t t	Free		74¢/t
7205	00	Granules and powders, of pig iron, spiegeleisen, iron or		1100		<i>1 πφη</i> τ
7205.10.00	00	steel: Granules	kg	Free		3%
7205.21.00 7205.29.00		Of alloy steel		Free Free		45% \$2.21/t

	Stat.	Antinia Dana 1111	Unit		Rates of Duty	1 ^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
		II. IRON AND NONALLOY STEEL	- acaritity	200141	- Cpoolai	
'206		Iron and nonalloy steel in ingots or other primary forms (excluding iron of heading 7203):				
206.10.00	00	Ingots	kg	0.4%	Free (A+,CA,D,E,	20%
206.90.00	00	Other	kg	Free	IL,J,MX)	20%
'207		Semifinished products of iron or nonalloy steel: Containing by weight less than 0.25 percent of carbon:				
'207.11.00	00	Of rectangular (including square) cross section, the width measuring less than twice the thickness	kg	0.4%	Free (A+,CA,D,E,	20%
207.12.00		Other, of rectangular (other than square) cross section		0.4% <u>1</u> /	IL,J,MX) Free (A+,CA,D,E,	20% <u>1</u> /
	10	Having a width measuring less than four times the thickness	kg		IL,J,MX) <u>1</u> /	
	50	Having a width measuring at least four times the thickness	kg			
207.19.00	20	Other		0.4%	Free (A+,CA,D,E, IL,J,MX)	20%
207.20.00	30 90	Of circular cross section	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	20% <u>1</u> /
	25	Of rectangular (including square) cross section: Having a width measuring less than four times the thickness	kg		IL,3,WX) <u>I</u> /	
	45	Having a width measuring at least four times the thickness	kg			
	75 90	Of circular cross section	kg			

72-12						
J	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7208 7208.10		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: In coils, not further worked than hot-rolled, with patterns				
7208.10.15	00	in relief: Pickled	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /
7208.10.30	00	Other: Of a thickness of 4.75 mm or more	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> / 20% <u>1</u> /
7208.10.60	00	Of a thickness of less than 4.75 mm	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
		Other, in coils, not further worked than hot-rolled, pickled:				
7208.25 7208.25.30	00	Of a thickness of 4.75 mm or more: Of high-strength steel	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7208.25.60	00	Other	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /
7208.26.00		Of a thickness of 3 mm or more but less than 4.75 mm		0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% 1/
	30 60	High-strength steel	kg	0.50/_4/		_
7208.27.00	30	Of a thickness of less than 3 mm	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	0.4¢/kg + 20% <u>1</u> /
	60	Other Other, in coils, not further worked than hot-rolled:	kg			
7208.36.00	30	Of a thickness exceeding 10 mm		0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7208.37.00	60	High-strength steelOtherOf a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0.6% 1/	Free (A+,CA,D,E,	20% 1/
	30 60	High-strength steel Other	kg	· · · · ·	IL,J,MX) <u>1</u> /	
7208.38.00	50	Of a thickness of 3 mm or more but less than 4.75 mm		0.5% <u>1</u> /	Free (A+,CA,D,E,	20% <u>1</u> /
	15	Other:	kg		IL,J,MX) <u>1</u> /	
7208.39.00	30 90	With untrimmed edges	kg	0.5% <u>1</u> /	Free (A+,CA,D,E,	20% <u>1</u> /
	15	High-strength steel	kg	_	IL,J,MX) <u>1</u> /	
	30 90					
İ		 			I	

Annotated for Statistical Reporting Purposes

Heading/	Stat.		Unit		Rates of Duty	72
•	Suf-	Article Description	of		1	2
1000 /	fix		Quantity	General	Special	
208 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated (con.):				
208.40		Not in coils, not further worked than hot-rolled, with patterns in relief:				
208.40.30	20	Of a thickness of 4.75 mm or more		0.6% <u>1</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> /	20% <u>1</u> /
208.40.60	30 60	Of a thickness exceeding 10 mm	kg kg 	0.5% 2/	Free (A+,CA,D,E,	20% 2/
	30	Of a thickness less than 3 mm	kg		`IL,J,MX) <u>2</u> /	_
208.51.00	60	Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm		0.6% <u>1</u> /		20% <u>1</u> /
	30	Universal mill plate	kg		J,MX) <u>1</u> /	
	45 60	Of high-strength steel				
208.52.00	00	Of a thickness of 4.75 mm or more but not exceeding 10 mm	kg	0.6% <u>1</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> /	20% <u>1</u> /
208.53.00	00	Of a thickness of 3 mm or more but less than 4.75 mm	kg	0.5% <u>2</u> /	Free (A+,CA,E,IL, J,MX) <u>2</u> /	20% <u>2</u> /
208.54.00	00	Of a thickness of less than 3 mm	kg	0.5% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	20% <u>2</u> /
208.90.00	00	Other	kg	0.5% <u>1</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> /	20% <u>1</u> /

 $[\]begin{array}{l} \underline{1}/\ \text{See subheadings }9903.72.50\ \text{through }9903.72.62\\ \underline{2}/\ \text{See subheadings }9903.72.65\ \text{through }9903.72.82 \end{array}$

72-14						
U	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7209		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated: In coils, not further worked than cold-rolled (cold-reduced):				
7209.15.00	00	reduced): Of a thickness of 3 mm or more	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /
7209.16.00		Of a thickness exceeding 1 mm but less than 3 mm		0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	- 0.4¢/kg + 20% <u>1</u> /
7209.17.00	30 60 90	Of high-strength steel: Annealed	kg kg	0.5% <u>1</u> /	Free (A+,CA,D,E,	0.4¢/kg + 20% 1/
7209.18 7209.18.15	30 60 90	Of high-strength steel: Annealed Other Other Of a thickness of less than 0.5 mm:	kg kg	0.50/ 4/		_
7209.18.15	30 60	Of high-strength steel	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	0.4¢/kg + 20% <u>1</u> /
7209.18.25		Other: Of a thickness of less than 0.361 mm (blackplate)		0.3% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
	10	Of a kind for use in making aperture masks for cathode-ray tube video displays	kg			
7209.18.60	50 00	Other	kg kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% 1/
7209.25.00	00	Not in coils, not further worked than cold-rolled (cold-reduced): Of a thickness of 3 mm or more	kg	0.5% <u>1</u> /	Free (A+,CA,D,E,	0.4¢/kg +
7209.26.00	00	Of a thickness exceeding 1 mm but less than 3 mm			IL,J,MX) 1/ Free (A+,CA,D,E,	20% <u>1</u> /
7209.27.00	00	Of a thickness of 0.5 mm or more but not			IL,J,MX) <u>1</u> /	20% <u>1</u> /
		exceeding 1 mm	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /
7209.28.00	00	Of a thickness of less than 0.5 mm	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /
7209.90.00	00	Other	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 20% <u>1</u> /

Annotated for Statistical Reporting Purposes

XV 72.45

Subheading	Stat.		Unit		Rates of Duty	
	Suf-	Article Description	of Overtity	Con	1	2
210	fix	Flot rolled products of iron or popullay steel, of a width of	Quantity	General	Special	
210		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, clad, plated or coated: Plated or coated with tin:				
210.11.00	00	Of a thickness of 0.5 mm or more	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	6% <u>1</u> /
210.12.00	00	Of a thickness of less than 0.5 mm	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	6% <u>1</u> /
210.20.00	00	Plated or coated with lead, including terne-plate	kg	0.4% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	6% <u>2</u> /
210.30.00		Electrolytically plated or coated with zinc		0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	21.5% <u>2</u> /
	30	Of high-strength steel	kg		, , , , =	
ĺ	60	Other	kg			
210.41.00	00	Otherwise plated or coated with zinc: Corrugated	kg	0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	21.5% <u>2</u> /
210.49.00		Other		0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) 2/	21.5% <u>2</u> /
	30 90	Of high-strength steel			IL,J,IVIA) <u>2</u> /	
210.50.00	00	Plated or coated with chromium oxides or with chromium and chromium oxides	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	45% <u>1</u> /
210.61.00	00	Plated or coated with aluminum: Plated or coated with aluminum-zinc alloys	kg	0.6% <u>2</u> /	Free (A+,CA,D,E,	21.5% <u>2</u> /
210.69.00	00	Other	kg	0.6% <u>2</u> /	IL,J,MX) <u>2/</u> Free (A+,CA,D,E,	21.5% <u>2</u> /
7040 70		Deinted commished an acated with pleatice.		_	IL,J,MX) <u>2</u> /	
210.70 210.70.30	00	Painted, varnished or coated with plastics: Not coated or plated with metal and not clad	kg	0.5% <u>2</u> /	Free (A+,CA,E,IL, J,MX) <u>2</u> /	0.4¢/kg + 20% <u>2</u> /
210.70.60		Other		0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	21.5% <u>2</u> /
	20	Zinc coated or plated:	1		1=,0,	
	30 60	Electrolytically coated or plated Other				
	90	Other				
210.90 210.90.10	00	Other: Clad	ka	0.6% 3/	Free (A+,CA,D,E,	30% <u>3</u> /
		Other:	kg	0.0 % <u>3</u> /	IL,J,MX) <u>3</u> /	30 % <u>3</u> /
210.90.60	00	Electrolytically coated or plated with base metal	kg	0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	45% <u>2</u> /
ł					12,0,1VI/() <u>2/</u>	

 $[\]underline{1}/$ See subheadings 9903.73.26 through 9903.73.39 $\underline{2}/$ See subheadings 9903.73.07 through 9903.73.23 $\underline{3}/$ See subheadings 9903.72.50 through 9903.72.62

XV

72-16						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7211		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated: Not further worked than hot-rolled:				
7211.13.00	00	Universal mill plate	kg	0.6% <u>1</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> /	20% <u>1</u> /
7211.14.00	00	Other, of a thickness of 4.75 mm or more		0.6% <u>1</u> / <u>2</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> / <u>2</u> /	20% <u>1</u> / <u>2</u> /
	30	Of high-strength steelOther:	_			
	45 90	Not in coils				
7211.19		Other:				
7211.19.15	00	Of a width of less than 300 mm: Of high-strength steel	kg	0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	25% <u>2</u> /
7211.19.20	00	Other: Of a thickness exceeding 1.25 mm	kg	0.6% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	25% <u>2</u> /
7211.19.30	00	Other	kg	0.3% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	25% <u>2</u> /
7211.19.45	00	Other: Of high-strength steel	kg	0.5% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	20% <u>2</u> /
7211.19.60	00	Other: Pickled	kg	0.5% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	0.4¢/kg + 20% <u>2</u> /
7211.19.75		Other		0.5% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	20% <u>2</u> /
	30 60 90	In coils: With untrimmed edges Other	kg			
ì						
ì						
ı						
					I	

 $[\]underline{1}/$ See subheadings 9903.72.50 through 9903.72.62 $\underline{2}/$ See subheadings 9903.72.65 through 9903.72.82

	Stat.	Article Dec. 1.11	Unit		Rates of Duty	1 ^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
	IIX		Quantity	Conordi	Оробіаі	
211 (con.)		Flat-rolled products of iron or nonalloy steel, of a width of				
		less than 600 mm, not clad, plated or coated (con.): Not further worked than cold-rolled (cold-reduced):				
211.23		Containing by weight less than 0.25 percent of				
211.20		carbon:				
		Of a width of less than 300 mm:				
211.23.15	00	Of a thickness exceeding 1.25 mm: Of high-strength steel	ka	0.20/ 1/	Free (A+,CA,D,E,	25% <u>1</u> /
211.23.13	00	Or night-strength steel	kg	0.3 % <u>1</u> /	IL,J,MX) <u>1</u> /	25% <u>1</u> /
					. –	
211.23.20	00	Other	kg	0.6% <u>1</u> /	Free (A+,CA,D,E,	25% <u>1</u> /
211.23.30	00	Of a thickness exceeding			IL,J,MX) <u>1</u> /	
211.20.00	00	0.25 mm but not exceeding				
		1.25 mm	kg	0.3% <u>1</u> /	Free (A+,CA,D,E,	25% <u>1</u> /
044 00 45	00	Of a thickness not exceeding			IL,J,MX) <u>1</u> /	
211.23.45	00	0.25 mm	ka	0.2% 1/	Free (A+,CA,D,E,	25% 1/
			_		IL,J,MX) <u>1</u> /	_
211.23.60		Other		0.5% <u>1</u> /	Free (A+,CA,D,E,	0.4¢/kg +
	30	Of a thickness exceeding 1.25 mm	ka		IL,J,MX) <u>1</u> /	20% <u>1</u> /
	30	Of a tillickriess exceeding 1.25 min	ky			
	60	Of a thickness exceeding 0.25 mm but not				
		exceeding 1.25 mm	kg			
		Of a thickness not exceeding 0.25 mm:				
	75	Of a kind for use in making aperture				
		masks for cathode-ray tube video				
		displays	kg			
	85	Other	ka			
211.29	00	Other:	Ng			
		Of a width of less than 300 mm:			_	
211.29.20		Of a thickness exceeding 0.25 mm		0.3% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	25% <u>1</u> /
	30	Of a width less than 51 mm, in coils	ka		IL,3,1VIX) <u>1</u> /	
	90	Other	kg			
211.29.45	00	Other	kg	0.2% <u>1</u> /	Free (A+,CA,D,E,	25% <u>1</u> /
					IL,J,MX) <u>1</u> /	
211.29.60		Other		0.5% 1/	Free (A+,CA,D,E,	0.4¢/kg +
				_	`IL,J,MX) <u>1</u> /	20% <u>1</u> /
	30 80	Of a thickness exceeding 1.25 mm Other	kg kg			
211.90.00		Other		0.5% <u>1</u> /	Free (A+,CA,E,IL,	20% 1/
			Ĭ	_	`J,MX) <u>1</u> /	_
				ĺ		
				ĺ		
				ĺ		

XV

Fix	^v 72-18						
Fix Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, clad, plated or coated: Plated or coated with tin Rectangle Rectangl	0					Rates of Duty	1
Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, clad, plated or coated: Plated or coated with tin	Subheading		Article Description	-	Canaral	1 Cnosi-1	2
less than 600 mm, clad, plated or coated: Plated or coated with tin	7040	TIX	Flat rolled wood sets of iron or manalless stool of a width of	Quantity	General	Special	
Plated or coated with tin kg 0.4% 1/ Free (A+,CA,D,E, IL,J,MX) 2/ Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.6% 2/ Free (A+,CA,D,E, IL,J,MX) 2/ Free (A+,CA,D,E, IL,J,MX) 2/ Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.6% 2/ Free (A+,CA,D,E, IL,J,MX) 2/ Free (A+,CA,D,E, IL,J,MX) 2/ Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.5% 2/ Free (A+,CA,E,IL, J,MX) 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.5% 2/ Free (A+,CA,E,IL, J,MX) 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.5% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, varnished or coated kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ Painted, v	212		less than 600 mm, clad, plated or coated:				
Electrolytically plated or coated with zinc kg 0.6% 2/ Free (A+,CA,D,E, IL,J,MX) 1/ Free (A+,CA,D,E, IL,J,MX) 2/	7212 10 00	00	Plated or coated with tin	ka	0.4% 1/	Free (A+ CA D F	6% 1/
Electrolytically plated or coated with zinc	212.10.00		Tatod of boated with the contract of the contr	''g	. 0.470 17		0 / 0 <u>1</u> /
Otherwise plated or coated with zinc: Of a width of less than 300 mm: Of a width less than 51 mm, in coils Other						, , , , _	
Otherwise plated or coated with zinc: Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm or more Other	212.20.00	00	Electrolytically plated or coated with zinc	kg	. 0.6% <u>2</u> /	Free (A+,CA,D,E,	21.5% <u>2</u> /
Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm or more Of a width less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in coils Of a width of less than 51 mm, in c						IL,J,MX) <u>2</u> /	
Of a thickness exceeding 0.25 mm or more	'212.30						
Of a width less than 51 mm, in coils						_	
Of a width less than 51 mm, in coils kg kg Other kg Other kg 0.2% 2/ Free (A+,CA,D,E, IL,J,MX) 2/ E12.30.50 00 Other kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ E12.40.10 00 Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.3% 2/ Free (A+,CA,E,IL, J,MX) 2/ E12.40.50 00 Other kg 0.5% 2/ Free (A+,CA,E,IL, J,MX) 2/ E12.50.00 00 Other kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ E12.50.00 00 Otherwise plated or coated kg 0.6% 2/ Free (A+,CA,E,IL, J,MX) 2/ E12.50.00 00 Clad kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ E12.60.00 00 Clad kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ E12.60.00 00 Clad kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ E12.60.00 00 Clad kg 0.6% Free (A+,CA,E,IL, J,MX) 2/ E12.60.00 E	212.30.10		Of a thickness exceeding 0.25 mm or more		. 0.3% <u>2</u> /		25% <u>2</u> /
Other		20	Of a width loss than 51 mm, in soils	ka		IL,J,IVIA) <u>2</u> /	
Comparison of the content of the c			Of a wight less than 31 mm, in cons	ka ka			
Calculation	212 30 30		Other	ka	0.2% 2/	Free (A+ CA D F	25% 2/
212.30.50	212.00.00		0.10.		. 0.2 70 27		2070 <u>2</u> 7
Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.3% 2/ Other kg 0.3% 2/ Free (A+,CA,E,IL, J,MX) 2/ Free (A+,CA,E,IL, J,M						,-,, =	
Painted, varnished or coated with plastics: Of a width of less than 300 mm kg 0.3% 2/ Other kg 0.3% 2/ Free (A+,CA,E,IL, J,MX) 2/ Free (A+,CA,E,IL, J,M	212.30.50	00	Other	kg	. 0.6% <u>2</u> /	Free (A+,CA,D,E,	21.5% <u>2</u> /
212.40.10 00 Of a width of less than 300 mm				_		IL,J,MX) <u>2</u> /	
212.40.50 00 Other	212.40		Painted, varnished or coated with plastics:			_ ,	
212.40.50 00 Other	212.40.10	00	Of a width of less than 300 mm	kg	. 0.3% <u>2</u> /		25% <u>2</u> /
212.50.00 00 Otherwise plated or coated						J,MX) <u>2</u> /	
212.50.00 00 Otherwise plated or coated	2212 40 50	00	Othor	ka	0.50/.2/	Fron (A L CA E II	0.40/kg .
212.50.00 00 Otherwise plated or coated	212.40.50	00	Other	kg	. 0.5% <u>2</u> /		20% 2/
J,MX) <u>2/</u> 212.60.00 00 Clad						3,1VIX) <u>2/</u>	20 /0 <u>2/</u>
J,MX) <u>2/</u> 212.60.00 00 Clad	212.50.00	00	Otherwise plated or coated	ka	. 0.6% 2/	Free (A+.CA.E.IL.	21.5% 2/
212.60.00 00 Clad							_
						_	
	212.60.00	00	Clad	kg	. 0.6%		30%
						IL,J,MX)	

 $[\]underline{1}/$ See subheadings 9903.73.26 through 9903.73.39 $\underline{2}/$ See subheadings 9903.73.07 through 9903.73.23

Annotated for Statistical Reporting Purposes

XV

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
70.10	fix		Quantity	General	Special	<u> </u>
7213		Bars and rods, hot-rolled, in irregularly wound coils, of iron				
7213.10.00	00	or nonalloy steel: Concrete reinforcing bars and rods	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7213.20.00	00	,	kg	0.2% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	5.5% <u>2</u> /
7213.91		Other: Of circular cross section measuring less than 14 mm in diameter:				
7213.91.30		Not tempered, not treated and not partly manufactured		0.2% <u>3</u> /	Free (A+,CA,E,IL, J,MX) <u>3</u> /	5.5% <u>3</u> /
	10	Articles described in U.S. Note 9 to			· / <u>-</u>	
	90	subchapter III of Chapter 99				
		Other:				
7213.91.45		Containing by weight 0.6 percent or more of carbon		0.2% <u>3</u> /	Free (A+,CA,E,IL, J,MX) 3/	5.5% <u>3</u> /
	10	Articles described in U.S. Note 9 to			5,	
	90	subchapter III of Chapter 99 Other				
7213.91.60		Other		0.2% <u>3</u> /	Free (A+,CA,E,IL, J,MX) <u>3</u> /	6% <u>3</u> /
	10	Articles described in U.S. Note 9 to	l.a.			
	90	subchapter III of Chapter 99 Other	kg			
7213.99.00		Other		0.2% <u>2</u> / <u>3</u> /	Free (A+,CA,E,IL, J,MX) <u>2</u> / <u>3</u> /	5.5% <u>2</u> / <u>3</u> /
		Of circular cross section: With a diameter of 14 mm or more but less				
		than 19 mm:				
	31	Articles described in U.S. Note 9 to	١.			
	38	subchapter III of Chapter 99				
	60	With a diameter of 19 mm or more	kg ka			
	90	Other				
	Ī				I	

^{1/} See subheadings 9903.73.65 through 9903.73.71 2/ See subheadings 9903.73.42 through 9903.73.52 3/ See subheadings 9903.72.01 through 9903.72.15

72-20						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7214		Other bars and rods of iron or nonalloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling:				
7214.10.00	00	Forged	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7214.20.00	00	Concrete reinforcing bars and rods	kg	0.5% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	20% <u>2</u> /
7214.30.00	00	Other, of free-cutting steel	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7214.91.00		Other: Of rectangular (other than square) cross-section		0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
	15	Containing by weight less than 0.25 percent of carbon	kg		, , , _	
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
7214.99.00	90	Containing by weight more than 0.6 percent of carbon	kg 	0.5% <u>1</u> /	Free (A+,CA,D,E,	20% <u>1</u> /
	15	Rounds: Containing by weight less than 0.25 percent of carbon	kg		IL,J,MX) <u>1</u> /	
	30	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
	45	Containing by weight more than 0.6 percent of carbon				
	60	Other: Containing by weight less than 0.25 percent of carbon	kg			
	75	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
	90	Containing by weight more than 0.6 percent of carbon				

 $[\]begin{array}{l} \underline{1}/\ \text{See subheadings }9903.73.42\ \text{through }9903.73.52\\ \underline{2}/\ \text{See subheadings }9903.73.65\ \text{through }9903.73.71 \end{array}$

Annotated for Statistical Reporting Purposes

11 " 7	0		11.5	1	D	72-21
	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Sur- fix	Article Description	of Quantity	General	1 Special	2
7215	IIX	Other bars and rods of iron or nonalloy steel:	Quantity	General	Орсски	
7215.10.00	00	Of free-cutting steel, not further worked than cold-	kg	0.8% <u>1</u> /	Free (A+,CA,D,E,	0.3¢/kg +
7215.50.00		Other, not further worked than cold-formed or cold-		0.00/ 4/	IL,J,MX) <u>1</u> /	20% <u>1</u> /
	15	finished		0.8% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.3¢/kg + 20% <u>1</u> /
		carbon	kg			
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
7045.00	90	Containing by weight more than 0.6 percent of carbon	kg			
7215.90		Other: Plated or coated with metal:				
7215.90.10	00	Not cold-formed	kg	0.3% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	0.4¢/kg + 20% <u>2</u> /
7215.90.30	00	Cold-formed	kg	0.8% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.3¢/kg + 20% <u>1</u> /
7215.90.50	00	Other	kg	0.8% <u>2</u> /	Free (A,CA,E,IL,J, MX) <u>2</u> /	0.3¢/kg + 20% <u>2</u> /
					/ -	_

 $[\]begin{array}{l} \underline{1}/\ \text{See subheadings}\ 9903.73.55\ \text{through}\ 9903.73.62\\ \underline{2}/\ \text{See subheadings}\ 9903.73.42\ \text{through}\ 9903.73.52 \end{array}$

72-22						
J	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Overette		1	2
7046	fix	Andre described to the second	Quantity	General	Special	ļ
7216 7216.10.00		Angles, shapes and sections of iron or nonalloy steel: U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm		0.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	2% <u>1</u> /
	10 50	U sections	kg kg		12,0,100/) <u>1</u> /	
7216.21.00	00	L sections	kg	0.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	2% <u>1</u> /
7216.22.00	00	T sections	kg	0.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	2% <u>1</u> /
7216.31.00	00	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more: U sections	kg	0.1%	Free (A+,CA,D,E, IL,J,MX)	2%
7216.32.00	00	I sections (standard beams)	kg	0.1%	Free (A+,CA,D,E, IL,J,MX)	2%
7216.33.00		H sections		0.1%	Free (A+,CA,D,E, IL,J,MX)	2%
	30	Weighing not more than 11.3 kg per 30.5 cm, with a web depth measuring 102 mm to 356 mm	kg			
	60	Weighing more than 11.3 kg but not more than 27.2 kg per 30.5 cm, with a web depth measuring 203 mm to 457 mm	kg			
7216.40.00	90	OtherL or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	kg 	0.1%	Free (A+,CA,D,E,	2%
7216.50.00	10 50 00	L sections	kg kg		IL,J,MX)	
		than hot-rolled, hot-drawn or extruded	kg	0.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	2% <u>1</u> /
7216.61.00	00	cold-formed or cold-finished: Obtained from flat-rolled products	kg	0.5% <u>1</u> /	Free (A,CA,E,IL,J,	20% <u>1</u> /
7216.69.00	00	Other	kg	0.5% <u>1</u> /	MX) <u>1</u> / Free (A,CA,E,IL,J, MX) <u>1</u> /	20% <u>1</u> /
7216.91.00	00	Other: Cold-formed or cold-finished from flat-rolled products	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /
7216.99.00	00	Other	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	20% <u>1</u> /

	ΧV
2	22

Subheading	Stat.		Unit		Rates of Duty	
	Suf-	Article Description	of	0-11	1	2
7047	fix	Mine of ince or excellent stock	Quantity	General	Special	ļ
7217 7217.10		Wire of iron or nonalloy steel: Not plated or coated, whether or not polished: Containing by weight less than 0.25 percent of carbon: Flat wire:				
'217.10.10	00	Of a thickness not exceeding 0.25 mm	kg	0.4%	Free (A+,CA,D,E, IL,J,MX)	25%
7217.10.20	00	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg	0.3%	Free (A+,CA,D,E, IL,J,MX)	25%
217.10.30	00	Of a thickness exceeding 1.25 mm	kg	0.5%	Free (A+,CA,D,E, IL,J,MX)	25%
7 217.10.40		Round wire: With a diameter of less than 1.5 mm		0.5%	Free (A+,CA,D,E, IL,J,MX)	25%
	30	Heat treated			,-,,	
7217.10.50	90	Other	kg 	0.2%	Free (A+,CA,D,E, IL,J,MX)	7%
	30	Heat treated			.=,2,,	
7217.10.60	90 00	OtherOther wire		0.6%	Free (A+,CA,D,E, IL,J,MX)	25%
217.10.70	00	Other: Flat wire	kg	0.3%	Free (A+,CA,D,E, IL,J,MX)	25%
217.10.80		Round wire		0.5%	Free (A+,CA,D,E, IL,J,MX)	25%
	10 20	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon: Heat treated	kg			
	25	With a diameter of less than 1.0 mm	kg			
	30	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	45	With a diameter of 1.5 mm or more	kg			
	60	Other: With a diameter of less than 1.0 mm	kg			
	75	With a diameter of 1.0 mm or more but less than 1.5 mm	kg			
	90	With a diameter of 1.5 mm or more	ka			
		Other wire		0.6%	Free (A+,CA,D,E,	25%

72-24						
Heading/	Stat.		Unit		Rates of Duty	
	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	1
7217 (con.)		Wire of iron or nonalloy steel (con.):				
7217.20		Plated or coated with zinc:				
7217.20.15	00	Flat wire	kg	0.5%	Free (A+,CA,D,E,	26%
					`IL,J,MX)	
		Round wire:				
7217.20.30	00	With a diameter of 1.5 mm or more and con-				
		taining by weight less than 0.25 percent of	l.		_ /:	
		carbon	kg	0.2%	Free (A+,CA,D,E,	7%
					IL,J,MX)	
7217.20.45		Othor		0.59/	Fron (A L CA D F	250/
1211.20.45		Other		0.5%	Free (A+,CA,D,E, IL,J,MX)	25%
		With a diameter of less than 1.0 mm:			IL,J,IVI∧)	
	10	Containing by weight less than 0.25				
	١٠	percent of carbon	kg			
		percent of carbon	'\9			
	20	Containing by weight 0.25 percent or				
		more but less than 0.6 percent of				
		carbon	kg			
		23.00	9	I		Ī
	30	Containing by weight 0.6 percent or		I		Ī
	-		kg			
			١			
		With a diameter of 1.0 mm or more but less				
		than 1.5 mm:				
	40	Containing by weight less than 0.25				
		percent of carbon	kg			
		·	l -			
	50	Containing by weight 0.25 percent or				
		more but less than 0.6 percent of				
		carbon	kg			
	60	Containing by weight 0.6 percent or				
		more of carbon	kg			
		With a diameter of 1.5 mm or more:				
	70	Containing by weight 0.25 percent or				
		more but less than 0.6 percent of				
		carbon	kg			
	80	Containing by weight 0.6 percent or	l.			
		more of carbon	kg			
		Other:				
7217.20.60	00	Containing by weight less than 0.25 percent of	Ι.	0.007	_	050/
		carbon	kg	0.6%	Free (A+,CA,D,E,	25%
					IL,J,MX)	
7047 00 75	00	Othor	l. a	0.50/		260/
7217.20.75	UU	Other	кд	0.5%	Free (A+,CA,D,E,	26%
					IL,J,MX)	
1	•			1		•

	X۷
2	25

Heading/	Stat.		Unit		Rates of Duty	72-2
Subheading	Stat. Suf-	Article Description	of		1	2
Juliouding	fix	. Adolo Bosonphon	Quantity	General	Special	1 ⁻
7217 (con.)		Wire of iron or nonalloy steel (con.):	,		·	
7217.30		Plated or coated with other base metals:				
7217.30.15		Flat wire		0.5%	Free (A+,CA,D,E,	26%
	30	Containing by weight 0.6 percent or more of			IL,J,MX)	
	30	carbon	kg			
			9			
	60	Other	kg			
7217.30.30	00	Round wire: With a diameter of 1.5 mm or more and con-				
1211.30.30	00	taining by weight less than 0.25 percent of				
		carbon	kg	0.2%	Free (A+,CA,D,E,	7%
					IL,J,MX)	
7217.30.45		Other		0.5%	Fron (A) CA D E	25%
7217.30.45		Other		0.5%	Free (A+,CA,D,E, IL,J,MX)	25%
	04	Containing by weight less than 0.20 percent			12,0,11111	
i		of carbon, and suitable for electric arc				
		welding	kg			
		Other:				
		With a diameter of less than 1.0 mm:				
	11	Containing by weight less than 0.25				
		percent of carbon	kg			
	20	Containing by weight 0.25 percent				
	20	or more but less than 0.6 percent				
		or carbon	kg			
	20	Containing burns into 0.00 and one				
	30	Containing by weight 0.6 percent or more of carbon	kg			
		With a diameter of 1.0 mm or more but				
		less than 1.5 mm:				
	41	Containing by weight less than 0.25				
		percent of carbon	kg			
	50	Containing by weight 0.25 percent				
		or more but less than 0.6 percent				
		of carbon	kg			
	60	Containing by weight 0.6 persont or				
	60	Containing by weight 0.6 percent or more of carbon	kg			
	90	With a diameter of 1.5 mm or more				
		Other:				
7217.30.60	00	Containing by weight less than 0.25 percent of	le m	0.60/		250/
		carbon	kg	0.6%	Free (A+,CA,D,E, IL,J,MX)	25%
					12,0,1077)	
7217.30.75	00	Other	kg	0.5%	Free (A+,CA,D,E,	26%
7047.00		Other			IL,J,MX)	
7217.90 7217.90.10	00	Other: Coated with plastics	ka	0.1%	Free (A+,CA,D,E,	2%
7217.50.10	00	Codica with plastics	Kg	0.170	IL,J,MX)	270
7217.90.50		Other		0.5%	Free (A+,CA,D,E,	35%
	30	Containing by weight less than 0.25 percent of			IL,J,MX)	
	30	carbon	kg			
			.5			
	60	Containing by weight 0.25 percent or more but	l.			
		less than 0.6 percent of carbon	kg			
	90	Containing by weight 0.6 percent or more of				
		carbon	kg			
			l -			
	l	I	I	I	ı	I

72-26						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	<u> </u>
		III. STAINLESS STEEL				
7040		Otable and the lite is made an effect of the second				
7218		Stainless steel in ingots or other primary forms; semi-				
7218.10.00	00	finished products of stainless steel: Ingots and other primary forms	ka	0.59/	Free (A+,CA,D,E,	29%
7216.10.00	UU		kg	0.5%	IL,J,MX)	29%
		Other:			IL,J,IVIX)	
7218.91.00		Of rectangular (other than square) cross-section		0.5%	Free (A+,CA,D,E,	29%
		g (`IL,J,MX)	
		Having a width less than four times the thick-			, ,	
		ness:				
	15	Having a cross-sectional area of less than				
		232 cm ²	kg			
	20	Having a serve and invalence of 000 and				
	30	Having a cross-sectional area of 232 cm ²	le ou			
	60	or more	kg			
	00	ness	kg			
7218.99.00		Other	'v9	0.5%	Free (A+,CA,D,E,	29%
. 210.00.00		Guioi		0.070	IL,J,MX)	1_0,0
		Of square cross section:			,•,,	
	15	Having a cross-sectional area of less than				
		232 cm ²	kg			
	30	Having a cross-sectional area of 232 cm ²				
		or more	kg			
	4-	Of circular cross section:				
	45	Having a cross-sectional area of less than	ka			
		232 cm ²	kg			
	60	Having a cross-sectional area of 232 cm ²				
	JU	or more	kg			
	90	Other				
	00	04101	Ng			
				•	•	1

ΧV	
72 27	

Heading/	Stat.	Article Decements	Unit		Rates of Duty	^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
219		Flat-rolled products of stainless steel, of a width of 600 mm		23.10141	e poolai	
		or more: Not further worked than hot-rolled, in coils:				
219.11.00		Of a thickness exceeding 10 mm		1%	Free (A+,CA,E,IL,	29%
	30	Of a width not exceeding 1575 mm	ka		J,MX)	
	60	Of a width exceeding 1575 mm	kg			
219.12.00		Of a thickness of 4.75 mm or more but not		1%	Free (A+,CA,E,IL,	29%
		exceeding 10 mm		1 70	J,MX)	2970
	02	Not annealed or not pickled	kg			
	06	Of high-nickel alloy steel	kg			
		Other:				
		Of a width of 1370 mm or more:				
	24	Of a thickness exceeding 6.8 mm:				
	21	Of a width not exceeding 1575 mm	kg			
	26					
	20	Of a width exceeding 1575 mm	kg			
	51	Other:				
	51	Of a width not exceeding 1575 mm	kg			
	56	Of a width exceeding				
	56	1575 mm	kg			
		Other:				
		Containing more than 0.5 percent by weight of nickel:				
	66	Containing more than 1.5				
		percent but less than 5 percent by weight of molybdenum	kg			
	74		_			
	71 81	Other				
219.13.00		Of a thickness of 3 mm or more but less than		1%		200/
		4.75 mm		1%	Free (A+,CA,E,IL, J,MX)	29%
	02	Not annealed or not pickled	kg		, ,	
	31	Other: Of a width of 1370 mm or more	kg			
		Other:				
		Containing more than 0.5 percent but				
	51	less than 24 percent by weight of nickel: Containing more than 1.5 percent				
	31	but less than 5 percent by weight				
		of molybdenum	kg			
	71	Other	kg			
219.14.00	81	OtherOf a thickness of less than 3 mm	kg	1%	Free (A+,CA,E,IL,	29%
210.14.00				1 70	J,MX)	2570
	30	Of a width of 1370 mm or more Other:	kg			
	65	Of high-nickel alloy steel				
	90	Other	kg			

72-28						
	Stat.	A. (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Overether	0	1	2
7010 /255 \	fix	Elet relied products of stainless steel of a width of CCC	Quantity	General	Special	
7219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or more (con.):				
		Not further worked than hot-rolled, not in coils:				
7219.21.00		Of a thickness exceeding 10 mm		1%	Free (A+,CA,E,IL,	29%
					J,MX)	
	05	Of high-nickel alloy steel	kg			
	20	Other: Of a width not exceeding 1575 mm	ka			
		C. a materior oxogoding 1070 mm	··•			
	40	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	60	Of a width exceeding 1880 mm	ka			
7219.22.00	00	Of a width exceeding 1880 film	Νg			
		exceeding 10 mm		1%	Free (A+,CA,E,IL,	29%
	٥-				J,MX)	
	05	Of high-nickel alloy steel	кд			
		Other: Containing more than 0.5 percent by weight				
		of nickel:				
		Containing more than 1.5 percent but				
		less than 5 percent by weight of				
	15	molybdenum: Of a width not exceeding				
	IJ	1575 mm	kg			
			3			
	20	Of a width exceeding 1575 mm but	l.			
		not exceeding 1880 mm	kg			
	25	Of a width exceeding 1880 mm	kg			
	_0	Other:	9			
	35	Of a width not exceeding				
		1575 mm	kg			
	40	Of a width exceeding 1575 mm but				
	- U	not exceeding 1880 mm	kg			
		_	_			
	45	Of a width exceeding 1880 mm	kg			
	70	Other: Of a width not exceeding 1575 mm	ka			
	70	Or a widin hot exceeding 1979 mm	λý			
	75	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	80	Of a width avacading 1990 mm	ka			
7219.23.00	οU	Of a width exceeding 1880 mm Of a thickness of 3 mm or more but less than	ky			
		4.75 mm		1%	Free (A+,CA,E,IL,	29%
		6. 1.11. 1.1	l.		`J,MX)	
	30 60	Of a width of 1370 mm or more	0			
7219.24.00	UU	Other Of a thickness of less than 3 mm	kg	1%	Free (A+,CA,E,IL,	29%
. 210.24.00		Cra montocc or loca than a min		. 70	J,MX)	
	30	Of a width of 1370 mm or more			· ′	
	60	Other	kg			
ı I				I		I

	ΧV
2	20

Heading/	Stat.		Unit	1	Rates of Duty	72
	Siai. Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
'219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm				
, ,		or more (con.):				
		Not further worked than cold-rolled (cold-reduced):		407	- /^	000/
219.31.00		Of a thickness of 4.75 mm or more		1%	Free (A+,CA,E,IL,	29%
	10	In coils	kg		J,MX)	
	50	Not in coils	kg			
219.32.00		Of a thickness of 3 mm or more but less than				
		4.75 mm		1%	Free (A+,CA,E,IL,	29%
		In coils:			J,MX)	
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	kg			
		Other:	Ü			
	20	Containing more than 0.5 percent				
		by weight of nickel	kg			
	25	Other	kg			
		Other	kg			
	35	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by weight of nickel:				
	36	Containing more than 1.5 per-				
		cent but less than 5 percent by				
		weight of molybdenum	kg			
	00	Others	1			
	38	Other Other:	kg			
	42	Containing less than 15 percent				
		by weight of chromium	kg			
	44	Other Not in coils:	kg			
	45	Of a width of 1370 mm or more	kg			
	60	Other	kg			

72-30						
Heading/	Stat.		Unit		Rates of Duty	
•	Suf-	Article Description	of		1	2
ĭ	fix	İ '	Quantity	General	Special	1
7219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm	,			
7210 (0011.)		or more (con.):				
		Not further worked than cold-rolled (cold-reduced)				
		(con.):				
7219.33.00		Of a thickness exceeding 1 mm but less than				
		3 mm		1%	Free (A+,CA,E,IL,	29%
					J,MX)	
		In coils:			, ,	
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	kg			
		Other:				
	20	Containing more than 0.5 percent				
		by weight of nickel	kg			
	25	Other	kg			
		Other:				
	35	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent				
	20	by weight of nickel:				ĺ
	36	Containing more than 1.5 per-				ĺ
		cent but less than 5 percent by	ka			
		weight of molybdenum	kg			
	38	Other	ka			
	30	Other:	ĸg			
	42	Containing less than 15 percent				
	72		kg			
		by weight of chilofillatif	Ng			
	44	Other	ka			
		Not in coils:	9			
	45	Of a width of 1370 mm or more	kg			
		Other:	1.9			
	70	Containing more than 0.5 percent but				
		less than 24 percent by weight of				
		nickel	kg			
	80	Other	kg			
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
						ĺ
					1	

	ΧV
70	21

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
7040 ()	fix	Flat called an adverte of other land of a width of COO come	Quantity	General	Special	
'219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm or more (con.):				
		Not further worked than cold-rolled (cold-reduced)				
		(con.):				
219.34.00		Of a thickness of 0.5 mm or more but not exceed-		1%	From (A L CA E II	29%
		ing 1 mm		170	Free (A+,CA,E,IL, J,MX)	29%
		In coils:			3 , ty	
	05	Of high-nickel alloy steel	kg			
		Other: Containing more than 0.5 percent by				
		weight of nickel:				
	20	Containing more than 1.5 percent				
		but less than 5 percent by weight of				
		molybdenum	kg			
	25	Other	ka			
		Other:	9			
	30	Containing less than 15 percent by				
		weight of chromium	kg			
	35	Other	ka			
	50	Not in coils	kg			
7219.35.00		Of a thickness of less than 0.5 mm		1%	Free (A+,CA,E,IL,	29%
		In coils:			JMX)	
		Containing more than 0.5 percent but less				
		than 24 percent by weight of nickel:				
	05	Containing more than 1.5 percent but				
		less than 5 percent by weight of	ka			
		molybdenum	кд			
	15	Other	kg			
		Other:	J			
	30	Containing less than 15 percent by	1			
		weight of chromium	kg			
	35	Other	kg			
	50	Not in coils	kg			
7219.90.00		Other		0.6%	Free (A+,CA,E,IL,	29%
	10	Of high-nickel alloy steel	ka		J,MX)	
	10	Other:	Ng			
		Containing more 0.5 percent by weight of nickels				
	20	Containing more than 1.5 percent but less	1			
		than 5 percent by weight of molybdenum	kg			
	25	Other	kg			
		Other:	_			
	60	Containing less than 15 percent by weight	ka			
		of chromium	kg			
	80	Other	kg			
				I	i]

72-32						
	Stat.	A. (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Unit		Rates of Duty	T -
Subheading	Suf-	Article Description	of	0	0	2
7000	fix	Flat will allow district of a fairly and a f	Quantity	General	Special	
7220		Flat-rolled products of stainless steel, of a width of less than 600 mm:				
]		Than 600 mm: Not further worked than hot-rolled:				
7220.11.00	00	Of a thickness of 4.75 mm or more	ka	1.1%	Free (A+,CA,E,IL,	29%
	-]		J,MX)	
7220.12		Of a thickness of less than 4.75 mm:	l		,	
7220.12.10	00	Of a width of 300 mm or more	kg	1%	Free (A+,CA,E,IL,	29%
					J,MX)	
7220.12.50	OΩ	Of a width of less than 300 mm	ka	1 2%	Free (A+,CA,E,IL,	34%
7220.12.00	00	Or a wider or look triain coo mini	ing	1.270	J,MX)	0470
7220.20		Not further worked than cold-rolled (cold-reduced):			,	
7220.20.10		Of a width of 300 mm or more		1%	Free (A+,CA,E,IL,	29%
		Containing more than 0.5 percent but less than			J,MX)	
		24 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less				
		than 5 percent by weight of molybdenum	kg			
	15	Othor	ka			
	15	Other	kg			
	60	Containing less than 15 percent by weight				
	- 0	of chromium	kg			
	80	Other	kg			
7220.20.60		Of a width of less than 300 mm: Of a thickness exceeding 1.25 mm		1.2%	Free (A+,CA,E,IL,	34%
, 220.20.00		Of a thiothics choccaling 1.20 IIIII		1.4/0	J,MX)	J-70
	05	Of high-nickel alloy steel	kg		-, ··· - ,	
		Other:				
		Containing more than 0.5 percent by				
	10	weight of nickel: Containing more than 1.5 percent				
	. 0	but less than 5 percent by weight				
		of molybdenum	kg			
	4-	Oth 2 in				
	15	Other	kg			
	60	Containing less than 15 percent by				
		weight of chromium	kg			
	80	Other	kg			
ı I				I	I	l l

	ΧV
^	22

-	Stat.	4.7.5	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
220 (con.)	IIX	Flat-rolled products of stainless steel, of a width of less	Quantity	General	Special	1
		than 600 mm (con.):				
'220.20		Not further worked than cold-rolled (cold-reduced)				
con.)		(con.): Of a width of less than 300 mm (con.):				
7220.20.70		Of a thickness exceeding 0.25 mm but not				
		exceeding 1.25 mm		1.1%	Free (A+,CA,E,IL,	34%
	05	Of high-nickel alloy steel	ka		J,MX)	
	03	Other:	ĸg			
		Containing more than 0.5 percent by				
	10	weight of nickel:				
	10	Containing more than 1.5 percent but less than 5 percent by weight				
		of molybdenum	kg			
	4-	Others				
	15	Other	kg			
	60	Containing less than 15 percent by				
		weight of chromium	kg			
	80	Other	ka			
	00	Of a thickness not exceeding 0.25 mm:	ĸy			
7220.20.80	00	Razor blade steel	kg	0.5%	Free (A+,CA,E,IL,	34%
					J,MX)	
7220.20.90		Other		0.8%	Free (A+,CA,E,IL,	34%
				0.070	J,MX)	0.70
	30	Containing more than 0.5 percent but				
		less than 24 percent by weight of nickel	ka			
			_			
	60	Other			_	
220.90.00		Other		0.6%	Free (A+,CA,E,IL, J,MX)	46%
		Containing more than 0.5 percent but less than			5,1017()	
		24 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than 5 percent by weight of molybdenum	kg			
		5 percent by weight of molybaenam	ĸy			
	15	Other	kg			
	60	Other:				
	60	Containing less than 15 percent by weight of chromium	kg			
			9			
	80	Other	kg			
				1		1

XV

72-34						
J	Stat.	Article Description	Unit		Rates of Duty	1 0
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7221.00.00	IIA	Bars and rods, hot-rolled, in irregularly wound coils, of	Quantity	General	Special	
7221.00.00		stainless steel		0.5% <u>1</u> / <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1/ 2</u> /	11% <u>1</u> / <u>2</u> /
	05	Of high-nickel alloy steel	kg			
	15	Of circular cross section: With a diameter of less than 14 mm	kg			
	30	With a diameter of 14 mm or more but less than 19 mm	kg			
	45 75	With a diameter of 19 mm or more Other	kg kg			
7222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel: Bars and rods, not further worked than hot-rolled, hot-				
7222.11.00		drawn or extruded: Of circular cross-section		1.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	29% <u>1</u> /
	05 50	Of high-nickel alloy steel	kg		_	
7222.19.00	05	Other		1.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	29% <u>1</u> /
7222.20.00	50	Other Bars and rods, not further worked than cold-formed or cold-finished	kg	1.1% 1/	Free (A+,CA,D,E,	29% 1/
	05	Of high-nickel alloy steel	kg	11.170 <u>1</u> 7	IL,J,MX) <u>1</u> /	2070 <u>11</u>
	45	With a maximum cross-sectional dimension of less than 18 mm	kg			
7000 00 00	75	With a maximum cross-sectional dimension of 18 mm or more	kg	4.407.47	5 (A. OA D 5	000/ 4/
7222.30.00 7222.40	00	Other bars and rods	kg	1.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	29% <u>1</u> /
7222.40.30		Hot-rolled, not drilled, not punched and not otherwise advanced		0.2% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	10% <u>1</u> /
	25 45	With a maximum cross-sectional dimension of 80 mm or more: Angles	kg kg			
	65 85	less than 80 mm:				
7222.40.60		Other		0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	28% <u>1</u> /

 $[\]underline{1}/$ See subheadings 9903.73.97 through 9903.74.06 $\underline{2}/$ See subheadings 9903.74.08 through 9903.74.16

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Quantity		1 Special	2
223.00	fix	Wire of stainless steel:	Quantity	General	Special	
223.00.10		Round wire		0.9% <u>1</u> /	Free (A+,CA,D,E,	34% <u>1</u> /
		With a discount of the state of 0.05 and		_	IL,J,MX) <u>1</u> /	_
	15	With a diameter of less than 0.25 mm	кд			
	30	With a diameter of 0.25 mm or more but less than				
		0.76 mm	kg			
	45	With a diameter of 0.76 mm or more but less than				
		1.52 mm	kg			
	60	With a diameter of 1.52 mm or more but less than				
		5.1 mm	kg			
	75	With a diameter of 5.1 mm or more	ka			
223.00.50		Flat wire	kg	0.3% <u>1</u> /	Free (A+,CA,D,E,	34% <u>1</u> /
				_	IL,J,MX) <u>1</u> /	
223.00.90	00	Other	ka	0.6% <u>1</u> /	Free (A+,CA,D,E,	34% <u>1</u> /
					IL,J,MX) <u>1</u> /	.,. <u>.,</u>

Annotated for Statistical Reporting Purposes

ΧV

•	Stat.	4.2.5	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
	IIX	IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND	Quantity	General	Special	
		RODS, OF ALLOY OR NONALLOY STEEL				
2004		Other alloyeteel in ingets or other primary forms, comi				
'224		Other alloy steel in ingots or other primary forms; semi- finished products of other alloy steel:				
224.10.00		Ingots and other primary forms		0.5%	Free (A+,CA,D,E,	28%
	٥٦	Of high mighted allow stood	l.a.		IL,J,MX)	
	05	Of high-nickel alloy steel	кд			
	45	Of tool steel				
2004.00.00	75	Other		0.50/ 4/	F=== (A : CA D F	000/ 4/
224.90.00		Other		0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	28% <u>1</u> /
	05	Of high-nickel alloy steel	kg		12,0,110.() 10	
		Other:				
		Of tool steel: Of rectangular (including square) cross				
		section:				
	15	Having a width less than four times the	l.a.			
		thickness	kg			
	25	Having a width at least four times the				
	35	thickness	kg			
	33	Other:	kg			
		Of rectangular (including square) cross				
	45	section: Having a width less than four times the				
	45	thickness	kg			
			Ĭ			
	55	Having a width at least four times the thickness	ka			
	65	Of circular cross section				
	75	Other	kg			
7225		Flat-rolled products of other alloy steel, of a width of				
		600 mm or more:				
7005 44 00	00	Of silicon electrical steel: Grain-oriented	lea.	0.60/		28%
7225.11.00	00	Grain-onemed	kg	0.6%	Free (A+,CA,D,E, IL,J,MX)	20%
7225.19.00	00	Other	kg	0.6% <u>2</u> /	Free (A+,CA,D,E,	28% <u>2</u> /
7225.20.00	00	Of high speed steel	ka	10/	IL,J,MX) <u>2</u> / Free (A+,CA,D,E,	32%
223.20.00	00	Of high-speed steel	kg	1 70	IL,J,MX)	32%
7225.30		Other, not further worked than hot-rolled, in coils:			,-, ,	
7225.30.10	00	Of a thickness of 4.75 mm or more: Of tool steel (other than high-speed steel)	ka	10/	Free (A+,CA,D,E,	29%
223.30.10	00	Or toor steer (other than high-speed steer)	kg	1 70	IL,J,MX)	2970
					, ,	222/2/
7225.30.30		Other		0.4% <u>3</u> /	Free (A+,CA,D,E, IL,J,MX) <u>3</u> /	28% <u>3</u> /
	05	Of high-nickel alloy steel	kg		1L,0,1VIX) <u>0</u> /	
	50	Other	kg			
225.30.50		Of a thickness of less than 4.75 mm: Of tool steel (other than high-speed steel)		1%	Free (A+,CA,D,E,	29%
		, , , , , , , , , , , , , , , , , , , ,		. , ,	IL,J,MX)	
	30	Of ball-bearing steel				
225.30.70	60 00	Other	kg ka	1% 3/	Free (A+,CA,D,E,	28% 3/
		2		· / · · <u>- ·</u> /	IL,J,MX) <u>3</u> /	

 $[\]underline{1}$ / See subheadings 9903.72.30 through 9903.72.48 $\underline{2}$ / See subheadings 9903.72.85 through 9903.73.04 $\underline{3}$ / See subheadings 9903.72.65 through 9903.72.82

Annotated for Statistical Reporting Purposes

XV

Heading/	Stat.		Unit		Rates of Duty	72
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
'225 (con.)		Flat-rolled products of other alloy steel, of a width of				
		600 mm or more (con.):				
225.40		Other, not further worked than hot-rolled, not in coils: Of a thickness of 4.75 mm or more:				
225.40.10		Of a trickness of 4.75 mm of more. Of tool steel (other than high-speed steel)		1%	Free (A+,CA,D,E,	29%
220.40.10		Or toor steer (other than high speed steer)		1 70	IL,J,MX)	2570
	15	Of ball-bearing steel	kg		,-, ,	
	90	Other			_	
225.40.30		Other		0.4% <u>1</u> /	Free (A+,CA,D,E,	28% <u>1</u> /
	05	Of high-nickel alloy steel	ka		IL,J,MX) <u>1</u> /	
	50	Other	kg			
		Of a thickness of less than 4.75 mm:				
225.40.50		Of tool steel (other than high-speed steel)		1%	Free (A+,CA,D,E,	29%
	20	Of hall has visas at a st	1		IL,J,MX)	
	30 60	Of ball-bearing steel				
225.40.70		Other	ka	1% 2/	Free (A+,CA,D,E,	28% 2/
			3	-	IL,J,MX) <u>2</u> /	
005.50		Other and foothers 1 141 14 14 14 14				
225.50		Other, not further worked than cold-rolled (cold-reduced):				
225.50.10		reduced): Of tool steel (other than high-speed steel)		1%	Free (A+,CA,D,E,	29%
220.00.10		or tool deed (other than high speed deed)		170	IL,J,MX)	2070
	30	Of ball-bearing steel			, , ,	
	60	Other	kg			
225.50.60	00	Other: Of a thickness of 4.75 mm or more	ka	0.69/ 1/	Free (A+,CA,D,E,	28% 1/
223.30.00	00		kg	0.6 % <u>1</u> /	IL,J,MX) <u>1</u> /	20% <u>1</u> /
		Of a thickness of less than 4.75 mm:			12,0,1000	
225.50.70	00	Heat-resisting steel	kg	0.4% <u>3</u> /	Free (A+,CA,D,E,	29% <u>3</u> /
					IL,J,MX) <u>3</u> /	
225.50.80		Other		0.4% 3/	Free (A+,CA,D,E,	28% 3/
223.30.00		Otilei		0.4 /6 <u>3</u> /	IL,J,MX) 3/	20 /0 <u>3</u> /
	10	Of high-nickel alloy steel	kg			
		Other:				
	15	Of a kind for use in making				
		aperture masks for cathode-ray tube video displays	ka			
		tubo vidoo diopidyo	''g			
	85	Other	kg			
		Other:				
225.91.00	00	Electrolytically plated or coated with zinc	кд	U.6% <u>4</u> /	Free (A,CA,E,IL,J, MX) 4/	28% <u>4</u> /
225.92.00	00	Otherwise plated or coated with zinc	ka	0.6% 4/	Free (A,CA,E,IL,J,	28% 4/
220.02.00				0.070 <u>II</u>	MX) 4/	2070 <u>-1</u> 7
225.99.00		Other		0.6% <u>4</u> /	Free (A,CA,E,IL,J,	28% <u>4</u> /
	40	Of high girling allowaters	1		MX) <u>4</u> /	
	10 90	Of high-nickel alloy steel				
	50	Outof	Ng .			

^{1/} See subheadings 9903.72.50 through 9903.72.62 2/ See subheadings 9903.72.65 through 9903.72.82 3/ See subheadings 9903.72.85 through 9903.73.04 4/ See subheadings 9903.73.07 through 9903.73.23

Annotated for Statistical Reporting Purposes

ΧV

U	Stat. Suf-	Artiala Description	Unit		Rates of Duty	2
Subheading	Sut- fix	Article Description	of Quantity	General	1 Special	2
226	IIX	Flat-rolled products of other alloy steel, of a width of less than 600 mm: Of silicon electrical steel:	Quantity	Control	Ороспан	
226.11 226.11.10	00	Grain-oriented: Of a width of 300 mm or more	kg	0.6%	Free (A+,CA,D,E, IL,J,MX)	28%
226.11.90		Of a width of less than 300 mm		0.7%	Free (A+,CA,D,E, IL,J,MX)	33%
226.19	30 60	Of thickness not exceeding 0.25 mm Other				
226.19.10		Of a width of 300 mm or more		_	Free (A+,CA,D,E, IL,J,MX) 1/	28% <u>1</u> /
226.19.90		Of a width of less than 300 mm Of high-speed steel		_	Free (A+,CA,D,E, IL,J,MX) <u>1/</u> Free (A+,CA,D,E,	33% <u>1</u> / 37%
226.91		Other: Not further worked than hot-rolled:	3		`IL,J,MX)´	
226.91.05	00	Of tool steel (other than high-speed steel): Of chipper knife steel	kg	Free		34%
226.91.15		Other: Of a width of 300 mm or more		1%	Free (A+,CA,D,E, IL,J,MX)	29%
226.91.25	30 60	Of ball-bearing steel Other	kg	1.2%	Free (A+,CA,D,E,	34%
	30 60	Of ball-bearing steel Other	kg kg		IL,J,MX)	
226.91.50	00	Other: Of a thickness of 4.75 mm or more	kg	0.4% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	28% <u>2</u> /
226.91.70	00	Of a thickness of less than 4.75 mm: Of a width of 300 mm or more	kg	1% <u>3</u> /	Free (A+,CA,D,E, IL,J,MX) <u>3</u> /	28% <u>3</u> /
226.91.80	00	Of a width of less than 300 mm	kg	0.6% <u>3</u> /	Free (A+,CA,D,E, IL,J,MX) <u>3</u> /	33% <u>3</u> /

 $[\]underline{1}$ / See subheadings 9903.72.85 through 9903.73.04 $\underline{2}$ / See subheadings 9903.72.50 through 9903.72.62 $\underline{3}$ / See subheadings 9903.72.65 through 9903.72.82

Annotated for Statistical Reporting Purposes

XV

•	Stat.		Unit		Rates of Duty	72-
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
'226 con.)		Flat-rolled products of other alloy steel, of a width of less than 600 mm (con.): Other (con.):				
226.92		Not further worked than cold-rolled (cold-reduced): Of tool steel (other than high-speed steel):				
226.92.10	30	Of a width of 300 mm or more Of ball-bearing steel		1%	Free (A+,CA,D,E, IL,J,MX)	0.4¢/kg + 29%
226.92.30	60	Other	ka	1.1%	Free (A+,CA,D,E,	34%
	30 60	Of ball-bearing steel	kg kg		IL,J,MX)	
226.92.50	00	Other: Of a width of 300 mm or more	kg	0.4% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	0.4¢/kg + 28% <u>1</u> /
226.92.70		Of a width of less than 300 mm: Of a thickness not exceeding		0.59/ 1/		
	05	0.25 mm		0.5% <u>I</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	33% <u>1</u> /
	50	steel	kg			
7226.92.80	05	Of a thickness exceeding 0.25 mm Of high-nickel alloy steel		0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	33% <u>1</u> /
226.93.00	50	Other Electrolytically plated or coated with zinc	kg	0.6% <u>2</u> /	Free (A+,CA,D,E,	33% <u>2</u> /
226.94.00	00	Otherwise plated or coated with zinc	kg	0.6% <u>2</u> /	IL,J,MX) <u>2</u> / Free (A+,CA,D,E,	33% <u>2</u> /
226.99.00	00	Other	kg	0.6% <u>2</u> /	IL,J,MX) <u>2</u> Free (A+,CA,D,E,	33% <u>2</u> /
					IL,J,MX) <u>2</u> /	

 $[\]begin{array}{l} \underline{1}/\ \text{See subheadings }9903.72.85\ \text{through }9903.73.04\\ \underline{2}/\ \text{See subheadings }9903.73.07\ \text{through }9903.73.23 \end{array}$

Annotated for Statistical Reporting Purposes

XV

Subheading Substitute Subheading Sub	72-40						
Table	Heading/	Stat.	Atticle Description	Unit		Rates of Duty	2
Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel: Of high-speed steel	Gubrieaurig		Attible Description	_	General	Special	<u> </u>
T227.10.00 Of high-speed steel	7227			,		·	
T227.20.00 Of silico-manganese steel	7007 40 00			1	0.50/		4.407
Articles described in U.S. Note 9 to subchapter III of Chapter 99 kg Articles described in the superior text to subheadings 9903.72.09 through 9903.72.15 kg Other: Of tool steel (other than high-speed steel): Not tempered, not treated, and not partly manufactured kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Of ball-bearing steel kg Other: Other: Of ball-bearing steel kg Other: Other: Other: Of ball-bearing steel kg Other: Other: Other: Other: Other: Other: Other: Other: Articles described in U.S. Note 9 to subchapter III of Chapter 99 kg Articles described in the superior text to subheadings 9903.72.15 kg Other: Not cold-formed kg Other Bars and rods, of other alloy steel; angles, shapes and sections, of other alloy steel; angles, shapes and sections, of other alloy steel. Not cold-formed kg With a maximum cross-sectional dimension of less than 18 mm kg With a maximum cross-sectional dimension of less than 18 mm more Bars and rods, of silico-manganese steel: Not cold-formed Not col	7227.10.00	00	Of nign-speed steel	кд	0.5%		14%
Subchapter III of Chapter 99 kg Articles described in the superior text to subheadings 9903.72.09 through 9903.72.15 kg	7227.20.00				0.4% <u>1</u> / <u>2</u> /	Free (A+,CA,E,IL, J,MX) <u>1</u> / <u>2</u>	10% <u>1</u> / <u>2</u> /
Subheadings 9903.72.09 through 9903.72.15		10		kg			
Other: Of tool steel (other than high-speed steel): Not tempered, not treated, and not partly manufactured 0.2% 2/ Free (A+, CA, D, E, IL, J, MX) 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/		20	subheadings 9903.72.09 through	kg			
Of tool steel (other than high-speed steel): Not tempered, not treated, and not partly manufactured		95	Other	kg			
Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, and not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, and not partly manufactured Not tempered, not treated, not partly manufactured Not manufactured Not tempered, not treated, not partly manufactured Not manufactured Not not treated, and not partly manufactured Not not treated, not partly manufactured Not not treated, not partly manufactured Not not treated, not partly manufactured Not not treated, not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not partly manufactured Not not part	7227.90						
Comparison of the content of the c	7227.90.10		Not tempered, not treated, and not partly		0.2% 2/	Fron (A+ CA D F	120/, 2/
11		30			0.2 % <u>2</u> /		1270 <u>2</u> 1
10	7007 55 -		Other	kg	0 40/ 5/	_	4.404.54
Other	7227.90.20	20			0.4% <u>2</u> /		11% <u>2</u> /
Other			Other	kg kg			
Other: Articles described in U.S. Note 9 to subchapter III of Chapter 99	227.90.60		Other		0.4% <u>1</u> / <u>2</u> /		10% <u>1</u> / <u>2</u> /
Subchapter III of Chapter 99 kg		05		kg			
Subheadings 9903.72.09 through 9903.72.15 kg		51		kg			
Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: Bars and rods, of high-speed steel		53	subheadings 9903.72.09 through	kg			
and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel: Bars and rods, of high-speed steel		59	Other	kg			
Not cold-formed Not cold-f			and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
10	7228.10.00		Bars and rods, of high-speed steel		1.2%		32%
30 With a maximum cross-sectional dimension of less than 18 mm		10		kg		,-,,	
With a maximum cross-sectional dimension of 18 mm or more		30	With a maximum cross-sectional dimension of	kg			
7228.20 Bars and rods, of silico-manganese steel: Kg 0.6% 2/ Free (A+,CA,D,E, IL,J,MX) 2/ 28% 2		60		ka			
7228.20.10 00 Not cold-formed	7228.20			۸y			
7228.20.50 00 Cold-formed	7228.20.10	00		kg	0.6% <u>2</u> /		28% <u>2</u> /
IL,J,MX) <u>3</u> /	7228.20.50	00	Cold-formed	kg	0.8% <u>3</u> /		28% <u>3</u> /

 $[\]underline{1}$ / See subheadings 9903.72.01 through 9903.72.15 $\underline{2}$ / See subheadings 9903.73.42 through 9903.73.52 $\underline{3}$ / See subheadings 9903.73.55 through 9903.73.62

XV 72 41

ŭ	Stat.		Unit		Rates of Duty	7:
	Suf-	Article Description	of		1	2
228 (con.)	fix	Others have and such as fastly and the standard and a such as all as a such	Quantity	General	Special	
228.30		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel (con.): Other bars and rods, not further worked than hot-rolled,				
		hot-drawn or extruded: Of tool steel (other than high-speed steel):			_	
228.30.20 228.30.40		Of ball-bearing steel			Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	29% <u>1</u> / 28%
			_			
228.30.60	00	Other	kg	1.1%	Free (A+,CA,D,E, IL,J,MX)	29%
228.30.80		Other		0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	28% <u>1</u> /
	05 50	Of high-nickel alloy steel	kg ka			
228.40.00		Other bars and rods, not further worked than forged	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	28% <u>1</u> /
228.50		Other bars and rods, not further worked than cold- formed or cold-finished:				
228.50.10		Of tool steel (other than high-speed steel)		1.1%	Free (A+,CA,D,E, IL,J,MX)	29%
	10	Of ball-bearing steel				
	20	Of round or rectangular cross section with surfaces ground, milled or polished	kg			
	40	Other	kg			
	60	With a maximum cross-sectional dimension of 18 mm or more: Of round or rectangular cross section with surfaces ground, milled or polished				
		·				
228.50.50	80	Other		0.8% <u>2</u> /	Free (A+,CA,D,E, IL,J,MX) <u>2</u> /	28% <u>2</u> /
	05 50	Of high-nickel alloy steel	kg kg		IL,5,1VIX) <u>2</u> /	
228.60 228.60.10		Other bars and rods: Of tool steel (other than high-speed steel)		1.1% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	29% <u>1</u> /
	30 60	Of ball-bearing steel			,,,,_	
	00	Other: Not cold-formed	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	28% <u>1</u> /
228.60.60						

 $[\]underline{1}/$ See subheadings 9903.73.42 through 9903.73.52 $\underline{2}/$ See subheadings 9903.73.55 through 9903.73.62

72-42						
•	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7228 (con.) 7228.70		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel (con.):				
7228.70.30		Angles, shapes and sections: Hot-rolled, not drilled, not punched and not otherwise advanced		0.2% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	10% <u>1</u> /
	20 40	With a maximum cross-sectional dimension of 76 mm or more: Angles	kg kg		. <u></u>	
	60 80	less than 76 mm: Angles	kg			
7228.70.60	00	Other	kg	0.5% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) <u>1</u> /	28% <u>1</u> /
7228.80.00	00	Hollow drill bars and rods	kg	0.6% <u>1</u> /	Free (A+,CA,D,E, IL,J,MX) 1/	30% <u>1</u> /
7229 7229.10.00	00	Wire of other alloy steel: Of high-speed steel	kg	1%	Free (A+,CA,D,E, IL,J,MX)	37%
7229.20.00		Of silico-manganese steel		0.9%	Free (A+,CA,D,E, IL,J,MX)	33%
7229.90	10 15 90	1.6 mm, containing by weight less than 0.20 percent of carbon, more than 0.9 percent of manganese, and more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper Other Other	kg			
7229.90.10	00	Flat wire	kg	0.6%	Free (A+,CA,D,E, IL,J,MX)	33%
7229.90.50		Round wire		0.9%	Free (A+,CA,D,E, IL,J,MX)	33%
	06 08 16	OtherOther:	Ü			
	31	With a diameter of 1.0 mm or more but less than 1.5 mm				
7229.90.90	51 00	With a diameter of 1.5 mm or more Other wire		0.6%	Free (A+,CA,D,E, IL,J,MX)	33%