Harmonized Tariff Schedule of the United States (2010) (Rev. 2)

Annotated for Statistical Reporting Purposes

CHAPTER 74

COPPER AND ARTICLES THEREOF

XV 74-1

Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85 percent by weight of copper; or

Metal containing at least 97.5 percent by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Eleme	int	Limiting content percent by weight	
Ag	Silver	0.25	
As	Arsenic	0.5	
Cd	Cadmium	1.3	
Cr	Chromium	1.4	
Mg	Magnesium	0.8	
РĎ	Lead	1.5	
S	Sulfur	0.7	
Sn	Tin	0.8	
Te	Tellurium	0.8	
Zn	Zinc	1	
Zr	Zirconium	0.3	
Other	elements*, each	0.3	

^{*} Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) The content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 2.5 percent.

(c) Master alloys

Alloys containing with other elements more than 10 percent by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in the metallurgy of nonferrous metals. However, copper phosphide (phosphor copper) containing more than 15 percent by weight of phosphorus falls in heading 2848.

Harmonized Tariff Schedule of the United States (2010) (Rev. 2)

Annotated for Statistical Reporting Purposes

XV 74-2

(d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire rod) or tubes, are, however, to be taken to be unwrought copper of heading 7403.

(e) Profiles

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width.

(g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7403), coiled or not, of solid rectangular (other than square) cross section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7409 and 7410 apply, <u>inter alia</u>, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, checkers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Harmonized Tariff Schedule of the United States (2010) (Rev. 2)

Annotated for Statistical Reporting Purposes

XV 74-3

Subheading Note

- 1. In this chapter the following expressions have the meanings hereby assigned to them:
 - (a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5 percent (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3 percent (see copper-tin alloys (bronzes)).
- (b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 percent or more the zinc content by weight may exceed that of tin but must be less than 10 percent.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 percent or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 percent of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

Additional U.S. Note

1. The deduction provided for in additional U.S. note 1 to chapter 26 shall apply to cement copper and copper precipitates of subheading 7401.20.

Statistical Note

I. For the purposes of this chapter, the term "beryllium copper master alloy" refers to master alloys which contain by weight at least 3 percent but not more than 10 percent beryllium.

2
60/
6%
6%
6%
6%
6%
6%
6%
6%
6%

Х	٧
71	_

	ا ا			•	D : (F :	74-5
•	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	Special	2
7404.00 7404.00.30		Copper waste and scrap: Spent anodes; waste and scrap with a copper content of less than 94 percent by weight		Free	·	6%
	20	Of refined copper	kg	11166		O /0
	45 55 65	Containing more than 0.3 percent of lead Other	kg			
7404.00.60	90 20	Other Other Of refined copper Of copper alloys:		Free		6%
	45 55 65 90	Of copper-zinc base alloys (brass):	kg			
7405.00 7405.00.10	00	Master alloys of copper: Containing by weight 5 percent or more but not more than 15 percent of phosphorus	kg	Free		12%
7405.00.60	30 50	Other	kg	Free		28%
7406 7406.10.00 7406.20.00	00 00	Copper powders and flakes: Powders of non-lamellar structure Powders of lamellar structure; flakes				49% 12%
7407 7407.10		Copper bars, rods and profiles: Of refined copper: Profiles:				
7407.10.15	00	Hollow profiles	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	48%
7407.10.30	00	Other	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	48%
7407.10.50		Bars and rods		1%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	7%
7407.21	10 50	Having a rectangular cross section Other				
7407.21.15	00	Hollow profiles	kg	2.2%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,	17%
7407.21.30	00	Other	kg	2.2%	MX,OM,P,PE,SG) Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
7407.21.50	00	Bars and rods: Low fuming brazing rods	kg	2.2%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	9%
7407.21.70	00	Other: Having a rectangular cross section	kg	1.9%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	9%
7407.21.90	00	Other	kg	2.2%	Free (A*,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	9%

74-6						
	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
'407		Copper bars, rods and profiles (con.):				
7407.00		Of copper alloys (con.): Other:				
407.29		Profiles:				
407.29.16		Hollow		3%	Free (A,AU,BH,CA,	48%
407.20.10		Tionow		070	CL,E,IL,J,JO,MA,	4070
					MX,OM,P,PE,SG)	
	10	Of copper-nickel base alloys				
		(cupro-nickel) or copper-nickel-zinc				
		base alloys (nickel silver)	kg			
	80	Other	ka			
	00	Otilei	Ng .			
		Other:				
407.29.34	00	Of copper-nickel base alloys				
		(cupro-nickel) or copper-nickel-zinc				
		base alloys (nickel silver)	kg	3%	Free (A*,AU,BH,	48%
					CA,CL,E,IL,J,JO,	
					MA,MX,OM,	
407.29.38	00	Other	ka	3%	P,PE,SG) Free (A,AU,BH,	48%
407.29.30	00	Oulei	kg	370	CA,CL,E,IL,J,JO,	40 /0
					MA,MX,OM,	
					P,PE,SG)	
407.29.40	00	Bars and rods of copper-nickel base alloys				
		(cupro-nickel) or copper-nickel-zinc base	l.	00/	- /4 411 511 64	4007
		àlloys (nickel silver)	kg	3%	Free (A,AU,BH,CA,	48%
					CL,È,IL,J,JO,MA, MX,OM,P,PE,SG)	
					IVIX,OIVI,F,FL,3G)	
407.29.50	00	Other bars and rods	ka	1.6%	Free (A,AU,BH,CA,	9%
					CL,È,IL,J,JO,MA,	- 7
					MX,OM,P,PE,SG)	
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				ĺ		
				1		
				I		

Х	٧
71	7

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Overtity	0	1	2
7.400	fix	Commonwide	Quantity	General	Special	
' 408		Copper wire: Of refined copper:				
7408.11		Of which the maximum cross-sectional dimension				
		exceeds 6 mm:				
408.11.30	00	With a maximum cross-sectional dimension	l	40/	F=== (A ALL DLL CA	70/
		over 9.5 mm	kg	1%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,	7%
					MX,OM,P,PE,SG)	
408.11.60	00	With a maximum cross-sectional dimension				
		over 6 mm but not over 9.5 mm	kg	3%	Free (A*,AU,BH,	28%
					CA,CL,E,IL,J,JO,	
					MA,MX,OM, P,PE,SG)	
					1,12,00)	
7408.19.00	00	Other	kg	3%	Free (A*,AU,BH,	28%
					CA,CL,E,IL,J,JO,	
					MA,MX,OM, P,PE,SG)	
		Of copper alloys:			F,FE,3G)	
408.21.00	00	Of copper-zinc base alloys (brass)	kg	3%	Free (A,AU,BH,CA,	28%
		• • • •	1		CL,E,IL,J,JO,MA,	
408.22		Of copper-nickel base alloys (cupro-nickel) or			MX,OM,P,PE,SG)	
408.22		copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):				
408.22.10	00	Coated or plated with metal	kg	3%	Free (A,AU,BH,CA,	28%
		'	J		CL,E,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	
7408.22.50	00	Not coated or plated with metal	ka	20/	Free (A,AU,BH,CA,	200/
400.22.30	00	Not coated of plated with metal	kg	3%	CL,E,IL,J,JO,MA,	20%
					MX,OM,P,PE,SG)	
408.29		Other:			·	
408.29.10	00	Coated or plated with metal	kg	3%	Free (A,AU,BH,CA,	28%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
7408.29.50	00	Not coated or plated with metal	ka	3%	Free (A,AU,BH,CA,	28%
		'			CL,E,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	

74-8	I 0 .		11.5	1	D	
Heading/	Stat.	Article Describetion	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7409		Copper plates, sheets and strip, of a thickness exceeding			-,	
		0.15 mm:				
7409.11		Of refined copper: In coils:				
7409.11	00	Of a thickness of 5 mm or more	ka	3%	Free (A,AU,BH,CA,	38%
					CL,È,IL,J,JO,MA,	3373
					MX,OM,P,PE,SG)	
7409.11.50		Of a thickness of less than 5 mm		1%	Free (A*,AU,BH,	7.5%
7-100.11.00		Of a tillottices of loos than 6 min		170	CA,CL,E,IL,J,JO,	7.070
ì					MA,MX,OM,	
ì	10	Of a width of 500 mm or more	ka		P,PE,SG)	
	50	Of a width of less than 500 mm	kg			
7409.19		Other:				
7409.19.10	00	Of a thickness of 5 mm or more	kg	3%	Free (A,AU,BH,CA,	48%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
		Of a thickness of less than 5 mm:			,	
7409.19.50	00	Of a width of 500 mm or more	kg	1%	Free (A,AU,BH,CA,	7.5%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
7409.19.90	00	Of a width of less than 500 mm	kg	3%	Free (A,AU,BH,CA,	48%
					CL,É,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	
		Of copper-zinc base alloys (brass):				
7409.21.00		In coils		1.9%	Free (A*,AU,BH,	9%
					CA,CL,E,IL,J,JO,	
					MA,MX,OM, P,PE,SG)	
	10	Of a thickness of 5 mm or more	kg		1,1 =,00,	
		Of a thickness of less than 5 mm:				
	50	Of a width of 500 mm or more	kg			
	75	Of a thickness less than 1.6 mm	kg			
	90	Other	kg			
7409.29.00		Other		1.9%	Free (A,AU,BH,CA,	9%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
	10	Of a thickness of 5 mm or more	kg		, 5,. ,. 2,00/	
	F ^	Of a thickness of less than 5 mm:	lea.			
	50	Of a width of 500 mm or more Of a width of less than 500 mm:	кд			
	75	Of a thickness less than 1.6 mm	kg			
	90	Other	kg			
,						
	l			1	Í	

	Х	٧
7	4	^

Heading/	Stat.		Unit	I	Rates of Duty	74-9
_	Stat. Suf-	Article Description	of		1	2
3	fix		Quantity	General	Special	1
7409 (con.)		Copper plates, sheets and strip, of a thickness exceeding				
		0.15 mm (con.): Of copper-tin base alloys (bronze):				
7409.31		In coils:				
7409.31.10	00	Of a thickness of 5 mm or more	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
		Of a thickness of less than 5 mm:			IVIX,OIVI,I ,I L,OO)	
7409.31.50	00	Of a width of 500 mm or more	. kg	1.7%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	9%
7409.31.90	00	Of a width of less than 500 mm	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	49%
7409.39		Other:			IVIX,OIVI,I ,I L,OO)	
7409.39.10		Of a thickness of 5 mm or more		3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	49%
	30	Of phosphor bronze	kg		, , , , , , , , , , , , , , , , , , , ,	
	60	Other	Cu kg ka			
	00		Cu kg			
7400 00 50	00	Of a thickness of less than 5 mm:		4.70/	Free (A ALLELLO)	00/
7409.39.50	00	Of a width of 500 mm or more	kg	1.7%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,	9%
					MX,OM,P,PE,SG)	
7409.39.90		Of a width of less than 500 mm		3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,	49%
	30	Of phosphor bronze	kg		MX,OM,P,PE,SG)	
			Cu kg			
	60	Other	kg Cu kg			
7409.40.00	00	Of copper-nickel base alloys (cupro-nickel) or copper-				
		nickel-zinc base alloys (nickel silver)	. kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
7409.90 7409.90.10		Of other copper alloys: Of a thickness of 5 mm or more		3%	Free (A,AU,BH,CA,	
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	.676
	30	Of beryllium copper			,	
	60	Other	Cu kg kg			
	00		Cu kg			
7400 00 50		Of a thickness of less than 5 mm:		4.70/	F (A ALLELI CA	00/
7409.90.50		Of a width of 500 mm or more		1.7%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,	9%
	20	Of hondlines access	l ka		MX,OM,P,PE,SG)	
	30	Of beryllium copper	kg Cu kg			
	60	Other	. kg			
7409.90.90		Of a width of less than 500 mm	Cu kg	3%	Free (A,AU,BH,CA,	10%
7409.90.90		Of a width of less than 500 mm.		3%	CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	49%
	30	Of beryllium copper	kg .		, , , , , , , , , , , , , , , , , , , ,	
	60	Other	Cu kg			
	υO	Other	kg Cu kg			
i	l		I	I	I	l l

74-10						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7410		Copper foil (whether or not printed or backed with paper,				
		paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.15 mm:				
		Not backed:				
7410.11.00	00	Of refined copper	kg	1%	Free (A,AU,BH,CA,	6.5%
		''			CL, É, IL, J, JO, MA,	
					MX,OM,P,PE,SG)	
7410.12.00		Of copper alloys		1%	Free (A,AU,BH,CA,	6.5%
					CL,É,IL,J,JO,MA, MX,OM,P,PE,SG)	
	30	Of copper-zinc base alloys (brass)	ka		1007,0101,1 ,1 2,007	
	60	Other				
		Backed:				
7410.21		Of refined copper:		00/	F (A ALLELLOA	000/
7410.21.30		Copper clad laminates		3%	Free (A,AU,BH,CA,	80%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
		Having a base wholly of plastics			10/X,O101,1 ,1 L,00)	
		impregnated glass:				
	20	Having copper on one side only	m²			
			kg			
	40	Having copper on both sides				
	60	Other	kg m²			
	00	Other	kg			
7410.21.60	00	Other	kg	1.5%	Free (A,AU,BH,CA,	6%
					CL,E,IL,J,JO,MA,	
744000000		0, "	l .	4 50/	MX,OM,P,PE,SG)	00/
7410.22.00	00	Of copper alloys	kg	1.5%	Free (A,AU,BH,CA,	6%
					CL,É,IL,J,JO,MA, MX,OM,P,PE,SG)	
					1017,0101,1 ,1 2,00)	
7411		Copper tubes and pipes:				
7411.10		Of refined copper:				
7411.10.10		Seamless		1.5%	Free (A,AU,BH,CA,	13%
					CL,E,IL,J,JO,MA,	
	30	Having an outside diameter of 6 mm or more			MX,OM,P,PE,SG)	
	50	but not exceeding 16 mm, in coils on spools	kg			
			ľ			
	90	Other				
7411.10.50	00	Other	kg	3%	Free (A,AU,BH,CA,	47%
					CL,E,IL,J,JO,MA,	
		Of copper alloys:			MX,OM,P,PE,SG)	
7411.21		Of copper-zinc base alloys (brass):				
7411.21.10	00	Seamless	kg	1.4%	Free (A,AU,BH,CA,	10%
					CL,E,IL,J,JO,MA,	
7444 04 50	00	Othor		20/	MX,OM,P,PE,SG)	400/
7411.21.50	00	Other	kg	3%	Free (A,AU,BH, CA,CL,E,IL,J,JO,	49%
					MA,MX,OM,	
					P,PE,SG)	
7411.22.00	00	Of copper-nickel base alloys (cupro-nickel) or			,	
		copper-nickel-zinc base alloys (nickel-silver)	kg	3%	Free (A,AU,BH,CA,	47%
					CL,E,IL,J,JO,MA,	
7411.29		Other:			MX,OM,P,PE,SG)	
7411.29	00	Seamless	kg	1.4%	Free (A,AU,BH,CA,	10%
				,	CL,E,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	
			1.		,	
7411.29.50	00	Other	kg	3%	Free (A,AU,BH,CA,	49%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
					IVIA,OIVI,F,PE,SG)	
	l	I	I	l	I	l

		Χ	٧
,	4	4	4

Heading/	Stat.		Unit	Rates of Duty		
	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7412		Copper tube or pipe fittings (for example couplings, elbows,				
7412.10.00	00	sleeves): Of refined copper	kg	3%	Free (A,B,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	46%
7412.20.00		Of copper alloys		3%	Free (A,B,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	49%
	15	For brake hoses for vehicles of subheading 8701.20 or heading 8702, 8703, 8704, or 8705 Other:	kg		1,12,00)	
	25	Of copper-zinc base alloys (brass): Threaded:	kg			
	35 45	Other	kg			
	65 85 90	Nipples	kg			
7413.00		Stranded wire, cables, plaited bands and the like, including slings and similar articles, of copper, not electrically insulated:				
413.00.10	00	Not fitted with fittings and not made up into articles: Stranded wire	kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	35%
7413.00.50	00	Other	kg	2%	Free (A*,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM,P, PE,SG)	35%
413.00.90	00	Fitted with fittings or made up into articles	kg	3%	Free (A*,AU,B,BH, C,CA,CL,E,IL,J, JO,MA,MX,OM, P,PE,SG)	45%

XV

74-12						
	Stat.		Unit	Rates of Duty		
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7415	IIX	Nails, tacks, drawing pins, staples (other than those of	Quantity	General	Special	
7415.7415.10.00	00	heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of copper: Nails and tacks, drawing pins, staples and similar articles	kg	2.5%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
7415.21.00	00	Other articles, not threaded: Washers (including spring washers)	kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	45%
7415.29.00	00	Other	kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	45%
7415.33 7415.33.05	00	Other threaded articles: Screws, bolts and nuts: Screws for wood	kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM,	45%
7415.33.10	00	Muntz or yellow metal bolts	kg	1.4%	P,PE,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM,	7%
7415.33.80		Other screws and bolts; nuts		3%	P,PE,SG) Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM,	45%
	10	Having shanks, threads or holes 6 mm or more in diameter	kg		P,PE,SG)	
	50		kg			
7415.39.00	00	Other	kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	45%

		ΧV
7	4	40

	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of Quantity	Canari	1	2
7.4.4.0	fix	Table litely an another bound and actions and mosts	Quantity	General	Special	
' 418		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or				
		polishing pads, gloves and the like, of copper; sanitary				
		ware and parts thereof, of copper:				
		Table, kitchen or other household articles and parts				
		thereof; pot scourers and scouring or polishing pads,				
		gloves and the like:				
7418.11		Pot scourers and scouring or polishing pads, gloves				
418.11.20	00	and the like: Of copper-zinc base alloys (brass)	ka	20/	Free (A,AU,BH,CA,	400/
410.11.20	00	Or copper-zinc base alloys (brass)	kg	3%	CL,E,IL,J,JO,MA,	40%
					MX,OM,P,PE,SG)	
7418.11.40	00	Other	kg	3%	Free (A,AU,BH,CA,	40%
			J		CL,E,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	
418.19		Other:		00/	- // // 5// 6/	=00/
418.19.10	00	Coated or plated with precious metals	kg	3%	Free (A,AU,BH,CA,	50%
					CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	
		Other:			IVIX,OIVI,F,FL,3G)	
418.19.21		Of copper-zinc base alloys (brass)		3%	Free (A,AU,BH,CA,	40%
					CL,E,IL,J,JO,MA,	
	١.				MX,OM,P,PE,SG)	
	10	Cooking or heating apparatus of a kind				
		used for domestic purposes, non-	l.a.			
	30	electric and parts thereof Cooking and kitchen ware	kg			
	50	Other	kg ka			
418.19.51	00	Other		3%	Free (A,AU,BH,CA,	40%
					CL,E,IL,J,JO,MA,	1070
					MX,OM,P,PE,SG)	
	10	Cooking or heating apparatus of a kind				
		used for domestic purposes, non-	l.a.			
	30	electric and parts thereof Cooking and kitchen ware	kg No			
	30	Cooking and kitchen ware	kg			
	50	Other				
7418.20		Sanitary ware and parts thereof:	•			
7418.20.10	00	Of copper-zinc base alloys (brass)	kg	3%	Free (A,AU,BH,CA,	40%
					CL,E,IL,J,JO,MA,	
					MX,OM,P,PE,SG)	
7418.20.50	00	Other	ka	30/2	Free (A,AU,BH,CA,	40%
410.20.50	00	Outof	Ng	370	CL,E,IL,J,JO,MA,	4070
					MX,OM,P,PE,SG)	
					,	
]
]
]
]
]
						1

74-14 Heading/ Stat. Unit Rates of Duty								
Stat.	And to December 1	Unit	Rates of Duty					
	Article Description		General	1 Special	2			
111	Other articles of copper:	Quantity	General	Оресіаі				
00	Chain and parts thereof	kg	3%	Free (A,B,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	45%			
	Cast, molded, stamped or forged, but not further worked		Free		46%			
10	Brass plumbing goods, not elsewhere specified or included	kg			.070			
50	Other: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper:	kg						
00	Fourdrinier wires, seamed or not seamed, suitable for use in paper-making machines, with 94 or more wires to the lineal centimeter.	m ²	Free		75%			
		kg						
00	Other		3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)				
60	seamed, suitable for use in paper- making machines, with fewer than 94 or more wires to the lineal	m²						
80	Other	kg m² kg						
00	Other	kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	43%			
00	Containers of a kind normally carried on the person, in the pocket or in the handbag	doz	3%	Free (AU,BH,CA,D, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)				
00		kg	3%	Free (A,AU,B,BH, CA,CL,E,IL,J,JO, MA,MX,OM, P,PE,SG)	45%			
00		kg	3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA,				
10	Other	kg	Free	MX,OM,P,PE,SG)	46%			
50	Other	kg						
	Suf-fix 00 10 50 00 00 10 10	Suf- fix Other articles of copper: Chain and parts thereof. Other: Cast, molded, stamped or forged, but not further worked. Brass plumbing goods, not elsewhere specified or included. Other: Other: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper: Cloth: Fourdrinier wires, seamed or not seamed, suitable for use in paper-making machines, with 94 or more wires to the lineal centimeter. Other. Other. Fourdrinier wires, seamed or not seamed, suitable for use in paper-making machines, with fewer than 94 or more wires to the lineal centimeter. Other. Other. Other. Other. Other. Other. Other: Coated or plated with precious metal. Other. Brass plumbing goods not elsewhere specified or included.	Suf- fix Other articles of copper: Chain and parts thereof	Suffix	Suffix Article Description Other articles of copper: Chain and parts thereof Chain and parts thereof Other: Cast, molded, stamped or forged, but not further worked Other: Cast, molded, stamped or forged, but not further worked Other: Cast, molded, stamped or forged, but not further worked Other: Cast, molded, stamped or forged, but not further worked Other: Cast, molded, stamped or forged, but not further worked Other: Clast, molded, stamped or forged, but not further worked Other: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper: Cloth: Cloth (including endless bands), grill and netting, of copper wire; expanded metal of copper: Cloth: Foundrinier wires, seamed or not seamed, suitable for use in paper-making machines, with fever than 40 or more wires to the lineal centimeter Other: Other: Other: Other: Other: Containers of a kind normally carried on the person, in the pocket or in the handbag Other: Copper springs kg 3% Free (A,AU,B,H,CA,C,LE,IL,J,JO,MA,MX,OM,P,PE,SG) Free (A,AU,B,B,H,CA,C,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Other: Coated or plated with precious metal kg 3% Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Other: Coated or plated with precious metal kg 3% Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG) Free (A,AU,B,LCA,D,C,LE,IL,J,JO,MA,MX,CM,P,PE,SG)			