Annotated for Statistical Reporting Purposes

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

XV-1

Notes

- 1. This section does not cover:
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
 - (b) Ferrocerium or other pyrophoric alloys (heading 3606);
 - (c) Headgear or parts thereof of heading 6506 or 6507;
 - (d) Umbrella frames or other articles of heading 6603;
 - (e) Goods of chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewelry);
 - (f) Articles of section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 8608) or other articles of section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of section XVIII, including clock or watch springs;
 - (ij) Lead shot prepared for ammunition (heading 9306) or other articles of section XIX (arms and ammunition);
 - (k) Articles of chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (I) Articles of chapter 95 (for example, toys, games, sports equipment);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of chapter 97 (for example, works of art).
- Throughout the tariff schedule, the expression "parts of general use" means:
 - (a) Articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metals;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
 - (c) Articles of heading 8301, 8302, 8308 or 8310 and frames and mirrors, of base metal, of heading 8306.

In chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to note 1 to chapter 83, the articles of chapter 82 or 83 are excluded from chapters 72 to 76 and 78 to 81.

- 3. Throughout the schedule, the expression "<a href="base metals" means: iron and steel, copper, nickel, aluminum, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
- 4. Throughout the schedule, the term "cermets" means products containing a microscopic heterogeneous combination of a metallic component and a ceramic component. The term "cermets" includes sintered metal carbides (metal carbides sintered with a metal).
- 5. Classification of alloys (other than ferroalloys and master alloys as defined in chapters 72 and 74):
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals.
 - (b) An alloy composed of base metals of this section and of elements not falling within this section is to be treated as an alloy of base metals of this section if the total weight of such metals equals or exceeds the total weight of the other elements present.
 - (c) In this section the term "alloys" includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.

Annotated for Statistical Reporting Purposes

XV-2

- 6. Unless the context otherwise requires, any reference in the tariff schedule to a base metal includes a reference to alloys which, by virtue of note 5 above, are to be classified as alloys of that metal.
- 7. Classification of composite articles:

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the General Rules of Interpretation) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose:

- (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
- (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of note 5, it is classified; and
- (c) A cermet of heading 8113 is regarded as a single base metal.
- 8. In this section, the following expressions have the meanings hereby assigned to them:
 - (a) Waste and scrap

Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.

(b) Powders

Products of which 90 percent or more by weight passes through a sieve having a mesh aperture of 1 mm.

Additional U.S. Note

1. For the purposes of this section, the term "unwrought" refers to metal, whether or not refined, in the form of ingots, blocks, lumps, billets, cakes, slabs, pigs, cathodes, anodes, briquettes, cubes, sticks, grains, sponge, pellets, flattened pellets, rounds, rondelles, shot and similar manufactured primary forms, but does not cover rolled, forged, drawn or extruded products, tubular products or cast or sintered forms which have been machined or processed otherwise than by simple trimming, scalping or descaling.

Annotated for Statistical Reporting Purposes

CHAPTER 72

IRON AND STEEL

XV 72-1

Notes

1. In this chapter and, in the case of notes (d), (e) and (f) below throughout the tariff schedule, the following expressions have the meanings hereby assigned to them:

(a) Pig iron

Iron-carbon alloys not usefully malleable, containing more than 2 percent by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10 percent of chromium
- not more than 6 percent of manganese
- not more than 3 percent of phosphorus
- not more than 8 percent of silicon
- a total of not more than 10 percent of other elements.

(b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6 percent but not more than 30 percent of manganese and otherwise conforming to the specification at (a) above.

(c) Ferroalloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4 percent or more of the element iron and one or more of the following:

- more than 10 percent of chromium
- more than 30 percent of manganese
- more than 3 percent of phosphorus
- more than 8 percent of silicon
- a total of more than 10 percent of other elements, excluding carbon, subject to a maximum content of 10 percent in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2 percent or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless steel

Alloy steels containing, by weight 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements.

Annotated for Statistical Reporting Purposes

XV 72-2

(f) Other alloy steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3 percent or more of aluminum
- 0.0008 percent or more of boron
- 0.3 percent or more of chromium
- 0.3 percent or more of cobalt
- 0.4 percent or more of copper
- 0.4 percent or more of lead
- 1.65 percent or more of manganese
- 0.08 percent or more of molybdenum
- 0.3 percent or more of nickel
- 0.06 percent or more of niobium
- 0.6 percent or more of silicon.
- 0.05 percent or more of titanium
- 0.3 percent or more of tungsten (wolfram)
- 0.1 percent or more of vanadium
- 0.05 percent or more of zirconium
- 0.1 percent or more of other elements (except sulfur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting scrap ingots of iron or steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or ferroalloys.

(h) Granules

Products of which less than 90 percent by weight passes through a sieve with a mesh aperture of 1 mm and of which 90 percent or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semifinished products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and

Other products of solid section, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils.

Annotated for Statistical Reporting Purposes

XV 72-3

(k) Flat-rolled products

Rolled products of solid rectangular (other than square) cross section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of a width measuring at least 10 times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, checkers, tears, buttons, lozenges) and those which have been perforated, corrugated or polished, provided that they do not thereby assume the character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(I) Bars and rods, hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other bars and rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods);
- be twisted after rolling.

(n) Angles, shapes and sections

Products having a uniform solid cross section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, of any uniform solid cross section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow drill bars and rods

Hollow bars and rods of any cross section, suitable for drills, of which the greatest external dimension of the cross section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

- 2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.
- 3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified according to their form, their composition and their appearance, in the headings of this chapter appropriate to similar hot-rolled products.

Annotated for Statistical Reporting Purposes

XV 72-4

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy pig iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2 percent of chromium
- more than 0.3 percent of copper
- more than 0.3 percent of nickel
- more than 0.1 percent of any of the following elements: aluminum, molybdenum, titanium, tungsten (wolfram), vanadium.

(b) Nonalloy free-cutting steel

Nonalloy steel containing by weight one or more of the following elements in the specified proportions:

- 0.08 percent or more of sulfur
- 0.1 percent or more of lead
- more than 0.05 percent of selenium
- more than 0.01 percent of tellurium
- more than 0.05 percent of bismuth.

(c) Silicon electrical steel

Alloy steels containing by weight at least 0.6 percent but not more than 6 percent of silicon and not more than 0.08 percent of carbon. They may also contain by weight not more than 1 percent of aluminum but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) <u>High-speed steel</u>

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7 percent or more, 0.6 percent or more of carbon and 3 to 6 percent of chromium.

(e) Silico-manganese steel

Alloy steels containing by weight:

- not more than 0.7 percent of carbon,
- 0.5 percent or more but not more than 1.9 percent of manganese, and
- 0.6 percent or more but not more than 2.3 percent of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.
- 2. For the classification of ferroalloys in the subheadings of heading 7202 the following rule should be observed:

A ferroalloy is considered as binary and classified under the relevant subheading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in chapter note 1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule, the unspecified "other elements" referred to in chapter note 1(c) must each exceed 10 percent by weight.

Annotated for Statistical Reporting Purposes

XV 72-5

Additional U.S. Notes

1. For the purposes of the tariff schedule the following expressions have the meanings hereby assigned to them:

(a) High-strength steel

Flat-rolled products of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa.

(b) Universal mill plate

Flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1,250 mm and of thickness of not less than 4 mm, not in coils and without patterns in relief.

(c) Concrete reinforcing bars and rods

Hot-rolled bars and rods containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling.

(d) Razor blade steel

Flat-rolled products of stainless steel not over 0.25 mm in thickness and not over 23 mm in width, and containing by weight not over 14.7 percent of chromium, certified at the time of entry to be used in the manufacture of razor blades.

(e) Tool steel

Alloy steels which contain the following combinations of elements in the quantity by weight respectively indicated:

- (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or
- (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or
- (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or
- (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or
- (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or
- (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

(f) Chipper knife steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.48 nor more than 0.55 percent of carbon;
- (ii) not less than 0.2 nor more than 0.5 percent of manganese;
- (iii) not less than 0.75 nor more than 1.05 percent of silicon;
- (iv) not less than 7.25 nor more than 8.75 percent of chromium;
- (v) not less than 1.25 nor more than 1.75 percent of molybdenum;
- (vi) none, or not more than 1.75 percent of tungsten; and
- (vii) not less than 0.2 nor more than 0.55 percent of vanadium.

(g) Heat-resisting steel

Alloy steels containing by weight less than 0.3 percent of carbon and 4 percent or more but less than 10.5 percent of chromium.

Annotated for Statistical Reporting Purposes

XV 72-6

(h) Ball-bearing steel

Alloy tool steels which contain, in addition to iron, each of the following elements by weight in the amount specified:

- (i) not less than 0.95 nor more than 1.13 percent of carbon;
- (ii) not less than 0.22 nor more than 0.48 percent of manganese;
- (iii) none, or not more than 0.03 percent of sulfur;
- (iv) none, or not more than 0.03 percent of phosphorus;
- (v) not less than 0.18 nor more than 0.37 percent of silicon;
- (vi) not less than 1.25 nor more than 1.65 percent of chromium;
- (vii) none, or not more than 0.28 percent of nickel;
- (viii) none, or not more than 0.38 percent of copper; and
- (ix) none, or not more than 0.09 percent of molybdenum.
- 2. For the purposes of this chapter, unless the context provides otherwise, the term "further worked" refers to products subjected to any of the following surface treatments: polishing and burnishing; artificial oxidation; chemical surface treatments such as phosphatizing, oxalating and borating; coating with metal; coating with nonmetallic substances (e.g., enameling, varnishing, lacquering, painting, coating with plastics materials); or cladding.
- 3. No allowance or reduction of duties for partial damage or loss in consequence of discoloration or rust occurring before entry shall be made upon iron or steel or upon any article of iron or steel.

Statistical Notes

- 1. For the purposes of the tariff schedule, the expression <u>high-nickel alloy steel</u> refers to alloy steel containing by weight 24 percent or more of nickel, with or without other elements.
- 2. For the purposes of subheading 7204.10, <u>waste and scrap of cast iron</u> includes but is not necessarily limited to: cupola cast (ISRI number 252); charging box cast (ISRI number 253); heavy breakable cast (ISRI number 254); hammer blocks or bases (ISRI number 255); burnt iron (ISRI number 256); mixed cast (ISRI number 257); stove plate, clean cast iron stove (ISRI number 258); clean auto cast (ISRI numbers 259, 262 and 263); motor blocks (ISRI number 260); drop broken machinery cast (ISRI number 261); malleable (ISRI number 264); ingot molds and stools (ISRI numbers 265 and 266); and railroad ferrous scrap consisting of cast iron No. 1, No. 2, No.3 and No. 4, cast iron brake shoes and No. 1 wheels.
- 3. For the purposes of subheading 7204.41 or 7204.49 the expression:
 - (a) No. 1 heavy melting includes, but is not necessarily limited to:
 - No. 1 heavy melting steel (ISRI numbers 200, 201 and 202); bundled No. 1 steel (ISRI number 217); cast steel (ISRI number 233); springs and crankshafts (ISRI number 244); ship scrap; and railroad ferrous scrap consisting of cast steel No. 1 and No. 2, railroad No.1 melting steel, spring steel, destroyed steel cars, destroyed steel car sides and box car roofs (note: other types of railroad ferrous scrap are included in some of the grades listed below);
 - (b) No. 2 heavy melting includes, but is not necessarily limited to:
 - No. 2 heavy melting steel (ISRI numbers 203, 204, 205 and 206); bundled No. 2 steel (ISRI number 218); foundry steel (ISRI numbers 242 and 243); and hard steel cut 76 cm and under (ISRI number 248);
 - (c) No. 1 bundles includes, but is not necessarily limited to:
 - No. 1 busheling (ISRI number 207); new black sheet clippings (ISRI number 207A); No. 1 bundles (ISRI number 208); electric furnace bundles (ISRI number 235); silicon-bearing steel busheling, clippings, and bundles (ISRI numbers 239, 240 and 250); No. 1 railroad ferrous sheet scrap; and car clips;
 - (d) No. 2 bundles includes, but is not necessarily limited to:
 - No. 2 bundles (ISRI number 209); No. 3 bundles (ISRI number 214); incinerator bundles (ISRI number 215); terne plate bundles (ISRI number 216); and auto slabs (ISRI numbers 224 and 225);

Annotated for Statistical Reporting Purposes

XV 72-7

(e) Borings, shovelings and turnings includes, but it not necessarily limited to:

Machine shop turnings, shoveling turnings and iron borings (ISRI numbers 219, 220, 221, 222 and 223); briquetted iron borings (ISRI number 226); briquetted steel turnings (ISRI number 227); alloy free turnings (ISRI numbers 245, 246 and 247); heavy turnings (ISRI number 251); chemical borings, No. 1 and No. 2 (ISRI numbers 267 and 271); malleable borings (ISRI number 270); steel shavings; and railroad ferrous scrap consisting of No. 1 turnings and No. 2 turnings, drillings and/or borings;

(f) Shredded scrap includes, but is not necessarily limited to:

Shredded clippings (ISRI number 212); and shredded automobile scrap (ISRI numbers 210 and 211);

(g) Cut plate and structural includes but is not necessarily limited to:

Billet, bloom and forge crops (ISRI number 229); bar crops, punchings and plate scrap (ISRI numbers 230 and 234); plate and structural (ISRI numbers 231, 232, 236, 237 and 238); chargeable ingots and ingot butts (ISRI number 241); and chargeable slab crops (ISRI number 249).

4. Tire cord-quality steel wire rod

Rod measuring 5.0 mm or more but not more than 6.0 mm in cross-sectional diameter, with an average partial decarburization of no more than 70 micrometers in depth (maximum 200 micrometers); having no non-defomable inclusions with a thickness (measured perpendicular to the rolling direction) greater than 20 micrometers; and, containing by weight the following elements in proportions:

- 0.68 percent or more carbon,
- less than 0.01 percent of aluminum
- 0.040 percent or less, in aggreagate, of phosphorus and sulfur,
- 0.008 percent or less of nitrogen, and
- not more than 0.55 percent, in the aggregate, of copper, nickel and chromium.

5. Cold Heading Quality (CHQ)

Rod suitable for cold heading, forging, or thread rolling, and meeting standard ASTM F2282.

6. Welding quality wire rod

Rod measuring less than 10 mm in diameter having less than 0.2% carbon, less than 0.04% sulfur, and less than 0.04% phosphorus, suitable for drawing or rolling to final size for use as:

- (I) an uncoated or plated or copper coated solid welding wire or rod;
- (ii) the core wire or core rod for covered shielded metal arc ("SMAW") welding electrode, or
- (iii) the formed jacket of a flux cored welding electrode

that is suitable for consumption in the electric arc welding process.

7. Spring round wire

For the purposes of statistical reporting number 7223.00.1005, the term "spring round wire" means wire suitable for the manufacture of springs and meeting ASTM standard A313.

72-8						
	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
	TIX	I. PRIMARY MATERIALS; PRODUCTS IN GRANULAR	Quantity	General	Special	
7201		OR POWDER FORM Dig iron and aniegalaigen in piga, blacks or other primary				
7201 40 00	00	Pig iron and spiegeleisen in pigs, blocks or other primary forms:				
7201.10.00	00	Nonalloy pig iron containing by weight 0.5 percent or less of phosphorus	t	Free		\$1.11/t
7201.20.00	00	Nonalloy pig iron containing by weight more than 0.5 percent of phosphorus	t	Free		\$1.11/t
7201.50 7201.50.30 7201.50.60		Alloy pig iron; spiegeleisen: Alloy pig iron Spiegeleisen	t t	Free Free		\$1.11/t 0.5%
7202		Ferroalloys:				
7202.11		Ferromanganese: Containing by weight more than 2 percent of				
7202.11.10	00	carbon: Containing by weight more than 2 percent but				
		not more than 4 percent of carbon	kg Mn kg	1.4%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	6.5%
7202.11.50	00	Containing by weight more than 4 percent of	ka	1 50/		10 50/
		carbon	kg Mn kg	1.5%	Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 0.4% (MA)	10.5%
7202.19		Other:			,	
7202.19.10	00	Containing by weight not more than 1 percent of carbon	kg Mn kg	2.3%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	22%
7202.19.50	00	Containing by weight more than 1 percent but not more than 2 percent of carbon	kg Mn kg	1.4%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE,SG)	6.5%
					,,. ,,,	

	X	V
7	2	a

Heading/	Stat.		Unit		Rates of Duty	72-9
Subheading	Suf-	Article Description	of		1	2
7202 (con.)	fix	Ferroalloys (con.):	Quantity	General	Special	
7202 (COII.)		Ferrosilicon:				
7202.21		Containing by weight more than 55 percent of				
		silicon: Containing by weight more than 55 percent but				
		not more than 80 percent of silicon:				
7202.21.10	00	Containing by weight more than 3 percent of calcium	kg	1 10/	Free (A*,AU,BH,	11.5%
		or calcium	Si kg	1.170	CA,CL,E,IL,J,JO,	11.5%
					MA,MX,OM,	
					P,PE,SG)	
7202.21.50	00	Other		1.5%	Free (A*,AU,BH,	11.5%
			Si kg		CA,CL,E,IL,J,JO, MA,MX,OM,	
					P,PE,SG)	
7202.21.75	00	Containing by weight more than 80 percent but not more than 90 percent of silicon	kg	1.9%	Fron /A L ALL BLI	9%
		not more than 90 percent of silicon	Si kg	1.9%	Free (A+,AU,BH, CA,CL,D,E,IL,J,	9%
					JO,MX,OM,P,	
					PE,SG) 0.6% (MA)	
7202.21.90	00	Containing by weight more than 90 percent of			, ,	
		silicon	kg Si kg	5.8%	Free (A+,AU,BH, CA,CL,D,E,IL,	40%
			OI Kg		J,JO,MX,OM,	
					P,PE,SG) 1.9% (MA)	
7202.29.00		Other		Free	1.9% (IVIA)	4.4¢/kg on
						silicon
	10	Containing by weight over 2 percent of				content
		magnesium	kg			
	50	Other	Si kg kg			
	30	Oulei	Si kg			
7202.30.00	00	Ferrosilicon manganese	kg	2 00/	Free (A*,AU,BH,	23%
7202.30.00	00	renosilicon manganese	Mn kg	3.9%	CA,CL,E,IL,J,JO,	23%
					MA,MX,OM,P,	
		Ferrochromium:			PE,SG)	
7202.41.00	00	Containing by weight more than 4 percent of				
		carbon	kg Cr kg	1.9%	Free (A*,AU,BH, CA,CL,E,IL,J,JO,	7.5%
			Or kg		MA,MX,OM,P,	
7202.49		Other:			PE,SG)	
7202.49	00	Containing by weight more than 3 percent of				
		carbon	kg	1.9%	Free (A+,AU,BH,	7.5%
			Cr kg		CA,CL,D,E,IL,J, JO,MX,OM,P,	
					PE,SG)	
7202.49.50		Other		3.1%	0.6% (MA) Free (A*,AU,BH,	30%
7202.40.00		Outer		5.170	CA,CL,E,IL,J,JO,	30 70
					MA,MX,OM,	
	10	Containing by weight more than			P,PE,SG)	
			kg Cr.ka			
	90	Other	Cr kg kg			
			Cr kg			
7202.50.00	00	Ferrosilicon chromium	kg	10%	Free (A,BH,CA,CL,	25%
. 202.00.00			Cr kg	1.570	E,IL,J,JO,MA,	2070
					MX,OM,P,PE,SG) 1.2% (AU)	
					1.270 (AU)	
					ĺ	l

72-10	I			1	<u> </u>	
Heading/	Stat.	Apticle December	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7202 (con.)		Ferroalloys (con.):	Quantity	General	Оресіаі	
7202.60.00		Ferronickel	kg Ni kg	Free		6.6¢/kg
7202.70.00	00	Ferromolybdenum	kg Mo kg	4.5%	Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 1.4% (MA)	31.5%
7202.80.00	00	Ferrotungsten and ferrosilicon tungsten	kg W kg	5.6%	Free (A,AU,BH,CA, CL,E,IL,J,JO,MA, MX,OM,P,PE, SG)	35%
7202.91.00	00	Other: Ferrotitanium and ferrosilicon titanium	kg	3.7%	Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 1.2% (MA)	25%
7202.92.00	00	Ferrovanadium	kg V kg	4.2%	Free (A+,AU,BH, CA,CL,E,IL,J,JO, MX,OM,P,PE,SG) 1.3% (MA)	25%
7202.93 7202.93.40	00	Ferroniobium: Containing by weight less than 0.02 percent of phosphorus or sulfur or less than 0.4 percent of silicon	kg	5%	Free (A+,AU,BH,	25%
		5. 5			CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 1.6% (MA)	-5/0
7202.93.80	00	Other	kg	5%	Free (A*,AU,BH, CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 1.6% (MA)	25%
7202.99 7202.99.10	00	Other: Ferrozirconium	kg	4.2%	Free (A*,AU,BH, CA,CL,E,IL,J,JO, MA,MX,OM,P, PE,SG)	25%
7202.99.20	00	Calcium silicon	kg	5%	Free (A,AU,BH,CA, CL,D,E,IL,J, JO,MX,OM,P, PE,SG)	25%
7202.99.80		Other		5%	1.6% (MA) Free (A+,AU,BH, CA,CL,D,E,IL,J, JO,MX,OM,P, PE,SG) 1.6% (MA)	25%
	20 40	Ferrophosphorus			1.070 (MA)	
I				l		

	ΧV	
70	11	

J	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7203		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of				
7203.10.00	00	99.94 percent, in lumps, pellets or similar forms: Ferrous products obtained by direct reduction of iron ore	t	Free		\$2.21/t
203.90.00	00	Other	t	Free		\$2.21/t
7 204		Ferrous waste and scrap; remelting scrap ingots of iron or steel:				
204.10.00	00	Waste and scrap of cast iron				74¢/t
7204.21.00		Of stainless steel				74¢/t
7204.29.00 7204.30.00	00 00	Other				74¢/t Free
7204.41.00		Other waste and scrap: Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles		Free		74¢/t
	20 40 60 80	No. 1 bundles No. 2 bundles Borings, shovelings and turnings Other	t t t	1100		7 49/1
7204.49.00	20 40	Other	t	Free		74¢/t
7204.50.00	60 70 80 00	Cut plate and structural	t t	Free		74¢/t
7205		Granules and powders, of pig iron, spiegeleisen, iron or				
7205.10.00	00	steel: Granules Powders:	kg	Free		3%
7205.21.00 7205.29.00		Of alloy steel	kg t	Free Free		45% \$2.21/t

XV

	Stat.	A CLASSIC	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	Special	2
		II. IRON AND NONALLOY STEEL				
'206		Iron and nonalloy steel in ingots or other primary forms				
	00	(excluding iron of heading 7203):	l	F		000/
206.10.00	00	Ingots	kg	Free		20%
206.90.00	00	Other	kg	Free		20%
207		Semifinished products of iron or nonalloy steel:				
207.11.00	00	Containing by weight less than 0.25 percent of carbon: Of rectangular (including square) cross section, the				
		width measuring less than twice the thickness	kg	Free		20%
207.12.00		Other, of rectangular (other than square) cross section		Free		20%
	10	Having a width measuring less than four times	ka			
		the thickness	kg			
	50	Having a width measuring at least four times the thickness	ka			
			kg			
207.19.00	30	Other	kg	Free		20%
	90	Other	kg			
207.20.00		Containing by weight 0.25 percent or more of carbon Of rectangular (including square) cross section:		Free		20%
	25	Having a width measuring less than four times				
		the thickness	kg			
	45	Having a width measuring at least four times				
	75		kg kg			
	90	Other				
						1

	Х	V	
70	1	2	

Suf- fix 000	Article Description Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: In coils, not further worked than hot-rolled, with patterns in relief: Pickled	of Quantity	1 General	Special	2
00	600 mm or more, hot-rolled, not clad, plated or coated: In coils, not further worked than hot-rolled, with patterns in relief:			-1	†
00	In coils, not further worked than hot-rolled, with patterns in relief:				
00	in relief:				
00	Pickled				
		kg	Free		0.4¢/kg + 20%
	Other:		_		
00	Of a thickness of 4.75 mm or more	kg	Free		20%
	Of a thickness of less than 4.75 mm	kg	Free		20%
	Other, in coils, not further worked than hot-rolled,				
	pickled: Of a thickness of 4.75 mm or more:				
00	Of high-strength steel	kg	Free		20%
00	Other	kg	Free		0.4¢/kg + 20%
	Of a thickness of 3 mm or more but less than		F		
	4.75 mm		Free		0.4¢/kg + 20%
30	High-strength steel	kg			
00	Of a thickness of less than 3 mm	кд 	Free		0.4¢/kg +
20	Ligh atropath atool	ka			20%
30 60	Other				
	Other, in coils, not further worked than hot-rolled:		Eroo		20%
30	High-strength steel		riee		20%
60		kg			
	exceeding 10 mm		Free		20%
30					
00	Of a thickness of 3 mm or more but less than	ку			
15			Free		20%
13	Other:				
30 an					
	Of a thickness of less than 3 mm		Free		20%
15		kg			
30		kg			
90	Other	kg			
	Not in coils, not further worked than hot-rolled, with				
			Free		20%
30	Of a thickness exceeding 10 mm	kg			
60			Free		20%
30	Of a thickness less than 3 mm	kg			
60		kg			
	Of a thickness exceeding 10 mm		Free		20%
30		kg			
45	Of high-strength steel				
60 00	Of a thickness of 4.75 mm or more but not				
	exceeding 10 mm	kg	Free		20%
JU		kg	Free		20%
_{ეი}					20%
00	Other	kg	Free		20%
36 36 36 36 36 36 36 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	300 300 300 300 300 300 300 300 300 300	Of a thickness of 4.75 mm or more: Of high-strength steel Other Of a thickness of 3 mm or more but less than 4.75 mm High-strength steel Other Other, in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm High-strength steel Other Of a thickness of 4.75 mm or more but not exceeding 10 mm High-strength steel Other Of a thickness of 3 mm or more but less than 4.75 mm High-strength steel Other: Of a thickness of less than 3 mm High-strength steel Other: Of a thickness of less than 3 mm High-strength steel Other: Of a thickness of less than 3 mm High-strength steel Other: Of a thickness of less than 3 mm Of a thickness of 4.75 mm or more Of a thickness of less than 3 mm Other: Of a thickness of less than 3 mm Other: Of a thickness of less than 3 mm Other Of a thickness of less than 3 mm Other Of a thickness of less than 3 mm Other Of a thickness exceeding 10 mm Other Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness exceeding 10 mm Other Other, not in coils, not further worked than hot-rolled: Of a thickness of 4.75 mm or more but not exceeding 10 mm Of a thickness of 4.75 mm or more but not exceeding 10 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm Of a thickness of 4.75 mm or more but less than 4.75 mm	Of a thickness of 4.75 mm or more: Of high-strength steel	Of a thickness of 4.75 mm or more: Of high-strength steel	Of a thickness of 4.75 mm or more: Of high-strength steel Other Of a thickness of 3 mm or more but less than 4.75 mm High-strength steel Other, in coils, not further worked than hot-rolled: Of a thickness of 3 mm or more but less than High-strength steel Other, in coils, not further worked than hot-rolled: Of a thickness of 4.75 mm or more but less than 4.75 mm Free High-strength steel Other Other High-strength steel Other Of a thickness of 3 mm or more but less than A.75 mm High-strength steel Other With untrimmed edges Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Of a thickness of less than 3 mm High-strength steel Other: With untrimmed edges Other Other high-strength steel Other Other high-strength steel Other Othe

72-14	_	-	_	_		
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7209	IIX	Flat-rolled products of iron or nonalloy steel, of a width of	Quantity	General	Special	
1200		600 mm or more, cold-rolled (cold-reduced), not clad,				1
		plated or coated:				1
		In coils, not further worked than cold-rolled (cold-				
7209.15.00	OΩ	reduced): Of a thickness of 3 mm or more	ka	Free		0.4¢/kg +
7209.13.00	00	Of a thickness of 5 min of more	kg	1100		20%
7209.16.00		Of a thickness exceeding 1 mm but less than				
		3 mm		Free		0.4¢/kg +
		Of high-strength steel:				20%
	30	Annealed	ka			
	60	Other	kg			
		Other:	١.			
	70 91	Annealed				
7209.17.00	91	Other	kg			
7205.17.00		exceeding 1 mm		Free		0.4¢/kg +
						20%
		Of high-strength steel:]			1
	30	Annealed				
	60	Other	۸y			1
	70	Annealed	kg			
	91	Other				
7209.18		Of a thickness of less than 0.5 mm:		_		0.4.4
7209.18.15		Of high-strength steel		Free		0.4¢/kg + 20%
	30	Annealed	ka			20%
	60	Other	kg			
		Other:				
7209.18.25		Of a thickness of less than 0.361 mm		F		000/
		(blackplate)		Free		20%
	10	Of a kind for use in making aperture				
		masks for cathode-ray tube video				
		displays	kg			
		Othory				
	20	Other: Annealed	ka			1
	80	Other	kg			1
7209.18.60		Other		Free		0.4¢/kg +
	22	Annaniad				20%
	20 90	Annealed	kg ka			1
	50	Other	''9			1
		reduced):				1
7209.25.00	00	Of a thickness of 3 mm or more	kg	Free		0.4¢/kg +
7209.26.00	00	Of a thickness exceeding 1 mm but less than				20%
1209.20.00	UU	Of a thickness exceeding 1 mm but less than 3 mm	ka .	Free		0.4¢/kg +
						20%
7209.27.00	00	Of a thickness of 0.5 mm or more but not]_	_		
		exceeding 1 mm	kg	Free		0.4¢/kg +
						20%
7209.28.00	00	Of a thickness of less than 0.5 mm	ka	Free		0.4¢/kg +
						20%
7000 000	۰] .	_		
7209.90.00	00	Other	kg	Free		0.4¢/kg +
						20%
						1
						1
						1
						1
						1
						1
					l	1

	Х	١
70	4	-

Heading/	Stat.		Unit		Rates of Duty	72-
Subheading	Suf-	Article Description	of	1	<u> </u>	2
	fix		Quantity	General	Special	
7210		Flat-rolled products of iron or nonalloy steel, of a width of 600 mm or more, clad, plated or coated: Plated or coated with tin:				
7210.11.00	00	Of a thickness of 0.5 mm or more	kg	. Free		6%
7210.12.00	00	Of a thickness of less than 0.5 mm	_			6%
7210.20.00	00	Plated or coated with lead, including terne-plate	_			6%
7210.30.00	30 60	Electrolytically plated or coated with zinc Of high-strength steel Other Otheroteta or coated with zinc:	kg	. Free		21.5%
7210.41.00	00	Corrugated	kg	. Free		21.5%
7210.49.00	30	Other	kg	. Free		21.5%
7210.50.00	91 95 00	Of a thickness of 0.4 mm or more Other	kg	. Free		45%
7210.61.00	00	Plated or coated with aluminum: Plated or coated with aluminum-zinc alloys	kg	. Free		21.5%
7210.69.00 7210.70	00	Other	kg	. Free		21.5%
7210.70.30	00	Not coated or plated with metal and not clad	kg	. Free		0.4¢/kg + 20%
7210.70.60	30 60 90	Other	kg kg	. Free		21.5%
7210.90 7210.90.10		Other: Clad		. Free		30%
7210.90.60	00	Electrolytically coated or plated with base metal	kg	. Free		45%
7210.90.90	00	Other	kg	. Free		21.5%

72-16 Heading/	Stat.		Unit		Rates of Duty	
	Siai. Suf-	Article Description	of	1	Traics of Duty	2
Ŭ	fix	•	Quantity	General	Special	
7211		Flat-rolled products of iron or nonalloy steel, of a width of less than 600 mm, not clad, plated or coated: Not further worked than hot-rolled:				
7211.13.00	00	Universal mill plate	kg	Free		20%
7211.14.00	30 45		kg kg	Free		20%
7211.19	90	Other	kg			
7211.19.15	00	Of a width of less than 300 mm: Of high-strength steel	kg	Free		25%
7211.19.20	00	Other: Of a thickness exceeding 1.25 mm	kg	Free		25%
7211.19.30	00	Other	kg	Free		25%
7211.19.45	00	Other: Of high-strength steel	kg	Free		20%
7211.19.60	00	Pickled	kg	Free		0.4¢/kg + 20%
7211.19.75		Other		Free		20%
	30 60 90		kg			
7211.23		Containing by weight less than 0.25 percent of carbon: Of a width of less than 300 mm:				
7211.23.15	00	Of a thickness exceeding 1.25 mm: Of high-strength steel	kg	Free		25%
7211.23.20	00	Other	kg	Free		25%
7211.23.30	00	Of a thickness exceeding 0.25 mm but not exceeding				
7211.23.45	00	1.25 mm	_			25% 25%
7211.23.60		Other				0.4¢/kg + 20%
	30	Of a thickness exceeding 1.25 mm	kg			
	60	Of a thickness exceeding 0.25 mm but not exceeding 1.25 mm	kg			
	75	Of a thickness not exceeding 0.25 mm: Of a kind for use in making aperture masks for cathode-ray tube video displays	kg			
7211.29	85	Other	kg			
7211.29.20	30	Of a width of less than 300 mm: Of a thickness exceeding 0.25 mm Of a width less than 51 mm, in coils		Free		25%
7211.29.45	90	Other	kg	Free		25%
7211.29.60		Other		Free		0.4¢/kg +
7211.90.00	30 80 00	Of a thickness exceeding 1.25 mm Other	kg	Free		20%

	Х	V
2	4	7

Heading/	Stat.		Unit	Ī	Rates of Duty	72-
Heading/ Subheading	Stat. Suf-	Article Description	of	-	raies oi Duty	2
ŭ	fix	·	Quantity	General	Special	1
212		Flat-rolled products of iron or nonalloy steel, of a width of				
212.10.00	00	less than 600 mm, clad, plated or coated: Plated or coated with tin	kg	Free		6%
212.20.00	00	Electrolytically plated or coated with zinc	kg	Free		21.5%
212.30		Otherwise plated or coated with zinc: Of a width of less than 300 mm:				
212.30.10	30 90	Of a thickness exceeding 0.25 mm or more Of a width less than 51 mm, in coils Other	. kg	Free		25%
212.30.30		Other	kg	Free		25%
212.30.50	00	Other	kg	Free		21.5%
212.40 212.40.10	00	Painted, varnished or coated with plastics: Of a width of less than 300 mm	kg	Free		25%
212.40.50	00	Other	kg	Free		0.4¢/kg + 20%
212.50.00	00	Otherwise plated or coated	kg	Free		21.5%
212.60.00	00	Clad	kg	Free		30%

XV

72-18						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of	0	1	2
7040	fix	Days and rade but rolled in irre-rolled control and a site of the	Quantity	General	Special	
7213		Bars and rods, hot-rolled, in irregularly wound coils, of iron or nonalloy steel:				
7213.10.00	00	Concrete reinforcing bars and rods	kg	Free		20%
7213.20.00	10 80	Other, of free-cutting steel Containing by weight 0.1% or more of lead Other	kg	Free		5.5%
7213.91		Other: Of circular cross section measuring less than 14 mm in diameter:				
7213.91.30	11	Not tempered, not treated and not partly manufactured		Free		5.5%
		defined in statistical note 4 of this chapter	kg			
	15	Of Cold Heading Quality (CHQ) steel, as defined in statistical note 5 to this chapter .	kg			
	20	Of welding quality wire rods as defined in statistical note 6 to this chapter	kg			
	93		kg			
7213.91.45	00	Other: Containing by weight 0.6 percent or more of carbon	kg	Free		5.5%
7213.91.60	00	Other	J	Free		6%
7213.99.00	00	Other		Free		5.5%
	30 60 90	With a diameter of 14 mm or more but less than 19 mm	kg			
ı						

	X	٧
72	1	C

Heading/	Stat.		Unit		Rates of Duty	72-1
Subheading	Suf-	Article Description	of Quantity	Conoral	1 Chasis!	2
7214	fix	Other bars and rods of iron or nonalloy steel, not further	Quantity	General	Special	
7217		worked than forged, hot-rolled, hot-drawn or hot-extruded,				
7214.10.00	00	but including those twisted after rolling: Forged	ka	Free		20%
7214.20.00	00	Concrete reinforcing bars and rods	kg	Free		20%
7214.30.00	40	Other, of free-cutting steel		Free		20%
ı	10 80	Other	kg kg			
7214.91.00		Other: Of rectangular (other than square) cross-section		Free		20%
7214.91.00	15	Containing by weight less than 0.25 percent		1166		2070
		of carbon	. kg			
	60	Containing by weight 0.25 percent or more but				
		less than 0.6 percent of carbon	kg			
ı	90	Containing by weight 0.6 percent or more				
7214.99.00		of carbon	. kg 	Free		20%
	4.5	Rounds:				
	15	Containing by weight less than 0.25 percent of carbon	kg			
	30	Containing by weight 0.25 percent or more				
	30	but less than 0.6 percent of carbon	kg			
	45	Containing by weight 0.6 percent or more				
		of carbon	kg			
	60	Other: Containing by weight less than 0.25 percent				
		of carbon	kg			
	75	Containing by weight 0.25 percent or more				
		but less than 0.6 percent of carbon	. kg			
	90	Containing by weight 0.6 percent or more				
		of carbon	. kg			
7215		Other bars and rods of iron or nonalloy steel:				
7215.10.00		Of free-cutting steel, not further worked than cold- formed or cold-finished	.	Free		0.3¢/kg +
ı	10	Containing by weight 0.19/ or more of lead	lea.			20%
ı	10 80	Containing by weight 0.1% or more of lead Other				
7215.50.00		Other, not further worked than cold-formed or cold-				
7 2 10.00.00		finished		Free		0.3¢/kg +
	15	Containing by weight less than 0.25 percent of				20%
	. •	carbon	kg			
	60	Containing by weight 0.25 percent or more but less				
		than 0.6 percent of carbon	kg			
	90	Containing by weight 0.6 percent or more of				
7215.90		carbon	kg			
	00	Plated or coated with metal:		F		0.44"
7215.90.10	00	Not cold-formed	кд	⊢ree		0.4¢/kg + 20%
7015 00 00	00	Cold-formed	ka	Fron		
7215.90.30	UU	Cola-iofffied	∖vg	FIEE		0.3¢/kg + 20%
7215.90.50	OΩ	Other	ka	Free		0.3¢/kg +
1210.30.00	00	Ouici	''y	1166		20%
						20%

72-20		<u> </u>				
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of	1		2
	fix		Quantity	General	Special	
7216 7216.10.00	10	Angles, shapes and sections of iron or nonalloy steel: U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm U sections	kg	Free		2%
	50	Other	kg	_		
7216.21.00	00	L sections	kg	Free		2%
7216.22.00	00	T sections	kg	Free		2%
7216.31.00	00	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more: U sections	kg	Free		2%
7216.32.00	00	I sections (standard beams)	kg	Free		2%
7216.33.00	30	H sections Weighing not more than 11.3 kg per 30.5 cm, with a web depth measuring 102 mm to 356 mm	kg	Free		2%
	60	Weighing more than 11.3 kg but not more than 27.2 kg per 30.5 cm, with a web depth measuring 203 mm to 457 mm	kg			
7216.40.00	90	Other	kg	Free		2%
7216.50.00	10 50 00	L sections	kg kg			
7210.00.00		than hot-rolled, hot-drawn or extruded	kg	Free		2%
7216.61.00		Angles, shapes and sections, not further worked than cold-formed or cold-finished: Obtained from flat-rolled products	kg			20%
7216.69.00	00	Other	kg	Free		20%
7216.91.00	10	products	kg	Free		20%
7216.99.00	90	Other Other Drilled, notched, punched or cambered		Free		20%
	90	Other	kg			
1 1	l		1	ı		I

	ΧV
70	24

Heading/	Stat.		Unit	<u> </u>	Rates of Duty	72-2
_	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7217 7217.10		Wire of iron or nonalloy steel: Not plated or coated, whether or not polished:				
7217.10		Containing by weight less than 0.25 percent of				
		carbon:				
7217.10.10	00	Flat wire: Of a thickness not exceeding 0.25 mm	kg	. Free		25%
7217.10.20		Of a thickness exceeding 0.25 mm but not				
		exceeding 1.25 mm	kg	. Free		25%
7217.10.30	00	Of a thickness exceeding 1.25 mm	kg	. Free		25%
7217.10.40		Round wire: With a diameter of less than 1.5 mm		. Free		25%
7217.10.40	30	Heat treated		.11166		2576
7047 40 50	90	Other				70/
7217.10.50	30	With a diameter of 1.5 mm or more		. Free		7%
	90	Other				
7217.10.60	00	Other wire	kg	. Free		25%
7217.10.70	00	Other: Flat wire	ka	Free		25%
7217.10.80		Round wire		. Free		25%
		but less than 0.6 percent of carbon:				
	10	Heat treated	kg			
	20	Other	kg			
		Containing by weight more than 0.6 percent of carbon:				
		Heat treated:				
	25	With a diameter of less than	lea.			
		1.0 mm	kg			
	30	With a diameter of				
		1.0 mm or more but	l.a			
		less than 1.5 mm	kg			
	45	With a diameter of				
		1.5 mm or more	kg			
		Other:				
	60	With a diameter of				
		less than 1.0 mm	kg			
	75	With a diameter of				
		1.0 mm or more but				
		less than 1.5 mm	kg			
	90	With a diameter of				
		1.5 mm or more	kg			
7217.10.90	00	Other wire	kg	. Free		25%
i						
						1

State Subbroading State Article Description Market Reates of Duay 1/217/20	72-22						
Text	Heading/			Unit		Rates of Duty	
7217 (20n.)	Subheading		Article Description	of		1	2
Plated or coated with zinc: Fire Plated or coated with zinc: Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fival Fire Fire Fire Fire Fire Fire Fiv		fix		Quantity	General	Special	1
Plated or coated with zinc: Fire Plated or coated with zinc: Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fire Fival Fire Fire Fire Fire Fire Fire Fiv	7217 (con.)				1		1
Round wire: With a diameter of 1.5 mm or more and containing by weight less than 0.25 percent of carbon Other: Other: Other: Other: Containing by weight less than 0.25 percent or more but less than 0.25 percent or more but less than 0.6 percent or more of carbon With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight 0.6 percent or more of carbon With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight less than 0.25 percent or more of carbon With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight 0.25 percent or more but less than 0.6 percent or carbon With a diameter of 1.5 mm or more: Containing by weight 0.25 percent or more but less than 0.6 percent or carbon With a diameter of 1.5 mm or more: Containing by weight 0.55 percent or more of carbon With a diameter of 1.5 mm or more: Containing by weight 0.55 percent or more of carbon With a diameter of 1.5 mm or more: Containing by weight 0.6 percent or more of carbon With a diameter of 1.5 mm or more: Containing by weight 0.6 percent or more but less than 0.6 percent or more of carbon With a diameter of 1.5 mm or more: Containing by weight 0.6 percent or more but less than 0.75 percent or more of carbon With a diameter of 1.5 mm or more: Containing by weight 0.6 percent or more but less than 0.75 percent or more of carbon With a diameter of 0.5 percent or more of carbon With a diameter of 0.5 percent or more but less than 0.75 percent or more of carbon With a diameter of 0.5 percent or more of carbon With a diameter of 0.5 percent or more of carbon With a diameter of 0.5 percent or more but less than 0.75 percent or more but	7217.20		Plated or coated with zinc:		1_		
Test	7217.20.15	00		kg	Free		26%
taining by weight less than 0.25 percent of carbon kg Free 7% 7217.20.45 Other Free Free 25% Other With a diameter of less than 1.0 mm: Containing by weight less than 0.25 percent of carbon kg kg 20 Containing by weight 0.25 percent or more but less than 0.6 percent or more but less than 0.6 percent or more of carbon kg With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight less than 0.25 percent or carbon kg kg Containing by weight 0.25 percent or more but less than 0.6 percent or carbon kg kg Containing by weight 0.6 percent or more but less than 0.6 percent or carbon kg kg Containing by weight 0.6 percent or more of carbon kg	7047.00.00	00					
Carbon Kg Free 7%	7217.20.30	UU					
7217.20.45 Other				ka	Free		7%
With a diameter of less than 1.0 mm: Containing by weight less than 0.25 percent of carbon			ι το	^y	1 100		1 /0
With a diameter of less than 1.0 mm: Containing by weight less than 0.25 percent of carbon	7217,20.45		Other		Free		25%
10 Containing by weight less than 0.25 percent or carbon	3 3				1		1
20 Containing by weight 0.25 percent or more but less than 0.6 percent or more of carbon kg 30 Containing by weight 0.6 percent or more of carbon kg With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight less than 0.25 percent or more but less than 1.5 mm: Containing by weight 0.25 percent or more but less than 0.6 percent or more but less than 0.6 percent or more of carbon kg 60 Containing by weight 0.6 percent or more of carbon kg With a diameter of 1.5 mm or more: Containing by weight 0.25 percent or more but less than 0.6 percent or more of carbon kg With a diameter of 1.5 mm or more: Containing by weight 0.6 percent or more but less than 0.6 percent or more of carbon kg 80 Containing by weight 0.6 percent or more of carbon kg 7217.20.60 00 Free		10	Containing by weight less than 0.25				
Containing by weight 0.25 percent or more but less than 0.6 percent of carbon			percent of carbon	kg	1		
more but less than 0.6 percent of carbon							
Carbon		20	Containing by weight 0.25 percent or				
Containing by weight 0.6 percent or more of carbon			more but less than 0.6 percent of	l.	1		
more of carbon			carbon	kg			
more of carbon		00	Containing bound 1,000				
With a diameter of 1.0 mm or more but less than 1.5 mm: Containing by weight less than 0.25 percent or more but less than 0.6 percent of carbon		30	Containing by weight 0.6 percent or	le m			
than 1.5 mm: Containing by weight less than 0.25 percent of carbon			more or carbon	ĸg			
than 1.5 mm: Containing by weight less than 0.25 percent of carbon			With a diameter of 1.0 mm or more but loss				
40 Containing by weight less than 0.25 percent or carbon							
percent of carbon		4∩					
Containing by weight 0.25 percent or more but less than 0.6 percent of carbon		40		ka			
more but less than 0.6 percent of carbon			percent of carbon	Ng			
more but less than 0.6 percent of carbon		50	Containing by weight 0.25 percent or				
Containing by weight 0.6 percent or more of carbon		-	more but less than 0.6 percent of				
Containing by weight 0.6 percent or more of carbon			carbon	kg	1		
more of carbon							
more of carbon		60	Containing by weight 0.6 percent or				
70 Containing by weight 0.25 percent or more but less than 0.6 percent or carbon			more of carbon	kg			
more but less than 0.6 percent of carbon					1		
carbon		70	Containing by weight 0.25 percent or				
Containing by weight 0.6 percent or more of carbon			more but less than 0.6 percent of				
more of carbon			carbon	kg			
more of carbon		90	Containing by weight 0.6 percent or				
7217.20.60 00 Other: Containing by weight less than 0.25 percent of carbon		οU	more of carbon	ka			
7217.20.60 00 Containing by weight less than 0.25 percent of carbon			Other:	۸y	1		
carbon	7217 20 60	OΩ					
	. 2 . 7 . 20.00			ka	Free		25%
7217.20.75 00 Other kg Free 26%			Calibon	y	1		1-070
	7217.20.75	00	Other	kg	Free		26%
		-		3			
					1		
					1		
					1		
					1		
					1		
					1		
					1		
					1		
					1		1
					1		
					1		1
					1		
					1		1
					1		
					1		1
					1		
					1		
		l			I	I	1

	X۷
70	22

						72-23
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	Ouantity	General	1 Special	2
7217 (con.)	IIX	Wire of iron or nonalloy steel (con.):	Quantity	General	Special	
7217 (6611.)		Plated or coated with other base metals:				
7217.30.15		Flat wire		Free		26%
	30	Containing by weight 0.6 percent or more of	1			
		carbon	kg			
	60	Other	kg			
		Round wire:	J			
7217.30.30	00	With a diameter of 1.5 mm or more and con-				
		taining by weight less than 0.25 percent of carbon	kg	Free		7%
		career		1.00		7.0
7217.30.45		Other		Free		25%
	04	Containing by weight less than 0.20 percent				
		of carbon, and suitable for electric arc welding	kg			
		wording	'\g			
		Other:				
	44	With a diameter of less than 1.0 mm:				
	11	Containing by weight less than 0.25 percent of carbon	kg			
		percent of carbon	Ng			
	20	Containing by weight 0.25 percent				
		or more but less than 0.6 percent	1			
		or carbon	kg			
	30	Containing by weight 0.6 percent or				
		more of carbon	kg			
		With a diameter of 1.0 mm or more but				
	41	less than 1.5 mm: Containing by weight less than 0.25				
	71	percent of carbon	kg			
		·	J			
	50	Containing by weight 0.25 percent				
		or more but less than 0.6 percent of carbon	kg			
		or carbon	Ng			
	60	Containing by weight 0.6 percent or				
	00	more of carbon	kg			
	90	With a diameter of 1.5 mm or more Other:	kg			
7217.30.60	00	Containing by weight less than 0.25 percent of				
		carbon	kg	Free		25%
7217 20 75	00	Othor	kg	Eroo		26%
7217.30.75	00	Other	ку	riee		20%
7217.90		Other:				
7217.90.10	00	Coated with plastics	kg	Free		2%
7217.90.50		Other		Free		35%
1211.30.00	30	Containing by weight less than 0.25 percent of		1166		00 /0
		carbon	kg			
	00	Operatoria de la constitución de				
	60	Containing by weight 0.25 percent or more but less than 0.6 percent of carbon	kg			
		iess man 0.0 percent or carbon	Νy			
	90	Containing by weight 0.6 percent or more of				
		carbon	kg			
'						

Heading Sub-heading Sub-hea	2
Till	2
III. STAINLESS STEEL	
Stainless steel in ingots or other primary forms; semi-finished products of stainless steel: Ingots and other primary forms kg Free	
finished products of stainless steel: Ingots and other primary forms Other: Of rectangular (other than square) cross-section Having a width less than four times the thick- ness: Having a cross-sectional area of less than 232 cm² kg Having a width at least four times the thick- ness: Other: Of square cross section: Having a cross-sectional area of less than 232 cm² kg Having a width at least four times the thick- ness: Other: Of square cross section: Having a cross-sectional area of less than 232 cm² kg Other: Of crucular cross section: Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg	
Tinished products of stainless steel: Ingots and other primary forms	ĺ
Ingots and other primary forms	
Of rectangular (other than square) cross-section Having a width less than four times the thick- ness: Having a cross-sectional area of less than 232 cm² Having a cross-sectional area of 232 cm² or more Having a width at least four times the thick- ness Other Of square cross section: Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Of circular cross section: Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Having a cross-sectional area of less than 232 cm² or more Kg	29%
Having a width less than four times the thickness: Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of 232 cm² kg Having a width at least four times the thickness kg Having a width at least four times the thickness kg Other Cofficient area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg Having a cross-sectional area of less than 232 cm² kg	000/
15	29%
15	
232 cm² kg Having a cross-sectional area of 232 cm² kg kg Having a width at least four times the thickness Kg Cother Cot	
Or more Kg Having a width at least four times the thickness Kg	
Or more	
15	
Ness Nother Not	
Other	
Having a cross-sectional area of less than 232 cm²	29%
232 cm²	
Having a cross-sectional area of 232 cm² or more	
or more	
or more	
Having a cross-sectional area of less than 232 cm ² kg Having a cross-sectional area of 232 cm ² or more kg	
232 cm ² kg 60 Having a cross-sectional area of 232 cm ² or more kg	
Having a cross-sectional area of 232 cm ² or more	
or more kg	
90 Other	
	Ī

	X۷
70	25

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of	1		2
	fix		Quantity	General	Special	
7219		Flat-rolled products of stainless steel, of a width of 600 mm or more:				
		Not further worked than hot-rolled, in coils:				
7219.11.00	00	Of a thickness exceeding 10 mm		Free		29%
	30 60	Of a width not exceeding 1575 mm Of a width exceeding 1575 mm	kg ka			
7219.12.00	00	Of a thickness of 4.75 mm or more but not	_			
	00	exceeding 10 mm		Free		29%
	02	Not annealed or not pickled Other:	кд			
	06	Of high-nickel alloy steel	kg			
		Other:				
		Of a width of 1370 mm or more:				
	21	Of a thickness exceeding 6.8 mm: Of a width not exceeding				
	-	1575 mm	kg			
	00					
	26	Of a width exceeding 1575 mm	kg			
		Other:	9			
	51	Of a width not exceeding	ka			
		1575 mm	kg			
	56	Of a width exceeding				
		1575 mm	kg			
		Containing more than 0.5 percent				
	00	by weight of nickel:				
	66	Containing more than 1.5 percent but less than 5 percent				
		by weight of molybdenum	kg			
	74	Othor	l. a.			
	71 81		kg kg			
219.13.00	•	Of a thickness of 3 mm or more but less than	9			
	02	4.75 mm	kg	Free		29%
	02	Other:	Ng			
	31	Of a width of 1370 mm or more	kg			
		Other:				
		Containing more than 0.5 percent but				
	51	less than 24 percent by weight of nickel: Containing more than 1.5 percent				
	51	but less than 5 percent by weight				
			kg			
	71	Other	kg			
	81	Other	kg	_		
7219.14.00	30	Of a thickness of less than 3 mm		Free		29%
		Of a width of 1370 mm of more	λy			
	65	Of high-nickel alloy steel				
	90	Other	kg			
I						

72-26						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
7046	fix		Quantity	General	Special	<u> </u>
7219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm				
		or more (con.): Not further worked than hot-rolled, not in coils:				
7219.21.00				Free		29%
7210.21.00	05	Of high-nickel alloy steel	kg	1100		2070
		Other:				
	20	Of a width not exceeding 1575 mm	kg			
	40	Of a width area of in a 4575 man but and				
	40	Of a width exceeding 1575 mm but not exceeding 1880 mm	kg			
		exceeding 1000 mm	Ng .			
	60	Of a width exceeding 1880 mm	kg			
7219.22.00		Of a thickness of 4.75 mm or more but not				
			:	Free		29%
	05	Of high-nickel alloy steel	kg			
		Other: Containing more than 0.5 percent by weight				
		of nickel:				
		Containing more than 1.5 percent but				
		less than 5 percent by weight of				
		molybdenum:				
	15	Of a width not exceeding				
		1575 mm	kg			
	20	Of a width exceeding 1575 mm but				
		not exceeding 1880 mm	kg			
		-				
	25		kg			
	35	Other:				
	აა	Of a width not exceeding 1575 mm	kg			
		1070111111	Ng			
	40	Of a width exceeding 1575 mm but				
		not exceeding 1880 mm	kg			
	4.5	Of a width assault at 4000 assault				
	45	Of a width exceeding 1880 mm Other:	кд			
	70	Of a width not exceeding 1575 mm	ka			
	. •	or a main not oncode ing ror o min.	9			
	75	Of a width exceeding 1575 mm but not				
		exceeding 1880 mm	kg			
	80	Of a width avacading 1990 mm	ka			
7219.23.00	00	Of a width exceeding 1880 mm Of a thickness of 3 mm or more but less than	kg			
. 210.20.00		4.75 mm]	Free		29%
	30	Of a width of 1370 mm or more	kg			
	60	Other		 _		
7219.24.00	20	Of a thickness of less than 3 mm		Free		29%
	30 60	Of a width of 1370 mm or more				
	JU	Oui o i	'\9			
l l			I	I	I	I

	X٧
70	27

-	Stat.	A 44 A 5 A 4 A	Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General 1	Special	2
219 (con.)	117	Flat-rolled products of stainless steel, of a width of 600 mm	Quantity	General	Оресіаі	
(,		or more (con.):				
204.0.04.00		Not further worked than cold-rolled (cold-reduced):		F		000/
219.31.00	10	Of a thickness of 4.75 mm or more	kg	Free		29%
	50	Not in coils	kg			
219.32.00		Of a thickness of 3 mm or more but less than	9			
		4.75 mm		Free		29%
		In coils:				
	05	Of a width of 1370 mm or more: Of high-nickel alloy steel	kg			
	00	Other:	Ng .			
	20	Containing more than 0.5 percent				
		by weight of nickel	kg			
	25	Other	ka			
	23	Other:	kg			
	35	Of high-nickel alloy steel	kg			
		Other:	Ü			
		Containing more than 0.5 percent				
	36	by weight of nickel: Containing more than 1.5 per-				
	30	cent but less than 5 percent by				
		weight of molybdenum	kg			
	38	Other	kg			
	42	Containing less than 15 percent				
	72	by weight of chromium	kg			
		·	Ü			
	44	Other	kg			
	45	Not in coils: Of a width of 1370 mm or more	kg			
	60	Other	kg			
			J			
219.33.00		Of a thickness exceeding 1 mm but less than		-		000/
		3 mm		Free		29%
		Of a width of 1370 mm or more:				
	05	Of high-nickel alloy steel	kg			
		Other:				
	20	Containing more than 0.5 percent by weight of nickel	kg			
	25	Other	kg			
		Other:	Ŭ			
	35	Of high-nickel alloy steel	kg			
		Other:				
		Containing more than 0.5 percent by weight of nickel:				
	36	Containing more than 1.5 per-				
		cent but less than 5 percent by				
		weight of molybdenum	kg			
	38	Other	kg			
	30	Other:	۸y			
	42	Containing less than 15 percent				
		by weight of chromium	kg			
	11	Othor	le a			
	44	Other	kg			
	45	Of a width of 1370 mm or more	kg			
		Other:	J			
	70	Containing more than 0.5 percent but				
		less than 24 percent by weight of nickel	ka			
	80	Other	kg kg			
	-		· · છ			

72-28						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		<u> </u>	2
	fix		Quantity	General	Special	
7219 (con.)		Flat-rolled products of stainless steel, of a width of 600 mm				
		or more (con.):				
		Not further worked than cold-rolled (cold-reduced) (con.):				
7219.34.00		Of a thickness of 0.5 mm or more but not exceed-				
7210.04.00		ing 1 mm		Free		29%
		In coils:				
	05		kg			
		Other:				
		Containing more than 0.5 percent by				
	20	weight of nickel: Containing more than 1.5 percent				
	20	but less than 5 percent by weight of				
		molybdenum	kg			
		,	J			
	25	Other	kg			
		Other:				
	30	Containing less than 15 percent by weight of chromium	ka			
		weight of chlorhlum	kg			
	35	Other	kg			
	50	Not in coils	kg			
7219.35.00		Of a thickness of less than 0.5 mm		Free		29%
		In coils:				
		Containing more than 0.5 percent but less than 24 percent by weight of nickel:				
	05	Containing more than 1.5 percent but				
	03	less than 5 percent by weight of				
		molybdenum	kg			
		·	J			
	15	Other	kg			
	20	Other:				
	30	Containing less than 15 percent by	ka			
		weight of chromium	kg			
	35	Other	kg			
	50	Not in coils	kg			
7219.90.00		Other		Free		29%
	10	Of high-nickel alloy steel	kg			
		Other:				
	20	Containing more 0.5 percent by weight of nickel: Containing more than 1.5 percent but less				
	20	than 5 percent by weight of molybdenum	kg			
			3			
	25	Other	kg			
	00	Other:				
	60	Containing less than 15 percent by weight	ka			
		of chromium	kg			
	80	Other	kg			
			9			
				I		i

	X۷
70	20

_	Stat.		Unit		Rates of Duty	72
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7220	IIA	Flat-rolled products of stainless steel, of a width of less	Quantity	General	Орсски	
		than 600 mm:				
220.11.00	00	Not further worked than hot-rolled: Of a thickness of 4.75 mm or more	kg	Free		29%
'220.12 '220.12.10	00	Of a thickness of less than 4.75 mm: Of a width of 300 mm or more	kg	Free		29%
220.12.50 220.20	00	Of a width of less than 300 mm	kg			34%
220.20.10		Of a width of 300 mm or more		Free		29%
	10		kg			
	15	Other:Other:	kg			
	60	Containing less than 15 percent by weight of chromium	kg			
	80	Of a width of less than 300 mm:	kg			
220.20.60	05	Of a thickness exceeding 1.25 mm Of high-nickel alloy steel Other:	kg	Free		34%
	10	Containing more than 0.5 percent by weight of nickel: Containing more than 1.5 percent but less than 5 percent by weight				
	15	•	kg kg			
	60	Other: Containing less than 15 percent by				
		weight of chromium	_			
	80	Other	kg			
				1		1

72-30						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	1
7220 (con.)		Flat-rolled products of stainless steel, of a width of less				
		than 600 mm (con.):				
7220.20		Not further worked than cold-rolled (cold-reduced)				1
(con.)		(con.): Of a width of less than 300 mm (con.):				
7220.20.70		Of a thickness exceeding 0.25 mm but not				
. 220.20.70		exceeding 1.25 mm		Free		34%
1	05		kg			1
	-	Other:	~			
ļ		Containing more than 0.5 percent by				
		weight of nickel:				
1	10	Containing more than 1.5 percent				
1		but less than 5 percent by weight	le a			
		of molybdenum	kg			
j	15	Other	kg			
	IJ	Other:	'\9			
	60	Containing less than 15 percent by				
		weight of chromium	kg			
		•				
ļ	80	Other	kg			
7000 00 00		Of a thickness not exceeding 0.25 mm:]. .			0.407
7220.20.80	00	Razor blade steel	kg	Free		34%
7220.20.90		Other		Eroo		249/
1220.20.90	30	Other		Free		34%
1	3 0	less than 24 percent by weight of				
ļ		nickel	kg			
			a			
j	60	Other	kg			
7220.90.00		Other		Free		46%
		Containing more than 0.5 percent but less than				
		24 percent by weight of nickel:				
	10	Containing more than 1.5 percent but less than	. .			
1		5 percent by weight of molybdenum	kg			
1	15	Other	ka			
	13	Other:	kg			
	60	Containing less than 15 percent by weight of				
	-	chromium	kg			
	80	Other	kg			
j						
j						
j						
j						
j						
j						
j						
j						
j						
j						
j						
j						
j						
į			I	1	•	I

	ΧV
· ^	24

Heading/	Stat.		Unit		Rates of Duty	72-3
Subheading	Suf-	Article Description	of	0.50	1	2
7221.00.00	fix	Pare and rode, hot rolled, in irregularly wound coils, of	Quantity	General	Special	
7221.00.00		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel		Free		11%
	05	Of high-nickel alloy steel	kg			
		Other: Of circular cross section:				
	15		kg			
	20	With a diameter of 14 mm or more but less				
	30	than 19 mm	kg			
	45 75	With a diameter of 19 mm or more	kg kg			
			i ng			
7222		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:				
		Bars and rods, not further worked than hot-rolled, hot-				
7000 44 00		drawn or extruded:				000/
7222.11.00	01	Of circular cross-section	ka	Free		29%
	06	Of high-nickel alloy steel	kg			
	56	Other: With a maximum cross-sectional dimension				
	50	of less than 152.4 mm	kg			
	81	With a maximum cross-sectional dimension				
7222.19.00		of 152.4 mm or more	kg	Free		29%
	01	Electroslag or vacuum arc remelted	kg			
	06	Other:	kg			
	51	Other	kg			
7222.20.00		Bars and rods, not further worked than cold-formed or				000/
	01	cold-finished Electroslag or vacuum arc remelted	kg	Free		29%
	06	Of high-nickel alloy steel	kg			
	46	Other: With a maximum cross-sectional dimension of				
	40	less than 18 mm	kg			
	81	With a maximum cross-sectional dimension				
	86	of 18 mm or more and less than 152.4 mm With a maximum cross-sectional dimension	kg			
		of 152.4 mm or more	kg			
7222.30.00		Other bars and rods		Free		29%
7222.00.00	01	Electroslag or vacuum arc remelted	kg	1100		2570
	11	Other:				
	11	With a maximum cross-sectional dimension of less than 152.4 mm	kg			
	81	With a maximum cross-sectional dimension				
		of 152.4 mm or more	kg			
7222.40		Angles, shapes and sections:				
7222.40.30		Hot-rolled, not drilled, not punched and not otherwise advanced		Free		10%
		otherwise advanted		100		1070
		With a maximum cross-sectional dimension of				
	25	80 mm or more: Angles	kg			
	45	Other	kg			
		With a maximum cross-sectional dimension of less than 80 mm:				
	65	Angles				
7000 40 00	85	Other	kg	Fron		200/
7222.40.60	00	Other	ку	Free		28%
		I control of the second of the	1	1	•	1

XV

72-32						
	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7223.00		Wire of stainless steel:	,		'	
7223.00.10	0.5	Round wire	ļ	Free		34%
	05	Spring round wireOther:	kg			
	16	With a diameter of less than 0.25 mm	kg			
	0.4					
	31	With a diameter of 0.25 mm or more but less than 0.76 mm	kg			
			i ng			
	46	With a diameter of 0.76 mm or more but less	l.a.			
		than 1.52 mm	kg			
	61	With a diameter of 1.52 mm or more but less				
		than 5.1 mm	kg			
	76	With a diameter of 5.1 mm or more	kg			
7223.00.50	00	Flat wire	kg	Free		34%
7223.00.90	00	Other	ka	Free		34%
. 220.00.30	50	Outel	''y	1.100		OT /0
ļ		l	I	I	1	

	X۷
70	22

Heading/	Stat		Unit	I	Rates of Duty	72-3
	Stat. Suf-	Article Description	of		1	2
2020001119	fix	, 2 000 phot	Quantity	General	Special	†
		IV. OTHER ALLOY STEEL; HOLLOW DRILL BARS AND				
		RODS, OF ALLOY OR NONALLOY STEEL				
7224		Other alloy steel in ingots or other primary forms; semi- finished products of other alloy steel:				
7224.10.00	05		kg	Free		28%
	45 75	Of tool steel	kg			
7224.90.00	05	Other		Free		28%
		Of tool steel: Of rectangular (including square) cross section:				
	15	Having a width less than four times the thickness	kg			
.	25	Having a width at least four times the thickness	kg			
	35	Other	kg			
		Other: Of rectangular (including square) cross	3			
	45	section: Having a width less than four times the thickness	kg			
	55	Having a width at least four times the thickness	kg			
	65 75	Of circular cross sectionOther	kg			
7225		Flat-rolled products of other alloy steel, of a width of 600 mm or more:				
7225.11.00	00	Of silicon electrical steel: Grain-oriented	kg	Free		28%
7225.19.00	00	Other	kg	Free		28%
7225.30		Other, not further worked than hot-rolled, in coils: Of a thickness of 4.75 mm or more:				
7225.30.11	10	Of tool steel		Free		29%
7005 00 00	80	Other	kg			200/
7225.30.30	05	Other Of high-nickel alloy steel	kg	Free		28%
	50	Other				
7225.30.51	10 30	Of tool steel	kg	Free		29%
7225.30.70	60 00	Other	kg	Free		28%
					1	

72-34						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
7225 (con.)		Flat-rolled products of other alloy steel, of a width of				
7225.40		600 mm or more (con.): Other, not further worked than hot-rolled, not in coils:				
7223.40		Of a thickness of 4.75 mm or more:				
7225.40.11		Of tool steel		Free		29%
	10	Of high-speed steel	kg			
	15	Of ball-bearing steel				
7225.40.30	90	Other		Free		28%
7225.40.30	05	Other		Free		20%
	50	Other				
		Of a thickness of less than 4.75 mm:	3			
7225.40.51		Of tool steel		Free		29%
	10	Of high-speed steel				
	30 60	Of ball-bearing steel Other				
7225.40.70	00	Other	. •	Free		28%
	•		ng			
7225.50		Other, not further worked than cold-rolled (cold-				
7005 50 44		reduced):		_		000/
7225.50.11	10	Of tool steel		Free		29%
	30	Of high-speed steel	ka			
	60	Other				
		Other:				
7225.50.60	00	Of a thickness of 4.75 mm or more	kg	Free		28%
7005 50 70	00	Of a thickness of less than 4.75 mm:	1			000/
7225.50.70	00	Heat-resisting steel	кд	Free		29%
7225.50.80		Other		Free		28%
1220.00.00		04.01		1100		2070
	10	Of high-nickel alloy steel	kg			
		Other:				
	15	Of a kind for use in making				
		aperture masks for cathode-ray tube video displays	kg			
		tube video displays	Ng			
	85	Other	kg			
		Other:				
7225.91.00	00	Electrolytically plated or coated with zinc	kg	Free		28%
7225.92.00	ΛΛ	Otherwise plated or coated with zinc	ka	Eroo		28%
1223.82.00	UU	Otherwise plated of coated with zillo	Ny	1 100		20 /0
7225.99.00		Other		Free		28%
	10	Of high-nickel alloy steel				
	90	Other	kg			
						1
						1
						1
						1
						1
			l	I	•	I

	X١
70	25

Heading/	Stat.		Unit		Rates of Duty	72-35
Heading/ Subheading	Stat. Suf-	Article Description	of	1	Rates of Duty	2
	fix	2 000p.101.	Quantity	General	Special	_
7226		Flat-rolled products of other alloy steel, of a width of less than 600 mm:				
7226.11 7226.11.10 7226.11.90	00 30	Of silicon electrical steel: Grain-oriented: Of a width of 300 mm or more Of a width of less than 300 mm Of thickness not exceeding 0.25 mm		Free Free		28% 33%
7226.19	60	Other	kg			
7226.19.10		Of a width of 300 mm or more	_			28%
7226.19.90		Of a width of less than 300 mm				33%
7226.20.00	00	Of high-speed steel	kg	Free		37%
7226.91 7226.91.05	00	Not further worked than hot-rolled: Of tool steel (other than high-speed steel): Of chipper knife steel	kg	Free		34%
7226.91.15		Other: Of a width of 300 mm or more		Free		29%
7220.91.15	30 60	Of ball-bearing steel Other	kg kg	Free		29%
7226.91.25	30 60	Of a width of less than 300 mm Of ball-bearing steel Other	kg	Free		34%
7226.91.50	00	Other: Of a thickness of 4.75 mm or more	kg	Free		28%
7226.91.70	00	Of a thickness of less than 4.75 mm: Of a width of 300 mm or more	kg	Free		28%
7226.91.80	00	Of a width of less than 300 mm	kg	Free		33%
7226.92		Not further worked than cold-rolled (cold-reduced): Of tool steel (other than high-speed steel):				
7226.92.10		Of a width of 300 mm or more		Free		0.4¢/kg + 29%
7226.92.30	30 60	Of ball-bearing steel	kg	Free		34%
	30 60	Of ball-bearing steel	kg kg			
7226.92.50	00	Of a width of 300 mm or more	kg	Free		0.4¢/kg + 28%
7226.92.70	05	Of a width of less than 300 mm: Of a thickness not exceeding 0.25 mm Of high-nickel alloy steel		Free		33%
7226.92.80	50 05 50	Other Of a thickness exceeding 0.25 mm Of high-nickel alloy steel Other	kg	Free		33%
7226.99.01	10 30 80	Other Electrolytically plated or coated with zinc Otherwise plated or coated with zinc Other Other	kg kg	Free		33%
						_

72-36						
Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of			2
	fix		Quantity	General	Special	
7227		Bars and rods, hot-rolled, in irregularly wound coils, of				
7227.10.00	00	other alloy steel: Of high-speed steel	ka	Eroo		14%
1221.10.00	00	Ornign-speed steer	ку	riee		1470
7227.20.00		Of silico-manganese steel		Free		10%
	30	Of welding quality wire rods as defined in	١.			
		statistical note 6 to this chapter	kg			
	80	Other	ka			
	00	Outor	'\g			
7227.90		Other:				
		Of tool steel (other than high-speed steel):				
7227.90.10		Not tempered, not treated, and not partly				100/
	30	manufactured	kg	Free		12%
	60	Other				
7227.90.20		Other		Free		11%
	30	Of ball-bearing steel	kg			
7007.00.00	60	Other	kg			400/
7227.90.60		Other		Free		10%
	05	Of high-nickel alloy steel	ka			
	00	or riight monor alloy oldor	ng .			
	10	Of Cold Heading Quality (CHQ) steel, as				
		defined in statistical note 5 to this chapter	kg			
	20	Of wolding quality wire rade on defined in				
	20	Of welding quality wire rods as defined in statistical note 6 to this chapter	kg			
		Statistical flote o to this chapter	'Ng			
	85	Other	kg			
7228		Other bars and rods of other alloy steel; angles, shapes				
		and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:				
7228.10.00		Bars and rods, of high-speed steel		Free		32%
7220.10.00	10	Not cold-formed	kg	1.00		0270
		Cold-formed:				
	30	With a maximum cross-sectional dimension of	l .			
		less than 18 mm	kg			
	60	With a maximum cross-sectional dimension of				
	00	18 mm or more	kg			
7228.20		Bars and rods, of silico-manganese steel:				
7228.20.10	00	Not cold-formed	kg	Free		28%
7000 00 F0			l.	_		000/
7228.20.50	00	Cold-formed	kg	Free		28%
			I	I	•	I

	X۷
70	27

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf-	Article Description	of	1		2
7000 /	fix	Other have and reduced at the really reduced as the results of the	Quantity	General	Special	
7228 (con.) 7228.30		Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel (con.): Other bars and rods, not further worked than hot-rolled,				
		hot-drawn or extruded: Of tool steel (other than high-speed steel):				
7228.30.20		Of ball-bearing steel				29%
7228.30.40 7228.30.60		Of chipper knife steel, not cold-formed	_			28%
	00					29%
7228.30.80	05 10	Other	kg kg	Free		28%
	15 40	With a diameter of less than 76 mm With a diameter of 76 mm or more but not exceeding 228 mm	kg kg			
	70	With a diameter exceeding 228 mm	kg			
7228.40.00	00	Other bars and rods, not further worked than forged	kg	Free		28%
7228.50		Other bars and rods, not further worked than cold- formed or cold-finished:				
7228.50.10	10	Of tool steel (other than high-speed steel) Of ball-bearing steel Other:	kg	Free		29%
	20	With a maximum cross-sectional dimension of less than 18 mm: Of round or rectangular cross section with surfaces ground, milled or polished	kg			
	40	Other	kg			
	60	With a maximum cross-sectional dimension of 18 mm or more: Of round or rectangular cross section with surfaces ground, milled or polished	kg			
7000 50 50	80	Other	kg	F		000/
7228.50.50	05	Other		Free		28%
	15 40	With a diameter of less than 76 mm	kg			
	70	exceeding 228 mm	kg kg			
7228.60 7228.60.10	30 60	Other bars and rods: Of tool steel (other than high-speed steel) Of ball-bearing steel Other	kg	Free		29%
7228.60.60	00	Other: Not cold-formed	kg	Free		28%
7228.60.80	00	Cold-formed	kg	Free		28%

State State State Article Description State Article Description State Article Description State Article Description Article Description Proceedings Proc	72-38						
Total Tota						Rates of Duty	
228 (con.) Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; follow drill bars and rods of alloy or non-alloy steel (con.); Angles, shapes and sections. Hot-rolled, not drilled, not punched and not otherwise advanced. 10	Subheading		Article Description		1		2
and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel (con.): Angles, shapes and sections: Hot-rotled, not frilled, not punched and not otherwise advanced U. I. H and T sections Other: With a maximum cross-sectional dimension of 76 mm or more: Angles. Angl		fix		Quantity	General	Special	
Table Tabl	7228 (con.)						
Angles, shapes and sections:							
Hot-rolled, not drilled, not punched and not otherwise advanced 10	7228 70		Angles shapes and sections:				
otherwise advanced			Hot-rolled, not drilled, not punched and not				
Other			otherwise advanced		Free		10%
With a maximum cross-sectional dimension of 75 mm or more:		10		kg			
20							
Angles							
1		20		ka			
With a maximum cross-sectional dimension of less than 76 mm: Angles			Other	kg			
Angles			With a maximum cross-sectional dimension	J			
State							
7228.70.60 00 Other kg Free 28% 7228.80.00 Wire of other alloy steel:			Angles	kg			
7228.80.00 00 Hollow drill bars and rods kg Free 30% 7229.729.20.00 Wire of other alloy steel:	7228 70 60		Other	kg	Free		28%
Wire of other alloy steel: Of silico-manganese steel Round, with a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon, more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper Kg	7220.70.00	00	Outer	kg	1100		2070
Wire of other alloy steel: Of silico-manganese steel Round, with a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon, more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper Kg	7228.80.00	00	Hollow drill bars and rods	kg	Free		30%
Of silico-manganese steel							
Round, with a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of manganese, and more than 0.9 percent of silicon, and suitable for electric arc welding: Plated or coated with copper					_		2004
1.6 mm, containing by weight less than 0.20 percent of carbon, more than 0.9 percent of manganese, and more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper	7229.20.00				Free		33%
percent of carbon, more than 0.9 percent of manganese, and more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper							
manganese, and more than 0.6 percent of silicon, and suitable for electric arc welding: Plated or coated with copper			percent of carbon, more than 0.9 percent of				
and suitable for electric arc welding:							
15			and suitable for electric arc welding:				
Other							
7229.90 Other: Of high-speed steel kg Free 37% 7229.90.10 Flat wire kg Free 33% 7229.90.50 Round wire kg Free 33% 7229.90.50 Round wire Free 33% With a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon and more than 0.3 percent of nickel or more than 0.08 percent of mylybdenum, and suitable for electric arc welding:							
7229.90.05 00 Of high-speed steel kg Free 37% 7229.90.10 00 Flat wire kg Free 33% 7229.90.50 Round wire Free 33% 7229.90.50 Round wire Free 33% With a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon and more than 0.30 percent of nickel or more than 0.08 percent of molybdenum, and suitable for electric arc welding:	7229 90	90		kg			
Other: Flat wire		00	Of high-speed steel	ka	Free		37%
Round wire			Other:	_			
With a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon and more than 0.3 percent of nickel or more than 0.08 percent of molybdenum, and suitable for electric arc welding: Plated or coated with copper	7229.90.10	00	Flat wire	kg	Free		33%
With a diameter of less than or equal to 1.6 mm, containing by weight less than 0.20 percent of carbon and more than 0.3 percent of nickel or more than 0.08 percent of molybdenum, and suitable for electric arc welding: Plated or coated with copper	7220 00 50		Pound wire		Eroo		230/
1.6 mm, containing by weight less than 0.20 percent of carbon and more than 0.3 percent of nickel or more than 0.08 percent of molybdenum, and suitable for electric arc welding: Plated or coated with copper	7229.90.30				1166		33 /6
0.20 percent of carbon and more than 0.3 percent of nickel or more than 0.08 percent of molybdenum, and suitable for electric arc welding: Plated or coated with copper							
0.08 percent of molybdenum, and suitable for electric arc welding: Plated or coated with copper kg Other: With a diameter of less than 1.0 mm kg With a diameter of 1.0 mm or more but less than 1.5 mm kg With a diameter of 1.5 mm or more kg			0.20 percent of carbon and more than				
for electric arc welding: Plated or coated with copper			0.3 percent of nickel or more than				
06							
Other: Other: With a diameter of less than 1.0 mm kg With a diameter of 1.0 mm or more but less than 1.5 mm kg With a diameter of 1.5 mm or more kg		06	Plated or coated with conner	ka			
Other: With a diameter of less than 1.0 mm kg With a diameter of 1.0 mm or more but less than 1.5 mm kg With a diameter of 1.5 mm or more kg							
With a diameter of 1.0 mm or more but less than 1.5 mm kg With a diameter of 1.5 mm or more kg			Other:	J			
less than 1.5 mm kg 51 With a diameter of 1.5 mm or more kg		16	With a diameter of less than 1.0 mm	kg			
less than 1.5 mm kg 51 With a diameter of 1.5 mm or more kg		24	With a diameter of 4.0 mm or reserving				
51 With a diameter of 1.5 mm or more kg		31		ka			
			1033 tildii 1.3 iiiiii	··9			
		51	With a diameter of 1.5 mm or more	kg			
	7229.90.90	00	Other wire	kg	Free		33%
	1]		1