Harmonized Tariff Schedule of the United States (2014) (Rev. 1)

Annotated for Statistical Reporting Purposes

CHAPTER 27

MINERAL FUELS, MINERAL OILS AND PRODUCTS OF THEIR DISTILLATION; BITUMINOUS SUBSTANCES; MINERAL WAXES

V 27-1

Notes

- 1. This chapter does not cover:
 - (a) Separate chemically defined organic compounds, other than pure methane and propane which are to be classified in heading 2711:
 - (b) Medicaments of heading 3003 or 3004; or
 - (c) Mixed unsaturated hydrocarbons of heading 3301, 3302 or 3805.
- 2. References in heading 2710 to "petroleum oils and oils obtained from bituminous minerals" include not only petroleum oils and oils obtained from bituminous minerals, but also similar oils, as well as those consisting mainly of mixed unsaturated hydrocarbons, obtained by any process, provided that the weight of the nonaromatic constituents exceeds that of the aromatic constituents.
 - However, the references do not include liquid synthetic polyolefins of which less than 60 percent by volume distills at 300°C, after conversion to 1,013 millibars when a reduced-pressure distillation method is used (chapter 39).
- 3. For the purposes of heading 2710, "waste oils" means waste containing mainly petroleum oils and oils obtained from bituminous minerals (as described in note 2 to this chapter), whether or not mixed with water. These include:
 - (a) Such oils no longer fit for use as primary products (for example, used lubricating oils, used hydraulic oils and used transformer oils):
 - (b) Sludge oils from the storage tanks of petroleum oils, mainly containing such oils and a high concentration of additives (for example, chemicals) used in the manufacture of the primary products; and
 - (c) Such oils in the form of emulsions in water or mixtures with water, sach as those resulting from oil spills, storage tank washings, or from the use of cutting oils for machining operations.

Subheading Notes

- 1. For the purposes of subheading 2701.11, "anthracite" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) not exceeding 14 percent.
- 2. For the purposes of subheading 2701.12, "bituminous coal" means coal having a volatile matter limit (on a dry, mineral-matter-free basis) exceeding 14 percent and a calorific value limit (on a moist, mineral-matter-free basis) equal to or greater than 5,833 kcal/kg.
- For the purposes of subheadings 2707.10, 2707.20, 2707.30, 2707.40, the terms "benzol (benzene)", "toluol (toluene)", "xylol" (xylenes)"
 and "naphthalene" apply to products which contain more than 50 percent by weight of benzene, toluene, xylenes or naphthalene,
 respectively.
- 4. For the purposes of subheading 2710.12, "light oils and preparations" are those of which 90 percent or more by volume (including losses) distill at 210°C (ASTM D 86 method).
- 5. For the purposes of the subheadings of heading 2710, the term "biodiesel" means mono-alkyl esters of fatty acids of a kind used as a fuel, derived from animal or vegetable fats and oils whether or not used.

Additional U.S. Notes

- 1. (a) Crude petroleum oils, crude oils obtained from bituminous minerals and reconstituted crude petroleum shall, if products of Canada, be admitted free of duty and any entry therefor shall be liquidated or reliquidated accordingly if, on or before the 180th day after the date of entry, documentation is filed with the customs officer concerned establishing that, pursuant to a commercial exchange agreement between the United States and Canadian refiners which has been approved by the Secretary of Energy--
 - (i) An import license for the products covered by such entry has been issued by the Secretary; and
 - (ii) An equivalent amount of domestic or duty-paid foreign crude petroleum oils, crude oils obtained from bituminous minerals or reconstituted crude petroleum have, pursuant to such commercial exchange agreement and to an export license issued by the Secretary of Commerce, been exported from the United States to Canada and have not previously been used to effect the duty-free entry of like Canadian products under this U.S. note.
 - (b) The Secretary of the Treasury, after consulting with the Secretary of Commerce and the Secretary of Energy, shall issue such rules or regulations as may be necessary governing the admission of Canadian products pursuant to the provisions of this U.S. note.

Harmonized Tariff Schedule of the United States (2014) (Rev. 1)

Annotated for Statistical Reporting Purposes

v 27-2

- 2. For the purposes of heading 2710, "petroleum oils" includes only products having:
 - (a) A Congealing Point (ASTM D 938) of less than 30°C; or
 - (b) If the Congealing Point is not less than 30°C:
 - (i) A density at 70°C of less than 0.942 and a Worked Cone Penetration (ASTM D 217) or a Cone Penetration (ASTM D 937) at 25°C of not less than 350; or
 - (ii) If the density at 70°C is not less than 0.942 having a Needle Penetration (ASTM D 5) at 25°C of not less than 400.
- For the purposes of subheading 2710.12.15, "motor fuel" is any product derived primarily from petroleum, shale or natural gas, whether
 or not containing additives, which is principally used as a fuel in internal-combustion or other engines.
- 4. For the purposes of subheadings 2710.12.18, 2710.19.25 and 2710.20.15, "motor fuel blending stock" means any product (except naphthas of subheading 2710.12.25) derived primarily from petroleum, shale oil or natural gas, whether or not containing additives, to be used for direct blending in the manufacture of motor fuel.
- 5. In determining the relative weights of components of the mixtures provided for in subheadings 2710.12.45 and 2710.19.45, naphtha and other petroleum derivatives which may be present in such mixtures as solvents shall be disregarded.
- 6. For the purposes of heading 2716:
 - (a) The term "electrical energy" does not include electrical energy transmitted as a medium of communication; and
 - (b) Electrical energy shall not be subject to the entry requirements for imported merchandise set forth in section 484 of the Tariff Act of 1930, as amended, (19 U.S.C. 1484), but shall be entered on a periodic basis in accordance with regulations to be prescribed by the Secretary of the Treasury.
- 7. For the purposes of this chapter, the term barrel (bbl) means a barrel of 158.98 liters measured at 15.6°C.
- 8. Subheading 2712.10.00 does not include petroleum jelly, suitable for use for the care of the skin, put up in packings of a kind sold at retail for such use (subheading 3304.99.10).

Statistical Note

 For the purposes of statistical reporting number 2711.11.0000, the volume of liquid natural gas shall be reported on a gaseous equivalent volume basis.

V 27-4

27-4				1	5	
J	Stat.	Article Description	Unit		Rates of Duty	1 2
Subheading	Suf- fix	Article Description	of Quantity	General 1	Special	2
2701		Coal; briquettes, ovoids and similar solid fuels manufactured from coal: Coal, whether or not pulverized, but not agglomerated:				
2701.11.00 2701.12.00	00 10	Anthracite Bituminous coal Metallurgical coal				Free Free
2701.19.00	50 10	Other Other coal Sub-bituminous coal	t 	Free		Free
2701.20.00	50 00	Other		Free		Free
2702 2702.10.00	00	Lignite, whether or not agglomerated, excluding jet: Lignite, whether or not pulverized, but not agglomerated	t	Free		Free
2702.20.00	00	Agglomerated lignite				Free
2703.00.00	00	Peat (including peat litter), whether or not agglomerated				Free
2704.00.00	11	Coke and semicoke of coal, of lignite or of peat, whether or not agglomerated; retort carbon Coke and semicoke of coal: Coke larger than 100 mm (4 inches) in maximum diameter and at least 50 percent of which is retained on a 100-mm (4-inch) sieve after drop shatter testing pursuant to ASTM D 3038, of a kind used in foundries		Free		Free
	25 50	Other	t			
2705.00.00	00	Coal gas, water gas, producer gas and similar gases, other than petroleum gases and other gaseous hydrocarbons	thousand m³ kg	Free		Free
2706.00.00	00	Tar distilled from coal, from lignite or from peat, and other mineral tars, whether or not dehydrated or partially distilled, including reconstituted tars	liters	Free		Free
2707		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the				
2707.10.00 2707.20.00 2707.30.00	00 10 20 30	o-Xýlene p-Xylene	liters liters liters liters	Free Free Free		Free Free Free
2707.40.00	40 00	Other Naphthalene	liters kg	Free		Free
2707.50.00	00	Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills at 250°C by the ASTM D 86 method	kg liters	Free		Free

V 27-5	
ee ee ee 4¢/kg + %	
7¢/kg + 9.5%	
.4¢/kg + 2.5%	
ee ee	
ee ee	

11- " '	0		11.5	1	D-/ / C :	27
•	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Jubileaulily	fix	Atticle Description	Quantity	General	Special	4
2707 (con.)		Oils and other products of the distillation of high temperature coal tar; similar products in which the weight of the aromatic constituents exceeds that of the nonaromatic constituents (con.):				
2707.91.00 2707.99	00	Other: Creosote oils	liters	Free		Free
2707.99.10 2707.99.20	00	Light oil				Free Free
2707.99.40	00	Carbazole having a purity of 65 percent or more by weight	kg	0.9¢/kg + 3%	Free (A,AU,CA,BH, CL,CO,E,IL,JO, KR,L,MA,MX, OM,P, PA,PE,SG)	15.4¢/kg + 40%
2707.99.51	00	Phenols: Containing more than 50 percent by weight of hydroxybenzene	kg	2.9¢/kg + 12.5%	Free (A,AU,BH,CA, CL,CO,E,IL,JO, KR,MA,MX,OM,P, PA,PE,SG)	7.7¢/kg + 29.5%
2707.99.55	00	Metacresol, orthocresol, paracresol and metaparacresol, all the foregoing having a purity of 75 percent or more by weight	kg	0.9¢/kg + 3%	Free (A,AU,CA,BH, CL,CO,E,IL,JO, KR,MA,MX,OM,P,	15.4¢/kg + 42.5%
2707.99.59 2707.99.90	00 10 90	Other	kg bbl kg	Free Free	PA,PE,SG)	Free Free
2708		Pitch and pitch coke, obtained from coal tar or from other mineral tars:	9			
2708.10.00 2708.20.00	00 00	Pitch coke		Free Free		Free Free
2709.00		Petroleum oils and oils obtained from bituminous minerals, crude:				
2709.00.10	00	Testing under 25 degrees A.P.I	bbl	5.25¢/bbl	Free (A+,AU,CA, BH,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	21¢/bbl
2709.00.20		Testing 25 degrees A.P.I. or more		10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	21¢/bbl
	10 90	Condensate derived wholly from natural gas Other	bbl bbl			

V 27-6 Heading/	Stat.		Unit	<u> </u>	Rates of Duty	
	Suf-	Article Description	of		1	2
2710	fix	Patroloum ails and ails obtained from hituminaus	Quantity	General	Special	
2710 2710.12 2710.12.15		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils: Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils: Light oils and preparations: Motor fuel		52.5¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D, IL,JO,	\$1.05/bbl <u>1</u> /
	10	Gasoline: Leaded	bbl		KŔ,MÁ, MX,OM,P, PA,PE,R,SG) <u>1</u> /	
	14	Unleaded: Reformulated	hhl			
	19	Other	bbl			
	20 50	Jet fuel, naphtha-type	bbl			
2710.12.18		Motor fuel blending stock		52.5¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG) 1/	\$1.05/bbl <u>1</u> /
	05	Reformulated blendstock for oxygenate blending (RBOB)	bbl			
	90	Other	bbl			
2710.12.25	00	Naphthas (except motor fuel or motor fuel				
		blending stock)	bbl	10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	21¢/bbl
2710.12.45		Other: Mixtures of hydrocarbons not elsewhere				
		specified or included, which contain by weight not over 50 percent of any single				
		hydrocarbon compound		10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	21¢/bbl
	45 90	Insulating or transformer oils Other	bbl bbl			
2710.12.90	00	Other	kg liters	7%	Free (A+,AU,BH, CA,CL,CO,D,E, IL,JO, KR,MA, MX,OM,P, PA,PE,SG) 1/	25%

^{1/} For ethyl alcohol or a mixture thereof from CBERA beneficiaries, see section 423 of the Tax Reform Act of 1986, as amended (19 U.S.C. 2703note); for ethyl alcohol or a mixture thereof from DR-CAFTA beneficiaries, see section 201(a)(3)(B)(ii) of the DR-CAFTA Implementation Act (19 U.S.C. 4031(a)(3)(B)(ii)).

2/ See heading 9902.22.14.

Heading/ Sta		Unit		Rates of Duty	
Subheading Suf	Article Description	of		1	2
fix		Quantity	General	Special	
2710 (con.) 2710.19 2710.19.06	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other: Distillate and residual fuel oils (including blended fuel oils): Testing under 25 degrees A.P.I		. 5.25¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D,	21¢/bbl
05	Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils): Containing not more than			IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	
	500 ppm of sulfur	bbl			
25 30 35 50	of sulfur				

v 27-8						
	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
2710 (con.)	IIX	Petroleum oils and oils obtained from bituminous	Quantity	General	Special	
2710.19		minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.):				
(con.)		Distillate and residual fuel oils (including				
2710.19.11		blended fuel oils) (con.): Testing 25 degrees A.P.I. or more		. 10.5¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D, IL,JO,	21¢/bbl
					KR,MA, MX,OM,P,	
	02	Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (light fuel oils): Fuel oils Nos. 2 and 3: Diesel oil: Containing not more			PA,PE,R,SG)	
	02	than 15 ppm of sulfur	bbl			
	03	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
	04	Containing more than 500 ppm of sulfur	bbl			
	05	Containing not more	bbl			
	07	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
	80	Containing more than 500 ppm of sulfur	bbl			
1/ See sub	hea	ding 9903.27.01.				

Stat.		Unit	1	Rates of Duty	27-9
Suf-	Article Description	of		1	2
fix		Quantity	General	Special	
	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.):				
	Distillate and residual fuel oils (including blended fuel oils) (con.): Testing 25 degrees A.P.I. or more (con.)				
	Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (light fuel oils) (con.): Other:				
11	Containing not more than 15 ppm of sulfur	bbl			
13	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
14	Containing more than 500 ppm of sulfur Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils): Containing not more than 500 ppm of sulfur	bbl			
25 50	Containing more than 500 ppm of sulfur	bbl			
00	viscosity at 37.8°C of more than 125 seconds (heavy fuel oils)		52.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P,	\$1.05/bbl <u>1</u> /
00	Kerosene (except kerosene-type jet fuel): Motor fuel	bbl	52.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P,	\$1.05/bbl <u>1</u> /
00	Motor fuel blending stock	bbl	52.5¢/bbl	PA,PE,R,SG) 1/ Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG) 1/	\$1.05/bbl <u>1</u> /
	111 13 14 15 50 00	Suffix Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.): Distillate and residual fuel oils (including blended fuel oils) (con.): Testing 25 degrees A.P.I. or more (con.) Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (light fuel oils) (con.): Other: Containing more than 15 ppm of sulfur	Suffix Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.): Distillate and residual fuel oils (including blended fuel oils) (con.): Testing 25 degrees A.P.I. or more (con.) Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (light fuel oils) (con.): Other: Containing not more than 15 ppm of sulfur bbl Containing more than 500 ppm of sulfur bbl Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils): Containing more than 500 ppm of sulfur bbl Econtaining more than 500 ppm of sulfur bbl Kerosene (except kerosene-type jet fuel): Motor fuel bbl	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.): Distillate and residual fuel oils (including blended fuel oils) (con.): Testing 25 degrees A.P.I. or more (con.) Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (infirf fuel oils) (con.): Other:	Suffice Suff

^{1/} For ethyl alcohol or a mixture thereof from CBERA beneficiaries, see section 423 of the Tax Reform Act of 1986, as amended (19 U.S.C. 2703note); for ethyl alcohol or a mixture thereof from DR-CAFTA beneficiaries, see section 201(a)(3)(B)(ii) of the DR-CAFTA Implementation Act (19 U.S.C. 4031(a)(3)(B)(ii)).

V	
27	-10

	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
2710 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.):				
2710.19 (con.)		Other (con.): Distillate and residual fuel oils (including				
2710.19.26	00	blended fuel oils) (con.): Kerosene (except kerosene-type jet fuel	. bbl	10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P,	21¢/bbl
		Lubricating oils and greases, with or without additives:			PA,PE,R,SG)	
2710.19.30	10	Aviation engine lubricating oils		84¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	\$1.68/bbl
	20	Automotive, diesel or marine engine lubricating oils	bbl			
	30 40 50 70 80	Turbine lubricating oil, including marine Automotive gear oils Steam cylinder oils Quenching or cutting oils Other Greases:	bbl			
2710.19.35	00	Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal) or vegetable	l	5.00/	F (A ALI BLI	000/
		origin	. kg	J.O /0	Free (A,AU,BH, CA,CL,CO, IL,JO, KR,MA, MX,OM,P,	20%
2710.19.40	00	Other	kg	1.3¢/kg + 5.7%	PA,PE,R,SG) Free (A,AU,BH, CA,CL,CO, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	4.4¢/kg + 20%

Heading/ Stat	1	Unit		Rates of Duty	27-1
Subheading Suf-		of		1	2
fix		Quantity	General	Special	
2710 (con.)	Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, other than those containing biodiesel and other than waste oils (con.): Other (con.):				
(con.)	Outer (con.).				
2710.19.45	Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound		10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P,	21¢/bbl
30 40 45 90	Other	bbl bbl bbl		PA,PE,R,SG)	
2710.19.90 00	Other	kg liters	7% <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D, E,IL,JO, KR,MA, MX,OM,P, PA,PE,SG)	25%

27-12						
Heading/ S	Stat.		Unit		Rates of Duty	
	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
2710 (con.) 2710.20		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, containing biodiesel, other than waste oils: Distillate and residual fuel oils (including				
2710.20.05		blended fuel oils): Testing under 25 degrees A.P.I		5.25¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE,	21¢/bbl
1	10	Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils)	bbl		R,SG)	
	20	Having a Saybolt Universal viscosity at 37.8°C of more than 125 seconds (heavy fuel oils)	bbl			
5	50	Other	bbl			

^{1/} See subheading 9903.27.01.

		٧
7	4	2

_	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
710 (con.) 710.20 con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, containing biodiesel, other than waste oils (con.): Distillate and residual fuel oils (including blended fuel oils) (con.): Testing 25 degrees A.P.I. or more		.10.5¢/bbl <u>1</u> /	Free (A+,AU,BH, CA,CL,CO,D, IL,JO,	21¢/bbl
		Having a Saybolt Universal viscosity at 37.8°C of less than 45 seconds (light fuel oils): Fuel oils Nos. 2 and 3:			KR,MA, MX,OM,P, PA,PE,R,SG)	
	02	Diesel oil: Containing not more than 15 ppm of sulfur	bbl			
	03	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
	04	Containing more than 500 ppm of sulfur	bbl			
	05	Containing not more than 15 ppm of sulfur	bbl			
	07	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
	08	Containing more than 500 ppm of sulfur	bbl			
1/ See sub	hea	ding 9903.27.01.				

27-14 Heading/	Stat.		Unit	1	Rates of Duty	
•	Suf-	Article Description	of		1	2
	fix		Quantity	General	Special	
2710 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.):				
2710.20 (con.)		Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, containing biodiesel, other than waste oils (con.): Distillate and residual fuel oils (including				
2710.20.10 (con.)		blended fuel oils) (con.): Testing 25 degrees A.P.I. or more (con.) Having a Saybolt Universal				
		viscosity at 37.8°C of less than 45 seconds (light fuel oils) (con.): Other:				
	11	Containing not more than 15 ppm of sulfur	bbl			
	13	Containing more than 15 ppm but not more than 500 ppm of sulfur	bbl			
	14	Containing more than 500 ppm of sulfur	bbl			
	15	125 seconds (No. 4-type fuel oils): Containing not more than 500 ppm of sulfur	bbl			
	25 50	Containing more than 500 ppm of sulfur	bbl			
2710.20.15	00	viscosity at 37.8°C of more than 125 seconds (heavy fuel oils)				
		motor fuel blending stock	bbl	52.5¢/bb	Free(A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG) 1/	\$1.05/bbl <u>1</u> /
2710.20.25	00	Kerosene (except kerosene-type jet fuel, motor fuel or motor fuel blending stock)	bbl	10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D, IL,JO, KR,MA, MX,OM,P, PA,PE,R,SG)	21¢/bbl

^{1/} For ethyl alcohol or a mixture thereof from CBERA beneficiaries, see section 423 of the Tax Reform Act of 1986, as amended (19 U.S.C. 2703note); for ethyl alcohol or a mixture thereof from DR-CAFTA beneficiaries, see section 201(a)(3)(B)(ii) of the DR-CAFTA Implementation Act (19 U.S.C. 4031(a)(3)(B)(ii)).

Subheading	22					
	Suf-	Article Description	of	0	1	2
740 (fix		Quantity	General	Special	
710 (con.) 710.91.00	00		bbl	10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	21¢/bbl
710.99		Other: Wastes of distillate and residual fuel oils (whether or not blended):				
710.99.05	00	Testing under 25 degrees A.P.I	bbl	5.25¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG) <u>1</u> /	21¢/bbl
710.99.10	00	Testing 25 degrees A.P.I. or more	bbl	10.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG) 1/	21¢/bbl
710.99.16	00	Wastes of motor fuel or of motor fuel blending stock	bbl	52.5¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL,	\$1.05/bbl <u>1</u>
710.99.21	00	Wastes of kerosene or naphthas	bbl	10.5¢/bbl	JO,KR,MA,MX, OM,P,PA,PE, R,SG) <u>1/</u> Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX,	21¢/bbl
					OM,P,PA,PE, R,SG)	

^{1/} For ethyl alcohol or a mixture thereof from CBERA beneficiaries, see section 423 of the Tax Reform Act of 1986, as amended (19 U.S.C. 2703note); for ethyl alcohol or a mixture thereof from DR-CAFTA beneficiaries, see section 201(a)(3)(B)(ii) of the DR-CAFTA Implementation Act (19 U.S.C. 4031(a)(3)(B)(ii)).

V 27-<u>16</u>

27-16	٥.					
•	Stat.	Article Decements	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	Special	2
2710 (con.)		Petroleum oils and oils obtained from bituminous minerals, other than crude; preparations not elsewhere specified or included, containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations; waste oils (con.): Waste oils (con.): Other (con.): Wastes of lubricating oils and greases (whether or not containing additives):	,			
2710.99.31	00	Of oils	bbl	84¢/bbl	Free (A+,AU,BH, CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	\$1.68/bbl
2710.99.32	00	Of greases: Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal) or				
		vegetable origin	kg	5.8%	Free (A,AU,BH, CA,CL,CO,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	20%
2710.99.39	00	Other	kg	1.3¢/kg + 5.7%	Free (A,AU,BH, CA,CL,CO,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	4.4¢/kg + 20%
2710.99.45	00	Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain not over 50 percent of any single hydrocarbon compound	bbl	10 5 <i>¢/</i> bbl	Free (A+,AU,BH,	21¢/bbl
					CA,CL,CO,D,IL, JO,KR,MA,MX, OM,P,PA,PE, R,SG)	219/55/
2710.99.90	00	Other	kg liters	7%	Free (A+,AU,BH, CA,CL,CO,D,E,IL, JO,KR,MA,MX, OM,,P,PA,PE,SG)	25%

	V
7	_

Heading/	Stat.		Unit		Rates of Duty	27-17
Subheading	Suf-	Article Description	of	1	· · · · · · · · · · · · · · · · · · ·	2
	fix		Quantity	General	Special	
2711		Petroleum gases and other gaseous hydrocarbons:				
2711.11.00	00	Liquefied:	thousand	Eroo		Fron
2/11.11.00	00	Natural gas	thousand m ³	Free		Free
2711.12.00		Propane		Free		Free
	10	Propane with a minimum purity of 90 liquid				
		volume percent	bbl			
	20	Other	bbl			
2711.13.00	20	Butanes		Free		Free
	10	Butanes with a purity of 90 liquid volume				
ì		percent or more, but less than 95 liquid volume				
		percent	bbl			
	20	Other	bbl			
2711.14.00		Ethylene, propylene, butylene and butadiene		Free		Free
	10	Ethylene	kg			
	20	Propylene	kg			
	30 40	Butylene Butadiene	kg kg			
2711.19.00	40	Other		Free		Free
	10	Ethane	bbl			
	20	Other	kg			
		In gassaus state:	liters			
2711.21.00	00	In gaseous state: Natural gas	m^3	Free		Free
27 1 1.2 1.00	00	reaction gas				1100
2711.29.00		Other		Free		Free
	40	Propane:				
	10	Propane with a minimum purity of 90 liquid volume percent	bbl			
		volune percent	וטטו			
	15	Other	bbl			
	l	Butanes:				
	20	Butanes with a purity of 90 liquid volume				
		percent or more, but less than 95 liquid volume percent	bbl			
		volumo porodik	551			
	25	Other	bbl			
	60	Other	bbl			
2712		Petroleum jelly; paraffin wax, microcrystalline petroleum				
		wax, slack wax, ozokerite, lignite wax, peat wax, other				
		mineral waxes and similar products obtained by synthesis				
2712 10 00	00	or by other processes, whether or not colored:	ka	Eroo		Eroo
2712.10.00 2712.20.00		Petroleum jelly	kg	FIEE		Free
		0.75 percent of oil	kg	Free		2.2¢/kg
			_			
2712.90 2712.90.10	00	Other: Montan wax	ka	Eroo		Free
2712.90.10			ka	Free		2.2¢/kg
						₽/g
2713		Petroleum coke, petroleum bitumen and other residues of				
		petroleum oils or of oils obtained from bituminous minerals: Petroleum coke:				
2713.11.00	00	Not calcined	t	Free		Free
2713.12.00		Calcined				45%
2713.20.00		Petroleum bitumen				Free
2713.90.00	00	Other residues of petroleum oils or of oils obtained from bituminous materials		Eroo		Eroc
		nom oltuminous materiais	١	riee		Free
i						
i						
	. !	I	l	į l		I

V 27-18

27-18	_		_	_		
	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
2714	ПΑ	Bitumen and asphalt, natural; bituminous or oil shale and			Special	
74 4 40 00	00	tar sands; asphaltites and asphaltic rocks: Bituminous or oil shale and tar sands				
2714.10.00 2714.90.00	00	Other	t	Free Free		Free Free
.7 14.30.00	00	Otilei	1	11166		1166
715.00.00	00	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example, bituminous mastics,				
		cut-backs)	t	Free		Free
716.00.00	00	Electrical energy	kWh	Free		Free
	l		1		1	1

Heading/	Stat.	itat.	Unit	27- Rates of Duty			
ubheading	Suf- fix	Article Description	of Quantity	1 General	Special	2	
	1 1		1				