

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

CHAPTER 73

ARTICLES OF IRON OR STEEL

XV
73-1

Notes

1. In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

1. For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-2

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|----------------|--------------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7301 | | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel: | | | | |
| 7301.10.00 | 00 | Sheet piling | kg | 0.3% | Free (A+,CA,E,IL, J) 0.2% (MX) | 2% |
| 7301.20 | | Angles, shapes and sections: | | | | |
| 7301.20.10 | 00 | Of iron or nonalloy steel | kg | 1.1% | Free (A+,CA,E,IL, J) 0.8% (MX) | 20% |
| 7301.20.50 | 00 | Of alloy steel | kg | 1.6% | Free (A+,CA,E,IL, J) 1.1% (MX) | 28% |
| 7302 | | Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: | | | | |
| 7302.10 | | Rails: | | | | |
| 7302.10.10 | | Of iron or nonalloy steel | | 0.1% <u>1/</u> | Free (A+,CA,E,IL, J,MX) | 1% |
| | | New: | | | | |
| | | Not heat treated: | | | | |
| | 10 | Standard tee rails over 30 kg per meter | kg | | | |
| | | Other: | | | | |
| | 15 | Over 30 kg per meter | kg | | | |
| | 25 | Other | kg | | | |
| | | Heat treated: | | | | |
| | 35 | Standard tee rails over 30 kg per meter | kg | | | |
| | | Other: | | | | |
| | 45 | Over 30 kg per meter | kg | | | |
| | 55 | Other | kg | | | |
| | | Used: | | | | |
| | 65 | Railway rails for rerolling | kg | | | |
| | 75 | Other | kg | | | |
| 7302.10.50 | | Of alloy steel | | 1.4% <u>1/</u> | Free (A+,CA,E,IL, J) 1% (MX) | 9% |
| | 20 | New | kg | | | |
| | | Used: | | | | |
| | 40 | Railway rails for rerolling | kg | | | |
| | 60 | Other | kg | | | |
| 7302.20.00 | 00 | Sleepers (cross-ties) | kg | 0.4% | Free (A+,CA,E,IL, J) 0.2% (MX) | 2% |
| 7302.30.00 | 00 | Switch blades, crossing frogs, point rods and other crossing pieces | kg | Free | | 45% |
| 7302.40.00 | 00 | Fish-plates and sole plates | kg | 0.4% | Free (A+,CA,E,IL, J) 0.2% (MX) | 2% |
| 7302.90.00 | 00 | Other | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |

1/ See heading 9817.00.90

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-3

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--------------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7303.00.00 | | Tubes, pipes and hollow profiles, of cast iron | | Free | | 33% |
| | 30 | Soil pipe | kg | | | |
| | 60 | Pressure pipe with an inside diameter of less than 356 mm | kg | | | |
| | 90 | Other | kg | | | |
| 7304 | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: | | | | |
| 7304.10 | | Line pipe of a kind used for oil or gas pipelines: | | | | |
| 7304.10.10 | | Of iron or nonalloy steel | | 3.2% | Free (A+,CA,E,IL, J) 2.4% (MX) | 25% |
| | 20 | Having an outside diameter not exceeding 114.3 mm | kg | | | |
| | 30 | Having an outside diameter exceeding 114.3 mm but less than 215.9 mm | kg | | | |
| | 45 | Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 60 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| 7304.10.50 | | Of alloy steel | | 3% | Free (A+,CA,E,IL, J) 2.2% (MX) | 35% |
| | 20 | Having an outside diameter not exceeding 114.3 mm | kg | | | |
| | 50 | Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| | | Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: | | | | |
| 7304.21 | | Drill pipe: | | | | |
| 7304.21.30 | 00 | Of iron or nonalloy steel | kg | 3.2% | Free (A+,CA,E,IL, J) 2.4% (MX) | 25% |
| 7304.21.60 | | Of alloy steel | | 3% | Free (A+,CA,E,IL, J) 2.2% (MX) | 35% |
| | 30 | Having an outside diameter not exceeding 168.3 mm: Having a wall thickness not exceeding 9.5 mm | kg | | | |
| | 45 | Having a wall thickness exceeding 9.5 mm | kg | | | |
| | 60 | Having an outside diameter exceeding 168.3 mm | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-4

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--------------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| | | Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.): | | | | |
| 7304.29 | | Other: | | | | |
| | | Casing: | | | | |
| | | Of iron or nonalloy steel: | | | | |
| 7304.29.10 | | Threaded or coupled | | 2.4% | Free (A+,CA,E,IL, J) 1.8% (MX) | 20% |
| | 10 | Having an outside diameter less than 215.9 mm: | | | | |
| | | Having a wall thickness less than 12.7 mm | kg | | | |
| | 20 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | | Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: | | | | |
| | 30 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 40 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: | | | | |
| | 50 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 60 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| 7304.29.20 | | Other | | 0.2% | Free (A+,CA,E,IL, J) 0.1% (MX) | 1% |
| | 10 | Having an outside diameter less than 215.9 mm: | | | | |
| | | Having a wall thickness less than 12.7 mm | kg | | | |
| | 20 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | | Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: | | | | |
| | 30 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 40 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: | | | | |
| | 50 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 60 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-5

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|-----------------------------------|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| | | Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.): | | | | |
| 7304.29 (con.) | | Other (con.): | | | | |
| | | Casing (con): | | | | |
| | | Of alloy steel: | | | | |
| 7304.29.30 | | Threaded or coupled | | 2.5% | Free (A+,CA,E,IL, J) 1.8% (MX) | 28% |
| | 10 | Having an outside diameter less than 215.9 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 20 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 30 | Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 40 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 50 | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 60 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| 7304.29.40 | | Other | | 1.3% | Free (A+,CA,E,IL, J) 0.9% (MX) | 8.5% |
| | 10 | Having an outside diameter less than 215.9 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 20 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 30 | Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 40 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 50 | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 60 | Having a wall thickness of 12.7 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-6

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|-----------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| | | Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.): | | | | |
| 7304.29 (con.) | | Other (con.): | | | | |
| | | Tubing: | | | | |
| 7304.29.50 | | Of iron or nonalloy steel | | 3.2% | Free (A+,CA,E,IL, J) 2.4% (MX) | 25% |
| | 15 | Having an outside diameter not exceeding 114.3 mm: | | | | |
| | | Having a wall thickness not exceeding 9.5 mm | kg | | | |
| | 30 | Having a wall thickness exceeding 9.5 mm | kg | | | |
| | 45 | Having an outside diameter exceeding 114.3 mm but less than 215.9 mm | kg | | | |
| | 60 | Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm | kg | | | |
| | 75 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| 7304.29.60 | | Of alloy steel | | 3% | Free (A+,CA,E,IL, J) 2.2% (MX) | 35% |
| | 15 | Having an outside diameter not exceeding 114.3 mm: | | | | |
| | | Having a wall thickness not exceeding 9.5 mm | kg | | | |
| | 30 | Having a wall thickness exceeding 9.5 mm | kg | | | |
| | 45 | Having an outside diameter exceeding 114.3 mm but less than 215.9 mm | kg | | | |
| | 60 | Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm | kg | | | |
| | 75 | Having an outside diameter exceeding 406.4 mm | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-7

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|---|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| 7304.31 | | Other, of circular cross section, of iron or nonalloy steel: | | | | |
| 7304.31.30 | 00 | Cold-drawn or cold-rolled (cold-reduced): Hollow bars | kg | 2.5% | Free (A+,CA,E,IL, J) 1.8% (MX) | 22% |
| 7304.31.60 | | Other | | 3.2% | Free (A+,C 1/,CA, E,IL,J) 2.4% (MX) | 25% |
| | 10 | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters | kg | | | |
| | 50 | Other | kg | | | |
| 7304.39.00 | | Other | | 3.2% | Free (A+,C 1/,CA, E,IL,J) 2.4% (MX) | 25% |
| | 02 | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Having an outside diameter less than 38.1 mm | kg | | | |
| | 04 | Having an outside diameter of 38.1 mm or more but less than 190.5 mm | kg | | | |
| | 06 | Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm | kg | | | |
| | 08 | Having an outside diameter exceeding 285.8 mm | kg | | | |
| | 16 | Other: Galvanized, having an outside diameter not exceeding 114.3 mm | kg | | | |
| | 20 | Other: Having an outside diameter less than 38.1 mm | kg | | | |
| | 24 | Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than 6.4 mm | kg | | | |
| | 28 | Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm | kg | | | |
| | 32 | Having a wall thickness exceeding 12.7 mm | kg | | | |

1/ See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-8

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|---------|---|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| | | Other, of circular cross section, of iron or nonalloy steel (con.): | | | | |
| 7304.39.00 (con.) | | Other (con.): | | | | |
| | | Other (con.): | | | | |
| | | Other (con.): | | | | |
| | | Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: | | | | |
| | 36 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 40 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 44 | Having a wall thickness of 19 mm or more | kg | | | |
| | | Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm: | | | | |
| | 48 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 52 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 56 | Having a wall thickness of 19 mm or more | kg | | | |
| | | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: | | | | |
| | 62 | Having a wall thickness less than 12.7 mm | kg | | | |
| | 68 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 72 | Having a wall thickness of 19 mm or more | kg | | | |
| | | Having an outside diameter exceeding 406.4 mm: | | | | |
| | 76 | Having a wall thickness less than 19 mm | kg | | | |
| | 80 | Having a wall thickness of 19 mm or more | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-9

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| 7304.41 | | Other, of circular cross section, of stainless steel: | | | | |
| 7304.41.30 | | Cold-drawn or cold-rolled (cold-reduced): | | | | |
| | | Of an external diameter of less than 19 mm | | 3% | Free (A+,C 1/,CA, E,IL,J,MX) | 36% |
| | 05 | Of high-nickel alloy steel | kg | | | |
| | 15 | Other: | | | | |
| | | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters | kg | | | |
| | 45 | Other | kg | | | |
| 7304.41.60 | | Other | | 3% | Free (A+,C 1/,CA, E,IL,J,MX) | 36% |
| | 05 | Of high-nickel alloy steel | kg | | | |
| | 15 | Other: | | | | |
| | | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters | kg | | | |
| | 45 | Other | kg | | | |
| 7304.49.00 | | Other | | 3% | Free (A+,C 1/,CA, E,IL,J,MX) | 36% |
| | 05 | Of high-nickel alloy steel | kg | | | |
| | 15 | Other: | | | | |
| | | Hollow bars | kg | | | |
| | 45 | Other: | | | | |
| | | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters | kg | | | |
| | 60 | Other | kg | | | |
| 7304.51 | | Other, of circular cross section, of other alloy steel: | | | | |
| 7304.51.10 | 00 | Cold-drawn or cold-rolled (cold-reduced): | | | | |
| | | Suitable for use in the manufacture of ball or roller bearings | kg | 2.7% | Free (A+,CA,E,IL, J,MX) | 34% |
| 7304.51.50 | | Other | | 3% | Free (A+,C 1/,CA, E,IL,J) | 35% |
| | 05 | Of high-nickel alloy steel | kg | | 2.2% (MX) | |
| | | Other: | | | | |
| | | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: | | | | |
| | 15 | Of heat-resisting steel | kg | | | |
| | 45 | Other | kg | | | |
| | 60 | Other | kg | | | |

^{1/} See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-10

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| 7304.59 | | Other, of circular cross section, of other alloy steel (con.): | | | | |
| 7304.59.10 | 00 | Other: | | | | |
| | | Suitable for use in the manufacture of ball or roller bearings | kg | 2.7% | Free (A+,CA,E,IL, J) 2% (MX) | 34% |
| 7304.59.20 | | Other: | | | | |
| | | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters | | 3% | Free (A+,C 1/,CA, E,IL,J) 2.2% (MX) | 35% |
| | 30 | Of heat-resisting steel | kg | | | |
| | 40 | Other: | | | | |
| | | Having an outside diameter less than 38.1 mm | kg | | | |
| | 45 | Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm | kg | | | |
| | 55 | Having an outside diameter exceeding 114.3 mm but less than 190.5 mm | kg | | | |
| | 60 | Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm | kg | | | |
| | 70 | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |

1/ See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-11

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|---|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| 7304.59 (con.) | | Other, of circular cross section, of other alloy steel (con.): | | | | |
| | | Other (con.): | | | | |
| | | Other (con.): | | | | |
| | | Other: | | | | |
| 7304.59.60 | 00 | Of heat-resisting steel | kg | 3% | Free (A+,C 1/,CA, E,I,L,J) 2.2% (MX) | 36% |
| 7304.59.80 | | Other | | 3% | Free (A+,C 1/,CA, E,I,L,J) 2.2% (MX) | 35% |
| | 10 | Having an outside diameter less than 38.1 mm | kg | | | |
| | 15 | Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: | | | | |
| | | Having a wall thickness less than 6.4 mm | kg | | | |
| | 20 | Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm | kg | | | |
| | 25 | Having a wall thickness exceeding 12.7 mm | kg | | | |
| | 30 | Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: | | | | |
| | | Having a wall thickness less than 12.7 mm | kg | | | |
| | 35 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 40 | Having a wall thickness of 19 mm or more | kg | | | |

1/ See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-12

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7304 (con.) | | Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): | | | | |
| | | Other, of circular cross section, of other alloy steel (con.): | | | | |
| 7304.59 (con.) | | Other (con.): | | | | |
| | | Other (con.): | | | | |
| | | Other (con.): | | | | |
| 7304.59.80 (con.) | | Other (con.): | | | | |
| | 45 | Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 50 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 55 | Having a wall thickness of 19 mm or more | kg | | | |
| | 60 | Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than 12.7 mm | kg | | | |
| | 65 | Having a wall thickness of 12.7 mm or more but less than 19 mm | kg | | | |
| | 70 | Having a wall thickness of 19 mm or more | kg | | | |
| | 80 | Having an outside diameter exceeding 406.4 mm | kg | | | |
| 7304.90 | | Other: | | | | |
| | | Having a wall thickness of 4 mm or more: | | | | |
| 7304.90.10 | 00 | Of iron or nonalloy steel | kg | 0.2% | Free (A+,C 1/,CA, E,IL,J) 0.1% (MX) | 1% |
| 7304.90.30 | 00 | Of alloy steel | kg | 1.3% | Free (A+,C 1/,CA, E,IL,J) 0.9% (MX) | 8.5% |
| | | Having a wall thickness of less than 4 mm: | | | | |
| 7304.90.50 | 00 | Of iron or nonalloy steel | kg | 3.2% | Free (A+,C 1/,CA, E,IL,J) 2.4% (MX) | 25% |
| 7304.90.70 | 00 | Of alloy steel | kg | 3% | Free (A+,C 1/,CA, E,IL,J) 2.2% (MX) | 35% |

^{1/} See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-13

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|--------------------------------------|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7305 | | Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: | | | | |
| 7305.11 | | Line pipe of a kind used for oil or gas pipelines: | | | | |
| 7305.11.10 | | Longitudinally submerged arc welded: | | | | |
| | | Of iron or nonalloy steel | | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| | 30 | With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm . . . | kg | | | |
| | 60 | With an external diameter exceeding 609.6 mm | kg | | | |
| 7305.11.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| 7305.12 | | Other, longitudinally welded: | | | | |
| 7305.12.10 | | Of iron or nonalloy steel | | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| | 30 | With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm . . . | kg | | | |
| | 60 | With an external diameter exceeding 609.6 mm | kg | | | |
| 7305.12.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| 7305.19 | | Other: | | | | |
| 7305.19.10 | | Of iron or nonalloy steel | | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| | 30 | With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm . . . | kg | | | |
| | 60 | With an external diameter exceeding 609.6 mm | kg | | | |
| 7305.19.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| 7305.20 | | Casing of a kind used in drilling for oil or gas: | | | | |
| 7305.20.20 | 00 | Of iron or nonalloy steel: Threaded or coupled | kg | 2.4% | Free (A+,CA,E,IL, J) 1.8% (MX) | 20% |
| 7305.20.40 | 00 | Other | kg | 0.2% | Free (A+,CA,E,IL, J) 0.1% (MX) | 1% |
| 7305.20.60 | 00 | Of alloy steel: Threaded or coupled | kg | 2.5% | Free (A+,CA,E,IL, J) 1.8% (MX) | 28% |
| 7305.20.80 | 00 | Other | kg | 1.3% | Free (A+,CA,E,IL, J) 0.9% (MX) | 8.5% |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-14

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|-----------------------------------|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7305 (con.) | | Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel (con.): | | | | |
| 7305.31 | | Other, welded: | | | | |
| 7305.31.20 | 00 | Longitudinally welded: | | | | |
| | | Tapered pipes and tubes of steel principally used as parts of illuminating articles | kg | 3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7305.31.40 | 00 | Other: | | | | |
| | | Of iron or nonalloy steel | kg | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| 7305.31.60 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| 7305.39 | | Other: | | | | |
| 7305.39.10 | 00 | Of iron or nonalloy steel | kg | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| 7305.39.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| 7305.90 | | Other: | | | | |
| 7305.90.10 | 00 | Of iron or nonalloy steel | kg | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| 7305.90.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-15

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|--------------------|---|--------------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7306 | | Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: | | | | |
| 7306.10 | | Line pipe of a kind used for oil or gas pipelines: | | | | |
| 7306.10.10 | | Of iron or nonalloy steel | | 0.8% ^{1/} | Free (A+,CA,E,IL, J) ^{1/} 0.5% (M ^X) | 5.5% ^{1/} |
| | | With an outside diameter not exceeding 114.3 mm: | | | | |
| | | Line pipe described in note 10 to subchapter III of chapter 99: | | | | |
| | 13 | Line pipe described in 9903.72.20, 9903.72.22, or 9903.72.24 | kg | | | |
| | 14 | Line pipe described in 9903.72.21, 9903.72.23, or 9903.72.25 | kg | | | |
| | 15 | Other | kg | | | |
| | 19 | Other | kg | | | |
| | | With an outside diameter exceeding 114.3 mm: | | | | |
| | | Line pipe described in note 10 to subchapter III of chapter 99: | | | | |
| | 53 | Line pipe described in 9903.72.20, 9903.72.22, or 9903.72.24 | kg | | | |
| | 54 | Line pipe described in 9903.72.21, 9903.72.23, or 9903.72.25 | kg | | | |
| | 55 | Other | kg | | | |
| | 59 | Other | kg | | | |
| 7306.10.50 | | Of alloy steel | | 2% ^{1/} | Free (A+,CA,E,IL, J) ^{1/} 1.4% (M ^X) | 10% ^{1/} |
| | | With an outside diameter not exceeding 114.3 mm: | | | | |
| | | Line pipe described in note 10 to subchapter III of chapter 99: | | | | |
| | 13 | Line pipe described in 9903.72.20, 9903.72.22, or 9903.72.24 | kg | | | |
| | 14 | Line pipe described in 9903.72.21, 9903.72.23, or 9903.72.25 | kg | | | |
| | 15 | Other | kg | | | |
| | 19 | Other | kg | | | |
| | | With an outside diameter exceeding 114.3 mm: | | | | |
| | | Line pipe described in note 10 to subchapter III of chapter 99: | | | | |
| | 53 | Line pipe described in 9903.72.20, 9903.72.22, or 9903.72.24 | kg | | | |
| | 54 | Line pipe described in 9903.72.21, 9903.72.23, or 9903.72.25 | kg | | | |
| | 55 | Other | kg | | | |
| | 59 | Other | kg | | | |

^{1/} See subheadings 9903.72.20 through 9903.72.25

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-16

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|--------------------------------------|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7306 (con.) | | Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): | | | | |
| 7306.20 | | Casing and tubing of a kind used in drilling for oil or gas: | | | | |
| | | Casing: | | | | |
| | | Of iron or nonalloy steel: | | | | |
| 7306.20.10 | | Threaded or coupled | | 2.4% | Free (A+,CA,E,IL, J) 1.8% (MX) | 20% |
| | 30 | Imported with coupling | kg | | | |
| | 90 | Other | kg | | | |
| 7306.20.20 | 00 | Other | kg | 0.2% | Free (A+,CA,E,IL, J) 0.1% (MX) | 1% |
| | | Of alloy steel: | | | | |
| 7306.20.30 | 00 | Threaded or coupled | kg | 2.5% | Free (A+,CA,E,IL, J) 1.8% (MX) | 28% |
| 7306.20.40 | 00 | Other | kg | 1.3% | Free (A+,CA,E,IL, J) 0.9% (MX) | 8.5% |
| | | Tubing: | | | | |
| 7306.20.60 | | Of iron or nonalloy steel | | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| | 10 | Imported with coupling | kg | | | |
| | 50 | Other | kg | | | |
| 7306.20.80 | | Of alloy steel | | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |
| | 10 | Imported with coupling | kg | | | |
| | 50 | Other | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-17

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|--|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7306 (con.) | | Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): | | | | |
| 7306.30 | | Other, welded, of circular cross section, of iron or nonalloy steel: | | | | |
| 7306.30.10 | 00 | Having a wall thickness of less than 1.65 mm | kg | 3.2% | Free (A+,C 1/,CA, E,IL,J) 2.4% (MX) | 25% |
| 7306.30.30 | 00 | Having a wall thickness of 1.65 mm or more: Tapered steel pipes and tubes principally used as parts of illuminating articles | kg | 3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7306.30.50 | | Other | | 0.8% | Free (A+,C 1/,CA, E,IL,J) 0.5% (MX) | 5.5% |
| | 10 | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn | kg | | | |
| | 15 | Other, cold-drawn | kg | | | |
| | 20 | Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm | kg | | | |
| | | Other: | | | | |
| | | With an outside diameter not exceeding 114.3 mm: | | | | |
| | | Galvanized: | | | | |
| | 25 | Imported with coupling | kg | | | |
| | 28 | Internally coated or lined with a non-electrically insulating material,suitable for use as electrical conduit | kg | | | |
| | 32 | Other | kg | | | |
| | | Other: | | | | |
| | 35 | Tube and pipe hollows for re-drawing | kg | | | |
| | 40 | Other, imported with coupling . . | kg | | | |
| | 55 | Other | kg | | | |
| | | With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: | | | | |
| | 85 | Galvanized | kg | | | |
| | 90 | Other | kg | | | |

1/ See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-18

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|---|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7306 (con.) | | Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): | | | | |
| 7306.40 | | Other, welded, of circular cross section, of stainless steel: | | | | |
| 7306.40.10 | | Having a wall thickness of less than 1.65 mm | | 3% | Free (A+,C 1/,CA, E,I,L,J) 2.2% (MX) | 36% |
| | 10 | Containing more than 0.5 percent by weight of nickel: | | | | |
| | | Containing more than 1.5 percent but less than 5 percent by weight of molybdenum | kg | | | |
| | 15 | Other | kg | | | |
| | 90 | Other | kg | | | |
| 7306.40.50 | | Having a wall thickness of 1.65 mm or more | | 2% | Free (A+,C 1/,CA, E,I,L,J) 1.5% (MX) | 11% |
| | 05 | Of high-nickel alloy steel | kg | | | |
| | 15 | Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn | kg | | | |
| | 40 | Other, cold-drawn or cold-rolled (cold-reduced): Containing more than 0.5 percent but less than 24 percent by weight of nickel | kg | | | |
| | 42 | Other: Containing less than 15 percent by weight of chromium | kg | | | |
| | 44 | Other | kg | | | |
| | | Other: With an outside diameter not exceeding 114.3 mm: | | | | |
| | 62 | Containing more than 0.5 percent but less than 24 percent by weight of nickel: Containing more than 1.5 percent but less than 5 percent by weight of molybdenum | kg | | | |
| | 64 | Other | kg | | | |
| | 80 | Other | kg | | | |
| | 85 | With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm: Containing more than 0.5 percent but less than 24 percent by weight of nickel | kg | | | |
| | 90 | Other | kg | | | |

1/ See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-19

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|--|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7306 (con.) | | Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): | | | | |
| 7306.50 | | Other, welded, of circular cross section, of other alloy steel: | | | | |
| 7306.50.10 | 00 | Having a wall thickness of less than 1.65 mm | kg | 3% | Free (A+,C 1/,CA, E,IL,J) 2.2% (MX) | 35% |
| 7306.50.30 | 00 | Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles | kg | 3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7306.50.50 | | Other | | 2% | Free (A+,C 1/,CA, E,IL,J) 1.4% (MX) | 10% |
| | 10 | Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn | kg | | | |
| | 30 | Other, cold-drawn or cold-rolled (cold-reduced) | kg | | | |
| | 50 | Other: With an outside diameter not exceeding 114.3 mm | kg | | | |
| | 70 | With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm | kg | | | |
| 7306.60 | | Other, welded, of noncircular cross section: Having a wall thickness of 4 mm or more: | | | | |
| 7306.60.10 | 00 | Of iron or nonalloy steel | kg | 0.2% | Free (A+,C 1/,CA, E,IL,J) 0.1% (MX) | 1% |
| 7306.60.30 | 00 | Of alloy steel | kg | 1.8% | Free (A+,C 1/,CA, E,IL,J) 1.3% (MX) | 28% |
| 7306.60.50 | 00 | Having a wall thickness of less than 4 mm: Of iron or nonalloy steel | kg | 3.2% | Free (A+,C 1/,CA, E,IL,J) 2.4% (MX) | 25% |
| 7306.60.70 | | Of alloy steel | | 3% | Free (A+,C 1/,CA, E,IL,J) 2.2% (MX) | 35% |
| | 30 | Of stainless steel | kg | | | |
| | 60 | Other | kg | | | |
| 7306.90 | | Other: | | | | |
| 7306.90.10 | 00 | Of iron or nonalloy steel | kg | 0.8% | Free (A+,CA,E,IL, J) 0.5% (MX) | 5.5% |
| 7306.90.50 | 00 | Of alloy steel | kg | 2% | Free (A+,CA,E,IL, J) 1.4% (MX) | 10% |

^{1/} See additional U.S. note 1 to this chapter.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-20

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|-----------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7307 | | Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: | | | | |
| 7307.11.00 | | Cast fittings: | | | | |
| | | Of nonmalleable cast iron | | 4.8% | Free (A,CA,E,IL,J, MX) | 25% |
| | 30 | For threaded pipe | kg | | | |
| | | Other: | | | | |
| | 45 | For cast-iron soil pipe | kg | | | |
| | 60 | Other | kg | | | |
| 7307.19 | | Other: | | | | |
| 7307.19.30 | | Ductile fittings | | 5.6% | Free (A,CA,E,IL,J, MX) | 45% |
| | 40 | Grooved-end fittings (including grooved couplings) | kg | | | |
| | | Other: | | | | |
| | 60 | Threaded | kg | | | |
| | 80 | Other | kg | | | |
| 7307.19.90 | | Other | | 6.2% | Free (A+,CA,E,IL, J) 1.8% (MX) | 45% |
| | 30 | Unions | kg | | | |
| | | Other: | | | | |
| | 40 | Grooved-end fittings (including grooved couplings) | kg | | | |
| | | Other: | | | | |
| | 60 | Threaded | kg | | | |
| | 80 | Other | kg | | | |
| | | Other, of stainless steel: | | | | |
| 7307.21 | | Flanges: | | | | |
| 7307.21.10 | 00 | Not machined, not tooled and not otherwise processed after forging | kg | 3.3% | Free (A,CA,E,IL,J, MX) | 34% |
| 7307.21.50 | 00 | Other | kg | 5.6% | Free (A*,B,CA,E, IL,J,MX) | 45% |
| 7307.22 | | Threaded elbows, bends and sleeves: | | | | |
| 7307.22.10 | 00 | Sleeves (couplings) | kg | 2.5% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7307.22.50 | 00 | Other | kg | 6.2% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7307.23.00 | 00 | Butt welding fittings | kg | 5% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7307.29.00 | | Other | | 5% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | 30 | Nipples | kg | | | |
| | 90 | Other | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-21

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|----------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7307 (con.) | | Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel (con.): | | | | |
| 7307.91 | | Other: | | | | |
| | | Flanges: | | | | |
| | | Not machined, not tooled and not otherwise processed after forging: | | | | |
| 7307.91.10 | 00 | Of iron or nonalloy steel | kg | 3.3% | Free (A,CA,E,IL,J, MX) | 25% |
| 7307.91.30 | 00 | Of alloy steel (except stainless steel) | kg | 3.2% | Free (A*,CA,E,IL, J,MX) | 33% |
| 7307.91.50 | | Other | | 5.5% | Free (A*,B,CA,E, IL,J,MX) | 45% |
| | | With an inside diameter of less than 360 mm: | | | | |
| | 10 | Of iron or nonalloy steel | kg | | | |
| | 30 | Of alloy steel (except stainless steel) | kg | | | |
| | | With an inside diameter of 360 mm or more: | | | | |
| | 50 | Of iron or nonalloy steel | kg | | | |
| | 70 | Of alloy steel (except stainless steel) | kg | | | |
| 7307.92 | | Threaded elbows, bends and sleeves: | | | | |
| 7307.92.30 | | Sleeves (couplings) | | 2.5% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | 10 | Of iron or nonalloy steel | kg | | | |
| | 30 | Of alloy steel (except stainless steel) | kg | | | |
| 7307.92.90 | 00 | Other | kg | 6.2% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7307.93 | | Butt welding fittings: | | | | |
| | | With an inside diameter of less than 360 mm: | | | | |
| 7307.93.30 | 00 | Of iron or nonalloy steel | kg | 6.2% | Free (A+,B,CA,E, IL,J) 1.8% (MX) | 45% |
| 7307.93.60 | 00 | Of alloy steel (except stainless steel) | kg | 5.5% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7307.93.90 | | With an inside diameter of 360 mm or more | | 4.3% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | 30 | Of iron or nonalloy steel | kg | | | |
| | 60 | Of alloy steel (except stainless steel) | kg | | | |
| 7307.99 | | Other: | | | | |
| | | Not machined, not tooled and not otherwise processed after forging: | | | | |
| 7307.99.10 | 00 | Of iron or nonalloy steel | kg | 3.7% | Free (A,CA,E,IL,J, MX) | 25% |
| 7307.99.30 | 00 | Of alloy steel (except stainless steel) | kg | 3.2% | Free (A,CA,E,IL,J, MX) | 33% |
| 7307.99.50 | | Other | | 4.3% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | | Of iron or nonalloy steel: | | | | |
| | 15 | Nipples | kg | | | |
| | 45 | Other | kg | | | |
| | 60 | Of alloy steel (except stainless steel) | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-22

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|-----------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7308 | | Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel: | | | | |
| 7308.10.00 | 00 | Bridges and bridge sections | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7308.20.00 | 00 | Towers and lattice masts | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7308.30 | | Doors, windows and their frames and thresholds for doors: | | | | |
| 7308.30.10 | 00 | Of stainless steel | kg | 1.4% | Free (A,CA,E,IL,J, MX) | 35% |
| 7308.30.50 | | Other | | 1% | Free (A,CA,E,IL,J, MX) | 25% |
| | 15 | Windows and their frames | kg | | | |
| | 25 | Thresholds for doors | kg | | | |
| | 50 | Other | kg | | | |
| 7308.40.00 | 00 | Equipment for scaffolding, shuttering, propping or pit-propping | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7308.90 | | Other: | | | | |
| | | Columns, pillars, posts, beams, girders and similar structural units: | | | | |
| 7308.90.30 | 00 | Not in part of alloy steel | kg | 1.1% | Free (A+,CA,E,IL, J) 0.8% (MX) | 20% |
| 7308.90.60 | 00 | Other | kg | 1.6% | Free (A+,CA,E,IL, J) 1.1% (MX) | 30% |
| | | Other: | | | | |
| 7308.90.70 | 00 | Steel grating | kg | 2.3% | Free (A*,CA,E,IL, J,MX) | 45% |
| 7308.90.95 | | Other | | 2.3% | Free (A*,CA,E,IL, J,MX) | 45% |
| | 30 | Sheet-metal roofing, siding, flooring and roof drainage equipment | kg | | | |
| | | Other: | | | | |
| | 60 | Architectural and ornamental work | kg | | | |
| | 90 | Other | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-23

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|---------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7309.00.00 | | Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment | | Free | | 45% |
| | 30 | Tanks | No. kg | | | |
| | 90 | Other | No. kg | | | |
| 7310 | | Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment: | | | | |
| 7310.10.00 | | Of a capacity of 50 liters or more | | Free | | 25% |
| | 10 | Empty steel drums and barrels | No. kg | | | |
| | 50 | Other | X | | | |
| 7310.21.00 | | Of a capacity of less than 50 liters: | | | | |
| | 25 | Cans which are to be closed by soldering or crimping | | Free | | 25% |
| | 50 | Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods | No. | | | |
| | 50 | Other | No. | | | |
| 7310.29.00 | | Other | | Free | | 25% |
| | 25 | Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods | No. | | | |
| | 50 | Other | No. | | | |
| 7311.00.00 | | Containers for compressed or liquefied gas, of iron or steel | | Free | | 25% |
| | 30 | Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements: Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number | No. kg | | | |
| | 60 | Other | No. kg | | | |
| | 90 | Other | No. kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-24

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|----------------|--|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7312 | | Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated: | | | | |
| 7312.10 | | Stranded wire, ropes and cables: | | | | |
| | | Stranded wire: | | | | |
| | | Of stainless steel: | | | | |
| 7312.10.05 | 00 | Fitted with fittings or made up into articles | kg | 2.3% | Free (A,B,C,CA,E,IL,J,MX) | 45% |
| 7312.10.10 | | Other | | 2.3% <u>1/</u> | Free (A,CA,E,IL,J,MX) | 45% |
| | 30 | Tire cord | kg | | | |
| | 50 | Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5 | kg | | | |
| | 70 | Other | kg | | | |
| 7312.10.20 | 00 | Other: Fitted with fittings or made up into articles | kg | 2.3% | Free (A,B,C,CA,E,IL,J,MX) | 45% |
| 7312.10.30 | | Other | | 2% <u>1/</u> | Free (A+,CA,E,IL,J) 1.4% (MX) <u>2/</u> | 35% |
| | 05 | Tire cord | kg | | | |
| | 10 | For prestressing concrete: Covered with textile or other non-metallic material | kg | | | |
| | 12 | Other | kg | | | |
| | 20 | Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5 | kg | | | |
| | 45 | Other: Of brass plated wire | kg | | | |
| | 65 | Other: Galvanized: ACSR core strand | kg | | | |
| | 70 | Other: Covered with textile or other nonmetallic material | kg | | | |
| | 74 | Other. | kg | | | |
| | 80 | Other | kg | | | |

1/ See subheading 9907.73.01.

2/ See subheading 9906.73.01.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-25

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|--------------------------|----------------|---|------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7312 (con.) | | Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated (con.): | | | | |
| 7312.10 (con.) | | Stranded wire, ropes and cables (con.): | | | | |
| | | Ropes, cables and cordage other than stranded wire: | | | | |
| | | Of stainless steel: | | | | |
| 7312.10.50 | 00 | Fitted with fittings or made up into articles | kg | 2.3% | Free (A+,B,C,CA, E,IL,J) 1.7% (MX) | 45% |
| 7312.10.60 | | Other | | 1.8% <u>1/</u> | Free (A+,CA,E,IL, J) 1.3% (MX) <u>2/</u> | 45% |
| | 30 | With a diameter not exceeding 9.5 mm | kg | | | |
| | 60 | Other | kg | | | |
| 7312.10.70 | 00 | Other: Fitted with fittings or made up into articles | kg | 2.3% | Free (A+,B,C,CA,, E,IL,J) 1.7% (MX) | 45% |
| 7312.10.80 | 00 | Other: Of brass plated wire | kg | 1.6% | Free (A,CA,E,IL,J, MX) | 35% |
| 7312.10.90 | | Other | | 1.6% <u>1/</u> | Free (A+,CA,E,IL, J) 1.2% (MX) <u>2/</u> | 35% |
| | 30 | Galvanized: With a diameter not exceeding 9.5 mm | kg | | | |
| | 60 | With a diameter exceeding 9.5 mm | kg | | | |
| 7312.90.00 | 00 | Other | kg | 2.3% | Free (A,B,C,CA,E, IL,J,MX) | 45% |
| 7313.00.00 | 00 | Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel | kg | Free | | Free |
| 7314 | | Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: | | | | |
| | | Woven cloth: | | | | |
| 7314.12 | | Endless bands for machinery, of stainless steel: | | | | |
| 7314.12.10 | 00 | With meshes not finer than 12 wires to the lineal centimeter in warp or filling | m ² | 2% | Free (A,B,CA,E,IL, J,MX) | 35% |
| 7314.12.20 | 00 | With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or filling | m ² | 2% | Free (A,B,CA,E,IL, J,MX) | 50% |
| | | With meshes finer than 36 wires to the lineal centimeter in warp or filling: | | | | |
| | | Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines: | | | | |
| 7314.12.30 | 00 | With 94 or more wires to the lineal centimeter | m ² | Free | | 75% |
| 7314.12.60 | 00 | Other | kg | 4% | Free (A,CA,E,IL,J, MX) | 75% |
| 7314.12.90 | 00 | Other | m ² | 2.9% | Free (A,B,CA,E,IL, J,MX) | 60% |

1/ See subheading 9907.73.01.

2/ See subheading 9906.73.02.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-26

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|--------------------------------|---------------|---------------------------------------|---------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7314 (con.) | | Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel (con.): Woven cloth (con.): | | | | |
| 7314.13.00 | 00 | Other endless bands for machinery | m ² kg | 2% | Free (A,B,CA,E,IL, J) 1.4% (MX) | 60% |
| 7314.14 | | Other woven cloth, of stainless steel: | | | | |
| 7314.14.10 | 00 | With meshes not finer than 12 wires to the lineal centimeter in warp or filling | m ² kg | 2% | Free (A,B,CA,E,IL, J,MX) | 35% |
| 7314.14.20 | 00 | With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or filling | m ² kg | 2% | Free (A,B,CA,E,IL, J,MX) | 50% |
| | | With meshes finer than 36 wires to the lineal centimeter in warp or filling: Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines: | | | | |
| 7314.14.30 | 00 | With 94 or more wires to the lineal centimeter | m ² kg | Free | | 75% |
| 7314.14.60 | 00 | Other | m ² kg | 4% | Free (A,CA,E,IL,J, MX) | 75% |
| 7314.14.90 | 00 | Other | m ² kg | 2.9% | Free (A,B,CA,E,IL, J,MX) | 60% |
| 7314.19.00 | 00 | Other | m ² kg | 2% | Free (A,B,CA,E,IL, J) 1.4% (MX) | 60% |
| 7314.20.00 | 00 | Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm ² or more | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| | | Other grill, netting and fencing, welded at the intersection: | | | | |
| 7314.31 | | Plated or coated with zinc: | | | | |
| 7314.31.10 | 00 | Wire fencing plated or coated with zinc, whether or not covered with plastic material | kg | 0.1¢/kg | Free (A+,CA,E,IL, J,MX) | 1.1¢/kg |
| 7314.31.50 | 00 | Other | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7314.39.00 | 00 | Other | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| | | Other grill, netting and fencing: | | | | |
| 7314.41.00 | | Plated or coated with zinc | | 0.1¢/kg | Free (A+,CA,E,IL, J,MX) | 1.1¢/kg |
| | 30 | Chain link fencing | kg | | | |
| | 60 | Other | kg | | | |
| 7314.42.00 | | Coated with plastics | | 0.1¢/kg | Free (A+,CA,E,IL, J,MX) | 1.1¢/kg |
| | 30 | Chain link fencing | kg | | | |
| | 60 | Other | kg | | | |
| 7314.49 | | Other: | | | | |
| 7314.49.30 | 00 | Not cut to shape | kg | 2.3% | Free (A,CA,E,IL,J, MX) | 45% |
| 7314.49.60 | 00 | Cut to shape | kg | 1.9% | Free (A,B,CA,E,IL, J,MX) | 35% |
| 7314.50.00 | 00 | Expanded metal | m ² kg | 1.5% | Free (A,CA,E,IL,J, MX) | 45% |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-27

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|------------------------------|---------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7315 | | Chain and parts thereof, of iron or steel: | | | | |
| 7315.11.00 | | Articulated link chain and parts thereof: | | | | |
| | 05 | Roller chain | kg | Free | | 40% |
| | | For motor vehicles | | | | |
| | | Other: | | | | |
| | 10 | Of not over 50 mm pitch and containing | | | | |
| | 45 | more than 3 parts per pitch: | | | | |
| | 60 | Bicycle chains | kg | | | |
| | | Other | kg | | | |
| 7315.12.00 | | Other chain | | Free | | 40% |
| | 20 | Of not over 50 mm pitch and containing more | | | | |
| | | than 3 parts per pitch | kg | | | |
| | | Other: | | | | |
| | 40 | Welded steel chain | kg | | | |
| | 60 | Cast and combination chain | kg | | | |
| | 80 | Other | kg | | | |
| 7315.19.00 | 00 | Parts | kg | Free | | 40% |
| 7315.20 | | Skid chain: | | | | |
| 7315.20.10 | 00 | Not over 8 mm in diameter | kg | Free | | 10% |
| 7315.20.50 | 00 | Over 8 mm in diameter | kg | Free | | 2.5¢/kg |
| | | Other chain: | | | | |
| 7315.81.00 | 00 | Stud link | kg | Free | | 4.4¢/kg |
| 7315.82 | | Other, welded link: | | | | |
| | | Of alloy steel: | | | | |
| 7315.82.10 | 00 | Not over 10 mm in diameter | kg | Free | | 10% |
| 7315.82.30 | 00 | Over 10 mm in diameter | kg | Free | | 10% |
| | | Of iron or nonalloy steel: | | | | |
| 7315.82.50 | 00 | Not over 10 mm in diameter | kg | Free | | 10% |
| 7315.82.70 | 00 | Over 10 mm in diameter | kg | Free | | 10% |
| 7315.89 | | Other: | | | | |
| | | With links of essentially round cross sections: | | | | |
| 7315.89.10 | 00 | Not over 8 mm in diameter | kg | 1.5% | Free (A,B,CA,E,IL, J,MX) | 10% |
| 7315.89.30 | 00 | Over 8 mm in diameter | kg | Free | | 4.7¢/kg |
| 7315.89.50 | 00 | Other | kg | 3.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7315.90.00 | 00 | Other parts | kg | 2.9% | Free (A*,B,CA,E, IL,J,MX) | 45% |
| 7316.00.00 | 00 | Anchors, grapnels and parts thereof, of iron or steel | X | Free | | 25% |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-28

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--------------------------------|---------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7317.00 | | Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper: | | | | |
| 7317.00.10 | 00 | Thumb tacks | kg | 0.6% | Free (A,CA,E,IL,J, MX) | 4% |
| | | Other, suitable for use in powder-actuated handtools: | | | | |
| 7317.00.20 | 00 | Not threaded | kg | Free | | 1.5¢/kg |
| 7317.00.30 | 00 | Threaded | kg | 2% | Free (A,CA,E,IL,J, MX) | 45% |
| | | Other: | | | | |
| | | Of one piece construction: | | | | |
| 7317.00.55 | | Made of round wire | | 0.2% | Free (A+,CA,E,IL, J) 0.1% (MX) | 3.5% |
| | 04 | Collated nails: Collated roofing nails with a length of 20.6 mm to 46.1 mm, a head diameter of 8.3 mm to 10.6 mm, a shank diameter of 2.5 mm to 3.2 mm, whether or not galvanized | kg | | | |
| | 06 | Other | kg | | | |
| | 10 | Other: With a length of less than 25.4 mm and a with a diameter of less than 1.65 mm | kg | | | |
| | | Other: | | | | |
| | | Smooth shank: | | | | |
| | 20 | Not coated, plated or painted . . | kg | | | |
| | | Coated, plated or painted: | | | | |
| | 30 | Galvanized | kg | | | |
| | 40 | Vinyl, resin or cement coated | kg | | | |
| | 50 | Other | kg | | | |
| | | Other: | | | | |
| | 60 | Not coated, plated or painted . . | kg | | | |
| | | Coated, plated or painted: | | | | |
| | 70 | Galvanized | kg | | | |
| | 80 | Vinyl, resin or cement coated | kg | | | |
| | 90 | Other | kg | | | |
| 7317.00.65 | | Other | | 1.3% | Free (A,CA,E,IL,J, MX) | 5.5% |
| | 30 | Cut | kg | | | |
| | 60 | Other | kg | | | |
| 7317.00.75 | 00 | Of two or more pieces . . kg | kg | 0.9% | Free (A,CA,E,IL,J, MX) | 8% |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-29

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|---|---------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7318 | | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: | | | | |
| | | Threaded articles: | | | | |
| 7318.11.00 | 00 | Coach screws | kg | 12.5% | Free (A+,B,CA,E,IL,J) 3.7% (MX) | 25% |
| 7318.12.00 | 00 | Other wood screws | kg | 12.5% | Free (A,B,CA,E,IL,J,MX) | 25% |
| 7318.13.00 | | Screw hooks and screw rings | | 5.7% | Free (A,B,CA,E,IL,J,MX) | 45% |
| | 30 | Having shanks or threads with a diameter of less than 6 mm | kg | | | |
| | 60 | Having shanks or threads with a diameter of 6 mm or more | kg | | | |
| 7318.14 | | Self-tapping screws: | | | | |
| 7318.14.10 | | Having shanks or threads with a diameter of less than 6 mm | | 6.2% | Free (A+,B,CA,E,IL,J) 1.8% (MX) | 45% |
| | 30 | Of stainless steel | kg | | | |
| | 60 | Other | kg | | | |
| 7318.14.50 | 00 | Having shanks or threads with a diameter of 6 mm or more | kg | 8.6% | Free (A+,B,CA,E,IL,J) 2.8% (MX) | 45% |
| 7318.15 | | Other screws and bolts, whether or not with their nuts or washers: | | | | |
| 7318.15.20 | | Bolts and bolts and their nuts or washers entered or exported in the same shipment | | Free | | 3.5% |
| | 10 | Having shanks or threads with a diameter of less than 6 mm | kg | | | |
| | | Having shanks or threads with a diameter of 6 mm or more: | | | | |
| | 20 | Track bolts | kg | | | |
| | 30 | Structural bolts | kg | | | |
| | 40 | Bent bolts | kg | | | |
| | | Other: | | | | |
| | 50 | With round heads | kg | | | |
| | 60 | With hexagonal heads | kg | | | |
| | 90 | Other | kg | | | |
| 7318.15.40 | 00 | Machine screws 9.5 mm or more in length and 3.2 mm or more in diameter (not including cap screws) | kg | Free | | 2.2¢/kg |
| 7318.15.50 | | Studs | | Free | | 45% |
| | 30 | Of stainless steel | kg | | | |
| | 60 | Other | kg | | | |
| 7318.15.60 | | Other: | | | | |
| | | Having shanks or threads with a diameter of less than 6 mm | | 6.2% | Free (A,B,CA,E,IL,J) 1.8% (MX) <u>1/</u> | 45% |
| | 30 | Of stainless steel | kg | | | |
| | 60 | Other | kg | | | |

1/ See subheading 9906.73.18.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-30

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|--|---------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7318 (con.) | | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel (con.): | | | | |
| | | Threaded articles (con.): | | | | |
| 7318.15 (con.) | | Other screws and bolts, whether or not with their nuts or washers (con.): | | | | |
| | | Other (con): | | | | |
| 7318.15.80 | | Having shanks or threads with a diameter of 6 mm or more | kg | 8.5% | Free (A,B,CA,E,IL, J) 2.8% (MX) <u>1/</u> | 45% |
| | 20 | Set screws | kg | | | |
| | | Other: | | | | |
| | | Socket screws: | | | | |
| | 30 | Of stainless steel | kg | | | |
| | 45 | Other | kg | | | |
| | | Other: | | | | |
| | | With hexagonal heads: | | | | |
| | 55 | Of stainless steel | kg | | | |
| | 65 | Other | kg | | | |
| | 80 | Other | kg | | | |
| 7318.16.00 | | Nuts | | Free | | 0.5% |
| | | Lugnuts: | | | | |
| | 15 | Non-locking chrome-plated | kg | | | |
| | 30 | Locking | kg | | | |
| | 45 | Other | kg | | | |
| | | Other: | | | | |
| | 60 | Of stainless steel | kg | | | |
| | 85 | Other | kg | | | |
| 7318.19.00 | 00 | Other | kg | 5.7% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | | Non-threaded articles: | | | | |
| 7318.21.00 | | Spring washers and other lock washers | | 5.8% | Free (A,B,CA,E,IL, J,MX) | 35% |
| | 30 | Helical spring lock washers | kg | | | |
| | 90 | Other | kg | | | |
| 7318.22.00 | 00 | Other washers | kg | Free | | 1.3¢/kg |
| 7318.23.00 | 00 | Rivets | kg | Free | | 2.2¢/kg |
| 7318.24.00 | 00 | Cotters and cotter pins | kg | 3.8% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7318.29.00 | 00 | Other | kg | 2.8% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7319 | | Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stiletos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: | | | | |
| 7319.10.00 | 00 | Sewing, darning or embroidery needles | Thousand | Free | | Free |
| 7319.20.00 | | Safety pins | | 4.5% | Free (A,CA,E,IL, J,MX) | 35% |
| | 10 | On cards | Gross | | | |
| | 50 | Other | Gross | | | |
| 7319.30 | | Other pins: | | | | |
| 7319.30.10 | 00 | Dressmakers' or common pins | kg | 4.1% | Free (A,CA,E,IL,J, MX) | 35% |
| 7319.30.50 | | Other | | Free | | 35% |
| | 10 | Push pins | kg | | | |
| | 50 | Other | kg | | | |
| 7319.90.00 | 00 | Other | X | 2.9% | Free (A,CA,E,IL,J, MX) | 45% |

1/ See subheading 9906.73.18.

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-31

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|------------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7320 | | Springs and leaves for springs, of iron or steel: | | | | |
| 7320.10 | | Leaf springs and leaves therefor: | | | | |
| | | Suitable for motor vehicle suspension: | | | | |
| | | To be used in motor vehicles having a G.V.W. | | | | |
| | | not exceeding 4 metric tons | kg | 3.2% | Free (A,B,CA,E,IL, J,MX) | 25% |
| 7320.10.30 | 00 | | | | | |
| | | Other | | 3.2% | Free (A+,B,CA,E, IL,J,MX) | 25% |
| 7320.10.60 | | | | | | |
| | 15 | Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor | kg | | | |
| | | Other | kg | | | |
| 7320.10.90 | | | | | | |
| | 60 | Other | kg | 3.2% | Free (A,B,CA,E,IL, J,MX) | 25% |
| | 15 | Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor | kg | | | |
| | | Other | kg | | | |
| 7320.20 | | Helical springs: | | | | |
| 7320.20.10 | 00 | Suitable for motor-vehicle suspension | kg | 3.2% | Free (A,B,CA,E,IL, J,MX) | 25% |
| 7320.20.50 | | Other | | 3.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | | Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm: Suitable for use in mattress supports and mattresses of heading 9404 | kg | | | |
| | | Other | kg | | | |
| | 20 | Helical springs, of wire having a cross-sectional dimension of 5.1 mm or more but less than 12.7 mm | kg | | | |
| | 45 | Other | kg | | | |
| | | Other | kg | | | |
| 7320.90 | | Other: | | | | |
| 7320.90.10 | 00 | Hairsprings | kg | Free | | 65% |
| 7320.90.50 | | Other | | 2.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | | Of wire: | | | | |
| | | Suitable for use in mattress supports and mattresses of heading 9404 | kg | | | |
| | | Other | kg | | | |
| | 20 | Other | kg | | | |
| | 60 | Other | kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-32

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|------------------------|------------------------|---|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7321 | | Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel: | | | | |
| 7321.11 | | Cooking appliances and plate warmers: | | | | |
| 7321.11.10 | | For gas fuel or for both gas and other fuels: | | | | |
| | | Portable | 5.7% | Free (A,CA,E,IL,J, MX) | 45% | |
| | 30 | Stoves or ranges | No. | | | |
| | 60 | Other | No. | | | |
| | | Other: | | | | |
| 7321.11.30 | 00 | Stoves or ranges | No. | Free | 45% | |
| 7321.11.60 | 00 | Other | No. | Free | 45% | |
| 7321.12.00 | 00 | For liquid fuel | No. | Free | 45% | |
| 7321.13.00 | | For solid fuel | No. | Free | 45% | |
| | | Portable: | | | | |
| | 20 | Hibachis | No. | | | |
| | 40 | Other | No. | | | |
| | | Other: | | | | |
| | 60 | Of cast iron | No. | | | |
| | 80 | Other | No. | | | |
| | | Other appliances: | | | | |
| 7321.81 | | For gas fuel or for both gas and other fuels: | | | | |
| 7321.81.10 | 00 | Portable | No. | 2.9% | Free (A,CA,E,IL,J, MX) | |
| 7321.81.50 | 00 | Other | No. | Free | 45% | |
| 7321.82 | | For liquid fuel: | | | | |
| 7321.82.10 | 00 | Portable | No. | 2.9% | Free (A,CA,E,IL,J, MX) | |
| 7321.82.50 | 00 | Other | No. | Free | 45% | |
| 7321.83.00 | | For solid fuel | No. | Free | 45% | |
| | 10 | Fireplace grates of cast iron | No. | | | |
| | 50 | Other | No. | | | |
| 7321.90 | | Parts: | | | | |
| | | Of articles in subheading 7321.11.30: | | | | |
| 7321.90.10 | 00 | Cooking chambers, whether or not assembled | X | Free | 45% | |
| 7321.90.20 | 00 | Top surface panels with or without burners or controls | X | Free | 45% | |
| 7321.90.40 | 00 | Door assemblies, incorporating more than one of the following: inner panel, outer panel, window, insulation | X | Free | 45% | |
| 7321.90.50 | 00 | Other | X | Free | 45% | |
| 7321.90.60 | | Other | | Free | 45% | |
| | 30 | Of cooking appliances and plate warmers | X | | | |
| | 90 | Other | X | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-33

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|-------------------------------------|-----------------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7322 | | Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel: | | | | |
| | | Radiators and parts thereof: | | | | |
| 7322.11.00 | 00 | Of cast iron | X | Free | | 45% |
| 7322.19.00 | 00 | Other | X | Free | | 45% |
| 7322.90.00 | | Other, including parts | | Free | | 45% |
| | 15 | Air heaters, not electrically heated, incorporating a motor-driven fan or blower | No. kg | | | |
| | 30 | Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower | No. kg | | | |
| | 45 | Parts of air heaters and hot air distributors | X | | | |
| 7323 | | Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: | | | | |
| 7323.10.00 | 00 | Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like | kg | Free | | 22¢/kg + 30% |
| | | Other: | | | | |
| 7323.91 | | Of cast iron, not enameled: | | | | |
| 7323.91.10 | 00 | Coated or plated with precious metal | X | Free | | 20% |
| 7323.91.50 | 00 | Other | X | 5.3% | Free (A,CA,E,IL,J, MX) | 40% |
| 7323.92.00 | 00 | Of cast iron, enameled | X | Free | | 35.5% |
| 7323.93.00 | | Of stainless steel | | 2% | Free (A,CA,E,IL,J, MX) | 40% |
| | | Cooking and kitchen ware: | | | | |
| | 15 | Teakettles | No. kg | | | |
| | | Other: | | | | |
| | 30 | Cooking ware | No. kg | | | |
| | 60 | Kitchen ware | No. kg | | | |
| | 80 | Other | No. kg | | | |
| 7323.94.00 | | Of iron (other than cast iron) or steel, enameled | | 2.7% | Free (A,CA,E,IL, J) 0.8% (MX) | 35.5% |
| | | Cooking and kitchen ware: | | | | |
| | | Of steel: | | | | |
| | 10 | Teakettles | No. kg | | | |
| | | Other: | | | | |
| | 20 | Cooking ware | No. kg | | | |
| | 30 | Kitchen ware | No. kg | | | |
| | 40 | Other | No. kg | | | |
| | 80 | Other | No. kg | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-34

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|--|------------------------|---------------|--------------------------|-----|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7323 (con.) | | Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel (con.): | | | | |
| 7323.99 | | Other (con.): | | | | |
| | | Other: | | | | |
| | | Coated or plated with precious metal: | | | | |
| 7323.99.10 | 00 | Coated or plated with silver | X | Free | Free (A,CA,E,IL,J, MX) | 50% |
| 7323.99.30 | 00 | Other | X | 8.2% | | 65% |
| | | Not coated or plated with precious metal: | | | | |
| 7323.99.50 | | Of tinfoil | | Free | | 40% |
| | 30 | Kitchen or tableware suitable for food or drink contact | X | | | |
| | 60 | Other | X | | | |
| 7323.99.70 | 00 | Other: | | | | |
| | | Cookingware | No. | 5.3% | Free (A,CA,E,IL,J, MX) | 40% |
| | | | kg | | | |
| 7323.99.90 | | Other | | 3.4% | Free (A,CA,E,IL,J, MX) | 40% |
| | 30 | Kitchen or tableware suitable for food or drink contact | X | | | |
| | 60 | Other | X | | | |
| 7324 | | Sanitary ware and parts thereof, of iron or steel: | | | | |
| 7324.10.00 | 00 | Sinks and wash basins, of stainless steel | No. | 3.4% | Free (A,C,CA,E,IL, J,MX) | 40% |
| | | Baths: | | | | |
| 7324.21 | | Of cast iron, whether or not enamelled: | | | | |
| 7324.21.10 | 00 | Coated or plated with precious metal | No. | Free | | 20% |
| 7324.21.50 | 00 | Other | No. | Free | | 40% |
| 7324.29.00 | 00 | Other | No. | Free | | 40% |
| 7324.90.00 | 00 | Other, including parts | X | Free | | 40% |
| 7325 | | Other cast articles of iron or steel: | | | | |
| 7325.10.00 | | Of nonmalleable cast iron | | Free | | 10% |
| | 10 | Manhole covers, rings and frames | kg | | | |
| | 20 | Catch basins, grates and frames | kg | | | |
| | 25 | Cleanout covers and frames | kg | | | |
| | 30 | Valve and service boxes | kg | | | |
| | 35 | Meter boxes | kg | | | |
| | 80 | Other | kg | | | |
| 7325.91.00 | 00 | Other: | | | | |
| | | Grinding balls and similar articles for mills | kg | 2.9% | Free (A,CA,E,IL,J, MX) | 45% |
| | | Other: | | | | |
| 7325.99 | | Of cast iron | kg | Free | | 20% |
| 7325.99.10 | 00 | Other | kg | 2.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7325.99.50 | 00 | | | | | |

Harmonized Tariff Schedule of the United States (2000) – Supplement 1

Annotated for Statistical Reporting Purposes

XV
73-35

| Heading/ Subheading | Stat. Suf- fix | Article Description | Unit of Quantity | Rates of Duty | | |
|------------------------|----------------------|---|------------------------|---------------|-------------------------------|-------|
| | | | | 1 | | 2 |
| | | | | General | Special | |
| 7326 | | Other articles of iron or steel: | | | | |
| | | Forged or stamped, but not further worked: | | | | |
| 7326.11.00 | 00 | Grinding balls and similar articles for mills | kg | Free | | 27.5% |
| 7326.19.00 | 00 | Other | kg | 2.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| 7326.20.00 | | Articles of iron or steel wire | | 3.9% | Free (A,B,C,CA,E, IL,J,MX) | 45% |
| | 10 | Belts and belting | kg | | | |
| | 50 | Other | X | | | |
| 7326.90 | | Other: | | | | |
| 7326.90.10 | 00 | Of tinplate | X | Free | | 45% |
| | | Other: | | | | |
| 7326.90.25 | 00 | Cable or inner wire for caliper and cantilever brakes and casing therefor, whether or not cut to length | kg | Free | | 45% |
| 7326.90.35 | 00 | Containers of a kind normally carried on the person, in the pocket or in the handbag | doz. | 7.8% | Free (CA,E,IL,J, MX) | 110% |
| 7326.90.45 | 00 | Horse and mule shoes | kg | Free | | 10% |
| | | Other: | | | | |
| 7326.90.60 | 00 | Coated or plated with precious metal | X | 8.6% | Free (A,CA,E,IL,J, MX) | 65% |
| 7326.90.85 | | Other | | 2.9% | Free (A,B,CA,E,IL, J,MX) | 45% |
| | 05 | Rods for electrical grounding | kg | | | |
| | 10 | Laminated goods consisting of 2 or more flat-rolled sheets of iron or steel held together with an adhesive or having a core of non-metallic material | kg | | | |
| | 30 | Hangers and similar supports for tubes and pipes | kg | | | |
| | 35 | Fence posts, studded with corrugations, knobs, studs, notches or similar protrusions, with or without anchor plates | kg | | | |
| | 45 | Barbed tape | kg | | | |
| | 60 | Ladders | No. | | | |
| | 75 | Paint roller frames | No. | | | |
| | 86 | Other | kg | | | |