CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- 2. In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:					
7301.10.00	00	Sheet piling	kg	0.7%	Free 0.2% 0.6%		2%
7301.20 7301.20.10	00	Angles, shapes and sections: Of iron or nonalloy steel	kg	2.5%	Free 0.8% 2.2%		20%
7301.20.50	00	Of alloy steel	kg	3.5%	Free 1.1% 3.1%		28%
7302		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails:				,	
7302.10 7302.10.10		Rails: Of iron or nonalloy steel		0.3%	Free		1%
	10	New: Not heat treated: Standard tee rails over 30 kg per meter	ka				
		Other:	5				
	15	Over 30 kg per meter	kg				
	25	Other	kg				
	35	Heat treated: Standard tee rails over 30 kg per meter	kg				
	45	Other: Over 30 kg per meter	kg				
	55	Other	kg				
	65	Used: Railway rails for rerolling					
7302.10.50	75	Other Of alloy steel		3.2%	Free 1% (0 2.8%		9%
	20	New Used:	kg		2.0%	(PIA)	
	40 60	Railway rails for rerolling Other					
7302.20.00	00	Sleepers (cross-ties)	kg	0.8%	Free 0.2% 0.7%		2%
7302.30.00	00	Switch blades, crossing frogs, point rods and other crossing pieces	kg	5.1%		(A,CA,E,IL,J,	, 45%
7302.40.00	00	Fish-plates and sole plates	kg	0.8%	Free 0.2% 0.7%		2%
7302.90.00	00	Other	kg	5.1%	Free	(A,CA,E,IL,J, MX)	, 45%

7303.00.00		Tubes, pipes and hollow profiles, of cast iron		5.2%	Free 1.9%	(A,E,IL,J,MX)	33%
	30 60	Soil pipe Pressure pipe with an inside diameter of less	kg		1.9%	(CA)	
		than 356 mm	kg				
	90	Other	kg				
7304		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel:					
7304.10		Line pipe of a kind used for oil or gas pipelines:					
7304.10.10		Of iron or nonalloy steel		7.2%	Free 2.4% 6.4%		25%
	20	Having an outside diameter not exceeding 114.3 mm	kg		0.40	(PIX)	
	30	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg				
		Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm:					
	45	Having a wall thickness less than 12.7 mm	kg				
	60	Having a wall thickness of 12.7 mm or more	kg				
	80	Having an outside diameter exceeding 406.4 mm	kg				
7304.10.50		Of alloy steel		6.8%	Free 2.2% 6% (N		35%
	20	Having an outside diameter not exceeding 114.3 mm	kg		00 (1	1117	
	50	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	ka				
	80	Having an outside diameter exceeding					
	60	406.4 mm	kg				

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):					
7304.20	Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:					
7304.20.10	Casing: Of iron or nonalloy steel: Threaded or coupled		5.4%	Free 1.8% 4.8%		20%
10	Having an outside diameter less than 215.9 mm: Having a wall thick- ness less than 12.7 mm	kg		1.00	(IIII)	
20	Having a wall thick- ness of 12.7 mm or	1				
	more	кд				
30	Having a wall thick- ness less than 12.7 mm	kg				
40	Having a wall thick- ness of 12.7 mm or					
	More Having an outside diameter exceeding 285.8 mm but not	kg				
50	exceeding 406.4 mm: Having a wall thick- ness less than 12.7 mm	ka				
60	Having a wall thick- ness of 12.7 mm or	1.9				
80	more Having an outside diameter					
	exceeding 406.4 mm	kg				

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):		
7304.20	Casing, tubing and drill pipe, of a kind		
(con.)	<pre>used in drilling for oil or gas (con.): Casing (con.):</pre>		
	Of iron or nonalloy steel (con.):		
7304.20.20	Other	0.4%	Free (E,IL,J) 1% 0.1% (CA)
			0.4% (MX)
	Having an outside diameter less than 215.9 mm:		
10	Having a wall thick-		
	ness less than 12.7 mm	ka	
	12.7 mm	kg	
20	Having a wall thick- ness of 12.7 mm or		
	more	kq	
	Having an outside diameter		
	of 215.9 mm or more but not exceeding 285.8 mm:		
30	Having a wall thick-		
	ness less than 12.7 mm	ka	
		3	
40	Having a wall thick- ness of 12.7 mm or		
	more	kg	
	Having an outside diameter exceeding 285.8 mm but not		
	exceeding 406.4 mm:		
50	Having a wall thick- ness less than		
	12.7 mm	kg	
60	Having a wall thick-		
60	ness of 12.7 mm or		
0.0	more	kg	
80	Having an outside diameter exceeding 406.4 mm	kg	

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
7304.20	Casing, tubing and drill pipe, of a kind				
(con.)	used in drilling for oil or gas (con.):				
	Casing (con): Of alloy steel:				
7304.20.30	Threaded or coupled	5.6	5% Free	(E,IL,J)	28%
			1.8%	(CA)	
	Having an outside diameter		1.20	(1111)	
	less than 215.9 mm:				
10	Having a wall thick- ness less than				
	12.7 mm	ka			
	221/	**9			
20	Having a wall thick-				
	ness of 12.7 mm or	1			
	more Having an outside diameter	kg			
	of 215.9 mm or more but				
	not exceeding 285.8 mm:				
30	Having a wall thick- ness less than				
	12.7 mm	ka			
		5			
40	Having a wall thick-				
	ness of 12.7 mm or	le or			
	more Having an outside diameter	kg			
	exceeding 285.8 mm but not				
	exceeding 406.4 mm:				
50	Having a wall thick- ness less than				
	12.7 mm	ka			
		5			
60	Having a wall thick-				
	ness of 12.7 mm or	ka			
80	more Having an outside diameter	va			
	exceeding 406.4 mm	kg			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.):				
7304.20 (con.)	Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
	Casing (con): Of alloy steel (con.):			_	
7304.20.40	Other		3*	Free (E,IL,J) 0.9% (CA) 2.6% (MX)	8.5%
	Having an outside diameter less than 215.9 mm:				
10	Having a wall thick- ness less than				
	12.7 mm	kg			
20	Having a wall thick- ness of 12.7 mm or				
	more	kg			
	Having an outside diameter of 215.9 mm or more but				
30	not exceeding 285.8 mm: Having a wall thick-				
	ness less than 12.7 mm	ka			
4.0		1.9			
40	Having a wall thick- ness of 12.7 mm or				
	more Having an outside diameter	kg			
	exceeding 285.8 mm but not exceeding 406.4 mm:				
50	Having a wall thick- ness less than				
	12.7 mm	kg			
60	Having a wall thick-				
	ness of 12.7 mm or more	kg			
80	Having an outside diameter exceeding 406.4 mm	kg			

7304 (con.) 7304.20 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Casing, tubing and drill pipe, of a kind used in drilling for oil or gas (con.):				
7304.20.50		Tubing: Of iron or nonalloy steel		7.2%	Free (E,IL,J) 2.4% (CA)	25%
	15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		6.4% (MX)	
	30	Having a wall thickness exceeding 9.5 mm	ka			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
7304.20.60	75	Having an outside diameter exceeding 406.4 mm		6.8%	Free (E,IL,J) 2.2% (CA) 6% (MX)	35%
	15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		O o (FAX)	
	30	Having a wall thickness	1			
	45	exceeding 9.5 mm Having an outside diameter exceeding 114.3 mm but less than 215.9 mm				
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm Drill pipe:	kg			
7304.20.70	00	Of iron or nonalloy steel	kg	7.2%	Free (E,IL,J) 2.4% (CA) 6.4% (MX)	25%
7304.20.80		Of alloy steel		6.8%	Free (E,IL,J) 2.2% (CA)	35%
	30	Having an outside diameter not exceeding 168.3 mm: Having a wall thickness not exceeding 9.5 mm	kg		6% (MX)	
	45	Having a wall thickness exceeding 9.5 mm	kq			
	60	Having an outside diameter exceeding 168.3 mm				

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or				
7304.31		<pre>nonalloy steel: Cold-drawn or cold-rolled (cold- reduced):</pre>				
7304.31.30	00	Hollow bars	kg	5.6%	Free 1.8% 4.9%	22%
7304.31.60		Other		7.2%	Free 2.4% 6.4%	25%
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters	kg			
7304.39.00	50	Other		7.2%	Free 2.4% 6.4%	25%
	02	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters: Having an outside diameter less				
	02	than 38.1 mm	kg			
	04	Having an outside diameter of 38.1 mm or more but less than 190.5 mm	kg			
	06	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm	kg			
	08	Having an outside diameter exceeding 285.8 mm	kg			
	16	Other: Galvanized, having an outside diameter not exceeding 114.3 mm	kg			
	20	Other: Having an outside diameter less than 38.1 mm	kg			
	24	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm: Having a wall thickness less than 6.4 mm	kg			
	28	Having a wall thick- ness of 6.4 mm or more but not exceed- ing 12.7 mm	kg			
	32	Having a wall thick- ness exceeding 12.7 mm	kg			

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter.

7304 (con.) 7304.39.00		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of iron or nonalloy steel (con.): Other (con.):	
(con.)		Other (con.):	
		Other (con.): Having an outside diameter exceeding 114.3 mm but	
	36	less tham 190.5 mm: Having a wall thick- ness less than 12.7 mm}	kg
	40	Having a wall thick- ness of 12.7 mm or more but less than 19 mm	kg
	44	Having a wall thick- ness of 19 mm or more	kg
		of 190.5 mm or more but not exceeding 285.8 mm:	
	48	Having a wall thick- ness less than	kg
	52	Having a wall thick- ness of 12.7 mm or more but less than	
			kg
	56	Having a wall thick- ness of 19 mm or more	kg
		exceeding 285.8 mm but not exceeding 406.4 mm:	
	62	Having a wall thick- ness less than	kg
	68	Having a wall thick- ness of 12.7 mm or more but less than	
		_	kg
	72	Having a wall thick- ness of 19 mm or	1
	76	Having an outside diameter exceeding 406.4 mm: Having a wall thick- ness less than	kg
			kg
	80	Having a wall thick- ness of 19 mm or more}	kg

7304 (con.)	Tubes, pipes and hollow profile iron (other than cast iron) or Other, of circular cross s	steel (con.):			
7304.41	<pre>less steel:</pre>	lled (cold-			
7304.41.30	Of an external d	iameter of less		6.8%	Free (C <u>1</u> /,E,IL,J,36% MX)
	05 Of high-nich	kel alloy steel	kg		2.2% (CA) <u>2/3</u> /
	ers, su exchanç refinin	le for use in boil- uperheaters, heat gers, condensers, ug furnaces and cer heaters	kg		
7304.41.60				6.8%	Free (C <u>1</u> /,E,IL,J,36%
					MX) 2.2% (CA) <u>2/3</u> /
	Other:	kel alloy steel	kg		
	ers, su exchanç refinin	le for use in boil- uperheaters, heat gers, condensers, ug furnaces and ler heaters	kg		
	45 Other.		kg		
7304.49.00	Other			6.8%	Free (C <u>1</u> /,E,IL,J,36% MX) 2.2% (CA)3/
	05 Of high-nickel a Other:	lloy steel	kg		
	15 Hollow bars Other:		kg		
	boilers heat ex densers	le for use in s, superheaters, schangers, con- s, refining furnaces edwater heaters	kg		
	60 Other, of circular cross s alloy steel:	ection, of other	kg		
7304.51	Cold-drawn or cold-ro reduced):	lled (cold-			
7304.51.10	00 Suitable for use	in the manu- or roller bearings	kg	6.1%	Free (E,IL,J,MX) 34% 2% (CA)
7304.51.50	Other			6.8%	Free (C <u>1</u> /,E,IL,J) 35% 2.2% (CA) 6% (MX)
	Other: Suitab boiler: heat e: denser:	kel alloy steel le for use in s, superheaters, schangers, con- s, refining furnaces edwater heaters:	kg		
	15 Of	heat resisting eel	kg		
		her			

 $[\]frac{1}{2}/$ See additional U.S. note 1 to this chapter. $\frac{2}{2}/$ See subheading 9905.73.02. $\underline{3}/$ See subheading 9905.73.04.

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.): Other:			
	00	Suitable for use in the manufacture of ball or roller bearings	kg	6.1%	Free (E,IL,J) 34% 2% (CA) 5.4% (MX)
7304.59.20		Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces			
		and feedwater heaters		6.8%	Free (C <u>1</u> /,E,IL,J) 35% 2.2% (CA) 6% (MX)
	30	Of heat resisting steel Other:	kg		
	40	Having an outside diameter less than 38.1 mm	kg		
	45	Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm	kg		
	55	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm	ka		
	60	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm			
	70	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm			
	80	Having an outside diameter exceeding 406.4 mm			

7304 (con.)	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.):			
7304.59 (con.)	Other (con.): Other (con.): Other:			
7304.59.60 00	Of heat-resisting steel	kg	6.8%	Free (C <u>1</u> /,E,IL,J) 36% 2.2% (CA) 6% (MX)
7304.59.80	Other		6.8%	Free (C <u>1</u> /,E,IL,J) 35% 2.2% (CA) 6% (MX)
10	Having an outside diameter less than 38.1 mm	kg		
	Having an outside diameter of 38.1 mm or more but not ex-			
15	ceeding 114.3 mm: Having a wall thickness less than 6.4 mm	kg		
20	Having a wall thickness of 6.4 mm or more but not exceed-			
	ing 12.7 mm	kg		
25	Having a wall thickness exceeding 12.7 mm Having an outside	kg		
30	diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less			
	than 12.7 mm	kg		
35	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg		
40	Having a wall	a		
10	thickness of 19 mm or more	kg		

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter.

7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel (con.): Other, of circular cross section, of other alloy steel (con.):			
7304.59 (con.)		Other (con.): Other (con.): Other (con.):			
7304.59.80 (con.)		Other (con.): Other (con.): Having an outside diameter of 190.5 mm or more but not ex- ceeding 285.8 mm:			
	45	Having a wall thickness less than 12.7 mm	kg		
	50	Having a wall thickness of 12.7 mm or more but less than			
		19 mm	kg		
	55	Having a wall thickness of			
		19 mm or more Having an outside diameter exceeding 285.8 mm but not ex- ceeding 406.4 mm:	kg		
	60	Having a wall thickness less than 12.7 mm	kg		
	65	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg		
	70	Having a wall thickness of			
	80	19 mm or more Having an outside diameter exceeding			
7304.90		406.4 mm	kg		
7304.90.10	00	Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	kg	0.4%	Free (C <u>1</u> /,E,IL,J) 1% 0.1% (CA) 0.4% (MX)
7304.90.30	00	Of alloy steel	kg	3%	Free (C <u>1</u> /,E,IL,J) 8.5% 0.9% (CA) 2.6% (MX)
		Having a wall thickness of less than 4 mm:			,
7304.90.50	00	Of iron or nonalloy steel	kg	7.2%	Free (C <u>1</u> /,E,IL,J) 25% 2.4% (CA) 6.4% (MX)
7304.90.70	00	Of alloy steel	kg	6.8%	Free (C <u>1</u> /,E,IL,J) 35% 2.2% (CA) 6% (MX)

 $[\]underline{1}/$ See additional U.S. note 1to this chapter.

7305	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel: Line pipe of a kind used for oil or gas pipelines:					
7305.11 7305.11.10	Longitudinally submerged arc welded: Of iron or nonalloy steel		. 1.7%	Free 0.5% 1.5%		5.5%
	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm			1.50	(1111)	
	60 With an external diameter ex					
7305.11.50	ceeding 609.6 mm		4.4%	Free 1.4% 3.9%		10%
7305.12	Other, longitudinally welded:					
7305.12.10	Of iron or nonalloy steel		1.7%	Free 0.5% 1.5%		5.5%
	30 With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm					
	60 With an external diameter ex	-				
7305.12.50	ceeding 609.6 mm		4.4%	Free 1.4% 3.9%		10%
7305.19 7305.19.10	Other: Of iron or nonalloy steel		1.7%		(E,IL,J)	5.5%
	With an external diameter exceeding 406.4 mm but not exceeding 609.6 mm			1.5%		
	60 With an external diameter ex					
7305.19.50	ceeding 609.6 mm		4.4%	1.4%		10%
7305.20	Casing of a kind used in drilling for oil or gas:			3.9%	(MX)	
7305.20.20	Of iron or nonalloy steel: Threaded or coupled	kg	5.4%	Free 1.8% 4.8%		20%
7305.20.40	00 Other	kg	0.4%	Free 0.1% 0.4%		1%
7305.20.60	Of alloy steel: Threaded or coupled	kg	5.6%	Free 1.8% 4.9%		28%
7305.20.80	00 Other	kg	3%	Free 0.9% 2.6%		8.5%

	Other tubes and pipes (for example, welded, riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel (con.):					
00	Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of il-	,		_	(2	.=0
	·	кд	6.8%			45%
00		kg	1.7%	0.5%	(CA)	5.5%
00	•	kg	4.4%	1.4%	(CA)	10%
00		kg	1.7%	0.5%	(CA)	5.5%
00	-	kg	4.4%	1.4%	(CA)	10%
00		kg	1.7%	0.5%	(CA)	5.5%
00	Of alloy steel	kg	4.4%	1.4%	(CA)	10%
	Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel:					
	gas pipelines:					
	•		1.7%	0.5%	(CA)	5.5%
10		kg				
50			4.4%			10%
10	With an outside diameter not exceeding 114.3 mm	kg				
50	With an outside diameter exceeding 114.3 mm	kg				
() () () () () () () () () () () () () (000	riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel (con.): Other, welded: Other: Other: Other: Of iron or nonalloy steel Other: Of alloy steel Other: Of alloy steel Other: Of alloy steel Other: Of iron or nonalloy steel Other: Of alloy steel Other: Of iron or nonalloy steel Other: Of alloy steel Other: Of iron or nonalloy steel	riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel (con.): Other, welded: Tapered pipes and tubes of steel principally used as parts of illuminating articles	riveted or similarly closed), having internal and external circular cross sections, the external diameter of which exceeds 406.4 mm, of iron or steel (con.): Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of illuminating articles. kg. 6.8% Other: Of iron or nonalloy steel. kg. 1.7% Other: Of alloy steel. kg. 4.4% Other: Of alloy steel. kg. 1.7% Other: Of alloy steel. kg. 1.7% Other: Of alloy steel. kg. 4.4% Other: Other: Other: Of iron or nonalloy steel kg. 1.7% Other: Other: Other: Other: Of iron or nonalloy steel. kg. 4.4% Other: Other: Other: Of iron or nonalloy steel. kg. 1.7% Other: Other	riveted or similarly closed), having internal and external diameter of which exceeds 406.4 mm, of iron or steel (con.): Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of illuminating articles	riveted or similarly closed), having internal and external diameter of which exceeds 406.4 mm, of iron or steel (con.): Other, welded: Longitudinally welded: Tapered pipes and tubes of steel principally used as parts of illuminating articles

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): Casing and tubing of a kind used in drilling for oil or gas:					
7306.20.10		Casing: Of iron or nonalloy steel: Threaded or coupled		5.4%	Free 1.8% 4.8%		20%
	30	Imported with coupling					
7306.20.20	90	Other		0.4%	Free 0.1% 0.4%		1%
7306.20.30	00	Of alloy steel: Threaded or coupled	kg	5.6%	Free 1.8% 4.9%		28%
7306.20.40	00	Other	kg	3%	Free 0.9% 2.6%		8.5%
7306.20.60		Tubing: Of iron or nonalloy steel		1.7%	Free 0.5% 1.5%		5.5%
	10	Imported with coupling					
7306.20.80	50	OtherOf alloy steel		4.4%	Free 1.4% 3.9%		10%
7306.30	10 50	Imported with coupling Other Other, welded, of circular cross section, of iron or nonalloy steel:					
7306.30.10	00	Having a wall thickness of less than 1.65 mm	kg	7.2%	Free 2.4% 6.4%		25%
		Having a wall thickness of 1.65 mm or					
7306.30.30	00	more: Tapered steel pipes and tubes prin-					
		cipally used as parts of illuminat- ing articles	kg	6.8%	Free 2.2%	(A,E,IL,J,MX) (CA)	45%
7306.30.50		Other		1.7%	Free 0.5% 1.5%		5.5%
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn	kg		1.50	,	
	15	Other, cold-drawn	kg				
	20	Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm	kg				

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter.

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):			
7306.30		Other, welded, of circular cross section, of			
(con.)		iron or nonalloy steel (con.):			
		Having a wall thickness of 1.65 mm or			
		more (con.):			
7306.30.50		Other (con.):			
(con.)		Other:			
		With an outside diameter not exceeding 114.3 mm:			
		Galvanized:			
	25	Imported with			
		coupling	kq		
		3	5		
	28	Internally coat-			
		ed or lined with			
		a non-electri-			
		cally insulating			
		material, suit- able for use as			
		electrical con-			
		duit	kq		
			5		
	32	Other	kg		
		Other:			
	35	Tube and pipe			
		hollows for re-	le cr		
		drawing	kg		
	40	Other, imported			
		with coupling	kg		
	55	Other	kg		
		With an outside diameter			
		exceeding 114.3 mm but not			
	85	exceeding 406.4 mm: Galvanized	ka		
	90	Other			
7306.40	50	Other, welded, of circular cross section, of	119		
		stainless steel:			
7306.40.10		Having a wall thickness of less than			
		1.65 mm		6.8%	Free (C $\underline{1}$ /,E,IL,J) 36%
					2.2% (CA) <u>2</u> /
	30	Containing more than 0.5 percent by			6% (MX)
	30	weight of nickel	ka		
		worghe of hienci	3		
	90	Other	kg		
			-		

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter. $\underline{\overline{2}}/$ See subheading 9905.73.06.

7306 (con.) 7306.40 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.): Other, welded, of circular cross section, of stainless steel (con.):			
7306.40.50		Having a wall thickness of 1.65 mm or more		4.5%	Free (C <u>1</u> /,E,IL,J) 11% 1.5% (CA) <u>2</u> /
	05	Of high-nickel alloy steel	kg		4% (MX)
	15	Other: Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		
	40	Other, cold-drawn or cold-roll- ed (cold-reduced): Containing more than 0.5 percent but less than 24 percent by weight of nickel	kg		
	55	Other:	kg		
	65	With an outside diameter not exceeding 114.3 mm: Containing more than 0.5 percent but less than 24 percent by weight of nickel	kg		
	80	Other	kg		
	85	exceeding 406.4 mm: Containing more than 0.5 percent but less than 24 percent by weight of nickel	kg		
7306.50	90	Other, welded, of circular cross section, of	kg		
7306.50.10	00	other alloy steel: Having a wall thickness of less than 1.65 mm	kg	6.8%	Free (C <u>1</u> /,E,IL,J) 35%
					2.2% (CA) 6% (MX)
		Having a wall thickness of 1.65 mm or more:			
7306.50.30	00	Tapered pipes and tubes of steel principally used as parts of illuminating articles	kg	6.8%	Free (A,E,IL,J,MX) 45% 2.2% (CA)
7306.50.50		Other		4.4%	Free (C <u>1</u> /,E,IL,J) 10% 1.4% (CA) 3.9% (MX)
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn	kg		3.50 (.m.)
	30	Other, cold-drawn or cold-rolled (cold-reduced)	kg		
	50	Other: With an outside diameter not exceeding 114.3 mm	kg		
	70	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm	kg		

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter. $\underline{\overline{2}}/$ See subheading 9905.73.07.

7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel (con.):					
7306.60		Other, welded, of noncircular cross section: Having a wall thickness of 4 mm or more:					
7306.60.10	00	Of iron or nonalloy steel	kg	0.4%		(C <u>1</u> /,E,IL,J) (CA) <u>2</u> / (MX)	1%
7306.60.30	00	Of alloy steel	kg	4%	Free 1.3% 3.6%		28%
		Having a wall thickness of less than 4 mm:				(,	
7306.60.50	00	Of iron or nonalloy steel	kg	7.2%	Free 2.4% 6.4%	(C <u>1</u> /,E,IL,J) (CA) <u>2</u> / (MX)	25%
7306.60.70	00	Of alloy steel	kg	6.8%	Free 2.2% 6% (1		35%
7306.90		Other:	,	. =0			
7306.90.10	00	Of iron or nonalloy steel	kg	1.7%	0.5% 1.5%		5.5%
7306.90.50	00	Of alloy steel	kg	4.4%	Free 1.4% 3.9%		10%
7307		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: Cast fittings:					
7307.11.00		Of nonmalleable cast iron		4.8%	Free 1.4%	(A,E,IL,J,MX)	25%
	30	For threaded pipeOther:	kg		1.10	(611)	
	45 60	For cast-iron soil pipe Other					
7307.19 7307.19.30		Other: Ductile fittings		6.1%	Free 1.8%	(A, E, IL, J, MX)	45%
	40	Grooved-end fittings (including grooved couplings)	kg		1.00	(CA)	
		Other:					
	60 80	ThreadedOther					
7307.19.90		Other		6.2%	Free 1.8% 4.9%		45%
	30	Unions Other:	kg			(,	
	40	Grooved-end fittings (in- cluding grooved couplings)	kg				
		Other:					
	60 80	ThreadedOtherOther, of stainless steel:					
7307.21	0.0	Flanges:					
7307.21.10	00	Not machined, not tooled and not otherwise processed after forging	kg	3.9%	Free 1.2%	(A,E,IL,J,MX) (CA)	34%
7307.21.50	00	Other	kg	6.1%	Free	(A*,B,E,IL,J,	45%
					1.8%	MX) (CA)	

 $[\]underline{1}/$ See additional U.S. note 1 to this chapter. $\underline{\overline{2}}/$ See subheading 9905.73.07.

7307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel (con.): Other, of stainless steel (con.)					
7307.22 7307.22.10	00	Threaded elbows, bends and sleeves: Sleeves (couplings)	kg	5.6%	Free	(A,B,CA,E,IL, J,MX)	45%
7307.22.50	00	Other	kg	6.2%	Free	(A,B,E,IL,J, MX) (CA)	45%
7307.23.00	00	Butt welding fittings	kg	6%		(A,B,E,IL,J, MX)	45%
7307.29.00		Other		6%		(A,B,CA,E,IL,	45%
	3 0 9 0	NipplesOther:				J,MX)	
7307.91		Flanges: Not machined, not tooled and not otherwise processed after forging:					
7307.91.10	00	Of iron or nonalloy steel	kg	4%		(A,E,IL,J,MX) (CA) <u>1</u> /	25%
7307.91.30	00	Of alloy steel (except stain- less steel)	kg	3.8%		(A,E,IL,J,MX) (CA) <u>1</u> /	33%
7307.91.50		Other		6.1%		(A*,B,E,IL,J, MX)	45%
		With an inside diameter of less than 360 mm:			1.8%	(CA) <u>1</u> /	
	10	Of iron or nonalloy steel	kg				
	30	Of alloy steel (except stainless steel) With an inside diameter of 360 mm or more:	kg				
	50	Of iron or nonalloy steel	kg				
7307.92	70	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves:	kg				
7307.92.30		Sleeves (couplings)		5.6%		(A,B,E,IL,J, MX)	45%
	10 30	Of iron or nonalloy steel Of alloy steel (except stain- less)	_		1.8%	(CA) <u>1</u> /	
7307.92.90	00	Other	kg	6.2%		(A,B,E,IL,J, MX) (CA) <u>1</u> /	45%
7307.93		Butt welding fittings: With an inside diameter of less than 360 mm:					
7307.93.30	00	Of iron or nonalloy steel	kg	6.2%	Free 4.9%	(B,CA,E,IL,J) (MX)	45%
7307.93.60	00	Of alloy steel (except stainless steel)	kg	6.1%	Free	(A,B,CA,E,IL, J,MX)	45%
7307.93.90		With an inside diameter of 360 mm or more		5.8%	Free	(A,B,CA,E,IL, J,MX)	45%
	30 60	Of iron or nonalloy steel Of alloy steel (except stain- less steel)				• •	
		,	_				

 $[\]underline{1}$ / See subheading 9905.00.00.

7307 (con.)		Tube or pipe fittings (for example couplings, elbows, sleeves), of iron or steel (con.): Other (con.):			
7307.99		Other: Not machined, not tooled and not			
7307.99.10	00	otherwise processed after forging: Of iron or nonalloy steel	kg	4.1%	Free (A,E,IL,J,MX) 25% 1.2% (CA) <u>1</u> /
7307.99.30	00	Of alloy steel (except stain- less steel)	kg	3.8%	Free (A,E,IL,J,MX) 33% 1.2% (CA) <u>1</u> /
7307.99.50		Other		5.8%	Free (A,B,E,IL,J, 45% MX) 1.8% (CA) 1/
	15 45 60	Of iron or nonalloy steel: Nipples Other Of alloy steel (except stain-less steel)	kg		1.00 (ch) <u>1</u> /
7308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel:			
7308.10.00	00	Bridges and bridge sections	kg	5.1%	Free (A,E,IL,J,MX) 45% 1.7% (CA)
7308.20.00	00	Towers and lattice masts	kg	5.1%	Free (A*,E,IL,J, 45% MX) 1.7% (CA)
7308.30		Doors, windows and their frames and thresholds for doors:			
7308.30.10	00	Of stainless steel	kg	3.1%	Free (A,E,IL,J,MX) 35% 1% (CA)
7308.30.50		Other		2.2%	Free (A,E,IL,J,MX) 25% 0.7% (CA)
7308.40.00	15 25 50 00	Windows and their frames	kg		
		propping or pit-propping	kg	5.1%	Free (A,E,IL,J,MX) 45% 1.7% (CA)
7308.90		Other: Columns, pillars, posts, beams, girders and similar structural units:			
7308.90.30	00	Not in part of alloy steel	kg	2.5%	Free (E,IL,J) 20% 0.8% (CA) 2.2% (MX)
7308.90.60	00	Other	kg	3.5%	Free (E,IL,J) 30% 1.1% (CA) 3.1% (MX)
7308.90.70	00	Other: Steel grating	kg	5.1%	Free (A*,E,IL,J, 45% MX) 1.7% (CA)
7308.90.95		Other		5.1%	Free (A,E,IL,J,MX) 45%
	30	Sheet-metal roofing, siding, flooring and roof drainage equipment	kg		1.7% (CA) <u>2</u> /
	60	Other: Architectural and orna- mental work	kg		
	90	Other	kg		

 $[\]underline{1}$ / See subheading 9905.00.00. $\underline{2}$ / See subheading 9905.73.08.

7309.00.00		Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment		. 2.1%	Free (A,E,IL,J,MX) 45%
	30	Tanks	No. ka	v	0.7% (CA)
	90	Other		v	
7310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:			
7310.10.00	10	Of a capacity of 50 liters or more Empty steel drums and barrels	No. kg		25%
7310.21.00	50	Other Of a capacity of less than 50 liters: Cans which are to be closed by solder-			
	25	ing or crimping Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		. Free	25%
	50	Other	No.		
7310.29.00	25	Other Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		. Free	25%
	50	Other	No.		
7311.00.00		Containers for compressed or liquefied gas, of iron or steel		. 4%	Free (A,E,IL,J,MX) 25% 1.5% (CA)
		Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption			
	30	to those requirements: Seamless steel containers not over- wrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number	No.	v	
	60	Other		v	
	90	Other		v	

7312		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated:			
7312.10		Stranded wire, ropes and cables: Stranded wire: Of stainless steel:			
7312.10.05	00	Fitted with fittings or made up into articles	kg	5.1%	Free (A,B,C,E,IL, 45% J,MX)
					1.7% (CA) <u>1</u> /
7312.10.10		Other		5.2% <u>2</u> /	Free (A,E,IL,J,MX) 45% 1.7% (CA) <u>3</u> /
	30 50	Tire cord Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5			
	70	Other:	kg		
7312.10.20	00	Fitted with fittings or made up into articles	ka	5 1%	Free (A,B,C,E,IL, 45%
		inco dicicles	<i>.</i>	3.10	J,MX) 1.7% (CA) <u>1</u> /
7312.10.30		Other		4.4% <u>2</u> /	Free (E,IL,J) 35% 1.4% (CA) 1/ 3.9% (MX) 4/
	05	Tire cord For prestressing concrete:	kg		_
	10	Covered with textile or other nonmetallic material	kg		
	12 20	Other Other, stranded wire having a lay or twist of not more than 1 revolution for a length equal to the strand diameter multiplied by 8.5			
	45	Other: Of brass plated			
	15	wire	kg		
	65	Other: Galvanized: ACSR core strand	kg		
	70	Other: Covered with tex- tile or other nonme- tallic mate- rial.	kg		
	74	Other.	kg		
	80	Other			

 $[\]frac{1}{2}/$ See subheading 9905.73.11. $\frac{2}{2}/$ See subheading 9907.73.01. $\frac{3}{4}/$ See subheading 9905.73.09. $\frac{4}{2}/$ See subheading 9906.73.01.

7312 (con.)		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated (con.):					
7312.10 (con.)		Stranded wire, ropes and cables (con.): Ropes, cables and cordage other than stranded wire: Of stainless steel:					
7312.10.50	00	Of stainless steel: Fitted with fittings or made up into articles	kg	5.1%		(B,C,E,IL,J) (CA) <u>1</u> / (MX)	45%
7312.10.60	00	Other	kg	4% <u>2</u> /	1.3%	$ \begin{array}{c} (\texttt{E},\texttt{IL},\texttt{J}) \\ (\texttt{CA}) & \underline{3}/ \\ (\texttt{MX}) & \underline{4}/ \end{array} $	45%
7312.10.70	00	Other: Fitted with fittings or made					
		up into articles	kg	5.1%		(B,C,E,IL,J) (CA) <u>1</u> / (MX)	45%
7312.10.80	0.0	Other: Of brass plated wire	kg	3.6%	Free	(A,E,IL,J,MX)	35%
			5			(CA) <u>3</u> /	
7312.10.90		Other		3.6% <u>2</u> /	1.2%	(E,IL,J) (CA) <u>3</u> / (MX) 4/	35%
	30	Galvanized: With a diameter not exceeding 9.5 mm	kg			_	
	60	With a diameter exceeding 9.5 mm	ka				
	90	Other	kg		_	,	
7312.90.00	00	Other	kg	5.1%	Free	(A,B,C,CA,E, IL,J,MX)	45%
7313.00.00	00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing,					
		of iron or steel	kg	Free			Free
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: Woven products:					
7314.11 7314.11.10	00	Of stainless steel: With meshes not finer than 12 wires to the lineal centimeter in					
		warp or filling	$m^2 \dots v$ kg	4.4%	Free	(A,B,E,IL,J, MX) (CA)	35%
7314.11.20	00	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or					
		filling	m²v kg	4.4%	Free	(A,B,E,IL,J, MX)	50%
			5		1.4%		

 $[\]frac{1}{2}/$ See subheading 9905.73.11. $\frac{2}{2}/$ See subheading 9907.73.01. $\frac{3}{4}/$ See subheading 9905.73.09. $\frac{4}{2}/$ See subheading 9906.73.02.

7314 (con.)		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel (con.):				
7314.11 (con.)		Woven products (con.): Of stainless steel (con.): With meshes finer than 36 wires to the lineal centimeter in warp or filling: Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines:				
7314.11.30	00	With 94 or more wires to				
		the lineal centimeter	m²v ka	Free		75%
7314.11.60	00	Other	m²v kg	9%	Free (A,E,IL,J,MX) 3% (CA)	75%
7314.11.90	00	Other		6.5%	Free (A,B,E,IL,J,	60%
			kg		MX) 2.1% (CA)	
7314.19.00	00	Other	$m^2 \dots v$ kg	4.4%	Free (A,B,E,IL,J) 1.4% (CA) <u>1</u> / 3.9% (MX)	60%
7314.20.00	00	Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and				
		having a mesh size of 100 \mbox{cm}^2 or more	kg	5.1%	Free (A,E,IL,J,MX) 1.7% (CA)	45%
7314.30		Other grill, netting and fencing, welded at the intersection:				
7314.30.10	00	Wire fencing coated or plated with zinc, whether or not covered with plastic				
		material	kg	0.2¢/kg	Free (CA,E,IL,J) 0.1¢/kg (MX)	1.1¢/kg
7314.30.50	00	Other	kg	5.1%	Free (A,E,IL,J,MX) 1.7% (CA)	45%
7314.41.00		Other grill, netting and fencing: Plated or coated with zinc		0.2¢/kg	Free (CA,E,IL,J)	1.1¢/kg
	30	Chain link fencing	kq		0.1¢/kg (MX)	
7314.42.00	60	Other Coated with plastics		0.2¢/kg	Free (CA,E,IL,J)	1.1¢/kg
7314.49	30 60	Chain link fencingOther:			0.1¢/kg (MX)	
7314.49.30	00	Not cut to shape	kg	5.1%	Free (A,E,IL,J,MX) 1.7% (CA)	45%
7314.49.60	00	Cut to shape	kg	4.2%	Free (A,B,E,IL,J, MX)	35%
					1.4% (CA)	
7314.50.00	00	Expanded metal	$m^2 \dots v$ kg	3.4%	Free (A,CA,E,IL,J, MX)	45%

7315		Chain and parts thereof, of iron or steel: Articulated link chain and parts thereof:					
7315.11.00		Roller chain		3.4% <u>1</u> /	Free	(A,B,CA,E,IL J,MX)	, 40%
	10	Of not over 50 mm pitch and containing more than 3 parts per pitch: Bicycle chains	kg			o, m.,	
7315.12.00	50	OtherOther chain		3.4%	Free	(A,B,E,IL,J,	40%
					1.2%	MX)	
	20	Of not over 50 mm pitch and containing more than 3 parts per pitch	kg		1.20	(CII)	
		Other:					
	40 60	Welded steel chain Cast and combination chain					
7315.19.00	8 O 0 O	OtherParts		2.4%	Ewoo	/A D CA E TI	40%
	00		кд	3.4%	rree	(A,B,CA,E,IL J,MX)	, 406
7315.20 7315.20.10	0.0	Skid chain: Not over 8 mm in diameter	ka	1 28	Froo	(A,B,E,IL,J,	10%
7313.20.10	00	NOT OVEL 8 HIN IN GIAMETEL	лу	1.2%		MX) (CA)	10%
7315.20.50	00	Over 8 mm in diameter	kg	Free	0.40	(CA)	2.5¢/kg
7315.81.00 7315.82	00	Stud link	kg	Free			4.4¢/kg
7215 02 10	0.0	Of alloy steel:	1	1 20	D	/A D E II I	1.00
7315.82.10	00	Not over 10 mm in diameter	кд	1.26		(A,B,E,IL,J, MX) (CA)	104
7315.82.30	00	Over 10 mm in diameter	kg	Free	0.4%	(CA)	10%
7315.82.50	00	Of iron or nonalloy steel: Not over 10 mm in diameter	kg	1.2%	Free	(A,B,E,IL,J,	10%
					0.4%	MX) (CA)	
7315.82.70 7315.89	00	Over 10 mm in diameter	kg	Free			10%
7313.03		With links of essentially round					
7315.89.10	0.0	cross sections: Not over 8 mm in diameter	kq	1.5%	Free	(A,B,E,IL,J,	10%
						MX) (CA)	
7315.89.30	00	Over 8 mm in diameter		Free	0.43	(CA)	4.7¢/kg
7315.89.50	00	Other	kg	5.3%	Free	(A,B,E,IL,J, MX)	45%
					1.7%	(CA) <u>2</u> /	
7315.90.00	00	Other parts	kg	5.1%	Free	(A,B,E,IL,J, MX)	45%
					1.7%	(CA) <u>3</u> /	
7316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel	x	3.4%		(A,E,IL,J,MX)) 25%
					1.23	(CA)	

 $[\]frac{1}{2}/$ See subheading 9907.73.02. $\frac{2}{2}/$ See subheading 9905.73.13. $\frac{3}{2}/$ See subheading 9905.73.14.

7317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:					
7317.00.10	00	Thumb tacks	kg	1.3%		(A,E,IL,J,MX) (CA)	4%
5315 00 00	0.0	Other, suitable for use in powder-actuated handtools:	1	Post			1 5 1 / 1
7317.00.20 7317.00.30	00	Not threaded		Free 4.4%		(A,E,IL,J,MX) (CA)	1.5¢/kg 45%
7317.00.55		Other: Of one piece construction: Made of round wire		0.4%	0.1%	(E,IL,J) (CA) (MX)	3.5%
	05	Collated nailsOther:	kg				
	10	With a length of less than 25.4 mm and a with a dia- meter of less than 1.65 mm	kg				
	20	Other: Smooth shank: Not coated, plated or paint-					
		ed Coated, plated	kg				
	30	or painted: Galvan- ized	kg				
	40	Vinyl, resin or cement					
		coated					
	50	Other	kg				
	60	Not coated, plated or painted	kg				
	70	Coated, plated or painted: Galvan-					
		ized	kg				
	80	Vinyl, resin or cement coated	kg				
7217 00 65	90	Other		2.0%		/A D TT T	F F 0
7317.00.65	2.2	Other		2.9%		(A,E,IL,J,MX) (CA) <u>1</u> /	5.5%
	30 60	Cut Other	kg				
7317.00.75	00	Of two or more pieces	kg	2.1%		(A,E,IL,J,MX) (CA)	8%

7318		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:				
7318.11.00	00	Threaded articles: Coach screws	kg	12.5%	Free (B,E,IL,J) 3.7% (CA) <u>1</u> / 10% (MX)	25%
7318.12.00	00	Other wood screws	kg	12.5%	Free (A,B,E,IL,J, MX) 3.7% (CA) <u>1</u> /	25%
7318.13.00		Screw hooks and screw rings		5.7%	Free (A,B,E,IL,J, MX) 1.7% (CA)	45%
	30	Having shanks or threads with a di- ameter of less than 6 mm	kg		11.70 (611)	
7318.14	60	Having shanks or threads with a di- meter of 6 mm or more Self-tapping screws:	kg			
7318.14.10	00	Having shanks or threads with a di- ameter of less than 6 mm	kg	6.2%	Free (B,E,IL,J) 1.8% (CA) <u>1</u> / 4.9% (MX)	45%
7318.14.50	00	Having shanks or threads with a diameter of 6 mm or more	kg	9.3%	Free (B,E,IL,J) 2.8% (CA) <u>1</u> / 7.6% (MX)	45%
7318.15 7318.15.20		Other screws and bolts, whether or not with their nuts or washers: Bolts and bolts and their nuts or washers entered or exported in the			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		same shipment		0.6%	Free (A,B,E,IL,J) 0.2% (CA) <u>1/2/</u> 0.5% (MX)	3.5%
	10	Having shanks or threads with a diameter of less than 6 mm	kg			
	2.0	Having shanks or threads with a diameter of 6 mm or more: Track bolts	ka			
	3 0 4 0	Structural bolts Bent bolts Other:	kg			
	50 60	With round heads With hexagonal heads				
7318.15.40	90	Other Machine screws 9.5 mm or more in	3			
7310.13.40	00	length and 3.2 mm or more in diameter (not including cap screws)	kg	0.8¢/kg	Free (A,B,E,IL,J) 0.3¢/kg (CA) <u>1</u> / 0.8¢/kg (MX)	2.2¢/kg
7318.15.50	00	Studs	kg	3.8%	Free (A,B,E,IL,J, MX) 1.4% (CA) <u>1</u> /	45%

 $[\]underline{1}$ / See subheading 9905.00.00. $\underline{2}$ / See subheading 9905.73.16.

7318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel (con.):					
7318.15 (con.)		Threaded articles (con.): Other screws and bolts, whether or not with their nuts or washers (con.): Other:					
7318.15.60	00	Having shanks or threads with a diameter of less than 6 mm	kg	6.2%	1.8%	(A,B,E,IL,J) (CA) <u>1</u> / (MX)	45%
7318.15.80		Having shanks or threads with a diameter of 6 mm or more		9.3%	Free 2.8%	(A,B,E,IL,J) (CA) <u>1</u> / (MX)	45%
	20	Set screws	kg		7.0%	(MA)	
	40	Socket screws Other:	kg				
	60	With hexagonal heads	kg				
7318.16.00	80	Other		0.2%		(A,B,CA,E,IL, J) (MX)	0.5%
	15 30 45 80	Lugnuts: Non-locking chrome-plated Locking Other Other.	kg kg				
7318.19.00	00	Other		5.7%		(A,B,E,IL,J, MX) (CA) 1/	45%
7318.21.00		Non-threaded articles: Spring washers and other lock washers		5.8%	Free	(A,B,E,IL,J, MX) (CA) 1/	35%
7318.22.00 7318.23.00	3 0 9 0 0 0	Helical spring lock washers Other Other washers Rivets	kg kg	Free 0.3¢/kg		_ (A,B,E,IL,J,	1.3¢/kg 2.2¢/kg
					0.1¢	MX) /kg (CA) <u>1</u> /	
7318.24.00	00	Cotters and cotter pins	kg	5.3%		(A,B,E,IL,J, MX) (CA) <u>1/2</u> /	45%
7318.29.00	00	Other	kg	5.1%	Free	(A,B,E,IL,J, MX)	45%
7319		Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included:			1.7%	(CA) <u>1/3</u> /	
7319.10.00 7319.20.00	00	Sewing, darning or embroidery needles Safety pins				(A,E,IL,J,MX) (CA)	Free 35%
7319.30	10 50	On cardsOtherOther pins:	Gross				
7319.30.10	00	Dressmakers' or common pins	kg	7.4%		(A,E,IL,J,MX) (CA)	35%
7319.30.50		Other		2.7%	Free 1% ((A,E,IL,J,MX) CA)	35%
7319.90.00	10 50 00	Push pinsOtherOther	kg	5.2%		(A,E,IL,J,MX) (CA)	45%

 $[\]frac{1}{2}/$ See subheading 9905.00.00. $\frac{2}{2}/$ See subheading 9905.73.18. $\frac{3}{2}/$ See subheading 9905.73.19.

7320 7320.10 7320.10.30	00	Springs and leaves for springs, of iron or steel: Leaf springs and leaves therefor: Suitable for motor vehicle suspension: To be used in motor vehicles having					
		a G.V.W. not execeeding 4 metric tons	ka	3 0%	Free	(A,B,E,IL,J,	25%
		COIIS	лу	3.0%		MX)	25%
					1.2%	(CA) <u>1</u> /	
7320.10.60		Other		3.8%		(B,E,IL,J,MX) (CA) <u>1</u> /	25%
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or more and leaves therefor	kg				
	60	Other	kq				
7320.10.90		Other		3.8%	Free	(A,B,E,IL,J,	25%
					1.2%	MX) (CA) <u>1</u> /	
	15	Leaf springs having individual leaves with a thickness of 1.6 mm or					
		more and leaves therefor	kg				
7320.20	60	Other Helical springs:	kg				
7320.20.10	00	Suitable for motor-vehicle suspension	kg	3.8%	Free	(A,B,E,IL,J, MX)	25%
					1.2%	(CA) <u>1</u> /	
7320.20.50		Other		5.3%	Free	(A,B,E,IL,J, MX)	45%
		Helical springs, of wire having a cross-sectional dimension of less than 5.1 mm:			1.7%	(CA) <u>1</u> /	
	10	Suitable for use in mattress supports and mattresses of heading 9404	kg				
	20 45	Other Helical springs, of wire having a cross-sectional dimension of 5.1 mm	kg				
		or more but less than 12.7 mm	kg				
7320.90	60	Other:	kg				
7320.90.10	00	Hairsprings	kg	3%	Free	(A,B,E,IL,J,	65%
					1.1%	MX) (CA) <u>1</u> /	
7320.90.50		Other		5.1%	Free	(A,B,E,IL,J,	45%
					1.7%	MX) (CA) <u>1</u> /	
	10	Of wire: Suitable for use in mattress supports and mattresses of	,				
		heading 9404					
	20 60	Other					

^{1/} See subheading 9905.00.00.

7321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel:				
7321.11		Cooking appliances and plate warmers: For gas fuel or for both gas and other fuels:				
7321.11.10		Portable		5.7%		(A,E,IL,J,MX) 45% (CA)
	30 60	Stoves or ranges				
7321.11.30	00	Stoves or ranges	No	3.4%	Free	(A,CA,E,IL,J,45% MX)
7321.11.60	00	Other	No	3.4%	Free 1.2%	(A,E,IL,J,MX) 45% (CA) <u>1</u> /
7321.12.00	00	For liquid fuel	No	3.4%		(A,E,IL,J,MX) 45% (CA)
7321.13.00		For solid fuel		3.4%		(A,E,IL,J,MX) 45% (CA)
	20 40	Portable: Hibachis				
	60 80	Of cast iron				
7321.81		For gas fuel or for both gas and other fuels:				
7321.81.10	00	Portable	No	5.1%		(A,E,IL,J,MX) 45% (CA)
7321.81.50	00	Other	No	3.4%		(A,E,IL,J,MX) 45% (CA)
7321.82 7321.82.10	00	For liquid fuel: Portable	No	5.1%		(A,E,IL,J,MX) 45% (CA)
7321.82.50	00	Other	No	3.4%		(A,E,IL,J,MX) 45% (CA)
7321.83.00		For solid fuel		3.4%		(A,E,IL,J,MX) 45% (CA)
	10 50	Fireplace grates of cast iron				
7321.90		Parts: Of articles in subheading 7321.11.30:				
7321.90.10	00	Cooking chambers, whether or not assembled	x	3.4%	Free	(A,CA,E,IL,J,45% MX)
7321.90.20	00	Top surface panels with or without burners or controls	x	3.4%	Free	(A,CA,E,IL,J,45%
7321.90.40	00	Door assemblies, incorporating more than one of the following: inner panel, outer panel, window, in-				MX)
		sulation	X	3.4%	Free	(A,CA,E,IL,J,45% MX)
7321.90.50	00	Other		3.4%		(A,CA,E,IL,J,45% MX)
7321.90.60		Other		3.4%		(A,E,IL,J,MX) 45% (CA) <u>1</u> /
	30	Of cooking appliances and plate warmers	Х			
	90	Other	X			

 $[\]underline{1}$ / See subheading 9905.73.03.

7322		Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel:					
7322.11.00	00	Radiators and parts thereof: Of cast iron	x	3.4%		(A,E,IL,J,MX)	45%
7322.19.00	00	Other	x	3.4%	1.2% Free 1.2%	(A,E,IL,J,MX)	45%
7322.90.00		Other, including parts		3.4%		(A,C,E,IL,J, MX) (CA) 1/	45%
	15	Air heaters, not electrically heated, incorporating a motor-driven fan or blower	No. v		1.26	(CA) <u>1</u> /	
	30	Hot air distributors, not electrically heated, incorporating a motor-driven fan or blower	No. v				
	45	Parts of air heaters and hot air distributors	Х				
7323	00	Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: Iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like	kg	1.8¢/kg + 2%	Free (0.6¢/k		22¢/kg + 30%
		Other:			0.7%	(CA)	
7323.91 7323.91.10	00	Of cast iron, not enameled: Coated or plated with precious					
		metal	X	Free			20%
7323.91.50	00	Other	X	5.3%		(A,CA,E,IL,J, MX)	40%
7323.92.00	00	Of cast iron, enameled	X	2.2%		(A,E,IL,J,MX)	35.5%
7323.93.00		Of stainless steel		3.1%	Free ((A,E,IL,J,MX)	40%
	15	Cooking and kitchen ware: Teakettles Other:	No. v				
	30	Cooking ware					
	60	Kitchen ware					
	80	Other	kg No. v kg				

 $[\]underline{1}$ / See subheading 9905.73.05.

7323 (con.)		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel (con.): Other (con.):			
7323.94.00		Of iron (other than cast iron) or steel,			
		enameled		2.7%	Free (A,CA,E,IL, 35.5% J)
		Cooking and kitchen ware:			2.1% (MX)
		Of steel:			
	10	Teakettles	No. v kg		
	20	Other:	N		
	20	Cooking ware	No. v ka		
	30	Kitchen ware	No. v kg		
	40	Other	kg		
	80	Other	No. v kg		
7323.99		Other: Coated or plated with precious			
7323.99.10	0.0	<pre>metal:</pre>	Y	3.2%	Free (A,E,IL,J,MX) 50%
7323.33.10	00	coated of placed with Silver	Α	3.20	1.2% (CA)
7323.99.30	00	Other	X	8.2%	Free (A,E,IL,J,MX) 65% 2.4% (CA)
		Not coated or plated with precious			
7323.99.50		metal: Of tinplate		2.5%	Free (A,E,IL,J,MX) 40% 0.9% (CA)
	30	Kitchen or tableware suitable for food or drink			0.50 (CA)
		contact	X		
	60	Other:	X		
7323.99.70	00	Cookingware	Nov kg	5.3%	Free (A,E,IL,J,MX) 40% 1.5% (CA)
7323.99.90		Other		3.4%	Free (A,E,IL,J,MX) 40% 1% (CA) 1/
	30	Kitchen or tableware			
		suitable for food or drink contact	х		
	60	Other	Х		
7324		Sanitary ware and parts therof, of iron or steel:			
7324.10.00	00	Sinks and wash basins, of stainless steel	No	3.4%	Free (A,C,E,IL,J, 40% MX)
					1% (CA)
		Baths:			10 (611)
7324.21	0.0	Of cast iron, whether or not enamelled:			
7324.21.10	00	Coated or plated with precious metal	No	Free	20%
7324.21.50	00	Other	No	2.5%	Free (A,E,IL,J,MX) 40% 0.9% (CA)
7324.29.00	00	Other	No	2.7%	Free (A,E,IL,J,MX) 40% 1% (CA)
7324.90.00	00	Other, including parts	x	2.7%	Free (C,E,IL,J) 40% 1% (CA) 2.7% (MX)

 $[\]underline{1}/$ See subheading 9905.73.20.

7325 7325.10.00	10 50	Other cast articles of iron or steel: Of nonmalleable cast iron Manhole covers, rings and frames Other:	kg	Free			10%
7325.91.00	00	Grinding balls and similar articles for mills	kg	5.1%	Free	(A,CA,E,IL,J,	45%
7325.99 7325.99.10	00	Other: Of cast iron	kg	2.5%		(A,B,E,IL,J, MX) (CA) 1/2/	20%
7325.99.50	00	Other	kg	5.1%		(A,B,E,IL,J, MX)	45%
7326		Other articles of iron or steel:			1.7%	(CA) <u>1/2</u> /	
7326.11.00	00	Forged or stamped, but not further worked: Grinding balls and similar articles for mills	kg	3.4%	Free	(A,CA,E,IL,J,	27.5%
7326.19.00	00	Other	kg	5.1%	Free	MX) (A,B,E,IL,J,	45%
						MX) (CA) <u>1/3</u> /	
7326.20.00		Articles of iron or steel wire		5.3%		(A,B,C,E,IL, J,MX)	45%
	10 50	Belts and belting			1./%	(CA) <u>4</u> /	
7326.90 7326.90.10	00	Of tinplate	X	1.9%	Free	(A,B,E,IL,J, MX)	45%
		Other:			0.7%	(CA) <u>1</u> /	
7326.90.25	00	Cable or inner wire for caliper and cantilever brakes and casing therefor, whether or not cut to length	kq	Free			45%
F206 00 25	0.0	•	rg	1100			400
7326.90.35	00	Containers of a kind normally carried on the person, in the pocket or in the handbag	doz	7.8%	Free	(E,IL,J)	110%
7326.90.45	00	Horse and mule shoes	kg	Free	4.6%	,	10%
7326.90.60	0.0	Other: Coated or plated with					
		precious metal	X	8.6%		(A,E,IL,J,MX) (CA) <u>1</u> /	65%
7326.90.85		Other		5.1%		(A,B,E,IL,J, MX)	45%
	30	Hangers and similar supports for tubes and pipes	kg		1.7%	(CA) <u>1</u> / <u>5</u> /	
	45 60 75 90	Barbed tapeLaddersPaint roller frames	No. No.				
	90	Other	va				

^{1/} See subheading 9905.00.00.
2/ See subheading 9905.73.21.
3/ See subheading 9905.73.22.
4/ See subheadings 9905.73.10 and 9905.73.11.
5/ See subheadings 9905.73.11, 9905.73.15, 9905.73.20, 9905.73.25, and 9905.73.30.