Note

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Refined copper

Metal containing at least 99.85 percent by weight of copper; or

Metal containing at least 97.5 percent by weight of copper, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element		Limiting content percent by weight		
Ag	Silver	0.25		
As	Arsenic	0.5		
Cd	Cadmium	1.3		
Cr	Chromium	1.4		
Mg	Magnesium	0.8		
Pb	Lead	1.5		
S	Sulfur	0.7		
Sn	Tin	0.8		
Te	Tellurium	0.8		
Zn	Zinc	1		
Zr	Zirconium	0.3		
Other	elements*, each	0.3		

^{*} Other elements are, for example, Al, Be, Co, Fe, Mn, Ni, Si.

(b) Copper alloys

Metallic substances other than unrefined copper in which copper predominates by weight over each of the other elements, provided that:

- (i) The content by weight of at least one of the other elements is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 2.5 percent.

(c) Master alloys

Alloys containing with other elements more than 10 percent by weight of copper, not usefully malleable and commonly used as an additive in the manufacture of other alloys or as deoxidants, desulfurizing agents or for similar uses in the metallurgy of nonferrous metals. However, copper phosphide (phosphor copper) containing more than 15 percent by weight of phosphorus falls in heading 2848.

(d) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

Wire bars and billets with their ends tapered or otherwise worked simply to facilitate their entry into machines for converting them into, for example, drawing stock (wire rod) or tubes, are, however, to be taken to be unwrought copper of heading 7403.

XV 74-2

(e) <u>Profiles</u>

Rolled, extruded, drawn, forged or formed products, coiled or not, of a uniform cross section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or descaling), provided that they have not thereby assumed the character of articles or products of other headings.

(f) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross section may have corners rounded along their whole length. The thickness of such products which have a rectangular (including "modified rectangular") cross section exceeds one-tenth of the width.

In the case of heading 7414, however, the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

(g) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7403), coiled or not, of solid rectangular (other than square) cross section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- of rectangular (including square) shape with a thickness not exceeding one-tenth of the width,
- of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Headings 7409 and 7410 apply, <u>inter alia</u>, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, checkers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(h) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross section, which may have corners rounded along their whole length, are also to be taken to be tubes and pipes provided the inner and outer cross sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

Subheading Note

- 1. In this chapter the following expressions have the meanings hereby assigned to them:
 - (a) Copper-zinc base alloys (brasses)

Alloys of copper and zinc, with or without other elements. When other elements are present:

- zinc predominates by weight over each of such other elements;
- any nickel content by weight is less than 5 percent (see copper-nickel-zinc alloys (nickel silvers)); and
- any tin content by weight is less than 3 percent (see copper-tin alloys (bronzes)).

(b) Copper-tin base alloys (bronzes)

Alloys of copper and tin, with or without other elements. When other elements are present, tin predominates by weight over each of such other elements, except that when the tin content is 3 percent or more the zinc content by weight may exceed that of tin but must be less than 10 percent.

(c) Copper-nickel-zinc base alloys (nickel silvers)

Alloys of copper, nickel and zinc, with or without other elements. The nickel content is 5 percent or more by weight (see copper-zinc alloys (brasses)).

(d) Copper-nickel base alloys

Alloys of copper and nickel, with or without other elements but in any case containing by weight not more than 1 percent of zinc. When other elements are present, nickel predominates by weight over each of such other elements.

Additional U.S. Note

1. The deduction provided for in additional U.S. note 1 to chapter 26 shall apply to cement copper and copper precipitates of subheading 7401.20.

Statistical Note

1. For the purposes of this chapter, the term "beryllium copper master alloy" refers to master alloys which contain by weight at least 3 percent but not more than 10 percent beryllium.

7401 7401.10.00		mattes; cement copper (precipitated copper) pper mattes		0.1¢/kg on copper content + 0.1¢/kg on lead content	Free	(A,CA,E,IL,J,	8.8¢/kg on copper content + 3.3¢/kg on lead content +
	4.7¢/kg						
	on zinc						
	content 20 40 60	Copper contentLead contentZinc content	. kg v				
7401.20.00	00 Cer	ment copper (precipitated copper)	. kg	0.3% on the value of the copper content	Free	(A,CA,E,IL,J, MX)	. 6%
7402.00.00		ed copper; copper anodes for electrolytic gcopper content		0.2% on the value of the copper content	Free	(A*,CA,E,IL, J,MX)	6%
7403	than ma	copper and copper alloys, unwrought (other ster alloys of heading 7405): fined copper:					
7403.11.00	00	Cathodes and sections of cathodes	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.12.00	00	Wire bars	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.13.00	00	Billets	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.19.00	00	Other	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
		pper alloys:				,	
7403.21.00	00	Copper-zinc base alloys (brass)	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.22.00	00	Copper-tin base alloys (bronze)	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.23.00	00	Copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%
7403.29.00	00	Other copper alloys	. kg	1%	Free	(A*,CA,E,IL, J,MX)	6%

7404.00 7404.00.30	20	Copper waste and scrap: Spent anodes; waste and scrap with a copper content of less than 94 percent by weight Of refined copper		Free		6%
	45	Containing more than 0.3 per- cent of lead	kg			
7404.00.60	55 65 90 20	Other Of copper-tin base alloys (bronze) Other Other Of refined copper Of copper alloys:	kg kg	Free		6%
	45	Of copper-zinc base alloys (brass): Containing more than 0.3 per- cent of lead	kg			
	55 65 90	OtherOf copper-tin base alloys (bronze)	kg			
7405.00 7405.00.10	00	Master alloys of copper: Containing by weight 5 percent or more but not more than 15 percent of phosphorus	kg	0.5%	Free	(A,CA,E,IL,J,12%
7405.00.60		Other		1.2%	Free	MX) (A,CA,E,IL,J,28% MX)
	3 0 5 0	Beryllium copper master alloy				MA)
7406 7406.10.00	00	Copper powders and flakes: Powders of non-lamellar structure	kg	1.1%	Free	(A,CA,E,IL,J,49% MX)
7406.20.00	00	Powders of lamellar structure; flakes	kg	0.6%	Free	(A,CA,E,IL,J, 12% MX)
7407 7407.10		Copper bars, rods and profiles: Of refined copper: Profiles:				
7407.10.15	00	Hollow profiles	kg	3.7%	Free	(A,CA,E,IL,J,48% MX)
7407.10.30	00	Other	kg	3.7%	Free	(A,CA,E,IL,J,48% MX)
7407.10.50		Bars and rods		1%	Free	(A,CA,E,IL,J,7% MX)
	10 50	Having a rectangular cross section Other				
7407.21		Of copper alloys: Of copper-zinc base alloys (brass):				
7407.21.15	00	Profiles: Hollow profiles	kg	2.4%	Free	(A,CA,E,IL,J,17% MX)
7407.21.30	00	Other	kg	2.4%	Free	(A,CA,E,IL,J,17% MX)
7407.21.50	00	Bars and rods: Low fuming brazing rods	kg	2.2%	Free	(A,CA,E,IL,J,9% MX)
7407.21.70	00	Other: Having a rectangular cross				
		section	kg	1.9%	Free	(A,CA,E,IL,J,9% MX)
7407.21.90	00	Other	kg	2.2%	Free	(A*,CA,E,IL, 9% J,MX)

7407 (con.)		Copper bars, rods and profiles (con.): Of copper alloys (con.):				
7407.22		Of copper-nickel base alloys (cupro- nickel) or copper-nickel-zinc base alloys (nickel silver):				
7407.22.15	00	Profiles: Hollow profiles	kg	3.7%	Free	(A,CA,E,IL,J,48% MX)
7407.22.30	00	Other	kg	3.7%	Free	(A,CA,E,IL,J,48% MX)
7407.22.50	00	Bars and rods	kg	3.6%	Free	(A,CA,E,IL,J,48% MX)
7407.29		Other:				,
7407.29.15	00	Profiles: Hollow profiles	kg	3.4%	Free	(A,CA,E,IL,J,48% MX)
7407.29.30	00	Other	kg	3.4%	Free	(A,CA,E,IL,J,48% MX)
7407.29.50	00	Bars and rods	kg	1.6%	Free	(A,CA,E,IL,J,9% MX)
7408		Copper wire:				
7408.11		Of refined copper: Of which the maximum cross-sectional				
7408.11.30	00	dimension exceeds 6 mm: With a maximum cross-sectional di-				
		mension over 9.5 mm	kg	1%	Free	(A,CA,E,IL,J, 7% MX)
7408.11.60	00	With a maximum cross-sectional di- mension over 6 mm but not over				
		9.5 mm	kg	3.2%	Free	(A,CA,E,IL,J,28% MX)
7408.19.00	00	Other	kg	3.2%	Free	(A,CA,E,IL,J,28% MX)
7408.21.00	00	Of copper alloys: Of copper-zinc base alloys (brass)	kg	3.2%	Free	(A,CA,E,IL,J,28%
7408.22		Of copper-nickel base alloys (cupro- nickel) or copper-nickel-zinc base alloys				MX)
7408.22.10	00	<pre>(nickel silver):</pre>	kg	3.3%	Free	(A,CA,E,IL,J,28% MX)
7408.22.50	00	Not coated or plated with $metal$	kg	3.2%	Free	(A,CA,E,IL,J,28% MX)
7408.29 7408.29.10	0.0	Other:	ka	3.3%	Fron	(A CA E II I 20%
		Coated or plated with metal				(A,CA,E,IL,J,28% MX)
7408.29.50	00	Not coated or plated with metal	kg	3.2%	Free	(A,CA,E,IL,J,28% MX)

7409		Copper plates, sheets and strip, of a thickness exceeding 0.15 mm: Of refined copper:				
7409.11 7409.11.10	00	In coils: Of a thickness of 5 mm or more	kg	3.7%	Free	(A,CA,E,IL,J,38% MX)
7409.11.50		Of a thickness of less than 5 mm		1%	Free	(A*,CA,E,IL, 7.5% J,MX)
	10 50	Of a width of 500 mm or more Of a width of less than 500 mm	3			U,PA)
7409.19 7409.19.10	00	Other: Of a thickness of 5 mm or more	kg	3.3%	Free	(A,CA,E,IL,J,48% MX)
7409.19.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg	1%	Free	(A,CA,E,IL,J,7.5% MX)
7409.19.90	00	Of a width of less than 500 mm	kg	3.3%	Free	(A,CA,E,IL,J,48% MX)
7409.21.00		Of copper-zinc base alloys (brass): In coils		1.9%	Free	(A*,CA,E,IL, 9%
	10	Of a thickness of 5 mm or more	kg			J,MX)
	50	Of a thickness of less than 5 mm: Of a width of 500 mm or more Of a width of less than 500 mm:	kg			
	75	Of a width of less than 300 mm. Of a thickness less than 1.6 mm	kg			
	90	Other			_	<i>(</i>
7409.29.00	1.0	Other Of a thickness of 5 mm or more		1.9%	Free	(A,CA,E,IL,J, 9% MX)
	10 50	Of a thickness of less than 5 mm: Of a width of 500 mm or more				
	75	Of a width of less than 500 mm: Of a thickness less than	ĸg			
		1.6 mm				
7409.31	90	OtherOf copper-tin base alloys (bronze): In coils:	kg			
7409.31.10	00	Of a thickness of 5 mm or more	kg	3.4%	Free	(A,CA,E,IL,J,49% MX)
7409.31.50	00	Of a thickness of less than 5 mm: Of a width of 500 mm or more	kg	1.7%	Free	(A,CA,E,IL,J,9% MX)
7409.31.90	00	Of a width of less than 500 mm	ka	3.4%	Free	MA) (A,CA,E,IL,J,49%
7409.39		Other:				MX)
7409.39.10	2.0	Of a thickness of 5 mm or more		3.4%	Free	(A,CA,E,IL,J,49% MX)
	30 60	Of phosphor bronze	kg			
	00	copper content Of a thickness of less than 5 mm:				
7409.39.50	00	Of a width of 500 mm or more	kg	1.7%	Free	(A,CA,E,IL,J, 9% MX)
7409.39.90		Of a width of less than 500 mm		3.4%	Free	(A,CA,E,IL,J,49% MX)
	30	Of phosphor bronze copper content				/
	60	Othercopper content	kg v			

7409 (con.)		Copper plates, sheets and strip, of a thickness				
7409.40.00	00	exceeding 0.15 mm (con.): Of copper-nickel base alloys (cupro-nickel)				
		or copper-nickel-zinc base alloys (nickel silver)	ka	3.7%	Free	(A,CA,E,IL,J,48%
			g	3.70	1100	MX)
7409.90 7409.90.10		Of other copper alloys: Of a thickness of 5 mm or more		3.4%	Free	(A,CA,E,IL,J,49%
	30	Of borullium conner	ka v			MX)
		Of beryllium coppercopper content	kg			
	60	Othercopper content				
7409.90.50		Of a thickness of less than 5 mm: Of a width of 500 mm or more	_	1.7%	Exac	/A CA E TI T 0%
7409.90.50		of a width of 500 mm or more		1.76	rree	(A,CA,E,IL,J,9% MX)
	30	Of beryllium coppercopper content				
	60	Other	kg v			
7409.90.90		copper content Of a width of less than 500 mm		3.4%	Free	(A,CA,E,IL,J,49%
	30	Of beryllium copper	ka v			MX)
		copper content	kg			
	60	Othercopper content				
7410		Copper foil (whether or not printed or backed with	J			
7410		paper, paperboard, plastics or similar backing				
		<pre>materials) of a thickness (excluding any backing) not exceeding 0.15 mm:</pre>				
7410.11.00	0.0	Not backed: Of refined copper	lea	1%	Fron	(A,CA,E,IL,J,6.5%
7410.11.00	00	Of ferfined copper	лу	Τ.9	FIEE	MX)
7410.12.00		Of copper alloys		1%	Free	(A,CA,E,IL,J,6.5%
	30					MX)
	60	Of copper-zinc base alloys (brass) Other				
7410.21		Backed: Of refined copper:				
7410.21.30		Copper clad laminates		3.5%	Free	(A,CA,E,IL,J,80%
		Having a base wholly of plas-				MX)
	20	tics impregnated glass: Having copper on one side				
	20	only				
			kg			
	40	Having copper on both sides	m² v			
			kq			
	60	Other	m² v kq			
7410.21.60	00	Other		1.5%	Free	(A,CA,E,IL,J,6%
7410.22.00	00	Of copper alloys	kg	1.5%	Free	MX) (A,CA,E,IL,J,6%
						MX)

7411 7411.10 7411.10.10		Copper tubes and pipes: Of refined copper: Seamless		1.5%	Free	(A,CA,E,IL,J, 13%
	30	Having an outside diameter of 6 mm or more but not exceeding 16 mm, in coils on spools	kg			MX)
7411.10.50	90 00	Other		3.4%	Free	(A,CA,E,IL,J,47% MX)
7411.21 7411.21.10	00	Of copper alloys: Of copper-zinc base alloys (brass): Seamless	kg	1.4%	Free	(A,CA,E,IL,J,10%
7411.21.50	00	Other	kg	3.3%	Free	(A,CA,E,IL,J,49% MX)
7411.22.00	00	Of copper-nickel base alloys (cupro- nickel) or copper-nickel-zinc base alloys (nickel-silver)	kg	3.4%	Free	(A,CA,E,IL,J,47% MX)
7411.29		Other:				
7411.29.10	00	Seamless	kg	1.4%	Free	(A,CA,E,IL,J,10% MX)
7411.29.50	00	Other	kg	3.3%	Free	(A,CA,E,IL,J,49% MX)
7412		Copper tube or pipe fittings (for example couplings, elbows, sleeves):				11117
7412.10.00	00	Of refined copper	kg	4.6%	Free	(A,B,CA,E,IL,46% J,MX)
7412.20.00		Of copper alloys		3%	Free	(A,B,CA,E,IL,49% J,MX)
	15	For brake hoses for vehicles of subheading 8701.20 or heading 8702, 8703, 8704, or 8705	kg			O, PIX)
		Other: Of copper-zinc base alloys (brass): Threaded:				
	25 35	Nipples	kg ka			
	45	Other: Other: Threaded:				
	65 85	Nipples Other				
	90	Other				
7413.00		Stranded wire cables, plaited bands and the like, including slings and similar articles, of copper, not electrically insulated: Not fitted with fittings and not made up				
7413.00.10	00	into articles: Stranded wire	kg	3.4%	Free	(A,CA,E,IL,J,35% MX)
7413.00.50	00	Other	kg	2.4%	Free	(A,CA,E,IL,J,35% MX)
7413.00.90	00	Fitted with fittings or made up into	ka	3.5%	Froc	,
		articles	лу	ە ^ر د. د	rree	(A,B,C,CA,E, 45% IL,J,MX)

7414		Cloth (including endless bands), grill and net- ting, of copper wire; expanded metal of copper:				
7414.20		Cloth:				
		Fourdrinier wires, seamed or not seamed, suitable for use in paper-				
		making machines:				
7414.20.30	00	With 94 or more wires to the lineal	2	F		75%
		centimeter	ka	Free		/5%
7414.20.60	00	Other	m²v kg	4.4%	Free	(A,CA,E,IL,J,75% MX)
7414.20.90	00	Other	$m^2 \dots v$ kg	3.2%	Free	(A,CA,E,IL,J,43% MX)
7414.90.00	00	Other	kg	3.4%	Free	(A,B,CA,E,IL, 43% J,MX)
7415	00	Nails, tacks, drawing pins, staples (other than those of heading 8305) and similar articles, of copper or of iron or steel with heads of copper; screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of copper: Nails and tacks, drawing pins, staples and				
7413.10.00	00	similar articles	kg	3%	Free	(A,CA,E,IL,J,45% MX)
E415 01 00	0.0	Other articles, not threaded:	1	2 60		/3 D G3 E TT 450
7415.21.00	00	Washers (including spring washers)	кд	3.66	rree	(A,B,CA,E,IL, 45% J,MX)
7415.29.00	00	Other	kg	3.3%	Free	(A,B,CA,E,IL,45% J,MX)
7415.31.00	0.0	Other threaded articles: Screws for wood	le cr	2 5%	Emaa	(A,B,CA,E,IL,45%
7413.31.00	00	Sciews for wood	лу	3.3%	riee	J, MX)
7415.32	0.0	Other screws; bolts and nuts:	1	1 40		/2 D G2 D TT D0
7415.32.10	00	Muntz or yellow metal bolts	кд	1.4%	Free	(A,B,CA,E,IL,7% J,MX)
7415.32.50	00	Other: Having shanks, threads or holes 6 mm or more in				, .
		diameter	kg	3.5%	Free	(A,B,CA,E,IL,45% J,MX)
7415.32.90	00	Having shanks, threads or holes less than 6 mm in				<i>(</i>
		diameter	kg	3.7%	Free	(A,B,CA,E,IL,45% J,MX)
7415.39.00	00	Other	J		Free	(A,B,CA,E,IL, 45% J,MX)
7416.00.00	0.0	Copper springs	kg	3.5%	Free	(A,B,CA,E,IL,45% J,MX)
7417.00.00	00	Cooking or heating apparatus of a kind used for domestic purposes, non-electric and parts thereof,				
		of copper	kg	3.2%	Free	(A,CA,E,IL,J,45% MX)

7418		Table, kitchen or other household articles and parts thereof, of copper; pot scourers and scouring or polishing pads, gloves and the like, of copper; sanitary ware and parts thereof, of copper: Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:					
7418.11		Pot scourers and scouring or polishing pads, gloves and the like:					
7418.11.20	00	Of copper-zinc base alloys (brass)	kg	3.1%	Free	(A,CA,E,IL,J,4 MX)	0%
7418.11.40	00	Other	kg	3.4%	Free	(A,CA,E,IL,J,4 MX)	0왕
7418.19 7418.19.10	00	Other: Coated or plated with precious metals	kg	3.2%	Free	(A,CA,E,IL,J,5	0%
7418.19.20		Other: Of copper-zinc base alloys (brass)		3.1%	Free	MX) (A,CA,E,IL,J,4	0%
7418.19.50	3 0 9 0	Cooking and kitchen ware Other Other	kg	3.4%	Free	MX) (A,CA,E,IL,J,4	O%
	10	Cooking and kitchen ware	No. v			MX)	
	50	Other	kg kg				
7418.20 7418.20.10	00	Sanitary ware and parts thereof: Of copper-zinc base alloys (brass)	kg	3.1%	Free	(A,CA,E,IL,J,4 MX)	0%
7418.20.50	00	Other	kg	3.4%	Free	(A,CA,E,IL,J,4 MX)	0%
7419 7419.10.00	00	Other articles of copper: Chain and parts thereof	kg	3.4%	Free	(A,B,CA,E,IL, 4: J,MX)	5%
7419.91.00		Other: Cast, molded, stamped or forged, but not further worked		1%	Free	(A,B,CA,E,IL, 4: J,MX)	6%
	10	Brass plumbing goods, not elsewhere specified or included	kg			U, MA)	
7419.99	50	Other:	kg				
7419.99.15	00	Containers of a kind normally carried on the person, in the pocket or in the handbag	doz	4%		(CA,E,IL,J) 1	10%
7419.99.30	00	Other: Coated or plated with precious metal	kg	4.4%	3.9% Free	(MX) (A,CA,E,IL,J,6) MX)	5%
7419.99.50		Other		1%	Free		6%
	10	Brass plumbing goods not elsewhere specified or included	kq			IL,J,MX)	
	50	Other					