

such as silicon and aluminum. AHSS and UHSS are considered high tensile strength and high elongation steels, although AHSS and UHSS are covered whether or not they are high tensile strength or high elongation steels.

Subject merchandise includes cold-rolled steel that has been further processed in a third country, including but not limited to annealing, tempering, painting, varnishing, trimming, cutting, punching, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of the investigation if performed in the country of manufacture of the cold-rolled steel.

All products that meet the written physical description, and in which the chemistry quantities do not exceed any one of the noted element levels listed above, are within the scope of this investigation unless specifically excluded. The following products are outside of and/or specifically excluded from the scope of this investigation:

- Ball bearing steels;⁸
- Tool steels;⁹
- Silico-manganese steel;¹⁰
 - Grain-oriented electrical steels (GOES) as defined in the final determination of the U.S. Department of Commerce in *Grain-Oriented Electrical Steel From Germany, Japan, and Poland*.¹¹
- Non-Oriented Electrical Steels (NOES), as defined in the antidumping orders issued

⁸Ball bearing steels are defined as steels which contain, in addition to iron, each of the following elements by weight in the amount specified: (i) not less than 0.95 nor more than 1.13 percent of carbon; (ii) not less than 0.22 nor more than 0.48 percent of manganese; (iii) none, or not more than 0.03 percent of sulfur; (iv) none, or not more than 0.03 percent of phosphorus; (v) not less than 0.18 nor more than 0.37 percent of silicon; (vi) not less than 1.25 nor more than 1.65 percent of chromium; (vii) none, or not more than 0.28 percent of nickel; (viii) none, or not more than 0.38 percent of copper; and (ix) none, or not more than 0.09 percent of molybdenum.

⁹Tool steels are defined as steels which contain the following combinations of elements in the quantity by weight respectively indicated: (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

¹⁰Silico-manganese steel is defined as steels containing by weight: (i) not more than 0.7 percent of carbon; (ii) 0.5 percent or more but not more than 1.9 percent of manganese, and (iii) 0.6 percent or more but not more than 2.3 percent of silicon.

¹¹*Grain-Oriented Electrical Steel From Germany, Japan, and Poland: Final Determinations of Sales at Less Than Fair Value and Certain Final Affirmative Determination of Critical Circumstances*, 79 FR 42,501, 42,503 (Dep't of Commerce, July 22, 2014). This determination defines grain-oriented electrical steel as "a flat-rolled alloy steel product containing by weight at least 0.6 percent but not more than 6 percent of silicon, not more than 0.08 percent of carbon, not more than 1.0 percent of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, in coils or in straight lengths."

by the U.S. Department of Commerce in *Non-Oriented Electrical Steel From the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan*.¹²

The products subject to these investigations are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers:

7209.15.0000, 7209.16.0030, 7209.16.0060, 7209.16.0070, 7209.16.0091, 7209.17.0030, 7209.17.0060, 7209.17.0070, 7209.17.0091, 7209.18.1530, 7209.18.1560, 7209.18.2510, 7209.18.2520, 7209.18.2580, 7209.18.6020, 7209.18.6090, 7209.25.0000, 7209.26.0000, 7209.27.0000, 7209.28.0000, 7209.90.0000, 7210.70.3000, 7211.23.1500, 7211.23.2000, 7211.23.3000, 7211.23.4500, 7211.23.6030, 7211.23.6060, 7211.23.6075, 7211.23.6085, 7211.29.2030, 7211.29.2090, 7211.29.4500, 7211.29.6030, 7211.29.6080, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7225.50.6000, 7225.50.8015, 7225.50.8085, 7225.99.0090, 7226.92.5000, 7226.92.7050, and 7226.92.8050.

The products subject to the investigations may also enter under the following HTSUS numbers: 7210.90.9000, 7212.50.0000, 7215.10.0010, 7215.10.0080, 7215.50.0016, 7215.50.0018, 7215.50.0020, 7215.50.0061, 7215.50.0063, 7215.50.0065, 7215.50.0090, 7215.90.5000, 7217.10.1000, 7217.10.2000, 7217.10.3000, 7217.10.7000, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090, 7225.19.0000, 7226.19.1000, 7226.19.9000, 7226.99.0180, 7228.50.5015, 7228.50.5040, 7228.50.5070, 7228.60.8000, and 7229.90.1000.

The HTSUS subheadings above are provided for convenience and customs purposes only. The written description of the scope of the investigation is dispositive.

[FR Doc. 2015-32222 Filed 12-21-15; 8:45 am]

BILLING CODE 3510-DS-P

¹²*Non-Oriented Electrical Steel From the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan: Antidumping Duty Orders*, 79 FR 71,741, 71,741-42 (Dep't of Commerce, Dec. 3, 2014). The orders define NOES as "cold-rolled, flat-rolled, alloy steel products, whether or not in coils, regardless of width, having an actual thickness of 0.20 mm or more, in which the core loss is substantially equal in any direction of magnetization in the plane of the material. The term 'substantially equal' means that the cross grain direction of core loss is no more than 1.5 times the straight grain direction (*i.e.*, the rolling direction) of core loss. NOES has a magnetic permeability that does not exceed 1.65 Tesla when tested at a field of 800 A/m (equivalent to 10 Oersteds) along (*i.e.*, parallel to) the rolling direction of the sheet (*i.e.*, B800 value). NOES contains by weight more than 1.00 percent of silicon but less than 3.5 percent of silicon, not more than 0.08 percent of carbon, and not more than 1.5 percent of aluminum. NOES has a surface oxide coating, to which an insulation coating may be applied."

DEPARTMENT OF COMMERCE

International Trade Administration

[C-351-844]

Countervailing Duty Investigation of Certain Cold-Rolled Steel Flat Products From Brazil: Preliminary Affirmative Determination and Alignment of Final Determination With Final Antidumping Duty Determination

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The Department of Commerce (Department) preliminarily determines that countervailable subsidies are being provided to producers and exporters of certain cold-rolled steel flat products (cold-rolled steel) from Brazil. The period of investigation is January 1, 2014, through December 31, 2014. We invite interested parties to comment on this preliminary determination.

DATES: *Effective Date:* December 22, 2015.

FOR FURTHER INFORMATION CONTACT: Nicholas Czajkowski or Lana Nigro, AD/CVD Operations, Office I, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue NW., Washington, DC 20230; telephone: (202) 482-1395 or (202) 482-1779, respectively.

Scope of the Investigation

The products covered by this investigation are cold-rolled steel flat products from Brazil. For a complete description of the scope of this investigation, *see* Appendix II.

Methodology

The Department is conducting this countervailing duty (CVD) investigation in accordance with section 701 of the Tariff Act of 1930, as amended (Act). For each of the subsidy programs found countervailable, we preliminarily determine that there is a subsidy, *i.e.*, a financial contribution by an "authority" that gives rise to a benefit to the recipient, and that the subsidy is specific.¹ For a full description of the methodology underlying our preliminary conclusions, *see* the Preliminary Decision Memorandum. A list of topics discussed in the Preliminary Decision Memorandum is included as Appendix I to this notice. The Preliminary Decision Memorandum is a public document and is on file

¹ *See* sections 771(5)(B) and (D) of the Act regarding financial contribution; section 771(5)(E) of the Act regarding benefit; and section 771(5A) of the Act regarding specificity.

electronically *via* Enforcement and Compliance's Antidumping and Countervailing Duty Centralized Electronic Service System (ACCESS). ACCESS is available to registered users at <http://access.trade.gov>, and is available to all parties in the Central Records Unit, room B8024 of the main Department of Commerce building. In addition, a complete version of the Preliminary Decision Memorandum can be accessed directly at <http://enforcement.trade.gov/frn/>. The signed Preliminary Decision Memorandum and the electronic versions of the Preliminary Decision Memorandum are identical in content.

In making this preliminary determination, the Department relied, in part, on facts otherwise available.² For further information, see "Use of Facts Otherwise Available" in the accompanying Preliminary Decision Memorandum.

Alignment

As noted in the Preliminary Decision Memorandum, in accordance with section 705(a)(1) of the Act and 19 CFR 351.210(b)(4), we are aligning the final CVD determination in this investigation with the final determination in the companion antidumping duty (AD) investigation of cold-rolled steel from Brazil based on a request made by Petitioners.³ Consequently, the final CVD determination will be issued on the same date as the final AD determination, which is currently scheduled to be issued no later than May 8, 2016,⁴ unless postponed.

Preliminary Determination and Suspension of Liquidation

In accordance with section 703(d)(1)(A)(i) of the Act, we calculated a CVD rate for each individually investigated respondent company. Section 705(c)(5)(A)(i) of the Act states that, for companies not individually investigated, we will determine an "all

others" rate equal to the weighted-average countervailable subsidy rates established for exporters and producers individually investigated, excluding any zero and *de minimis* countervailable subsidy rates, and any rates determined entirely under section 776 of the Act.

Consistent with the Department's practice, we normally calculate the all others rate based on the weighted average of the mandatory respondents' calculated subsidy rates.⁵ In this case however, the two mandatory respondents have the same rate. Therefore, it is unnecessary to calculate an all others rate that is the weighted average of the mandatory respondents' rates. The all others rate is the rate calculated for both mandatory respondents.

We preliminarily determine the countervailable subsidy rates to be:

Company	Subsidy rate (percent)
Companhia Siderurgica Nacional (CSN)	7.42
Usinas Siderurgicas de Minas Gerais S.A. (Usiminas)	7.42
All Others	7.42

In accordance with sections 703(d)(1)(B) and (2) of the Act, we are directing U.S. Customs and Border Protection to suspend liquidation of all entries of cold-rolled steel from Brazil that are entered, or withdrawn from warehouse, for consumption on or after the date of the publication of this notice in the **Federal Register**, and to require a cash deposit for such entries of merchandise in the amounts indicated above.

Verification

As provided in section 782(i)(1) of the Act, we intend to verify the information submitted by the respondents prior to making our final determination.

International Trade Commission Notification

In accordance with section 703(f) of the Act, we will notify the International Trade Commission (ITC) of our determination. In addition, we are making available to the ITC all non-privileged and non-proprietary information relating to this investigation. We will allow the ITC access to all privileged and business proprietary information in our files,

⁵ See, e.g., *Countervailing Duty Investigation of Certain Passenger Vehicle and Light Truck Tires From the People's Republic of China: Final Affirmative Determination, and Final Affirmative Critical Circumstances Determination, in Part*, 80 FR 34888 (June 18, 2015).

provided the ITC confirms that it will not disclose such information, either publicly or under an administrative protective order, without the written consent of the Assistant Secretary for Enforcement and Compliance.

In accordance with section 705(b)(2) of the Act, if our final determination is affirmative, the ITC will make its final determination within 45 days after the Department makes its final determination.

Disclosure and Public Comment

The Department intends to disclose to interested parties the calculations performed in connection with this preliminary determination within five days of its public announcement.⁶ Interested parties may submit case and rebuttal briefs, as well as request a hearing.⁷ For a schedule of the deadlines for filing case briefs, rebuttal briefs, and hearing requests, see the Preliminary Decision Memorandum.

This determination is issued and published pursuant to sections 703(f) and 777(i) of the Act and 19 CFR 351.205(c).

Dated: December 15, 2015.

Paul Piquado,

Assistant Secretary for Enforcement and Compliance.

Appendix I

List of Topics Discussed in the Preliminary Decision Memorandum

- I. Summary
- II. Background
- III. Scope Comments
- IV. Scope of the Investigation
- V. Alignment
- VI. Injury Test
- VII. Use of Facts Otherwise Available
- VIII. Subsidies Valuation
- IX. Analysis of Programs
- X. Calculation of the All Others Rate
- XI. ITC Notification
- XII. Disclosure and Public Comment
- XIII. Verification
- XIV. Conclusion

Appendix II

Scope of the Investigation

The products covered by this investigation are certain cold-rolled (cold-reduced), flat-rolled steel products, whether or not annealed, painted, varnished, or coated with plastics or other non-metallic substances. The products covered do not include those that are clad, plated, or coated with metal. The products covered include coils that have a width or other lateral measurement ("width") of 12.7 mm or greater, regardless of form of coil (e.g., in successively superimposed layers, spirally oscillating, etc.). The products covered also include products not in coils (e.g., in straight lengths)

⁶ See 19 CFR 351.224(b).

⁷ See 19 CFR 351.309(c)-(d), 19 CFR 351.310(c).

² See section 776(a) of the Act.

³ AK Steel Corporation, ArcelorMittal USA LLC, Nucor Corporation, Steel Dynamics Inc., and the United States Steel Corporation (collectively, Petitioners). See letter from Petitioners, "Countervailing Duty Investigations of Certain Cold-Rolled Steel Flat Products from Brazil, India, the People's Republic of China, the Republic of Korea, and the Russian Federation—Petitioners' Request to Align Final Determinations in Countervailing and Antidumping Duty Investigations," dated December 14, 2015 (Petitioners' Request for Alignment).

⁴ The current deadline for the final AD determination, May 8, 2016, is a Sunday. Pursuant to Department practice, the signature date will be the next business day, which is Monday, May 9, 2016. See *Notice of Clarification: Application of "Next Business Day" Rule for Administrative Determination Deadlines Pursuant to the Tariff Act of 1930, As Amended*, 70 FR 24533 (May 10, 2005).

of a thickness less than 4.75 mm and a width that is 12.7 mm or greater and that measures at least 10 times the thickness. The products covered also include products not in coils (e.g., in straight lengths) of a thickness of 4.75 mm or more and a width exceeding 150 mm and measuring at least twice the thickness. The products described above may be rectangular, square, circular, or other shape and include products of either rectangular or non-rectangular cross-section where such cross-section is achieved subsequent to the rolling process, i.e., products which have been "worked after rolling" (e.g., products which have been beveled or rounded at the edges). For purposes of the width and thickness requirements referenced above:

(1) Where the nominal and actual measurements vary, a product is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above, and

(2) where the width and thickness vary for a specific product (e.g., the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, etc.), the measurement at its greatest width or thickness applies.

Steel products included in the scope of this investigation are products in which: (1) Iron predominates, by weight, over each of the other contained elements; (2) the carbon content is 2 percent or less, by weight; and (3) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

- 2.50 percent of manganese, or
- 3.30 percent of silicon, or
- 1.50 percent of copper, or
- 1.50 percent of aluminum, or
- 1.25 percent of chromium, or
- 0.30 percent of cobalt, or
- 0.40 percent of lead, or
- 2.00 percent of nickel, or
- 0.30 percent of tungsten (also called wolfram), or
- 0.80 percent of molybdenum, or
- 0.10 percent of niobium (also called columbium), or
- 0.30 percent of vanadium, or
- 0.30 percent of zirconium

Unless specifically excluded, products are included in this scope regardless of levels of boron and titanium.

For example, specifically included in this scope are vacuum degassed, fully stabilized (commonly referred to as interstitial-free (IF)) steels, high strength low alloy (HSLA) steels, motor lamination steels, Advanced High Strength Steels (AHSS), and Ultra High Strength Steels (UHSS). IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium and/or niobium added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, titanium, vanadium, and molybdenum. Motor lamination steels contain micro-alloying levels of elements such as silicon and aluminum. AHSS and UHSS are considered high tensile strength and high elongation steels, although AHSS and UHSS are covered whether or not they

are high tensile strength or high elongation steels.

Subject merchandise includes cold-rolled steel that has been further processed in a third country, including but not limited to annealing, tempering, painting, varnishing, trimming, cutting, punching, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of the investigation if performed in the country of manufacture of the cold-rolled steel.

All products that meet the written physical description, and in which the chemistry quantities do not exceed any one of the noted element levels listed above, are within the scope of this investigation unless specifically excluded. The following products are outside of and/or specifically excluded from the scope of this investigation:

- Ball bearing steels;⁸
- Tool steels;⁹
- Silico-manganese steel;¹⁰
- Grain-oriented electrical steels (GOES) as defined in the final determination of the U.S. Department of Commerce in *Grain-Oriented Electrical Steel From Germany, Japan, and Poland*.¹¹
- Non-Oriented Electrical Steels (NOES), as defined in the antidumping orders issued by the U.S. Department of Commerce in *Non-Oriented Electrical Steel From the People's Republic of China, Germany,*

⁸ Ball bearing steels are defined as steels which contain, in addition to iron, each of the following elements by weight in the amount specified: (i) Not less than 0.95 nor more than 1.13 percent of carbon; (ii) not less than 0.22 nor more than 0.48 percent of manganese; (iii) none, or not more than 0.03 percent of sulfur; (iv) none, or not more than 0.03 percent of phosphorus; (v) not less than 0.18 nor more than 0.37 percent of silicon; (vi) not less than 1.25 nor more than 1.65 percent of chromium; (vii) none, or not more than 0.28 percent of nickel; (viii) none, or not more than 0.38 percent of copper; and (ix) none, or not more than 0.09 percent of molybdenum.

⁹ Tool steels are defined as steels which contain the following combinations of elements in the quantity by weight respectively indicated: (i) More than 1.2 percent carbon and more than 10.5 percent chromium; or (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or (vi) not less than 0.5 percent carbon and not less than 5.5 percent tungsten.

¹⁰ Silico-manganese steel is defined as steels containing by weight: (i) Not more than 0.7 percent of carbon; (ii) 0.5 percent or more but not more than 1.9 percent of manganese, and (iii) 0.6 percent or more but not more than 2.3 percent of silicon.

¹¹ *Grain-Oriented Electrical Steel From Germany, Japan, and Poland: Final Determinations of Sales at Less Than Fair Value and Certain Final Affirmative Determination of Critical Circumstances*, 79 FR 42,501, 42,503 (Dep't of Commerce, July 22, 2014). This determination defines grain-oriented electrical steel as "a flat-rolled alloy steel product containing by weight at least 0.6 percent but not more than 6 percent of silicon, not more than 0.08 percent of carbon, not more than 1.0 percent of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, in coils or in straight lengths."

Japan, the Republic of Korea, Sweden, and Taiwan.¹²

The products subject to this investigation are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers: 7209.15.0000, 7209.16.0030, 7209.16.0060, 7209.16.0070, 7209.16.0091, 7209.17.0030, 7209.17.0060, 7209.17.0070, 7209.17.0091, 7209.18.1530, 7209.18.1560, 7209.18.2510, 7209.18.2520, 7209.18.2580, 7209.18.6020, 7209.18.6090, 7209.25.0000, 7209.26.0000, 7209.27.0000, 7209.28.0000, 7209.90.0000, 7210.70.3000, 7211.23.1500, 7211.23.2000, 7211.23.3000, 7211.23.4500, 7211.23.6030, 7211.23.6060, 7211.23.6075, 7211.23.6085, 7211.29.2030, 7211.29.2090, 7211.29.4500, 7211.29.6030, 7211.29.6080, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7225.50.6000, 7225.50.8015, 7225.50.8085, 7225.99.0090, 7226.92.5000, 7226.92.7050, and 7226.92.8050. The products subject to the investigation may also enter under the following HTSUS numbers: 7210.90.9000, 7212.50.0000, 7215.10.0010, 7215.10.0080, 7215.50.0016, 7215.50.0018, 7215.50.0020, 7215.50.0061, 7215.50.0063, 7215.50.0065, 7215.50.0090, 7215.90.5000, 7217.10.1000, 7217.10.2000, 7217.10.3000, 7217.10.7000, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090, 7225.19.0000, 7226.19.1000, 7226.19.9000, 7226.99.0180, 7228.50.5015, 7228.50.5040, 7228.50.5070, 7228.60.8000, and 7229.90.1000.

The HTSUS subheadings above are provided for convenience and U.S. Customs purposes only. The written description of the scope of the investigation is dispositive.

[FR Doc. 2015-32221 Filed 12-21-15; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

National Institute of Standards and Technology

Visiting Committee on Advanced Technology

AGENCY: National Institute of Standards and Technology, Department of Commerce.

ACTION: Notice of public meeting.

¹² *Non-Oriented Electrical Steel From the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan: Antidumping Duty Orders*, 79 FR 71,741, 71,741-42 (Dep't of Commerce, Dec. 3, 2014). The orders define NOES as "cold-rolled, flat-rolled, alloy steel products, whether or not in coils, regardless of width, having an actual thickness of 0.20 mm or more, in which the core loss is substantially equal in any direction of magnetization in the plane of the material. The term 'substantially equal' means that the cross grain direction of core loss is no more than 1.5 times the straight grain direction (i.e., the rolling direction) of core loss. NOES has a magnetic permeability that does not exceed 1.65 Tesla when tested at a field of 800 A/m (equivalent to 10 Oersts) along (i.e., parallel to) the rolling direction of the sheet (i.e., B800 value). NOES contains by weight more than 1.00 percent of silicon but less than 3.5 percent of silicon, not more than 0.08 percent of carbon, and not more than 1.5 percent of aluminum. NOES has a surface oxide coating, to which an insulation coating may be applied."